

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS




TOOLS

Spare parts suitable for

NAYATI


induction

induction coils


			
No.	403043	Ref. No.	PD425D-2
description	induction coils		


heating elements

heating elements for bain maries


			
No.	418431	Ref. No.	PD411J
description	heating element 1000W 230V heating circuits 1 L 402mm L1 50mm W 246mm connection M4 connection length 20mm tube ø 8.2mm dry heating element L2 352mm H 27mm		


heating elements for fryers


			
No.	418432	Ref. No.	PD411L
description	heating element 6000W 230/400V heating circuits 3 L 275mm W 172mm H 161mm rectangular flange connection male faston 6.3mm fryer heaters W1 35mm W2 93mm H1 133mm H2 28mm hole distance 115mm hole ø 8mm flange length 136mm flange width 30mm		

			
No.	415742	Ref. No.	PD.4118C
description	heating element 2300W 230V heating circuits 1 L 280mm W 90mm H 180mm L1 25mm L2 257mm W1 35mm W2 20mm H1 150mm H2 30mm windings 4 flange length 50mm flange width 20mm hole distance 40mm hole ø 5mm connection male faston 6.3mm tube ø 8.5mm rectangular flange fryer heaters		


heating elements for griddles

			
No.	418498	Ref. No.	PD411K
description	heating element 1000W 230V heating circuits 1 L 472mm W 76mm H 38mm tube ø 8.5mm connection M4 connection length 27mm dry heating element		



			
No.	418062	Ref. No.	SS2027
description	heating element 1000W 400V heating circuits 1 L 470mm W 78mm H 34mm tube ø 8.5mm connection M4 connection length 21mm connection distance 70mm dry heating element		

			
No.	416668	Ref. No.	PD.4115A
description	heating element 1600W 230V heating circuits 1 L 366mm W 65mm H 62mm tube ø 8.5mm connection male faston 6.3mm dry heating element		

heating elements for chargrills

			
No.	418428	Ref. No.	PD411T
description	heating element 1600W 230V heating circuits 1 L 471mm W 118mm H 94mm rectangular flange hole distance 75mm hole ø 6mm L1 55mm L2 416mm cable length 900mm flange length 134mm flange width 31mm tube ø 13x5mm dry heating element connection length 73mm		

bottom heaters



			
No.	418429	Ref. No.	PD411P
description	bottom heater 1800W 230V heating circuits 1 ø 196mm safety thermostat 250°C M5 mounting distance 180mm		
spare parts for	418429		
	No.	375137	Ref. No. —
safety thermostat switch-off temp. 250°C 1-pole 16A probe ø 3.03mm probe L 160mm capillary pipe 880mm capillary pipe isolated 800mm gland nut probe SS with curved probe			



E-G-O



1

No.	419008	Ref. No.	PD.4793
description	bottom heater 3000W 400V heating circuits 2 ø 196mm safety thermostat 250°C thermostat 128°C M5 H 180mm		
spare parts for	419008		
	No.	375137	Ref. No. —
safety thermostat switch-off temp. 250°C 1-pole 16A probe ø 3.03mm probe L 160mm capillary pipe 880mm capillary pipe isolated 800mm gland nut probe SS with curved probe			
	No.	375782	Ref. No. —
thermostat t.max. 128°C temperature range 30-128°C 1-pole 1NO 16A probe ø 3.03mm probe L 178mm capillary pipe 870mm capillary pipe isolated 800mm gland nut shaft ømm shaft L 23mm shaft position upper rotation 270° outer switch 2NO with curved probe			

heating plates



1

No.	418427	Ref. No.	PD411S PS.EH003
description	hot plate 1600W 230V heating circuits 1 cable length 320mm H 3mm L 360mm W 110mm		



1

No.	419128	Ref. No.	PD.4113 PD.4113D PS.EH001-D
description	hot plate 2500W 400V heating circuits 1 cable length 1760mm H 3mm L 350mm W 125mm		



1



No.	418433	Ref. No.	PD411R PD411RA PD411RB PS.EH002 PS.EH002-A
description	hot plate 2700W 230V heating circuits 1 cable length 1650mm L 360mm W 250mm		

ceramic heaters

245x60mm



1







No.	415104	Ref. No.	PD.2300
description	ceramic emitter 1000W 230V cable beaded cord L 245mm W 60mm H 35mm		
spare parts for	415104		
	No.	415109	Ref. No. —
spring clip			
accessories for	415104		
	No.	415110	Ref. No. PD.2301
reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm			

immersion heating elements

with round flange ø47.5mm




1

No.	415494	Ref. No.	PD.4119
description	heating element 4980W 230V heating circuits 3 mounting ø 47.5mm L 335mm W 30mm H 50mm round flange connection male faston 6.3mm immersion heater H1 35mm H2 15mm L1 30mm L2 45mm L3 260mm thermostat sleeves ø 6.5mm number of thermostat sleeves 1 length thermostat sleeves 215mm thermostat sleeve eccentric, clinging		
spare parts for	415494		
	No.	532495	Ref. No. —
O-ring EPDM thickness 7mm ID ø 43mm Qty 1 pcs			
accessories for	415494		
	No.	520235	Ref. No. —
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			
	No.	520236	Ref. No. —
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes			
	No.	521012	Ref. No. —
gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs			
	No.	550002	Ref. No. —
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			
	No.	550362	Ref. No. —
blind flange ø 64mm mounting ø 47.5mm			

radiation heaters

square



1

No.	490009 ¹	Ref. No.	PD.2283
description	radiation heater L 300mm W 300mm 4000W 400V connections 3+2 square with pan detection EGO		
spare parts for	490009		
	No.	499157	Ref. No.
			—
	protection pipe for temperature probe ceramic L 297mm ED ø 7mm ID ø 5mm		

¹with pan detection



1

No.	416656	Ref. No.	PD2454
description	radiation heater rectangular 4000W 230V L 490mm W 245mm heating circuits 2 connections 2+2 IRCA		
For models:	MES 6-48		
spare parts for	416656		
	No.	417727	Ref. No.
			—
	terminal L 20m W 8.2mm		


1-circuit



1

No.	490131	Ref. No.	PD2281
description	radiation heater ø 250mm 2500W 400V heating circuits 1 energy regulation with temperature signalization with ribbon heater connections 2+2 connection type male faston 6.3mm EGO		

foil heating elements



1

No.	416406	Ref. No.	PD.4118D
description	foil heating element L 400mm W 240mm 1000W 230V t.max. 150°C with temperature limiter silicone cable length 2000mm thickness 1mm		

accessories

flange gaskets



1

No.	520324	Ref. No.	PD.404S
description	counterflange ID ø 160mm ED ø 200mm hole distance 90/180mm hole ø 7mm SS for bottom heaters		
accessories for	520324		
	No.	520323	Ref. No.
			PD.404F
	gasket ID ø 160mm ED ø 200mm hole distance 90/180mm hole ø 7mm silicone for bottom heaters		



1

No.	520323	Ref. No.	PD.404F
description	gasket ID ø 160mm ED ø 200mm hole distance 90/180mm hole ø 7mm silicone for bottom heaters		

counterflanges



1

No.	520324	Ref. No.	PD.404S
description	counterflange ID ø 160mm ED ø 200mm hole distance 90/180mm hole ø 7mm SS for bottom heaters		
accessories for	520324		
	No.	520323	Ref. No.
			PD.404F
	gasket ID ø 160mm ED ø 200mm hole distance 90/180mm hole ø 7mm silicone for bottom heaters		



1

No.	692186	Ref. No.	PD.C016
description	cover for heating element L 510mm W 371mm H 12mm hole ø 9mm aluminium for pipe ø 10mm		

hot plates

square & rectangular

with radiused edge



1

No.	490065	Ref. No.	PD411M
description	hot plate dimensions 220x220mm 2000W 230V with spill ring connection 4 screw clamps protector no square		

energy regulators

EGO

1-circuit



1

No.	380015	Ref. No.	PD412J
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		



1

No.	380014	Ref. No.	PD412L
description	energy regulator 400V 7A single-circuit turn direction left shaft ø 6x4.6mm mounting thread M4 no. 50.57030.010		

thermostats

control and safety thermostats

EGO

control thermostats

55.34_ series



1

No.	375097	Ref. No.	GS2228 PD2228
description	thermostat t.max. 195°C temperature range 95-195°C 3-pole 3NO 16A probe ø 6mm probe L 117mm capillary pipe 1780mm capillary pipe isolated 1400mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

safety thermostats

55.14_ series



1

No.	375260	Ref. No.	PD.412H
description	safety thermostat switch-off temp. 240°C 1-pole 16A probe ø 6mm probe L 77mm capillary pipe 1280mm capillary pipe isolated 1050mm gland nut M10x1 probe SS		


55.31_ series



1

No.	390168	Ref. No.	GS2229 PD2229
description	safety thermostat switch-off temp. 230°C 3-pole 3NC 20A probe ø 6mm probe L 239mm capillary pipe 830mm capillary pipe isolated- mm gland nut M9x1 probe SS		

55.32_ series



No.	376052	Ref. No.	N/A
description	safety thermostat switch-off temp. 420°C 3-pole 3NC probe ø 3.9mm probe L 228mm capillary pipe 1190mm capillary pipe isolated 960mm gland nut shaft ømm		

55.33_ series



No.	375781	Ref. No.	PD412F
description	safety thermostat switch-off temp. 275°C 3-pole 20A probe ø 4mm probe L 157mm capillary pipe 870mm capillary pipe isolated 350mm gland nut probe SS		


56_ series







No.	375688	Ref. No.	GS2154
description	safety thermostat switch-off temp. 230°C 1-pole 1NC 0.5A probe ø 6mm probe L 77mm capillary pipe 700mm capillary pipe isolatedmm gland nut M9x1 probe SS		

control thermostats with operation switch


55.13_ series



No.	375406	Ref. No.	PD412B
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1CO 16A probe ø 6mm probe L 113mm capillary pipe 2380mm capillary pipe isolated 1700mm gland nut M9x1 shaft ø 6x4.6mm shaft L 18mm shaft position upper rotation 270° outer switch 2NO		
accessories for	375406		
	No.	110545	Ref. No. —
	knob dial plate silver thermostat t.max. 110°C 30-110°C rotation 310° ED ø 59mm ID ø 45.5mm		
	No.	112173	Ref. No. —
	knob universal ø 62mm black without adaptor/dial plate		
	No.	112311	Ref. No. —
	knob adapter shaft ø 6x4.6mm L 0mm with spring		



No.	375408	Ref. No.	PD412C SS2624
description	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3.03mm probe L 160mm capillary pipe 1150mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		




No.	375780	Ref. No.	PD412E
description	thermostat temperature range 120-190°C 1-pole 1NO 16A probe ø 3mm probe L 248mm capillary pipe 1730mm capillary pipe isolated 1660mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		




55.34_ series

E-G-O



No.	375690	Ref. No.	SS2028
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 3.03mm probe L 160mm capillary pipe 1480mm capillary pipe isolated 350mm gland nut shaft ø 6x4.6mm shaft L 24mm shaft position upper rotation 270° outer switch 2NO		

E-G-O



No.	375140	Ref. No.	PD.412K
description	thermostat t.max. 650°C temperature range 50°C/50-600°C/70-650°C 3-pole 3NO 16A probe ø 4mm probe L 228mm capillary pipe 1200mm capillary pipe isolated 1200mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position left rotation 318° outer switch 2NO		

INVENSYS / ROBERTSHAW

safety thermostats



No.	580045	Ref. No.	GS.2183
description	safety thermostat switch-off temp. 232°C 1-pole 1COA probe ø 6.4mm probe L 120mm capillary pipe 760mm capillary pipe isolated mm gland nut 3/8" NPT shaft ømm probe SS screw connection 1/4" 450°F		


switches and momentary switches
rocker/momentary rocker switches

30x22mm



1	No.	301001	Ref. No.	GS.2753
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65			
accessories for	301001			
	No.	301036	Ref. No.	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			


float switches



1	No.	347494	Ref. No.	PD.404Q PD.404Q3
description	float switch thread M16x1.5 1NO or 1NC ø 17mm L 88mm mounting ø 16mm 250V 1A cable cable length 520mm temp.-resist. -20 up to +105°C			

cam switches

on/off



1	No.	300020	Ref. No.	PD2247
description	cam switch 4 operating positions 2NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic			
accessories for	300020			
	No.	110135	Ref. No.	—
	rosette knob up to ø 52mm			
	No.	110231	Ref. No.	—
	knob switch 0-1-0-1 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black			

operation switches



1


No.	301095	Ref. No.	PD2455
description	cam switch 4 operating positions operation switch sequence 0-1-2-3 shaft ø 6x4.6mm connection male faston 3-pole ambient temperature max. 270°C		
For models:	MES 6-48		


magnetic switches

36x13mm



1



No.	345118 ¹	Ref. No.	PD424D	
description	magnetic switch L 36mm W 13mm 1NO 250V 1A P max. 50W connection cable cable length 980mm			
accessories for	345118			
	No.	345399	Ref. No.	—
	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3			

¹with coded connector

lamps

indicator lights


indicator lights (complete)

ø16mm

with screw socket




1

No.	359835	Ref. No.	PD414K SS2617	
description	indicator light ø 16mm 230V green connection male faston 6.3mm			
For models:	MES 6-48			
accessories for	359835			
	No.	550559	Ref. No.	—
	nut thread M16x1 H 5.5mm WS 19			




1

No.	359831	Ref. No.	PD414Q	
description	indicator light ø 16mm 230V red connection male faston 6.3mm			
accessories for	359831			
	No.	550559	Ref. No.	—
	nut thread M16x1 H 5.5mm WS 19			




1

No.	359834	Ref. No.	PD414J PD414JB SS2625	
description	indicator light ø 16mm 230V yellow connection male faston 6.3mm temp.-resist. 120°C			
For models:	MES 6-48			
accessories for	359834			
	No.	550559	Ref. No.	—
	nut thread M16x1 H 5.5mm WS 19			



1

No.	359830	Ref. No.	PD.414GA	
description	indicator light ø 16mm 400V yellow connection male faston 6.3mm			
accessories for	359830			
	No.	550559	Ref. No.	—
	nut thread M16x1 H 5.5mm WS 19			

with plug-in socket



1

No.	359166	Ref. No.	SS2077
description	indicator light ø 16mm 230V white		



1

No.	359168	Ref. No.	PD414G SS2078
description	indicator light ø 16mm 400V green		



1


No.	359169	Ref. No.	PD414H SS2079
description	indicator light ø 16mm 400V yellow		

timers

programme timers





1

No.	360082	Ref. No.	P195JE2L130
description	timer FIBER P19 engines 1 chambers 2 operation time 20min 230V shaft 6mm shaft Lmm manuf. no. P195JE2L130		
spare parts for	360082		
	No.	360674	Ref. No. —
motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder			

mechanical timers



1

No.	350018	Ref. No.	PD.2453
description	timer M2 2-pole operation time 60min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
accessories for	350018		
	No.	110366	Ref. No. —
knob switch zero mark t.max.°C° 44mm shaft ø 6x4.6mm shaft flat upper black			
	No.	111202	Ref. No. —
dial plate graduation 60min permanent position yes rotation 0-300° ø 60mm timers knob ø 45mm with permanent position			

relays

power relays

with bracket mounting



1

No.	380403	Ref. No.	PD424C
description	power relays FINDER 230VAC 16A 3CO connection F6.3 bracket mounting manuf. no. 62.83.8.230.0500		

plug-in/print relays



1

No.	380941	Ref. No.	PD.2476
description	print relay 250VAC 2CO at 250V 8A connection pins raster size 5mm		

electronics

PCBs



1

No.	400074	Ref. No.	PD424F
description	PCB pyroceram range 400V		

pressure switches

for coffee machines

ø 38mm



1

No.	541020	Ref. No.	PD2095
description	pressure control ø 38mm pressure range 0.5-1.2bar coffee machine parts pressure connection vertical preset at 1bar 16A 250V connection 1/4" pressure connection 1/4" GAS		

electric accessories

terminals

porcelain clamps



1

No.	550113	Ref. No.	PD409A
description	porcelain terminal block 3-pole 2.5mm ² hole distance 14mm max. 32A max 250V L 39mm W 23mm H 20mm mounting distance 14mm Qty 1 pcs		

connection terminals with screw/faston connections



1

No.	550110	Ref. No.	PD409B
description	power terminal block 5-pole max. 40A max 250V connection M6/ male faston 6.3mm temp.-resist. 130°C		
For models:	MES 6-48		

gas taps

PEL


21S series



1

No.	101397	Ref. No.	GS3875	
description	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower			
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGWR10-85W1S1, NGWR16-85W2S1, NGWR18-85W2S2, NGWR24-85W3S2, NGWT 3-55/SN, NGWT 7-55/SN			
spare parts for	101397			
	No.	100408	Ref. No.	—
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5			
	No.	101060	Ref. No.	GS8036P
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101206	Ref. No.	—
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL21			
	No.	101231	Ref. No.	—
	thermocouple nut T1: M9x1 T2: M18x1			

accessories for	101397			
	No.	100908	Ref. No.	—
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	GS.3680
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs			
	No.	101278	Ref. No.	—
	olive for pipe ø 10mm Qty 1 pcs			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	No.	101300	Ref. No.	—
	union nut thread M16x1.5 tube ø 10mm			
	No.	101450	Ref. No.	—
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			
	No.	101451	Ref. No.	—
	union nut thread M16x1.5 tube ø 8mm			
	No.	110081	Ref. No.	GS3602
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal			
	No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			



1






No.	101610	Ref. No.	N/A	
description	gas tap PEL type 21S gas inlet pipe flange ø21mm bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 6x4.6mm shaft L 30/23mm shaft flat upper			
spare parts for	101610			
	No.	100408	Ref. No.	—
bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5				
	No.	101060	Ref. No.	GS8036P
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA				
	No.	101230	Ref. No.	—
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	No.	101803	Ref. No.	—
gas tap front part shaft ø 6x4.6mm shaft L 30/23mm shaft flat upper/lower suitable for PEL21				
	No.	106250	Ref. No.	—
gasket Viton ED ø 14mm ID ø 9mm thickness 3.3mm Qty 1 pcs				

Table continues overleaf
















accessories for 101610				
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	GS.3680
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	—
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				
	No.	110078	Ref. No.	—
knob without symbol ø 70mm shaft ø 6x4.6mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

22S/V series



1

No.	101087	Ref. No.	GS3877	
description	gas tap PEL type 22S/V gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper			
	spare parts for 101087			
	No.	100259	Ref. No.	—
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5				
	No.	101058	Ref. No.	—
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard				
	No.	101201	Ref. No.	—
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22				
	No.	101231	Ref. No.	—
thermocouple nut T1: M9x1 T2: M18x1				
	No.	101241	Ref. No.	—
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical				

spare parts for 101087				
	No.	101460	Ref. No.	—
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				
	No.	101461	Ref. No.	—
screw kit suitable for PEL22 Qty 4 pcs				
accessories for 101087				
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	GS.3680
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101240	Ref. No.	—
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101248	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	—
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

23S/O series



1


No.	101092	Ref. No.	GS3878	
description	gas tap PEL type 23S/O gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm gas outlet M24x1.5 (tube ø 16mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper			
spare parts for	101092			
	No.	100455	Ref. No.	—
	bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			

Table continues on next page

spare parts for 101092				
	No.	101059	Ref. No.	—
magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1				
	No.	101204	Ref. No.	—
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL23S				
	No.	101244	Ref. No.	—
gas connection thread M24x1.5 tube ø 12/16mm horizontal for PEL gas taps				
	No.	101463	Ref. No.	—
screw suitable for PEL23S Qty 4 pcs				
	No.	528455	Ref. No.	—
O-ring Viton thickness 2.62mm ID ø 18.72mm Qty 1 pcs				
accessories for 101092				
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	GS.3680
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101252	Ref. No.	—
union nut thread M24x1.5 for pipe ø 12mm				
	No.	101253	Ref. No.	—
union nut thread M24x1.5 PEL for pipe ø 16mm				
	No.	101254	Ref. No.	—
union nut thread M28x1.5 tube ø 20mm				
	No.	101255	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs				
	No.	101256	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101257	Ref. No.	—
olive for pipe ø 20mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

AB
gas taps


1

No.	107917	Ref. No.	N/A
description	gas tap AB type A12I-120 gas inlet 3/8" BSP gas outlet 3/8" BSP thermocouple connection M9x1 pilot connection M10x1 front fixing shaft ø 8x6mm shaft L 33/17mm shaft flat right/left		



1

No.	107918	Ref. No.	N/A
description	gas tap AB type A12I-150 gas inlet 3/8" BSP gas outlet 3/8" BSP thermocouple connection M9x1 pilot connection M10x1 front fixing shaft ø 8x6mm shaft L 33/17mm shaft flat right/left		



1

No.	107916	Ref. No.	N/A
description	gas tap AB type A12I-95 gas inlet 3/8" BSP gas outlet 3/8" BSP thermocouple connection M9x1 pilot connection M10x1 front fixing shaft ø 8x6mm shaft L 33/17mm shaft flat right/left		



1

No.	107908	Ref. No.	N/A
description	gas tap AB type A60U gas inlet pipe flange ø27mm gas outlet M16x1.5 (tube ø 10mm) thermocouple connection M9x1 pilot connection M10x1 front fixing shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		



1


No.	107913	Ref. No.	N/A
description	gas tap AB type A63C gas inlet 3/4"x14 BSP-F gas outlet 3/4"x14 BSP-F thermocouple connection M9x1 pilot connection M10x1 front fixing shaft ø 9x7.7mm shaft L 41/15mm shaft flat +25°		








gas thermostats




SIT



630 Eurosit series





No.	101188	Ref. No.	PD2045
description	gas thermostat type 630 Eurosit series t.max. 190°C 110-190°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 202mm capillary pipe 1050mm SIT		
accessories for	101188		
	No.	100904	Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	Ref. No. SP385E
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101273	Ref. No. —
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	No.	101276	Ref. No. —
	union screw thread 3/8" tube ø 12mm Qty 1 pcs		
	No.	101333	Ref. No. —
	plug thread 3/8" with O-ring		



No.	106164	Ref. No.	GS3060A
description	gas thermostat type 630 Eurosit series t.max. 340°C 100-340°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm pressure regulator 13-18mbar ambient temperature max. 0-120°C		
accessories for	106164		
	No.	100904	Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	Ref. No. SP385E
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101273	Ref. No. —
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		

accessories for	106164		
	No.	101276	Ref. No. —
	union screw thread 3/8" tube ø 12mm Qty 1 pcs		
	No.	101333	Ref. No. —
	plug thread 3/8" with O-ring		

1			
No.	101996	Ref. No.	GS3060
description	gas thermostat type 630 Eurosit series t.max. 340°C 100-340°C SIT		
accessories for	101996		
	No.	100825	Ref. No. —
	gas tap spindle shaft ø 8x6.5mm shaft L 22/14mm suitable for EUROSIT		
	No.	100904	Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	Ref. No. SP385E
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	100949	Ref. No. —
	gasket suitable for 630 Eurosit series		
	No.	101273	Ref. No. —
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	No.	101276	Ref. No. —
	union screw thread 3/8" tube ø 12mm Qty 1 pcs		
	No.	101333	Ref. No. —
	plug thread 3/8" with O-ring		

710 Minisit series






















No.	106014	Ref. No.	GS3820
description	gas thermostat with cover cap and knob SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulator mbar gland nut		
spare parts for	106014		
	No.	101053	Ref. No. —
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		

Table continues overleaf

spare parts for 106014				
	No.	101136	Ref. No.	—
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	No.	102102	Ref. No.	—
probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710				
	No.	107564	Ref. No.	—
piezoelectric igniter body plastic blowing connection F6.3x0.8 ø 22mm				
	No.	110068	Ref. No.	GS3810
knob suitable for Minisit ø 37mm				
accessories for 106014				
	No.	100809	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	SP385E
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101054	Ref. No.	—
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	101136	Ref. No.	—
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	—
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	—
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				




PEL

24ST series

1



No.	106203	Ref. No.	GS.387A
description	gas thermostat PEL type 24ST 120-280°C gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 120mm shaft ø 10x9mm shaft L 27/17mm shaft flat upper		

spare parts for 106203			
	No.	100455	Ref. No. —
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	No.	101058	Ref. No. —
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	106200	Ref. No. —
nut thread M9x1 suitable for PEL 24/255			

accessories for 106203			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. GS.3680
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	No.	101248	Ref. No. —
olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	No.	101249	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	No.	101250	Ref. No. —
union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No. —
union nut thread M20x1.5 for pipe ø 12mm			
	No.	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			
	No.	110079	Ref. No. —
knob dial plate gas thermostat 1-8 silver			
	No.	110080	Ref. No. —
knob ø 70mm shaft ø 10x8mm shaft flat universal			



ROBERTSHAW



No.	107562 ¹	Ref. No.	GS.2182
description	gas thermostat type GSE100301800 93-201°C 200-393°F gas inlet 1/4" CCT (tube ø 1/4") bypass nozzle ømm gas outlet 1/4" CCT (tube ø 1/4") thermocouple connection pilot connection capillary pipe 30" - 760mm probe ø 3/8" - 9.5mm probe L 5 3/8" - 135mm gland nut 1/4" NPT shaft ø 6.4x4.8mm shaft L 21/21mm shaft flat lower Invensys approval CE		

¹with gland nut 1/4" NPT

gas valves and ignition boxes

gas control valves

ROBERTSHAW


gas controlled valves










No.	580077	Ref. No.	GS.2181
description	gas valve supply Operator gas inlet 1/4" CCT outlet 1/4" CCT gas inlet 3/4" gas outlet 3/4" thermocouple connection 11/32" pilot connection 1/4" pressure regulator mbar type U7000BGOL pressure controller unregulated 0-70°C max 65mbar		

SIT

NOVASIT



No.	101187	Ref. No.	GS373D PD2073
description	gas valve SIT series Novasit 820 0.17VHz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure mbar pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.301 supply Operator millivolt		
spare parts for	101187		
	No.	101065	Ref. No. —
magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT			
accessories for	101187		
	No.	100110	Ref. No. —
pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm			
	No.	101305	Ref. No. —
gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	No.	101306	Ref. No. —
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101307	Ref. No. —
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101308	Ref. No. —
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	102116	Ref. No. GS373E PD4646
thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"			

accessories



No.	100905	Ref. No.	SP385E
description	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		

safety valves

SIT

440 series



1

No.	101101	Ref. No.	CH3713 GS3713
description	gas valve pressure range 50mbar gas inlet 3/4" gas outlet 3/4" pilot connection M10x1 (tube ø 6mm) thermocouple connection M9x1 type SIT D3		
For models:	NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		
accessories for	101101		
	No.	100904	Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	Ref. No. SP385E
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		

ignition parts

pilot burners

SIT

100 series



1

No.	106905	Ref. No.	WT3851
description	pilot burner SIT type 100 series 2 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106905		
	No.	100245	Ref. No. GC1001 SP385F
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	No.	100855	Ref. No. GS8042P GS8042S SP385D
	pilot burner bracket triple		
	No.	100885	Ref. No. —
	air mixing sleeve for pilot burner Qty 1 pcs		
	No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminic		

spare parts for	106905		
	No.	100918	Ref. No. —
	screw for pilot burner		
	No.	107161	Ref. No. GS8041P GS8041S SP385A
	pilot burner cap SIT 2 flames Hmm Lmm Qty 1 pcs		
	No.	107701	Ref. No. GS8040P GS8044S SP385B
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm		
accessories for	106905		
	No.	100246	Ref. No. GS3828 SP385C
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	No.	100904	Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	Ref. No. SP385E
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	102110	Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	No.	107171	Ref. No. PD2276
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs		
	No.	107700	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm		
	No.	107702	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm		



















1


No.	106906	Ref. No.	GS3851
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGTEL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85, NGWT 3-55/SN, NGWT 7-55/SN		
spare parts for	106906		
	No.	100245	Ref. No. GC1001 SP385F
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	No.	100855	Ref. No. GS8042P GS8042S SP385D
	pilot burner bracket triple		

Table continues overleaf




spare parts for 106906				
	No.	100885	Ref. No.	—
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107162	Ref. No.	—
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs				
	No.	107701	Ref. No.	GS8040P GS8044S SP385B
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				
accessories for 106906				
	No.	100245	Ref. No.	GC1001 SP385F
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100246	Ref. No.	GS3828 SP385C
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	SP385E
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	PD2276
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	No.	107702	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.35mm				








accessories			
pilot burner caps			
			
1			
No.	100835	Ref. No.	PD2264
description pilot burner cap 3 flames suitable for 100 series H 35mm L 48mm Qty 1 pcs W 52mm			




			
1			
No.	107161	Ref. No.	GS8041P GS8041S SP385A
description pilot burner cap SIT 2 flames Hmm Lmm Qty 1 pcs			

pilot burner bottom parts



1





No.	107701	Ref. No.	GS8040P GS8044S SP385B	
description pilot burner bottom part SIT 100 series nozzle ø 0.2mm				
spare parts for 107701				
	No.	100245	Ref. No.	GC1001 SP385F
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
accessories for 107701				
	No.	100246	Ref. No.	GS3828 SP385C
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	SP385E
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				

accessories for 107701				
	No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	102742	Ref. No.	—
	pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs			


pilot burner brackets


universal

1


				
No.	100855	Ref. No.	GS8042P GS8042S SP385D	
description pilot burner bracket triple				
accessories for 100855				
	No.	100855	Ref. No.	GS8042P GS8042S SP385D
pilot burner bracket triple				
	No.	100886	Ref. No.	—
pilot burner bracket suitable for 100 series 3-piece				
	No.	100888	Ref. No.	—
screw bolt for pilot burner				


pilot burner nozzles

<div><div>1</div><div></div></div>					
No.		100245	Ref. No.		GC1001 SP385F
description		pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
For models:		NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85, NGWT 3-55/SN, NGWT 7-55/SN			

<div>1</div> <div></div>			
No.	100246	Ref. No.	GS3828 SP385C
description	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85, NGWT 3-55/SN, NGWT 7-55/SN		


ignition electrodes







			
No.	100706	Ref. No.	GS.3856
description ignition electrode connection M4 Qty 1 pcs			

			
No.	100707	Ref. No.	PD2268
description ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs			

140 - 145 -150 series










1



No.	107114 ¹	Ref. No.	GS3853	
description	pilot burner SIT type 140 series 2 flames nozzle ømm gas connectionmm			
spare parts for	107114			
	No.	100907	Ref. No.	—
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
accessories for	107114			
	No.	100204	Ref. No.	GC1002
pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series				
	No.	100205	Ref. No.	—
pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series				
	No.	100206	Ref. No.	—
pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series				
	No.	100207	Ref. No.	GS3829
pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series				
	No.	100216	Ref. No.	—
pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series				

¹incl. thermocouple fitting
Table continues overleaf







accessories for 107114				
	No.	100701	Ref. No.	GS3857
ignition electrode connection M4 Qty 1 pcs				
	No.	100801	Ref. No.	—
gasket for pilot burner Qty 1 pcs				
	No.	100897	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs for pilot burner				
	No.	100898	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs for pilot burner				
	No.	100906	Ref. No.	—
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	GS.3680
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				

producer-specific pilot burners

NAYATI

Amicus, Grandis, Meritus (hob) series

1

No.	100856	Ref. No.	PD.2481	
description	pilot burner EGA type A LPG			
spare parts for	100856			
	No.	100806	Ref. No.	—
gasket for pilot burner				
	No.	100847	Ref. No.	—
pilot burner centre part				
	No.	100853	Ref. No.	—
pilot burner cap				
	No.	101598	Ref. No.	—
pilot burner bottom part LPG bore ø 0.2mm				

Amicus (grills), Meritus (pasta cookers), Grandis (pasta cookers, tilting bratt pans) series



1














No.	107114 ¹	Ref. No.	GS3853	
description	pilot burner SIT type 140 series 2 flames nozzle ømm gas connectionmm			
spare parts for	107114			
	No.	100907	Ref. No.	—
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
accessories for	107114			
	No.	100204	Ref. No.	GC1002
pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series				
	No.	100205	Ref. No.	—
pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series				
	No.	100206	Ref. No.	—
pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series				
	No.	100207	Ref. No.	GS3829
pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series				
	No.	100216	Ref. No.	—
pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series				
	No.	100701	Ref. No.	GS3857
ignition electrode connection M4 Qty 1 pcs				
	No.	100801	Ref. No.	—
gasket for pilot burner Qty 1 pcs				
	No.	100897	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs for pilot burner				
	No.	100898	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs for pilot burner				
	No.	100906	Ref. No.	—
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	GS.3680
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				





¹incl. thermocouple fitting

Amicus (Wok), Meritus (grills, ovens), Grandis (grills, ovens, boiling pans), Teppanyaki series



1

No.	106906	Ref. No.	GS3851
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85, NGWT 3-55/SN, NGWT 7-55/SN		
spare parts for	106906		
	No.	100245	Ref. No. GC1001 SP385F
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100855	Ref. No. GS8042P GS8042S SP385D
pilot burner bracket triple			
	No.	100885	Ref. No. —
air mixing sleeve for pilot burner Qty 1 pcs			
	No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			
	No.	100918	Ref. No. —
screw for pilot burner			
	No.	107162	Ref. No. —
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	No.	107701	Ref. No. GS8040P GS8044S SP385B
pilot burner bottom part SIT 100 series nozzle ø 0.2mm			
accessories for	106906		
	No.	100245	Ref. No. GC1001 SP385F
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100246	Ref. No. GS3828 SP385C
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. SP385E
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			

accessories for	106906		
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	107171	Ref. No. PD2276
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	No.	107700	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	No.	107702	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

Chinese Pro series





1

No.	102803	Ref. No.	GS373C PD2233
description	pilot burner		


Meritus (deep fryers), Grandis (deep fryers) series




1

No.	103196	Ref. No.	GS.2186
description	pilot burner ROBERTSHAW type 6CH14-6 3 flames natural gas code 26		
accessories for	103196		
	No.	100277	Ref. No. GS.2187B
pilot burner nozzle natural gas code 26 suitable for ROBERTSHAW			
	No.	106105	Ref. No. GS.2187A
pilot burner nozzle LPG code 16 suitable for ROBERTSHAW			


electrodes



No.	100701	Ref. No.	GS3857	
description	ignition electrode connection M4 Qty 1 pcs			
accessories for	100701			
	No.	100906	Ref. No.	—
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			



No.	100706	Ref. No.	GS.3856
description	ignition electrode connection M4 Qty 1 pcs		



No.	100707	Ref. No.	PD2268
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		

ignition cables

pre-assembled cables



No.	102180	Ref. No.	PD2269
description	ignition cable cable length 1200mm connection ø2.4mm / ø2.4mm		



No.	100164	Ref. No.	GS3689
description	ignition cable cable length 1200mm connection ø4mm / F2.8mm		



No.	100199	Ref. No.	GS3682
description	ignition cable cable length 600mm connection ø4mm / F2.8mm		

piezoelectric igniters

mounting diameter 18mm



No.	106782	Ref. No.	GS.3720 A
description	piezoelectric igniter body metal blowing		




No.	100003	Ref. No.	GS3863
description	piezoelectric igniter body metal blowing mounting ø 18mm connection F2.8x0.8		




No.	100009	Ref. No.	GS3720
description	piezoelectric igniter body plastic blowing mounting ø 18mm connection ø2.4mm front measurements 26mm M18x1.5		




	No.	101339	Ref. No.	—
	cover cap for piezoelectric igniter			



	No.	106869	Ref. No.	—
	cover cap for piezoelectric igniter ID ø 22mm ED ø 35mm H 25mm			



	No.	107931	Ref. No.	—
	cover cap for piezoelectric igniter ID Ø 21mm ED Ø 36mm			

mounting diameter 22mm



No.	100005	Ref. No.	GS3720
description	piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm SIT		

thermocouples

thermocouple sets universal



1


No.	102281	Ref. No.	GS.2185
description	thermocouple set ROBERTSHAW 5-piece L 24" - 610mm		

plug-in thermocouples

plug-in thermocouples standard


with barrel socket ø6(6.5)mm

thermocouples SIT



1

No.	107612	Ref. No.	GS3890 WT3890
description	thermocouple SIT M9x1 L 1000mm plug connection ø6.0(6.5)mm		
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85, NGWT 3-55/SN, NGWT 7-55/SN		



1


No.	107609	Ref. No.	GS3895 GS3895B
description	thermocouple SIT M9x1 L 600mm plug connection ø6.0(6.5)mm		

threaded thermocouples

threaded thermocouples standard

with socket with thread M8x1


SIT



1

No.	107636	Ref. No.	GS3891
description	thermocouple SIT M9x1 L 600mm M8x1		
accessories for	107636		
	No.	102067	Ref. No.
			—
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		


thermopiles



1


No.	102116	Ref. No.	GS373E PD4646
description	thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"		

ignition bridges



1

No.	104344	Ref. No.	GS.4422
description	ignition bridge L 280mm ø 10mm		



1

No.	102802	Ref. No.	GS442C PD9558
description	ignition bridge L 300mm		



gas burners

hob burners

producer-specific hob burners

NAYATI

NGCR, NGES (2), NGHT (2) series



No.	105570	Ref. No.	GS8000S
description	air mixer complete		



No.	105573	Ref. No.	GS.4357B GS4357
description	air mixer chamber housing		
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		



No.	105572	Ref. No.	GS2825
description	air mixing sleeve		
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85, NGWT 3-55/SN, NGWT 7-55/SN		



No.	105562	Ref. No.	GS4232
description	blind screw connection 3/8"		
For models:	NGER 15-60, NGER 20-60, NGER 4-60, NGER 9-60, NGWR10-85W1S1, NGWR16-85W2S1, NGWR18-85W2S2, NGWR24-85W3S2		



No.	105563	Ref. No.	GS8014S
description	burner complete		

spare parts for 105563



No.	105564	Ref. No.	GS2020
description	burner cap slotted		



No.	105565	Ref. No.	GS4353
description	burner pipe		



No.	105714	Ref. No.	PD9557
description	burner cap		



No.	105559	Ref. No.	GS4030
description	burner cap 10kW mounting pos. outer with central hole		
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGWR10-85W1S1, NGWR16-85W2S1, NGWR18-85W2S2, NGWR24-85W3S2, NGWT 3-55/SN, NGWT 7-55/SN		



No.	105578	Ref. No.	GS2025
description	burner cap 5kW mounting pos. inner slotted		
For models:	NGER 13-130, NGER 13-70, NGER 20-70, NGER 7-70, NGETL 5-50, NGWT 3-55/SN, NGWT 7-55/SN		



No.	105564	Ref. No.	GS2020
description	burner cap slotted		
For models:	NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		
accessories for	105564		



No.	696272	Ref. No.	GS.1329
description	grub screw thread M5 L 6mm DIN 916/ISO 4029 intake internal hexagon WS 2.5 Qty 1 pcs		




No.	105560	Ref. No.	GS4023
description	burner head 180mm 10/15kW connection 1" IT		
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGWR10-85W1S1, NGWR16-85W2S1, NGWR18-85W2S2, NGWR24-85W3S2, NGWT 3-55/SN, NGWT 7-55/SN		





No.	105565	Ref. No.	GS4353
description	burner pipe		
For models:	NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		






1 			
No.	105575	Ref. No.	GS1456
description	compression spring ø 23mm L 35mm wire gauge ø 1.5mm for air mixers		
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85, NGWT 3-55/SN, NGWT 7-55/SN		


1 			
No.	105571	Ref. No.	GS2826 GS4356
description	internal pipe for air mixers		
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85, NGWT 3-55/SN, NGWT 7-55/SN		

1 			
No.	105574	Ref. No.	GS4358 GS4358C GS4359
description	nut ø 72.5mm for air mixers		
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85, NGWT 3-55/SN, NGWT 7-55/SN		













1 			
No.	105576	Ref. No.	GS2851
description	ring nut		
For models:	NGER 13-130, NGER 13-70, NGER 20-70, NGER 7-70, NGETL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85, NGWT 3-55/SN, NGWT 7-55/SN		

1 			
No.	107193	Ref. No.	GS.8033S in Klärung s. RK22676
description	round burner 10kW connection 1" IT		
accessories for	107193		
	No.	105562	Ref. No. GS4232
	blind screw connection 3/8"		
	No.	105578	Ref. No. GS2025
	burner cap 5kW mounting pos. inner slotted		
	No.	105579	Ref. No. GS4237
	venturi auxiliary pipe for 15kW burner		






1 			
No.	105558	Ref. No.	GS8020S GS8033P
description	round burner 15kW connection 1" IT		

1 			
No.	105579	Ref. No.	GS4237
description	venturi auxiliary pipe for 15kW burner		
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGWT 3-55/SN, NGWT 7-55/SN		

NGR, NGTR, NGES (1), NGHT (1) series

1 			
No.	105068	Ref. No.	GS3601
description	air mixing sleeve		
accessories for	105068		
	No.	104091	Ref. No. —
	burner head D ø 124mm for burner cap ø 80mm suitable for 50, 90, 92, 110 series (old)		
	No.	104093	Ref. No. —
	venturi C/D		
	No.	104096	Ref. No. —
	burner holder with nozzle holder connection M20x1.5		
	No.	105060	Ref. No. —
	burner head C for burner cap ø 60mm suitable for 60, 62 series		
	No.	105062	Ref. No. —
	venturi C		
	No.	105076	Ref. No. —
	burner head C for burner cap ø 60mm suitable for 70, 90, 92 series (old)		
	No.	105079	Ref. No. —
	burner head D ø 100mm		
	No.	105091	Ref. No. —
	burner head C for burner cap ø 60mm		
	No.	105098	Ref. No. —
	burner head D for burner cap ø 80mm		
	No.	105099	Ref. No. —
	burner head A for burner cap ø 110mm		
	No.	105100	Ref. No. —
	burner head A for burner cap ø 110mm		



accessories for 105068				
	No.	105119	Ref. No.	—
burner head B for burner cap ø 90mm				
	No.	105707	Ref. No.	GS4021
burner cap ø 95mm				
	No.	105708	Ref. No.	GS4022
burner head for burner cap ø 95mm				
	No.	105709	Ref. No.	GS3906
venturi				
	No.	105710	Ref. No.	GS3837
burner holder with nozzle holder				



1

No.	105707	Ref. No.	GS4021	
description burner cap ø 95mm				
accessories for 105707				
	No.	105068	Ref. No.	GS3601
air mixing sleeve				
	No.	105708	Ref. No.	GS4022
burner head for burner cap ø 95mm				
	No.	105709	Ref. No.	GS3906
venturi				
	No.	105710	Ref. No.	GS3837
burner holder with nozzle holder				



1

No.	105708	Ref. No.	GS4022	
description burner head for burner cap ø 95mm				
accessories for 105708				
	No.	105068	Ref. No.	GS3601
air mixing sleeve				
	No.	105707	Ref. No.	GS4021
burner cap ø 95mm				
	No.	105709	Ref. No.	GS3906
venturi				
	No.	105710	Ref. No.	GS3837
burner holder with nozzle holder				



1


No.	105710	Ref. No.	GS3837
description burner holder with nozzle holder			
accessories for 105710			
	No.	105068	Ref. No. GS3601
air mixing sleeve			
	No.	105707	Ref. No. GS4021
burner cap ø 95mm			
	No.	105708	Ref. No. GS4022
burner head for burner cap ø 95mm			
	No.	105709	Ref. No. GS3906
venturi			




1

No.	105709	Ref. No.	GS3906
description venturi			
accessories for 105709			
	No.	105068	Ref. No. GS3601
air mixing sleeve			
	No.	105707	Ref. No. GS4021
burner cap ø 95mm			
	No.	105708	Ref. No. GS4022
burner head for burner cap ø 95mm			
	No.	105710	Ref. No. GS3837
burner holder with nozzle holder			


NGRHT series


			
1			
No.	107560	Ref. No.	PD.2435-1
description		burner cap ø 114mm 7.5kW	

			
1			
No.	107561	Ref. No.	PD.2436-1 PD.2437A1
description	burner cap ø 94mm 5.5kW		


			
1			
No.	107558	Ref. No.	PD.2439
description	burner head for burner cap ø 114mm 7.5kW		


			
1			
No.	107559	Ref. No.	PD.2440A
description	burner head for burner cap ø 94mm 5.5kW		

			
1			
No.	107557	Ref. No.	PD.2433A
description	venturi 5.5kW		

			
1			
No.	107556	Ref. No.	PD.2434A
description	venturi 7.5kW		

NGWR series

			
1			
No.	106784	Ref. No.	PD.L148
description	burner pipe ø 34mm thread 1" steel L 149mm		

			
1			
No.	106783	Ref. No.	PD.L147
description	burner pipe ø 34mm thread 1" steel L 77mm		

NGKB series

A black, cylindrical burner head with a central circular opening and a slightly raised rim.

1

No.	106788	Ref. No.	GS.8031-S
description	burner head suitable for NAYATI		
For models:	NGKB22-125DB		
spare parts for	106788		

A half-round, reddish-brown firebrick with a smooth, slightly curved top surface.


No.	850127	Ref. No.	GS.1042
------------	--------	-----------------	---------

firebrick ED ø 160mm ID ø 100mm H 55mm half-round

pan supports

			
1			
No.	210193	Ref. No.	GS2720
description	pan support ø 275mm		
For models:	NGER 15-60, NGER 20-60, NGER 4-60, NGER 9-60, NGWT 3-55/SN, NGWT 7-55/SN		

			
1			
No.	210214	Ref. No.	GS4024
description	pan support W 287mm L 350mm		

			
1			
No.	210238	Ref. No.	PD9614
description	pan support W 300mm L 505mm		



1

No.	210196	Ref. No.	GS.4004A GS4004
description	pan support W 500mm L 500mm		
For models:	NGETL 5-50		

spillage trays



1

No.	210220	Ref. No.	GS3030
description	drain tray L 560mm W 330mm H 60mm ø 85mm hole ø 85mm hole distance 285mm stainless steel		

height extensions



1

No.	210195	Ref. No.	GS4029 ø264 GS9401 GS9410 SP9201
description	attachment ring ø 264mm		
For models:	NGWT 3-55/SN, NGWT 7-55/SN		



1

No.	210249	Ref. No.	GS4029 ø278 GS4029 ø278 Wok Ring Adaptor
description	attachment ring ø 278mm		



1

No.	210194	Ref. No.	GS.2718A GS2718
description	attachment ring ø 300mm		
For models:	NGER 15-60, NGER 20-60, NGER 4-60, NGER 9-60		



1

No.	210224	Ref. No.	GC9201
description	pan support ø 278mm		
For models:	NGETL 5-50		

accessories

pan supports



1

No.	210193	Ref. No.	GS2720
description	pan support ø 275mm		
For models:	NGER 15-60, NGER 20-60, NGER 4-60, NGER 9-60, NGWT 3-55/SN, NGWT 7-55/SN		



1

No.	210224	Ref. No.	GC9201
description	pan support ø 278mm		
For models:	NGETL 5-50		



1


No.	210214	Ref. No.	GS4024
description	pan support W 287mm L 350mm		



1

No.	210238	Ref. No.	PD9614
description	pan support W 300mm L 505mm		





			
1			
No.	210196	Ref. No.	GS.4004A GS4004
description	pan support W 500mm L 500mm		
For models:	NGETL 5-50		

spillage trays

			
1			
No.	210220	Ref. No.	GS3030
description	drain tray L 560mm W 330mm H 60mm ø 85mm hole ø 85mm hole distance 285mm stainless steel		

air mixers


			
1			
No.	105570	Ref. No.	GS8000S
description	air mixer complete		


			
1			
No.	106765	Ref. No.	GS.3660
description	air mixing tube dimensions 18x42mm ED ø 26mm		


bar burners


bar burners


			
1			
No.	105865	Ref. No.	GS3654
description	bar burner 2 row L 360mm W 235mm ømm H 90mm pasta cooker		


			
1			
No.	105969	Ref. No.	GS3656
description	bar burner 2 row L 413mm W 150mm ømm H 40mm fryer		

			
1			
No.	105968	Ref. No.	GS3657
description	bar burner 2 row L 420mm W 200mm ømm H 45mm griddle		

			
1			
No.	105864	Ref. No.	GS3649
description	bar burner 2 row L 445mm W 200mm ømm H 45mm griddle		

			
1			
No.	105967	Ref. No.	GS3655
description	bar burner 2 row L 450mm W 220mm ømm H 40mm griddle		

			
1			
No.	105863	Ref. No.	GS3648 GS3652
description	bar burner 2 row L 525mm W 190mm ømm H 55mm grill		


			
1			
No.	105868	Ref. No.	GS3651
description	bar burner 4 row L 360mm W 435mm ømm H 60mm tilting bratt pan		




1			
No.	105584	Ref. No.	GS3644
description	bar burner angled L 675mm W 385mm ømm Hmm oven		



1			
No.	105867	Ref. No.	GS3045
description	bar burner ø 40mm Wmm Hmm L 480mm tilting bratt pan flange ø 61 mm		



1			
No.	211083	Ref. No.	PD3005
description	chargrill grid L 420mm W 175mm		



1			
No.	211084	Ref. No.	GS4031
description	chargrill grid L 540mm W 350mm		




1			
No.	211085	Ref. No.	GS392A
description	lava rock grid L 376mm W 328mm		




1			
No.	211086	Ref. No.	GS3931 PS.342C
description	lava rock grid L 492mm W 329mm		

chargrill grids



1			
No.	211083	Ref. No.	PD3005
description	chargrill grid L 420mm W 175mm		



1			
No.	211084	Ref. No.	GS4031
description	chargrill grid L 540mm W 350mm		

lava rock grids



1			
No.	211085	Ref. No.	GS392A
description	lava rock grid L 376mm W 328mm		



1			
No.	211086	Ref. No.	GS3931 PS.342C
description	lava rock grid L 492mm W 329mm		

tube burners



1			
No.	105866	Ref. No.	PD.2263
description	tubular burner L 265mm W 50mm H 71mm for fryer oval		

surface burners



1			
No.	105715	Ref. No.	GS3043
description	surface burner L 245mm W 185mm H 80mm firing range 175x155mm burner rows 9 for rice cooker		



accessories

nozzle holders



No. 104654 **Ref. No.** PD.9638

description nozzle holder ET M16x1.5 IT M12x1 WS 28



No. 106773 **Ref. No.** GS.3867

description nozzle holder thread M18x1.5 ET 3/8" IT M13x1

miscellaneous



No. 105575 **Ref. No.** GS1456

description compression spring ø 23mm L 35mm wire gauge ø 1.5mm for air mixers

For models: NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85, NGWT 3-55/SN, NGWT 7-55/SN



No. 105576 **Ref. No.** GS2851

description ring nut

For models: NGER 13-130, NGER 13-70, NGER 20-70, NGER 7-70, NGETL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85, NGWT 3-55/SN, NGWT 7-55/SN

gas nozzles

main nozzles

gas nozzles 3/8"



No. 100989 **Ref. No.** GS282C

description gas injector T1: 3/8" T2: M12x1.25 WS 19 bore ø 1.4mm LPG pressure range 50mbar 10kW

For models: NGER 15-60, NGER 20-60, NGER 4-60, NGER 9-60, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85



No. 100990 **Ref. No.** GS282D

description gas injector T1: 3/8" T2: M12x1.25 WS 19 bore ø 1.5mm LPG pressure range 50mbar 11kW



No. 100992 **Ref. No.** GS282E

description gas injector T1: 3/8" T2: M12x1.25 WS 19 bore ø 1.6mm LPG pressure range 28-30/37mbar 10kW

For models: NGER 15-60, NGER 20-60, NGER 4-60, NGER 9-60, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85



No. 100991 **Ref. No.** GS282F

description gas injector T1: 3/8" T2: M12x1.25 WS 19 bore ø 1.7mm LPG pressure range 50mbar 13kW

For models: NGER 13-130, NGER 13-70, NGER 20-70, NGER 7-70, NGETL 5-50, NGWT 3-55/SN, NGWT 7-55/SN



No. 100993 **Ref. No.** GS282G

description gas injector T1: 3/8" T2: M12x1.25 WS 19 bore ø 1.95mm LPG pressure range 28-30/37mbar 13kW

For models: NGER 13-130, NGER 13-70, NGER 20-70, NGER 7-70, NGETL 5-50, NGWT 3-55/SN, NGWT 7-55/SN



No. 106836 **Ref. No.** GS.2830

description gas injector T1: 3/8" T2: M12x1.25 WS 19 bore ø 2.1mm pressure range 50mbar



No. 100994 **Ref. No.** GS282H

description gas injector T1: 3/8" T2: M12x1.25 WS 19 bore ø 2.35mm natural gas pressure range 20/25mbar 9.3kW

For models: NGER 15-60, NGER 20-60, NGER 4-60, NGER 9-60, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85



No. 103261 **Ref. No.** GS282J

description gas injector T1: 3/8" T2: M12x1.25 WS 19 bore ø 2.5mm natural gas pressure range 20mbar



No.	100996	Ref. No.	GS282M
description	gas injector T1: 3/8" T2: M12x1.25 WS 19 bore ø 2.6mm natural gas pressure range 25mbar		



No.	100997	Ref. No.	GS282I
description	gas injector T1: 3/8" T2: M12x1.25 WS 19 bore ø 3.2mm natural gas pressure range 20/25mbar 15kW		
For models:	NGER 13-130, NGER 13-70, NGER 20-70, NGER 7-70, NGETL 5-50, NGWT 3-55/SN, NGWT 7-55/SN		



No.	100995	Ref. No.	GS282N
description	gas injector T1: 3/8" T2: M12x1.25 WS 19 bore ø 3.5mm natural gas pressure range 20mbar		

gas nozzles M10x1



No.	102826	Ref. No.	GS2867
description	gas injector thread M10x1 WS 13 bore ø 0.95mm		



No.	102827	Ref. No.	GS2876
description	gas injector thread M10x1 WS 13 bore ø 1.15mm		



No.	102778	Ref. No.	GS2866
description	gas injector thread M10x1 WS 13 bore ø 1.4mm		



No.	102779	Ref. No.	GS2869
description	gas injector thread M10x1 WS 13 bore ø 1.75mm		

gas nozzles M13x1



No.	103276	Ref. No.	GS.2898
description	gas injector bore ø 2.5mm WS 13		



No.	102915	Ref. No.	GC1101
description	gas injector thread M13x1 bore ø 0.85mm WS 13		



No.	102787	Ref. No.	PD2266
description	gas injector thread M13x1 bore ø 1.05mm WS 13		



No.	102780	Ref. No.	GS2870
description	gas injector thread M13x1 bore ø 1.15mm WS 13		




No.	102786	Ref. No.	PD2265
description	gas injector thread M13x1 bore ø 1.2mm WS 13		





No.	102823	Ref. No.	GS2868
description	gas injector thread M13x1 bore ø 1.35mm WS 13		





No.	102828	Ref. No.	GS2881
description	gas injector thread M13x1 bore ø 1.3mm WS 13		


			
1			
No.	102782	Ref. No.	GS2888
description	gas injector thread M13x1 bore ø 1.45mm WS 13		


			
1			
No.	102784	Ref. No.	GS2878
description	gas injector thread M13x1 bore ø 1.55mm WS 13		


			
1			
No.	102825	Ref. No.	GS2889
description	gas injector thread M13x1 bore ø 1.65mm WS 13		


			
1			
No.	102788	Ref. No.	PD2267
description	gas injector thread M13x1 bore ø 1.75mm WS 13		


			
1			
No.	102783	Ref. No.	GS2864
description	gas injector thread M13x1 bore ø 1.8mm WS 13		

			
1			
No.	102781	Ref. No.	GS2877
description	gas injector thread M13x1 bore ø 1.95mm WS 13		

			
1			
No.	102824	Ref. No.	GS2859
description	gas injector thread M13x1 bore ø 1mm WS 13		


			
1			
No.	102789	Ref. No.	GS2890
description	gas injector thread M13x1 bore ø 2.45mm WS 13		


			
1			
No.	102790	Ref. No.	GS2872
description	gas injector thread M13x1 bore ø 2.55mm WS 13		

			
1			
No.	102785	Ref. No.	GS2860
description	gas injector thread M13x1 bore ø 2.65mm WS 13		

pilot burner nozzles


pilot burner nozzles ROBERTSHAW

			
1			
No.	106105	Ref. No.	GS.2187A
description	pilot burner nozzle LPG code 16 suitable for ROBERTSHAW		

			
1			
No.	100277	Ref. No.	GS.2187B
description	pilot burner nozzle natural gas code 26 suitable for ROBERTSHAW		

pilot burner nozzles SIT

100 series

			
1			
No.	100245	Ref. No.	GC1001 SP385F
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85, NGWT 3-55/SN, NGWT 7-55/SN		



1

No.	100246	Ref. No.	GS3828 SP385C
description	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85, NGWT 3-55/SN, NGWT 7-55/SN		



1

No.	107171	Ref. No.	PD2276
description	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs		

140/150 series



1

No.	100204	Ref. No.	GC1002
description	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		



1

No.	100207	Ref. No.	GS3829
description	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		

160 series



1

No.	107172	Ref. No.	GS3836
description	pilot burner nozzle SIT LPG code 25 Qty 1 pcs		



1

No.	107173	Ref. No.	GS3793
description	pilot burner nozzle SIT natural gas code 35 Qty 1 pcs suitable for 160 series nozzle ø 0.35mm		

bypass nozzles

bypass nozzles PEL20/21



1

No.	100556	Ref. No.	GS3687
description	bypass nozzle type PEL20/21 bore ø 0.95mm thread M5x0.5		

auxiliary gas parts

screw connections

double nipples



1

No.	106786	Ref. No.	GS.1071
description	double nipple T1: 3/4" T2: 3/4"		
For models:	NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		

olives



1

No.	101857	Ref. No.	GS.3711
description	olive for pipe ø 6mm Qty 1 pcs suitable for 160 series for pilot burner		

union screws






1


No.	100905	Ref. No.	SP385E
description	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		




1

No.	100909	Ref. No.	GS.3680	
description	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
accessories for	100909			
	No.	100898	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs for pilot burner			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	No.	101287	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs			





accessories for		100909	
	No.	101288	Ref. No.
	—		
	olive for pipe ø 6mm L 6mm aluminium Qty 1 pcs ED ø 8.5mm		

locking screws


1			
No.	105562	Ref. No.	GS4232
description	blind screw connection 3/8"		
For models:	NGER 15-60, NGER 20-60, NGER 4-60, NGER 9-60, NGWR10-85W1S1, NGWR16-85W2S1, NGWR18-85W2S2, NGWR24-85W3S2		


angle pieces


1			
No.	106787	Ref. No.	GS.1161
description	angle piece T1: 3/4" T2: 3/4"		
For models:	NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		

1			
No.	106776	Ref. No.	GS.4513
description	elbow screw joint T1: 1/4" T2: 1/8"		
For models:	NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		

accessories

1			
No.	693439	Ref. No.	GS4325
description	bush for wok		
For models:	NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		


1			
No.	693434	Ref. No.	GS4326
description	connecting piece for wok		
For models:	NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		

1			
No.	106785	Ref. No.	GC.7500
description	lid		

gas lines

pilot tubes


producer-specific

1			
No.	106897	Ref. No.	PD.L116
description	pilot tube tube ø 6mm L 450mm copper		

equipment-specific units

for meat mincers

gear wheels

1			
No.	697792	Ref. No.	11007-04-002 GC6140
description	gear wheel for gearbox ø 39mm shaft intake ø 16mm W 12mm teeth 23 splitting brass DIN/ISO		

for dough mixers

spindles

miscellaneous

1			
No.	697791	Ref. No.	11007-04-001 GI4441
description	spindle for dough mixer ø 15mm D1 ø 18mm L 85mm		



miscellaneous



1

No.	697794	Ref. No.	11012-04-008 GI4443
description	cover ø 20mm H 8mm		

for planetary mixers

gearboxes



1

No.	698315	Ref. No.	GI.4439
description	fork lower for gear shaft L 170mm		



1

No.	698314	Ref. No.	GI.4438
description	gear shaft for planetary mixer L 295mm		

gear wheels



1

No.	697793	Ref. No.	11007-04-0003 GI4442
description	gear wheel for gearbox ø 39mm shaft intake ø 14mm W 12mm teeth 24 steel		

for pyroceram ranges

ceramic hobs

ceramic glass plates



1

No.	693724	Ref. No.	PD2291
description	ceramic plate L 550mm W 350mm		

for tilting bratt pans

gearboxes



1

No.	693642	Ref. No.	GS3020
description	gearbox motor shaft ø 19mm flange ø 118mm transmission I=1/60 drive shaft ø 30mm flange ø 180mm fixing dimensions 105mm type VU-70		

for ovens

spare parts and accessories



1

No.	691399	Ref. No.	GS4189
description	spray nozzle		

for pizza ovens

firebricks



1

No.	850127	Ref. No.	GS.1042
description firebrick ED ø 160mm ID ø 100mm H 55mm half-round			

for sliding doors

door guides



1

No.	693733	Ref. No.	PD.4748 SS.4350A
description guide sliding door L 54mm plastic 20			

for woks



1

No.	541456	Ref. No.	GS9392
description spray arm			




1

No.	540666	Ref. No.	GS3846 GS3847
description water nozzle thread 1/8"			
For models: NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85			

knobs

universal knobs



1

No.	110121	Ref. No.	GS2231
description knob thermostat t.max. 200°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 60-200°C rotation 270°			

accessories for 110121



No.	110135	Ref. No.	—
rosette knob up to ø 52mm			

producer-specific knobs

NAYATI

1

No.	111717	Ref. No.	GS3802
description knob			



1

No.	112792	Ref. No.	PD.4051FD+ PD.4055O10A
description knob 0-12 t.max.°C°C ø 76mm shaft ø 6x4.6mm shaft flat upper			



1


No.	112767	Ref. No.	PD.4051FD+PD.4055OH
description knob 0-3 t.max.°C°C ø 72mm shaft ø 6x4.6mm shaft flat upper black			





1


No.	112817	Ref. No.	PD.4051FD +PD.4055O5A
description knob 0-300 t.max.°C°C ø 76mm shaft ø 6x4.6mm shaft flat upper			





			
1			
No.	112795	Ref. No.	PD.4051FD + PD405020A
description	knob 0-450 t.max.°C°C ø 76mm shaft ø 6x4.6mm shaft flat upper		


			
1			
No.	112707	Ref. No.	PD4051 FA + PD4055 OJ
description	knob energy regulator 1-12 ø 72mm shaft ø 6x4.6mm shaft flat upper black		


			
1			
No.	112032	Ref. No.	PD405H+PD405U
description	knob energy regulator 1-12 ø 76mm shaft ø 6x4.6mm shaft flat upper red		


			
1			
No.	112030	Ref. No.	PD405I+PD405M
description	knob gas tap with ignition flame ø 76mm shaft ø 8x6.5mm shaft flat left red		






1

No.	112678	Ref. No.	PD.4052FD+PD.4055O2A	
description	knob gas tap with ignition flame t.max.°C°C ø 76mm shaft ø 8x6mm shaft flat lower black			
spare parts for	112678			
	No.	112765	Ref. No.	4052FD
	knob zero mark t.max.°C°C ø 53mm shaft ø 8x7mm shaft flat lower black			


			
1			
No.	110081	Ref. No.	GS3602
description	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		


			
1			
No.	112035	Ref. No.	PD405H+PD405V
description	knob switch 0-1-0-1 t.max.°C°C ø 76mm shaft ø 6x4.6mm shaft flat upper red		


			
1			
No.	112031	Ref. No.	PD405H+PD405S
description	knob switch 7-position ø 76mm shaft ø 6x4.6mm shaft flat upper red		


			
1			
No.	112034	Ref. No.	PD405H+PD405N
description	knob thermostat t.max. 110°C ø 76mm shaft ø 6x4.6mm shaft flat upper red temperature range 30-110°C rotation 270°		


1


No.	110121	Ref. No.	GS2231
description	knob thermostat t.max. 200°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 60-200°C rotation 270°		
accessories for	110121		
	No.	110135	Ref. No. —
 rosette knob up to ø 52mm			

			
1			
No.	112036	Ref. No.	PD405H+PD405R
description	knob thermostat t.max. 200°C ø 76mm shaft ø 6x4.6mm shaft flat upper red temperature range 60-200°C rotation 270°		

			
1			
No.	112704	Ref. No.	PD.4051FA+PD.4055OE
description	knob thermostat t.max. 300°C ø 52.5mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C		


			
1			
No.	112033	Ref. No.	PD405H+PD405P
description	knob thermostat t.max. 300°C ø 76mm shaft ø 6x4.6mm shaft flat upper red temperature range 50-300°C		

			
1			
No.	112711	Ref. No.	PD.4052FA + PD.4052F-1
description	knob zero mark t.max.°C°C ø 53mm shaft ø 8x7mm shaft flat lower black		

			
1			
No.	112765	Ref. No.	4052FD
description	knob zero mark t.max.°C°C ø 53mm shaft ø 8x7mm shaft flat lower black		

accessories

button springs

			
1			
No.	550132	Ref. No.	PD2451
description	knob spring ø 6x4.6mm Qty 10 pcs		
For models:	MES 6-48		

handles and hand wheels

hand wheels

hand wheels

			
1			
No.	693437	Ref. No.	GS3790 PD.GS3790
description	hand wheel ø 150mm D1 ø 32mm bore ø 22mm depth of bore 21mm thread M6 hole distance 8mm groove widthmm L1 20mm L2 60mm handle length 65mm with folding handle		

cylindrical handles

fixed

			
1			
No.	110804	Ref. No.	GS2050
description	cylindrical handle thread M12 ø 29mm L 111mm		

ball handles

			
1			
No.	101718	Ref. No.	GS2014
description	ball handle thread M8 ø 25mm with metal bush black		
For models:	NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		

bracket handles



1

No.	693726	Ref. No.	GS3780
description	pull handle L 180mm H 45mm mounting distance 165mm		



1

No.	693725	Ref. No.	GS3782
description	pull handle L 607mm H 45mm mounting distance 592mm		

accessories

extensions




1

No.	693727	Ref. No.	GS4055 GS4055A
description	bar for handle		

hinges

oven hinges




1

No.	700001	Ref. No.	GS3776
description	opposite support L 118mm W 17mm mounting distance 94mm		



1

No.	700006	Ref. No.	GS3775
description	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position left spring length 112mm W 25mm		
accessories for	700006		
	No.	700001	Ref. No.
	opposite support L 118mm W 17mm mounting distance 94mm		
	No.	700007	Ref. No.
	opposite support L 118mm W 17mm mounting distance 94mm		



1

No.	700007	Ref. No.	GS3774
description	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position right spring length 112mm W 25mm		
accessories for	700007		
	No.	700001	Ref. No.
	opposite support L 118mm W 17mm mounting distance 94mm		

pullouts

rollers

roller with holder



1

No.	692427	Ref. No.	SS1601B1
description	roller rollers 26mm B1 6mm with holder SS/plastic mounting pos. rear bearing ball bearing Qty 1 pcs H 4mm L 66mm mounting distance 40/50mm		



accessories



1

No.	693731	Ref. No.	SS1602
description	bracket for roller mounting pos. left		



1

No.	693733	Ref. No.	PD.4748 SS.4350A
description	guide sliding door L 54mm plastic 20		

fittings for catering equipment

outlet taps

universal



1

No.	540685	Ref. No.	PD3136
description	outlet tap stainless steel angled W 46mm H 40mm thread 3/4" IT		

producer-specific

NAYATI



1

No.	540665	Ref. No.	GS8046S
description	drain pipe connection 1/2" total length 85mm		
For models:	NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		

equipment feet and end caps

bullet feet

plastic



1

No.	700108	Ref. No.	SS2016
description	equipment foot pipe type 40x40 thickness 1-1.2mm H 17-55mm plastic Qty 1 pcs		

spare parts for 700108


No.	511512	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 10 pcs			

screw-in feet



1

No.	697901	Ref. No.	PS.2456 SS.2603
description	equipment foot thread M10 thread L 19.5mm ø 30mm H 34mm WS 13 Qty 1 pcs		
For models:	NGWT 3-55/SN, NGWT 7-55/SN		



1

No.	699184	Ref. No.	PD.2456
description	equipment foot thread M10 thread L 40mm ø 45mm H 53mm		
For models:	MES 6-48		



baskets

fryer baskets

NAYATI



1

No.	970489	Ref. No.	GS416N
description	fryer basket L1 280mm W1 190mm H1 100mm		



1

No.	970434	Ref. No.	GS416C GS416M
description	fryer basket L1 330mm W1 275mm H1 115mm		



1

No.	970435	Ref. No.	GS2160
description	fryer basket L1 335mm W1 165mm H1 150mm rubber with holder		



1

No.	970762	Ref. No.	PD.2167B
description	fryer basket W1 150mm L1 305mm H1 120mm		

pasta baskets

NAYATI



1

No.	970378	Ref. No.	GS3205
description	pasta basket L1 160mm W1 290mm H1 175mm size GN 1/3 H3 280mm stainless steel		



1

No.	970488	Ref. No.	GS9404
description	pasta basket L1 288mm W1 142mm H1 135mm H3 290mm stainless steel		

shelves and shelf rails

chargrill grids



1

No.	211083	Ref. No.	PD3005
description	chargrill grid L 420mm W 175mm		



1

No.	211084	Ref. No.	GS4031
description	chargrill grid L 540mm W 350mm		



grates

universal

with upstand



1

No.	970734	Ref. No.	GS.9501
description	grate W 538mm D 640mm H 37mm chrome-plated steel wire gauge frame 8mm lengthwise wires gauge 4mm crossing wires 2		

gaskets

O-rings

EPDM



1

No.	510177	Ref. No.	GS2308
description	O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs		

Viton



1

No.	103007	Ref. No.	PD.2482
description	O-ring Viton thickness 5mm ID ø 42.5mm Qty 1 pcs		

sealing washers

rubber gaskets



1

No.	512073	Ref. No.	SS2620
description	flat gasket rubber ED ø 31mm ID ø 22mm thickness 2mm Qty 1 pcs		

PTFE gaskets



1

No.	693435	Ref. No.	GS2307
description	gasket PTFE ED ø 14mm ID ø 10mm thickness 3mm Qty 1 pcs		

transmission technology and ball bearings

ball bearings

deep-groove ball bearings Z



1

No.	697795	Ref. No.	BR-6000Z GI4444
description	ball bearing type 6000-Z shaft ø 10mm ED ø 26mm W 8mm DIN 625-1		



1

No.	523016	Ref. No.	GI.4440
description	deep-groove ball bearing type 6205Z shaft ø 25mm ED ø 52mm W 15mm with sealing disc one side DIN 625-1		

springs

compression springs



1

No.	105575	Ref. No.	GS1456
description	compression spring ø 23mm L 35mm wire gauge ø 1.5mm for air mixers		
For models:	NGER 13-130, NGER 13-70, NGER 15-60, NGER 20-60, NGER 20-70, NGER 4-60, NGER 7-70, NGER 9-60, NGETL 5-50, NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85, NGWT 3-55/SN, NGWT 7-55/SN		



fittings, hose and pipe connectors

fittings

miscellaneous



1

No.	520510	Ref. No.	GS.1556
description	screw connection thread 3/4" L 45mm		

valves and tank inlets


ball valves

universal

ball valves with butterfly handle



1

No.	540775	Ref. No.	SS2030
description	ball valve connection 1" IT - 1" IT DN25 total length 68mm		
accessories for	540775		
	No.	514529	Ref. No. —
lever handle plastic/metal L 150mm for valve W 120mm H 25mm handle ø 28mm			



1

No.	101895	Ref. No.	GS2004
description	ball valve connection 1/4" IT - 1/4" IT DN10 total length 45mm		
For models:	NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		

producer-specific

NAYATI






1

No.	101718	Ref. No.	GS2014
description	ball handle thread M8 ø 25mm with metal bush black		
For models:	NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		



1

No.	101995	Ref. No.	CH2006 GS2006
description	ball valve inlet 3/4" IT outlet 3/4" IT L 70mm without handle		
For models:	NGKB22-125DB, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		
accessories for	101995		
	No.	101713	Ref. No. GS4226
extension			
	No.	101714	Ref. No. GS8006S
handle			
	No.	101718	Ref. No. GS2014
ball handle thread M8 ø 25mm with metal bush black			




1

No.	101713	Ref. No.	GS4226
description	extension		
For models:	NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		



1

No.	101714	Ref. No.	GS8006S
description	handle		
For models:	NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		
accessories for	101714		
	No.	101718	Ref. No. GS2014
ball handle thread M8 ø 25mm with metal bush black			

shut-off valves





universal





1

No.	540660	Ref. No.	GS2305 GS2305C+PD2458A2
description	shut-off valve total length 105mm pipe connection ø 15mm		
For models:	NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		

inlet taps

				
1				
No.	540669	Ref. No.	GS3714	
description	inlet tap connection 1/2" ET tube ø 20mm projection 105mm overall height 140mm spout height 55mm rotation 90°			
accessories for	540669			
	No.	511470	Ref. No.	—
	nut thread 1/2" ø 40mm H 8mm WS 25 brass Qty 1 pcs			
	No.	511474	Ref. No.	—
	flat washer for thread 1/2"			
	No.	511477	Ref. No.	—
	flat gasket rubber ED ø 42mm ID ø 21mm thickness 2mm Qty 1 pcs			

tank inlets

							
1							
No.		693728		Ref. No.		SS2619	
description		tank inlet connection 1/2" WS 30 L1 20mm L2 28mm					


tools

hand tools

pliers

riveting pliers

rivet nut pliers


<div>1</div>			
No.	802002	Ref. No.	GS.1329
description	grub screw thread M5 L 5mm DIN 913/ISO 4026 intake internal hexagon WS 3 Qty 1 pcs		
For models:	NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		

fastening material

screws

grub screws


DIN 913/ISO 4026



1

No.	802002	Ref. No.	GS.1329
description	grub screw thread M5 L 5mm DIN 913/ISO 4026 intake internal hexagon WS 3 Qty 1 pcs		
For models:	NGTL 6-65 SO, NGWR10-85W1S1, NGWR15-85W2, NGWR16-85W2S1, NGWR18-85W2S2, NGWR22-85W3, NGWR24-85W3S2, NGWR7-85		

DIN 916/ISO 4029




1

No.	696272	Ref. No.	GS.1329
description	grub screw thread M5 L 6mm DIN 916/ISO 4029 intake internal hexagon WS 2.5 Qty 1 pcs		

nuts


hexagonal nuts

hexagonal nuts inch thread

<div><div></div><div>1</div></div>			
No.	693729	Ref. No.	SS2618
description	nut thread 1/2" ø 39mm H 8mm WS 25 brass Qty 1 pcs		

fasteners

slot nuts

<div><div>1</div></div>			
No.	560378	Ref. No.	GI4448 KRR-4*4*10
description	slot nut W 4mm H 4mm L 10mm		



retaining rings

DIN 471



1

No.	523107	Ref. No.	CR-S12 GI4446
description	retaining ring shaft ø 11mm thickness 1mm SS DIN 471		



1

No.	692108	Ref. No.	CR-S14 GI4445
description	retaining ring shaft ø 13mm thickness 1mm steel DIN 471		

DIN 472



1

No.	523106	Ref. No.	CR-R26 GI4447
description	retaining ring bore ø 28mm thickness 1.3mm steel DIN 472		