

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS




TOOLS


Spare parts suitable for

OLIS


heating elements


heating elements for ovens


			
1			
No.	415968	Ref. No.	1037302400
description	heating element 1200W 230V heating circuits 1 L 346mm W 342mm L1 36mm L2 310mm W1 141mm W2 60mm flange length 100mm flange width 22mm hole distance 86mm hole ø 5mm tube ø 6.5mm connection male faston 6.3mm mounting pos. lower rectangular flange dry heating element		
For models:	FOE60M, OFOE60M, OFOE-60M-12601001		


			
1			
No.	418696	Ref. No.	CR0410150
description	heating element 1300W 230V heating circuits 1 L 350mm W 380mm L1 35mm L2 315mm W1 160mm W2 60mm flange length 100mm flange width 22mm hole distance 86mm bridge length 400mm hole ø 3.2mm tube ø 6mm connection male faston 6.3mm connection length 10mm windings 2		
For models:	CFE60, CFE60P, OCFE60, OCFE-60-12601005, OCFE-60-12601005MN, OCFGE61		

			
1			
No.	418025	Ref. No.	826620041 BN826620041
description	heating element 1500W 230V L 525mm W 240mm lug length 70mm lug width 22mm hole distance 56mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm heating circuits 1 dry heating element rectangular flange oven		
For models:	110-135CGE, 110-135CGE2P, 110-135CGEE, 110-135CGEE2P, 110-135CGEEP, 110-135CGEP, 110-90CGE, 110-90CGE1P, 110-90CGEP, 110-90CTEE, 110-90CTGE, 110-90FTFE, 110-90FTTGE, 7FTTF-GE800, 7FTTF-GE805, 7FTTF-GE820, 7FTTF-GE825, 7NPCF-VCE800, 7PCF-E120, 7PCF-E800, 7PCF-GE120, 7PCF-GE121, 7PCF-GE160, 7PCF-GE161, 7PCF-GE411, 7PCF-GE800, 7TP2F-G160, 7TP2F-GE160, 7TPF-EE800, 7TPF-G120, 7TPF-G800, 7TPF-GE120, 7TPF-GE800, 7TPMF-G120, 7TPMF-G800SX, 7TPMF-GE120, 7TPMF-GE800SX, 94-04CEE, 94-04CEE-12901210, 94-04CEE-12901210BN, 94-04CGE, 94-04CGE-12900011, 94-04CGE-12900011TA, 94-04CGE1P, 94-04CGE1P-12900031, 94-04CGEP, 94-04CGEP-12900061, 94-04CGEP-12900061TA, 94-04CGG1P-12900031TA, 94-04CTEE-12901180...(Other models you can see in the webshop)		

			
1			
No.	416785	Ref. No.	6A037300 BN6A037300
description	heating element 1800W 230/400V heating circuits 3 L 515mm W 452mm L1 57mm L2 458mm W1 162mm W2 128mm flange length 160mm flange width 22mm hole distance 144mm hole ø M5mm tube ø 8.5mm rectangular flange dry heating element oven cable length 570mm		
For models:	714CT-GVFE-1000180, 714CTGVFE-1000180, 714CT-GVFE-1000180R, 741CE-1000405, 741CE-1000405R, 749CGVFE-1950059, 749CGVFE-1950059R, 74CE-000400, 74CE-1000400, 74CE-1000400R, 761CE-1000455, 761CEAC-1000505, 761CEAC-1000505R, 761CEAN-1000455, 761CEAN-1000455R, 769CGVFE-1950089, 769CGVFE-1950089R, 769CGVFE-1950099, 769CGVFE-1950099R, 769CGVFEAC-1950099, 76CE-1000450, 76CEAC-000500, 76CEAC-1000500, 76CEAC-1000500R, 76CEAN-1000450, 76CEAN-1000450R		

			
1			
No.	415967	Ref. No.	1037302300
description	heating element 2600W 230/400V heating circuits 2 L 355mm W 360mm L1 40mm L2 315mm W1 140mm W2 60mm flange length 100mm flange width 22mm hole distance 76mm bridge length 485mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm mounting pos. upper rectangular flange dry heating element		
For models:	FOE60M, OFOE60M, OFOE-60M-12601001		

			
1			
No.	416786	Ref. No.	6A037400 BN6A037400
description	heating element 2750W 230/400V heating circuits 3 L 515mm W 580mm L1 55mm L2 460mm W1 130mm W2 225mm flange length 160mm flange width 22mm hole distance 139mm hole ø 4mm tube ø 8.5mm connection cable rectangular flange dry heating element oven cable length 590mm		
For models:	9141PCEE-1104394, 914PCGE-1103224, 914PCTGE-1103721, 914PFTGE-1103423, 914PFTGEC-1103425, 916PCGEE-1103246, 918PCGE-1103228, 92FE-1192220, 93FE-1192230, 941CEE-1292224, 941FTGE-1291422, 941FTGE1-2R-1291522, 941FTGE1-2R-1291622, 941FTGEC1-2-1291425, 941FTGEC-1291424, 941FTGER-1291522, 94CEE-1192224, 94CGE-1191224, 94CTGE-1191720, 961CEEE-1292246, 96CGEAC-1191246, 96CGEAN-1191226, 96CGEE-1191246, 98CGE-1191228, C-E904-1050350, C-E906AC-1050360, C-GV-904FE-1050135		



No.	418695	Ref. No.	CR0410140
description	heating element 900W 230V heating circuits 1 L 350mm W 390mm L1 40mm L2 310mm W1 165mm W2 60mm flange length 100mm flange width 22mm hole distance 86mm bridge length 300mm hole ø 3.2mm tube ø 6mm connection male faston 6.3mm connection length 10mm windings 4 oven		
For models:	CFE60, CFE60P, OCFE60, OCFE-60-12601005, OCFE-60-12601005MN, OCFGE61		

heating elements for bain maries




No.	415091	Ref. No.	1037039513
description	heating element 1000W 230V heating circuits 1 L 295mm W 85mm connection length 20mm connection M3 tube ø 6.5mm 2 hole fixing thread M14x1 immersion heater/dry heating element bain marie/ chip scuttle L1 145mm L2 150mm H 18mm mounting distance 79mm		
For models:	BSEI40M, OBSEI40M, OBSEI-40M-12601700		


spare parts for	415091
	No. 510417 Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs	
accessories for	415091
	No. 520228 Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14	
	No. 521133 Ref. No. 1325313
nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs	
	No. 527169 Ref. No. —
hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs	
	No. 550261 Ref. No. —
nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs	
	No. 550262 Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm	
	No. 560110 Ref. No. —
plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3	
	No. 560130 Ref. No. —
hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs	



No.	416796	Ref. No.	6A045700 BN6A045700	
description	heating element 1500W 240V heating circuits 1 L 325mm W 180mm connection male faston 6.3mm tube ø 6.3mm 2 hole fixing thread 1/4" dry heating element bain marie L1 155mm L2 170mm H 34mm mounting distance 174mm			
For models:	40SEBM, 40SEBM-1826100, 40SEBM2S-1826100, 60SEBM, 60SEBM- 1826110, 60SEBM2S-1826110			
accessories for	416796			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				



No.	416798	Ref. No.	6A037420 BN6A037420
description	heating element 2000W 220V heating circuits 1 L 565mm L1 35mm W 200mm connection cable connection distance 192mm connection length 35mm tube ø 8.5mm cable length 450mm dry heating element bain marie L2 530mm H 20mm		
For models:	912PCCPE-1104856, 912PTCBE-1104391, 92CBE-1192301, 92TCBE-1192391		



No.	416797	Ref. No.	6A037050 BN6A037050
description	heating element 2000W 230V heating circuits 1 L 480mm W 275mm connection male faston 6.3mm connection length 21mm tube ø 8.5mm dry heating element H 60mm		
For models:	72-02CBE, 72-02CBE-12701150, 72-02TCBE, 72-02TCBE-12731150, 74-02TCBE, 74CBE-000550, 74CB-E-1000550, 74CBE-1000550, 74CB-E-1000550R, 7-BME		

			
No.	418694	Ref. No.	CR0502320
description	heating element 750W 230V heating circuits 1 L 410mm W 63mm flange length 100mm flange width 22mm hole distance 86mm connection length 27mm connection male faston 6.3mm tube ø 8.5mm rectangular flange hole ø 5.5mm dry heating element		
For models:	OBME41M, OBME61M		

heating elements for frying pans

			
No.	416794	Ref. No.	8217800 BN8217800
description	heating element 1750W 230V L 464mm W 82mm connection male faston 6.3mm tube ø 8.5mm 2 hole fixing thread M14x1.5 dry heating element for frying pan/boiling kettle H 45mm mounting distance 74mm		
For models:	40SEKB-1825200, 40SKE, 40SKE-1825200		


heating elements for chip scuttles


			
No.	415091	Ref. No.	1037039513
description	heating element 1000W 230V heating circuits 1 L 295mm W 85mm connection length 20mm connection M3 tube ø 6.5mm 2 hole fixing thread M14x1 immersion heater/dry heating element bain marie/ chip scuttle L1 145mm L2 150mm H 18mm mounting distance 79mm		
For models:	BSEI40M, OBSEI40M, OBSEI-40M-12601700		
spare parts for	415091		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
accessories for	415091		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	521133	Ref. No. 1325313
	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs		
	No.	527169	Ref. No. —
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
	No.	550261	Ref. No. —
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		
	No.	560110	Ref. No. —
	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3		
	No.	560130	Ref. No. —
	hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		


heating elements for fryers


off-center connection


with thread


 			
No.	420113	Ref. No.	CR0583860 CR0583860R
description	heating element 12000W 230V heating circuits 3 L 385mm W 205mm H 32mm flange length 21mm flange length 1 2mm flange length 2 19mm flange ø1 63mm flange ø2 54mm sensor screw connection 2x M10x1 thermostat sleeve upper/lower L1 20mm L2 365mm W1 45mm W2 32mm thread M54x1.5 tube ø 8.5mm cable length 300mm rotation flange immersion heater with probe intake ø 4mm for fryer		
accessories for	420113		
	No.	532681	Ref. No. —
	O-ring Viton thickness 3.53mm ID ø 66.27mm Qty 1 pcs		
	No.	550496	Ref. No. —
	O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs		
	No.	550662	Ref. No. —
	ring nut thread M54x1.5 H 7mm		

 			
No.	420063	Ref. No.	9000481 BN9000481
description	heating element 13000W 230/400V heating circuits 3 L 385mm W 200mm H 245mm L1 40mm L2 30mm L3 315mm W1 53mm W2 94mm H1 40mm H2 170mm H3 35mm rectangular flange hole distance 122mm hole ø 6mm flange length 132mm immersion heater flange width 38mm tube ø 8.5mm		
For models:	72-02FRE, 72-02FRE-12701500, 72-02FRE, 72-02FRE-12701530, 74-02FRE, 74-02FRE-12701600, 74-02FRE, 74-02FRE-12701630		
accessories for	420063		
	No.	551114	Ref. No. —
	gasket L 131mm W 42mm silicone thickness 1mm for heating element		


 			
No.	418710	Ref. No.	9000483 BN9000483
description	heating element 13000W 230/400V heating circuits 3 L 385mm W 200mm H 270mm L1 40mm L2 30mm L3 315mm W1 54mm W2 92mm H1 30mm H2 200mm H3 35mm hole distance 122mm hole ø 6mm flange length 132mm flange width 38mm tube ø 8.5mm		
For models:	7FRI-E415, 7FRI-E415M, 7FRI-E815, 92-04FRE15L, 92-04FRE15L-12901510, 9FRI-E415, 9FRI-E420, 9FRI-E610, 9FRI-E815		

 			
No.	419019	Ref. No.	9000519 BN9000519
description	heating element 18000W 230V heating circuits 3 L 455mm W 243mm H 264mm L1 56mm L2 30mm L3 367mm W1 74.5mm W2 93.5mm H1 40mm H2 190mm H3 31.5mm		
For models:	92-04FRE20L, 92-04FRE20L-12901500, 92-04FRE20L-12901500BN, 94-04FRE-12901600, 94-04FRE20L, 9FRI-E415, 9FRI-E420, 9FRI-E610, 9FRI-E820		


 			
No.	418713	Ref. No.	9000482 BN9000482
description	heating element 9000W 230/400V heating circuits 3 L 395mm W 135mm H 267mm L1 35mm L2 40mm L3 320mm W1 22mm W2 90mm H1 40mm H2 195mm H3 32mm hole distance 121mm hole ø 6mm flange length 132mm flange width 38mm tube ø 8.5mm connection length 18mm		
For models:	7FRI-E610, 93-04FRE10L, 93-04FRE-12901550, 9FRI-E415, 9FRI-E420, 9FRI-E610		

 			
No.	420526	Ref. No.	9000480 BN9000480
description	heating element 9000W 230V heating circuits 3 L 390mm W 135mm H 230mm L1 50mm L2 40mm L3 315mm W1 20mm W2 94mm H1 105mm H2 170mm H3 35mm threaded hole distance 122mm		
For models:	73-02FRE, 73-02FRE-12701550, 73-02FRE, 73-02FRE-12701580		


2 hole fixing


 			
No.	417447	Ref. No.	9000475 BN9000475
description	heating element 3300W 230V heating circuits 1 L 220mm W 90mm H 287mm H1 237mm H2 50mm thread 1/4" tube ø 8.5mm windings 6 2 hole fixing connection M5 immersion heater		
For models:	7201FR-E-1077850R, 7221FR-E-1078050R		

accessories for	417447		
	No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		
	No.	560112	Ref. No. —
	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		
	No.	560132	Ref. No. —
	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		


 			
No.	416803	Ref. No.	9000510 BN9000510
description	heating element 5500W 230V heating circuits 1 L 320mm W 78mm H 282mm H1 232mm H2 52mm thread 1/4" tube ø 8.5mm mounting distance 69mm windings 7 2 hole fixing connection M5 connection length 23mm fryer		
For models:	9121PFRE-1204925, 9141PFRE-1204950, 921FRE, 921FRE-1292925, 921RFRE-1392925, 941FRE-1292950, 941RFRE-1392950		

accessories for	416803		
	No.	560112	Ref. No. —
	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		
	No.	560132	Ref. No. —
	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		


 			
No.	416800	Ref. No.	8208200 BN8208200
description	heating element 2300W 230V heating circuits 1 L 340mm W 42mm H 210mm L1 24mm L2 316mm H1 46mm H2 130mm H3 34mm mounting distance 32mm thread M14x1.5 tube ø 8.5mm connection length 20mm connection M5 2 hole fixing fryer		
For models:	41SEFR, 41SEFR-1826120, 41SEFR2S-1826120, 61SEFR, 61SEFR-1826130, 61SEFR2S-1826130		
spare parts for	416800		
		No. 521101	Ref. No. — nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs
accessories for	416800		
		No. 560112	Ref. No. — plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5
		No. 560132	Ref. No. — hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs


 			
No.	416804	Ref. No.	9000509 BN9000509
description	heating element 3300W 230V heating circuits 1 L 331mm W 41mm H 260mm L1 14mm L2 331mm H1 54mm H2 170mm H3 36mm mounting distance 28mm thread 1/4" tube ø 8.5mm connection length 18mm connection M5 2 hole fixing fryer		
For models:	9122PFRE-1104930, 922FRE-1192930, 922RFRE-1392930		
accessories for	416804		
		No. 361182	Ref. No. — nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs
		No. 510417	Ref. No. — flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs
		No. 520228	Ref. No. — tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14
		No. 550262	Ref. No. — flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm
		No. 560112	Ref. No. — plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5


accessories for	416804		
		No. 560132	Ref. No. — hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs

 			
No.	416802	Ref. No.	9000498 BN9000498
description	heating element 3300W 230V heating circuits 1 L 295mm W 75mm H 340mm L1 15mm L2 280mm H1 295mm H2 55mm thread 1/4" mounting distance 67mm tube ø 8.5mm 2 hole fixing connection clamp fryer windings 6		
For models:	720FRE-1077800, 722FRE-1078000		
spare parts for	416802		
		No. 510417	Ref. No. — flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs
accessories for	416802		
		No. 361182	Ref. No. — nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs
		No. 520228	Ref. No. — tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14
		No. 550262	Ref. No. — flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm

6 hole fixing

 			
No.	416799	Ref. No.	8217600 BN8217600
description	heating element 5500W 230V heating circuits 3 L 297mm W 168mm H 31mm 6 hole fixing connection male faston 6.3mm L1 47mm L2 250mm W1 35mm W2 90mm immersion heater thread M12x1.5 tube ø 8.5mm		
For models:	40SEFR, 40SEFR-1826140, 40SEFR2S-1826140, 60SEFR, 60SEFR-1826150, 60SEFR2S-1826150, 914PFRE-1204940		

 			
No.	416810	Ref. No.	1037317100
description	heating element 6000W 230/400V heating circuits 3 L 320mm W 175mm H 205mm W1 5mm H1 165mm H2 40mm thread M12x1 tube ø 8.5mm connection male faston 6.3mm immersion heater 6 hole fixing		
For models:	FQE41L, FQE61L, OFQE41L, OFQE61L		

 			
No.	416811	Ref. No.	1037317200
description	heating element 9000W 230V heating circuits 3 L 320mm W 175mm H 205mm W1 5mm H1 165mm H2 40mm thread M12x1 tube ø 8.5mm connection male faston 6.3mm immersion heater 6 hole fixing		
For models:	FQE41, FQE61, OFQE41, OFQE-41-12601510, OFQE-41-12601510MN, OFQE61, OFQE-61-12601610, OFQE-61-12601610MN		
spare parts for	416811		
	No.	521110	Ref. No.
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		
	No.	520229	Ref. No.
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		
	No.	521131	Ref. No.
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs		
	No.	528110	Ref. No.
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs		

heating elements for griddles

			
No.	416789	Ref. No.	8217700 BN8217700
description	heating element 1300W 230V heating circuits 1 L 475mm W 83mm H 66mm tube ø 8.5mm connection M5 griddle dry heating element		
For models:	40SEFT, 40SEFT-1825040, 40SEFT-1825045, 40SEFTC, 40SEFTC-1825045, 40SEFTR, 40SEFTR-1825041, 60SEFT, 60SEFT1-2R-1825051, 60SEFT1-3RIG-1825050, 60SEFT-1825050, 60SEFTC, 60SEFTC-1825050, 60SEFTC-1825055, 60SEFTR-1825052, 60SEFTRIG-1825050, 80SEFTC-1825058		

			
No.	416791	Ref. No.	6A044706 BN6A044706
description	heating element 1700W 230V heating circuits 1 L 440mm W 90mm H 64mm tube ø 8.5mm connection M5 dry heating element		
For models:	72-02FTE, 72-02FTE-12701130, 72-02FTEC, 72-02FTEC-12701135, 72-02FTE, 72-02FTE-12701132, 72-02FTE, 72-02FTE-12731130, 72-02TFTEC, 72-02TFTEC-12731135, 72-02TFTE, 72-02TFTE-12731132, 74-02FTE, 74-02FTE-12701140, 74-02FTE1-2R, 74-02FTE1-2R-12701141, 74-02FTEC-224745740, 74-02FTE, 74-02FTE-12701142, 74-02TFTE, 74-02TFTE-12731140, 74-02TFTE-12731140MN, 74-02TFTE1-2R, 74-02TFTE1-2R-12731141, 74-02TFTE, 74-02TFTE-12731142, 74FT-EC-1000805, 74FTEC-1000805, 74FT-EC-1000805R, 74TFTEC-1009805, 74TFTEC-1009805R		

			
No.	416792	Ref. No.	6A037450 BN6A037450
description	heating element 2660W 230V heating circuits 1 L 578mm W 88mm H 63mm tube ø 8.5mm connection screw connection length 18mm connection distance 75mm dry heating element		
For models:	914PFTE-1204940, 921FTE-1292401, 921FTEC-1292403, 921FTE-1292501, 921TFTE-1292491, 921TFTEC-1292493, 921TFTE-1292591, 941FTE-1292402, 941FTE1-2R-1292502, 941FTE1-2R-1292602, 941FTE1-2RAC-1292562, 941FTE1-2RAC-1292662, 941FTE-AC-1292462, 941FTEACC-1292464, 941FTEACC1-2R-1292465, 941FTEC-1292404, 941FTEC1-2R-1292405, 941FTEC1-2R-1292495, 941FTE-1292502, 941FTEAC-1292562, 941TFTE-1292492, 941TFTE1-2R-1292592, 941TFTE1-2R-1292692, 941TFTEC-1292494, 941TFTE-1292592		

			
No.	418444	Ref. No.	826620061 BN826620061
description	heating element 2666W 230V heating circuits 1 L 555mm W 100mm H 23mm tube ø 8.5mm bracket mounting connection male faston 6.3mm hole distance 92mm griddle dry heating element lug length 30mm lug width 18mm		
For models:	92-04FTE, 92-04FTE-12901130, 92-04FTEC, 92-04FTEC-12901135, 92-04FTECR, 92-04FTECR-12901137, 92-04FTE, 92-04FTE-12901132, 92-04TFTE, 92-04TFTE-12931130, 92-04TFTEC, 92-04TFTEC-12931135, 92-04TFTECR, 92-04TFTECR-12931137, 92-04TFTE, 92-04TFTE-12931132, 94-04FTE, 94-04FTE-12901140, 94-04FTE1-2R, 94-04FTE1-2R-12901141, 94-04FTE1-2R-12901141BN, 94-04FTEC, 94-04FTEC-12901145, 94-04FTEC1-2R, 94-04FTEC1-2R-12901146, 94-04FTECR, 94-04FTECR-12901147, 94-04FTE, 94-04FTE-12901142, 94-04TFTE, 94-04TFTE-12931140, 94-04TFTE1-2R, 94-04TFTE1-2R-12931141, 94-04TFTEC, 94-04TFTEC-12931145, 94-04TFTEC1-2R, 94-04TFTEC1-2R-12931146, 94-04TFTECR, 94-04TFTECR-12931147, 94-04TFTE, 94-04TFTE-12931142, 941FTEC-2295017830, 9FT-E400, 9FT-E405, 9FT-E410, 9FT-E415, 9FT-E800, 9FT-E805, 9FT-E810, 9FT-E815...(Other models you can see in the webshop)		

			
No.	416790	Ref. No.	6A037250 BN6A037250
description	heating element 900W 220V heating circuits 1 L 435mm W 42.5mm H 50mm tube ø 8.5mm 2 hole fixing connection M5 thread 1/4" mounting distance 34mm griddle dry heating element		
For models:	74FTE-000800, 74FT-E-1000800, 74FTE-1000800, 74FT-E-1000800R, 74FTER-1000801, 74FT-ER1-1-1000801, 74FT-ER1-1-1000801R, 74TFTE-1009800, 74TFTE-1009800R, 74TFTE1-1R-1009801, 74TFTE1-1R-1009801R, 78FTE-000900, 78FT-E-1000900, 78FTE-1000900, 78FT-E-1000900R, 78FTE12R-1000901, 78FT-ER.1-1-1000902, 78FT-ER.1-1-1000902R, 78FT-ER.1-2-1000901, 78FT-ER.1-2-1000901R, 78TFTE-1009900, 78TFTE-1009900R, 78TFTE1-1R-1009902, 78TFTE1-1R-1009902R, 78TFTE1-2R-1009901, 78TFTE1-2R-1009901R		

heating elements for refrigeration

heating elements for defrosting

			
No.	419208	Ref. No.	1666250
description	heating element 250W 230V L 420mm W 50mm Hmm cable length 360mm tube ø 6mm refrigerator connection F6.3		
For models:	KTAP01-BASE-20220901044U, KTAP02-BASE-20221301048K, KTAP03-BASE-2022180109UA, KTAP04-2022230109X0, KTAP04-BASE-2022230109RY, KTRP00522-2022130107K4, KTRP200022-202209010500, KTRP200022A-2022090104EB, KTRP200042-2022090107HY, KTRP200042A-20220901077B, KTRP200044-2022090105CF, KTRP200044A-2022090107HZ, KTRP200052-2022090107HW, KTRP200052A-2022090107HX, KTRP200055-2022090107K1, KTRP200055A-2022090107K0, KTRP300222-2022130105HP, KTRP300222A-2022130104EC, KTRP300422-2022130106TB, KTRP300422A-2022130105XL, KTRP300442-2022130107K6, KTRP300442A-2022130107K7, KTRP300522-2022130107K2, KTRP300522A-2022130107K3, KTRP300552A-2022130107K5, KTRP402222A-2022180109WR, KTRP404222-2022180109WV, KTRP404222A-2022180109WU, KTRP404422-2022180104VV, KTRP404422A-2022180107KE, KTRP405222-2022180109WT, KTRP405222A-2022180109WS, KTRP405522-2022180107KB, KTRP405522A-2022180107KC, KTRP522222-2022230109WW, KTRP522222A-2022230109WX, KTRP542222A-2022230109X1, KTRP544222-2022230107KR, KTRP544222A-2022230107KP, KTRP552222-2022230109WZ, KTRP552222A-2022230109WY, KTRP555222-2022230107KM, KTRP555222A-2022230107KN		

			
No.	419209	Ref. No.	1666400
description	heating element 270W 230V L 380mm W 120mm L1 15mm L2 365mm W1 80mm W2 50mm cable length 300mm tube ø 6mm refrigerator		
For models:	KR41-210906400BFA, KTN40-21090640		

			
No.	416376	Ref. No.	1666320
description	heating element 300W 230V L 430mm W 85mm connection male faston 6.3mm cable length 400mm tube ø 6.3mm defrosting H 70mm		
For models:	KTAP04-2022230109X0, KTAR01, KTAR01N, KTAR02, KTAR02N, KTAR03, KTAR03N, KTAR04, KTAR04N, KTRE21-202108010BL5, KTRE2-202108010BFC, KTRE2A-202108010BGP, KTRE3-202113010BHF, KTRE32A-202113010BLQ, KTRE34-202113010BLW, KTRE3A-202113010BFW, KTRE4-202117010BLG, KTRE42-202117010BMO, KTRE42A-202117010BMB, KTRE44-202117010BMB, KTRE4A-202117010BFF, KTRE5-202122010BG2, KTRE52-202122010BNK, KTRE54-202122010BGC, KTRE54A-202122010BNP, KTRE5A-202122010BL3, KTRP3-202611010C2F, KTRP34-20261101096L, KTRP34A-20261101096K, KTRP3A-202611010C1L, KTRP4-202615010BNQ, KTRP4A-202615010BNR, KTRP52A-202620010B05, KTRN200012-202010050495, KTRN200012A-2020100507UK, KTRN200013-2020100507UV, KTRN200013A-2020100507UU, KTRN200014-2020100507UM, KTRN200014A-2020100507UL, KTRN200015-2020100507UR, KTRN200015A-2020100507UT, KTRN300122-202013050479, KTRN300122A-2020130504DY, KTRN300142-2020130506BG, KTRN300142A-2020130507GY, KTRN300144-2020130505UU, KTRN300144A-20201305079X, KTRN300152-2020130507GW, KTRN300152A-2020130507GX, KTRN300155-2020130507HC...(Other models you can see in the webshop)		

heating elements for tilting bratt pan

			
No.	416806	Ref. No.	6A050190 BN6A050190
description	heating element 3490W 230V L 480mm W 185mm H 65mm dry heating element tube ø 8.5mm W1 78mm W2 30mm connection distance 22mm		
For models:	94KBE, 94KBE-1192870, 94KBEM-1192880, 94RKBE-1392870, 94RKBE-1392880		

				
1				
No.	417164	Ref. No.	826620120 BN826620120	
description	heating element for tilting bratt pan 2000W 230V L 290mm W 143mm H 26mm connection male faston 6.3mm dry heating element tube ø 8.5mm 2 hole fixing thread 1/4" mounting distance 132mm connection length 83mm			
For models:	94-04KBE, 94-04KBE-12901115, 94-04KBE-12901115BN, 94-04KBE-12901118, 94-04KBEM, 94-04KBEM-12901125, 94-04KBEM-12901125BN, 94-04KBEM-12901128, 94-04NKBE-12901215, 94-04NKBE-12901215BN, 9BR-E100, 9BR-E105, 9BR-E80, 9BR-E81, 9BR-EM80, 9BRS-E100, 9BRS-E105			
accessories for	417164			
	No.	550163	Ref. No.	—
	ring terminal size M4 ø4.3mm 1.5-2.5mm ² Qty 100 pcs insulation PVC Cu gal Sn blue t.max. 75°C			

			
No.	416805	Ref. No.	6A050210 BN6A050210
description	heating element for tilting bratt pan 2350W 230V L 400mm W 160mm H 55mm connection M5 dry heating element tube ø 8.5mm L1 210mm L2 190mm 2 hole fixing thread 1/4" mounting distance 152mm		
For models:	725KB-E-1000200, 725KBE-1000200, 725KB-E-1000200R, 725KB-EB-1000201, 725KBEB-1000201, 725KB-EB-1000201R, 725KBEM-000200, 725KBEM-1000210, 725KB-EM-1000210R, 725KB-EMB-1000211, 725KBEMB-1000211, 74-02KBEB, 74-02KBEB-12701110, 74-02KBEBI, 74-02KBEBI-12701115, 74-02KBEMB, 74-02KBEMB-12701120, 74-02KBEMBI, 74-02KBEMBI-12701125, 74-02KBEMBI-12701125HB		
spare parts for	416805		
		No. 550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		
accessories for	416805		
		No. 361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
		No. 510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
		No. 520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		

heating elements for pasta cookers

			
No.	418033	Ref. No.	4185326002064 BN4185326002064
description	heating element 3000W 240V L 447mm W 70mm 2 hole fixing connection M4 tube ø 8.5mm mounting distance 62mm pasta cooker immersion heater		

			
No.	416795	Ref. No.	8218100 BN8218100
description	heating element 7500W 230V heating circuits 3 L 300mm W 237mm Hmm 6 hole fixing connection M5 thread M14x1 tube ø 8.9mm complete auxiliary equipment		
For models:	40SECP, 40SECP-1825080, 40SECP-1825080E, 55-45CPE, 55-90CPE, 72-02CPE, 72-02CPE-12701900, 74-02CPE, 74-02CPE-12701905, 7CP-E400, 7CP-E800		
spare parts for	416795		
		No. 507309	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs		

spare parts for	416795		
		No. 550261	Ref. No. —
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs		
accessories for	416795		
		No. 510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
		No. 520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
		No. 521133	Ref. No. 1325313
	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs		
		No. 550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

			
No.	415971	Ref. No.	1870100 1870100R MA1870100R
description	heating element 9000W 230/415V heating circuits 3 L 245mm W 320mm H 25mm rotation flange tube ø 6.3mm thermostat sleeves ø 7mm length thermostat sleeves 210mm L1 55mm L2 190mm W1 28mm W2 292mm cable length 600mm number of thermostat sleeves 1 connection length 35mm flange length 1 9mm flange length 2 15.5mm flange length 24.5mm flange ø1 43.8mm flange ø2 39.7mm mounting pos. left suitable for 600 series thermostat sleeve centred, adjacent pasta cooker sensor screw connection M10x1		
For models:	CPE60, CPE60DB, OCPE60, OCPE-60-12601900, OCPE-60-12601900MN		
accessories for	415971		
		No. 514016	Ref. No. 1814500
	flat gasket PTFE ED ø 45mm ID ø 40mm thickness 4mm Qty 1 pcs equiv. no. 1036500400/1814500 suitable for MARENO		
		No. 514017	Ref. No. 1814400
	O-ring silicone thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
		No. 514018	Ref. No. 18146-00
	bush		
		No. 514019	Ref. No. —
	threaded rod thread M8 L 45mm brass		
		No. 514020	Ref. No. 1815014
	bush		
		No. 514021	Ref. No. 1814700
	O-ring silicone thickness 3.53mm ID ø 49.21mm Qty 1 pcs		
		No. 514022	Ref. No. 14044599
	nut thread 1 1/2" H 12mm SS WS 59 Qty 1 pcs		

Table continues overleaf

accessories for 415971				
	No.	540435	Ref. No.	1869600
	threaded rod thread M10 hollow			
	No.	540436	Ref. No.	1033514900
	hexagonal nut thread M10x1.25 H 4mm WS 13 brass Qty 1 pcs			
	No.	540438	Ref. No.	1868700
	long nut thread M10 L 25mm WS 13 brass Qty 1 pcs			
	No.	540439	Ref. No.	1869500
	distance washer			

				
1				
No.		419078	Ref. No.	
			6A037205 6A037220 BN6A037220	
description		heating element 9000W 230V heating circuits 3 L 480mm W 34mm H 52mm tube ø 8.5mm thermostat sleeves ø 7.5mm length thermostat sleeves 215mm H1 17mm H2 35mm mounting ø 47.5mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging immersion heater		
For models:		92-04CPE, 92-04CPE-12901900, 92CCPE-1192856, 92CCPE-1192856V, 92RCCPE-1392856, 94-04CPE, 94-04CPE-12901905, 94CCPE-1192861, 94RCCPE-1392861, 9CP-E400, 9CP-E800		
accessories for		419078		
	No.		510408	Ref. No.
				13005
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				

heating elements for chargrills




No.	415965	Ref. No.	1037311315 MA1037311315	
description	heating element 1800W 230V L 486mm W 83mm H 30mm 2 hole fixing mounting distance 72mm connection M4 L1 38mm L2 448mm heating circuits 1 tube ø 6.3mm dry heating element thread M12x1 for sausage warmer			
accessories for	415965			
	No.	520229	Ref. No.	—
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs			
	No.	521110	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs			
	No.	521131	Ref. No.	—
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs			
	No.	528110	Ref. No.	—
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs			



No.	416793	Ref. No.	6A045800 BN6A045800	
description	heating element 750W 230V L 473mm W 31mm H 101mm 2 hole fixing connection cable cable length 260mm L1 33mm L2 440mm tube ø 8.5mm dry heating element thread 1/4"			
For models:	40SEW, 40SEW-1825190			
spare parts for	416793			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for	416793			
	No.	361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

heating elements for heated cabinets

1



No.	416787	Ref. No.	6A036800 BN6A036800	
description	heating element 420W 230V heating circuits 1 L 265mm W 245mm connection male faston 6.3mm tube ø 6.3mm 2 hole fixing thread 1/4" dry heating element heated cabinet L1 60mm L2 185mm W1 82mm W2 70mm mounting distance 64mm			
For models:	76-02CEEEACPO, 76-02CEEEACPT, 76-02CEEEPO-12701216, 76-02CEEEPT-12701016, 76-02CGEE, 76-02CGEE-12700018, 76-02CGEE-12700018TA, 76-02CGGE, 76-02CGGE-12700016, 76-02CGGE-12700016TA, 76-02CTGGE, 76-02CTGGE-12700196, 76-02CTGGE-12700196TA, 761CEAC-1000505, 761CEAC-1000505R, 769CGVAC-1950079, 769CGVAC-1950079R, 769CGVFE-1950099, 769CGVFE-1950099R, 769CGVFEAC-1950099, 76CEAC-000500, 76CEAC-1000500, 76CEAC-1000500R, 78CB-EAC-1000565, 78CB-EAC-1000565R, 78CB-EAC-1000565R, 78CB-GAC-1000165, 78CBGAC-1000165, 916PCGEE-1103246, 916PCGGE-1103236, 961CEEE-1292246, 96CEEE-192246, 96CGEAC-1191246, 96CGEE- 1191246, 96CGGAC-1191236, 96CGGE-1191236, 96CTGGAC-1191732, C-E906AC-1050360			
accessories for	416787			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				

Table continues overleaf

accessories for	416787		
	No.	550262	Ref. No.
 flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

heating cartridges

1			
No.	417227	Ref. No.	1666090 1666150
description	heating cartridge 90W 230V ø 12mm L 124mm thread 3/8" cable length 4000mm Hmm Wmm condensate evaporation		
For models:	KBT40-21091640, KC41-210916400BDC, KR41-210906400BFA, KSABT70G-2045370CJD, KTAP01-BASE-20220901044U, KTAP02-BASE-20221301048K, KTAP02BT-BASE-2022630105KW, KTAP03-BASE-2022180109UA, KTAP04-2022230109X0, KTAP04-BASE-2022230109RY, KTAP82-202282020AY0, KTAP82-202282020AY1, KTAP83-202283020AY3, KTAP84-202284020AY4, KTAP84-202284020AY5, KTN40-21090640, KTRP00522-2022130107K4, KTRP200022-202209010500, KTRP200022A-2022090104EB, KTRP200042-2022090107HY, KTRP200042A-20220901077B, KTRP200044-2022090105CF, KTRP200044A-2022090107HZ, KTRP200052-2022090107HW, KTRP200052A-2022090107HX, KTRP200055-2022090107K1, KTRP200055A-2022090107K0, KTRP300222-2022130105HP, KTRP300222A-2022130104EC, KTRP300422-2022130106TB, KTRP300422A-2022130105XL, KTRP300442-2022130107K6, KTRP300442A-2022130107K7, KTRP300522-2022130107K2, KTRP300522A-2022130107K3, KTRP300552A-2022130107K5, KTRP402222A-2022180109WR, KTRP404222-2022180109WV, KTRP404222A-2022180109WU, KTRP404422-2022180104VV, KTRP404422A-2022180107KE, KTRP405222-2022180109WT, KTRP405222A-2022180109WS, KTRP405522-2022180107KB, KTRP405522A-2022180107KC, KTRP522222-2022230109WW, KTRP522222A-2022230109WX, KTRP542222A-2022230109X1, KTRP544222-2022230107KR, KTRP544222A-2022230107KP...(Other models you can see in the webshop)		

ceramic heaters

245x60mm

1			
No.	415104	Ref. No.	8218000
description	ceramic emitter 1000W 230V cable beaded cord L 245mm W 60mm H 35mm		
For models:	40SECC, 40SECC-1826260, 72-02SPE-12701700		
spare parts for	415104		
	No.	415109	Ref. No.
 spring clip			
accessories for	415104		
	No.	415110	Ref. No.
 reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm			

coil heating elements


1			
No.	419039	Ref. No.	2000359
description	heating element 2000/2180W 230/240V L 395mm W 93mm thread 3/8" connection M6 connection length 45mm dishwasher dry heating element heating circuits 1 2 hole fixing		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151LEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

immersion heating elements

3 hole flange ø38.5mm

1			
No.	415261	Ref. No.	18206
description	heating element 2400W 230V mounting ø 38.5mm heating circuits 1 L 242mm W 31mm H 22mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 180mm thermostat sleeve eccentric, non clinging tube ø 6.3mm hole distance 57mm hole ø 10mm cable length 130mm 3 hole flange connection male faston 6.3mm immersion heater		
For models:	OLDS35, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37-1081006, OLDS37D-1081007, OLDS37LS-1081008, OLDS37LSD-1081009, OLG35-1080702, OLG357, OLG357-1080700, OLG357D-1080707, OLG357LS-1081001, OLG357LSD-1081002, OLG357-Neutra, OLG540, OLStar		
spare parts for	415261		
	No.	521120	Ref. No.
 O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs			
accessories for	415261		
	No.	532577	Ref. No.
 O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs			

				
1				
No.	416277	Ref. No.	18206/D	
description	heating element 2800W 230V mounting $\varnothing$ 38.5mm heating circuits 1 L 302mm W 37mm H 28mm number of thermostat sleeves 1 thermostat sleeves $\varnothing$ 7mm length thermostat sleeves 199mm thermostat sleeve not clinging tube $\varnothing$ 6.4mm hole distance 57mm hole $\varnothing$ 10mm cable length 114mm 3 hole flange connection 26 immersion heater			
For models:	OLDS35, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081063, OLDS37D-1081064, OLDS37-Neutra, OLDS40, OLDS40-1081065, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40-Neutra, OLElectron400, OLG35-1080702, OLG37, OLG37-1080700, OLG37D-1080707, OLG37LS-1081001, OLG37LSD-1081002, OLG37-Neutra, OLG540, OLG540, OLG540-1080701, OLG540D-1080708, OLG540D-1081003, OLG540-Neutra, OLG540LSD-1081004			
accessories for	416277			
	No.	532577	Ref. No.	—
				
O-ring EPDM thickness 5.34mm ID $\varnothing$ 40.65mm Qty 1 pcs				

1  				
No.	416398	Ref. No.	18215	
description	heating element 4000W 230V mounting ø 38.5mm heating circuits 3 L 287mm W 26mm H 34mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 255mm thermostat sleeve centred, adjacent tube ø 6.3mm hole distance 57mm hole ø 10mm 3 hole flange connection male faston 6.3mm immersion heater			
For models:	OLDS40, OLDS40-1081065, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40-Neutra, OLElectron400, OLG540, OLG540, OLG540-1080701, OLG540D-1080708, OLG540D-1081003, OLG540-Neutra, OLG540LSD-1081004			
accessories for	416398			
	No.	521120	Ref. No.	13010
 O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs				


3 hole flange $\varnothing$ 47.5mm

group 6

			
1			
No.	419060	Ref. No.	6A001421 BN6A001421
description	heating element 8000W 230V heating circuits 3 L 320mm W 34mm H 39mm tube ø 8.5mm thermostat sleeves ø 7.5mm length thermostat sleeves 210mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging connection M4 connection length 22mm immersion heater 3 hole flange L1 60mm L3 255mm H1 35mm H2 5mm mounting ø 47.5mm		
For models:	94-04PEI100L, 94-04PEI100L-12901765, 94-04PEI110L-12901765BN, 9PN-EI100		

3 hole flange $\varnothing$ 57.5mm

No.	418714	Ref. No.	6A037190 BN6A037190
description	heating element 6000W 230V heating circuits 3 L 385mm W 37mm H 60mm tube ø 8.5mm thermostat sleeves ø 7.5mm length thermostat sleeves 210mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging connection male faston 6.3mm immersion heater 3 hole flange hole distance 75mm mounting ø 57.5mm hole ø 8x10mm		
For models:	74-02NPEI, 74-02NPEI-12701755, 7PN-EI50		
spare parts for	418714		
	No.	510409	Ref. No. 13015 R70045010
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

1  				
No.	416807	Ref. No.	6A037202 BN6A037202	
description	heating element 7500W 230V mounting ø 57.5mm heating circuits 3 L 510mm W 40mm H 49mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 215mm thermostat sleeve clinging tube ø 8.5mm hole distance 83mm hole ø 8.3mm connection length 26mm connection male faston 6.3mm 3 hole flange immersion heater			
For models:	911PEB-1192805, 911RPEB-1392890, 915PEB-1192800			
spare parts for	416807			
	No.	510409	Ref. No.	13015 R70045010
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs				


with compression flange 62 x 26mm

1

No.	415266	Ref. No.	10714
description	heating element 2000W 230V heating circuits 1 compression flange flange 62x26mm L 300mm W 41mm Hmm connection male faston 6.3mm tube ø 6.3mm immersion heater		
For models:	OLDerby, OLDS35-1081005, OLG35, OLG35D-1081000, OLG35-Neutra		

			
No.	415268	Ref. No.	16035/A
description	heating element 1850-2020W 230-240V heating circuits 1 expansion flange flange 62x26mm L 245mm W 40mm H 25mm tube ø 6.5mm connection male faston 6.3mm immersion heater		
For models:	OLDS35, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081063, OLDS37D-1081064, OLDS37-Neutra, OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS40-Neutra, OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLG35-1080702, OLGastro450, OLG537, OLG537-1080700, OLG537D-1080707, OLG537LS-1081001, OLG537LSD-1081002, OLG537-Neutra, OLG540, OLG540, OLG540-1080701, OLG540D-1080708, OLG540D-1081003, OLG540-Neutra, OLG540LSD-1081004, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLLinear		

			
No.	415270	Ref. No.	011DWM150047 BN011DWM150047
description	heating element 2700W 230V heating circuits 1 compression flange flange 62x26mm L 335mm W 43mm H 25mm tube ø 6.3mm connection male faston 6.3mm immersion heater		
For models:	OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50P-1081018, OLDS50PD-1081019, OLDS50W20H, OLElectron1000, OLElectron500, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLG545, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLG585, OLG585-1081016, OLG585D-1081017, OLG585-Neutra, OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT11S, OLHT11S-Neutra, OLLP155-1081087		

with expansion flange 40 x 14mm			
			
No.	416276	Ref. No.	540401
description	heating element 1100W 230V flange 40x14mm L 203mm W 40mm H 27mm heating circuits 1 connection male faston 6.3mm immersion heater		
For models:	OLElectron400		

with round flange ø47.5mm			
			
No.	415260	Ref. No.	16036/A
description	heating element 2180/2370W 230/240V heating circuits 1 mounting ø 47.5mm L 185mm W 40mm H 36mm round flange cable length 130mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 165mm		
For models:	OLDS40-1081010, OLDS40D-1081011, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLLinear		
accessories for	415260		
	No.	510408	Ref. No. 13005
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No.	520235	Ref. No. 30001024
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
	No.	520236	Ref. No. —
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	No.	521012	Ref. No. —
	gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs		
	No.	550002	Ref. No. 16045
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
	No.	550362	Ref. No. —
	blind flange ø 64mm mounting ø 47.5mm		

			
No.	415269	Ref. No.	15047/A
description	heating element 2700W 230V heating circuits 3 mounting ø 47.5mm L 257mm W 28mm H 45mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm H1 11mm H2 34mm connection length 28mm		
For models:	OLG600, OLH600, OLH600Electronic, OLHT-11-Neutra, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12SElectronic, OLHT12S-Neutra, OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP1-800-Neutra, OLLP-ZERO, OLLPZERO-1081057		
accessories for	415269		
	No.	510408	Ref. No. 13005
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
	No.	520235	Ref. No. 30001024
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
	No.	520236	Ref. No. —
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	No.	550002	Ref. No. 16045
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		

Table continues overleaf

accessories for 415269				
	No.	550362	Ref. No.	—
blind flange ø 64mm mounting ø 47.5mm				

1 				
No.	420056	Ref. No.	15089/D	
description	heating element 2800W 230V heating circuits 1 L 380mm W 34mm H 33mm tube ø 6mm thermostat sleeves ø 8.5mm number of thermostat sleeves 1 length thermostat sleeves 230mm			
For models:	OLDS45, OLG545, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra			
accessories for	420056			
	No.	510408	Ref. No.	13005
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				



1

No.	415262	Ref. No.	15046	
description	heating element 3000W 230V heating circuits 3 mounting ø 47.5mm L 260mm W 40mm H 36mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 250mm thermostat sleeve upper centre not clinging			
For models:	OLDS40-1081010, OLDS40D-1081011, OLDS40LS-1081012, OLDS40LS-1081013, OLDS45, OLDS50P-1081018, OLDS50PD-1081019, OLG600, OLGastro450, OLGastro500Plus, OLG545, OLG585-Neutra, OLLinear, OLLP1-S8, OLLP1-S8EL			
accessories for	415262			
	No.	510408	Ref. No.	13005
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
	No.	510562	Ref. No.	—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs				
	No.	520235	Ref. No.	30001024
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm				
	No.	520236	Ref. No.	—
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes				
	No.	550002	Ref. No.	16045
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element				
	No.	550362	Ref. No.	—
blind flange ø 64mm mounting ø 47.5mm				



1

No.	415263	Ref. No.	15089	
description	heating element 4500W 230V heating circuits 3 mounting ø 47.5mm L 375mm W 38mm H 46mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 240mm thermostat sleeve not clinging			
For models:	G12S, OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50W020H, OLElectron1000, OLElectron500, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLG600, OLGastro500Plus, OLGastro500S, OLG545, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLG585, OLG585-1081016, OLG585D-1081017, OLG585-Neutra, OLLP155-1081087, OLLP1-S8, OLLP1-S8EL			
accessories for	415263			
	No.	510408	Ref. No.	13005
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
	No.	520235	Ref. No.	30001024
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm				
	No.	520236	Ref. No.	—
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes				
	No.	521012	Ref. No.	—
gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs				
	No.	550002	Ref. No.	16045
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element				
	No.	550362	Ref. No.	—
blind flange ø 64mm mounting ø 47.5mm				

1 			
No.	419040	Ref. No.	15089/E
description	heating element 6000/6530W 230/240V heating circuits 3 mounting ø 47.5mm L 375mm W 38mm H 39mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 240mm thermostat sleeve eccentric, non clinging		
For models:	OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLElectron1000, OLElectron500, OLELELECTRON1000-1081084, OLELELEC- TRON1000D-1081085, OLGastro500Plus, OLGastro500S, OLGastro- 750Plus, OLGastro750S, OLG545, OLG550, OLG550-1080705, OLGS50D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG5- 50ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLG585, OLGS85-1081016, OLG585D-1081017, OLG585-Neutra		

with round flange ø57.5mm



No.	416279	Ref. No.	30001011/A
description	heating element 12000W 230V heating circuits 3 mounting ø 57.5mm L 470mm W 48mm H 34mm round flange connection M5 immersion heater tube ø 8.5mm connection length 30mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 295mm thermostat sleeve eccentric, non clinging		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEF-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		
accessories for	416279		
	No.	550002	Ref. No. 16045
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		



No.	420055	Ref. No.	30001011/B
description	heating element 14000W 230V heating circuits 3 L 480mm W 36mm H 44mm connection M5 tube ø 8.5mm thermostat sleeves ø 7.7mm number of thermostat sleeves 1 length thermostat sleeves 280mm		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEF-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		



No.	415849	Ref. No.	R65020420 R65020421
description	heating element 15000W 230V heating circuits 3 mounting ø 57.5mm L 530mm W 45mm H 30mm round flange connection M4 immersion heater tube ø 8.5mm connection length 15mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 272mm thermostat sleeve eccentric, clinging		
For models:	CKEP20B, CKEP21B, CKEP40B, CKET20B, CKET21B, CKET40B		
accessories for	415849		
	No.	550002	Ref. No. 16045
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		



No.	415264	Ref. No.	30001010
description	heating element 6000W 230V heating circuits 3 mounting ø 57.5mm L 480mm W 33mm H 42mm round flange connection M5 immersion heater tube ø 8.5mm connection length 19mm thermostat sleeves ø 7.5mm number of thermostat sleeves 1 length thermostat sleeves 268mm thermostat sleeve not clinging		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053...(Other models you can see in the webshop)		
spare parts for	415264		
	No.	510409	Ref. No. 13015 R70045010
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
accessories for	415264		
	No.	550002	Ref. No. 16045
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		



No.	415848	Ref. No.	R65020350
description	heating element 7500W 230V heating circuits 3 mounting ø 57.5mm L 365mm W 36mm H 50mm round flange connection M4 immersion heater tube ø 8.5mm thermostat sleeves ø 7.5mm number of thermostat sleeves 1 length thermostat sleeves 270mm thermostat sleeve eccentric, clinging		
For models:	CKEP06B, CKEP10B, CKET06B, CKET10B		
spare parts for	415848		
	No.	510409	Ref. No. 13015 R70045010
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
accessories for	415848		
	No.	550002	Ref. No. 16045
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		



No.

415265

Ref. No.

30001011

description

heating element 9000W 230V heating circuits 3 mounting ø 57.5mm L 470mm W 35mm H 41mm round flange connection M5 immersion heater tube ø 8.5mm connection length upper centre not clinging-mm thermostat sleeves ø 7.5mm number of thermostat sleeves 1 length thermostat sleeves 295mm

For models:

G12S, OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114...(Other models you can see in the webshop)

accessories for

415265

No.

550002

Ref. No.

16045



tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element

1

No.	418112	Ref. No.	6A037484 BN6A037484
description	heating element 15000W 220V heating circuits 6 L 310mm W 230mm H 130mm thermostat sleeves ø 6/4mm length thermostat sleeves 137/125mm number of thermostat sleeves 2 thermostat sleeve clinging / not clinging connection male faston 6.3mm immersion heater		
For models:	CVP10E, CVP10E-1320700, CVP10E-2, CVP10E2-1320740, CVP10E2S-1320790, CVP10E-S, CVP10ES-1320750, CVP10E-S2, CVP10G, CVP10G-1310700, CVP10G-1310750, CVP10G-2, CVP10G2-1310740, CVP10GP-1310700, CVP10G-S, CVP10G-S2, CVP10GS2-1310790, CVP20E, CVP20E-1320800, CVP20E-2, CVP20E2-1320840, CVP20E-S, CVP20ES-1320850, CVP20E-S2, CVP20ES2-1320890, CVP20G, CVP20G-1310800, CVP20G-1310850, CVP20G-2, CVP20G-S, CVP20GS-1310840, CVP20G-S2, CVP20GS2-1310890, CVP21E, CVP21E-1322700, CVP21E-2, CVP21E-S, CVP21ES-1322750, CVP21E-S2, CVP21ES2-1322790, CVP21G, CVP21G-1312700, CVP21G-2, CVP21G2-1312740, CVP21G-S, CVP21GS-1312750, CVP21G-S2, CVP21GS2-1312790, ECV10ES2, ECV10ES2-1324290...(Other models you can see in the webshop)		
spare parts for	418112		
	No.	375638	Ref. No. 6A046186 A046186 BN6A046186
	bi-metal thermostat hole distance 23.5mm 1NC 1-pole connection F6.3 2 hole fixing		
accessories for	418112		
	No.	550692	Ref. No. 6A037485 A037485 BN6A037485
	gasket silicone thickness 7mm ID ø 193.7mm Qty 1 pcs for heating element suitable for BARON equiv. no. A037485		



1

No.	418111	Ref. No.	6A037483 BN6A037483
description	heating element 7500W 220V heating circuits 6 L 310mm W 145mm H 130mm thermostat sleeves ø 6x4mm length thermostat sleeves 137/125mm number of thermostat sleeves 2 thermostat sleeve clinging / not clinging connection male faston 6.3mm immersion heater special fixing		
For models:	CVP6E, CVP6E-1320600, CVP6E-2, CVP6E2-1320640, CVP6E-S, CVP6ES-1320650, CVP6E-S2, CVP6ES2-1320690, CVP6G, CVP6G-1310600, CVP6G-2, CVP6G2-1310640, CVP6G-S, CVP6GS-1310650, CVP6G-S2, CVP6GS2-1310690, ECV6E, ECV6ES-1324190, ECV6ES2-1326100, ECV6ES2-1326100H, ECV6GS2, ECV6GS2-1314190, ECV6GS2-1316100, ECV6ES2, ECV6ES2-1324590, ECV6ES2-1326180, ECV6GS2, ECV6GS2-1314590, ECV6GS2-1316180, FCV6E, FCV6E-2, FCV6E-2-418035420640, FCV6E-2S, FCV6E-2S-418035420690, FCV6E-418035420600, FCV6E-S, FCV6E-S-418035420650, FCV6G-2-418035410640, FCV6G-2S-418035410690, FCV6G-418035410600, FCV6G-S-418035410650, NECVM6ES2, NECVM6ES2-1327190, NECVM6ES2-1328100, NECVM6GS2, NECVM6GS2-1317190, NECVM6GS2-1318100, NECVP6ES2, NECVP6ES2-1327590, NECVP6ES2-1328180...(Other models you can see in the webshop)		
accessories for	418111		
	No.	550692	Ref. No.
			6A037485 A037485 BN6A037485
gasket silicone thickness 7mm ID ø 193.7mm Qty 1 pcs for heating element suitable for BARON equiv. no. A037485			



heating elements for convection



1

No.	418110	Ref. No.	6A037470 BN6A037470
description	heating element 10500W 230V heating circuits 3 ID ø 370mm ED ø 384mm L 405mm H 141mm L1 20mm W1 105mm H1 41mm H2 100mm flange length 142mm flange width 25mm hole distance 63mm connection M5 tube ø 6.5mm convection heating element hole ø 6mm rectangular flange		
For models:	CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CVM20E, CVM20E-1320500, CVM20E-2, CVM20E2-1320540, CVM20E-S, CVM20ES-1320550, CVM20E-S2, CVM20ES2-1320590, CVP20E, CVP20E-1320800, CVP20E-2, CVP20E2-1320840, CVP20EB-1321200, CVP20E-S, CVP20ES-1320850, CVP20E-S2, CVP20ES2-1320890, ECV20ES2, ECV20ES2-1324390, ECV20ES2-1326140, ECV20ES2, ECV20ES2-1324790, ECV20ES2-1326220, FC20E, FC20E-2, FC20E-2-418035420240, FC20E-2S, FC20E-2S-418035420290, FC20E-418035420200, FC20E-S, FC20E-S-418035420250, FC-M20E, FCM20E-2, FCM20E-2-418035420540, FCM20E-2S, FC-M20E-2S-418035420590, FCM20E-418035420500, FCM20E-S, FCM20E-S-418035420550, FCV20E, FCV20E-2...(Other models you can see in the webshop)		



2

No.	416784	Ref. No.	6A037650 BN6A037650	
description	heating element 1300W 230V heating circuits 1 ID ø 178mm ED ø 194mm L 245mm H 25mm L1 51mm W1 30mm H1 6mm H2 19mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange			
For models:	61FE-1826050, 61SCGFE3S-1826055, 61SCGFE4S-1827055, 61SECFE-1826075			
spare parts for	416784			
	No.	510368	Ref. No.	—
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			



1

No.	415828	Ref. No.	R65011310
description	heating element 15000W 230V heating circuits 3 ID ø 388mm ED ø 408mm L 428mm H 132mm L1 20mm W1 105mm H1 114mm H2 18mm flange length 140mm flange width 25mm hole distance 126mm connection M4 connection length 65mm tube ø 8.5mm convection heating element hole ø 6.3mm rectangular flange		
For models:	CCE101M, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B		



1

No.	418197	Ref. No.	R65011250
description	heating element 15000W 230V heating circuits 3 ID ø 512mm ED ø 530mm L 545mm H 130mm L1 15mm W1 105mm H1 25mm H2 105mm flange length 142mm flange width 25mm hole distance 126mm connection M4 connection length 68mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	CKEP20, CKEP20B, CKEP40, CKEP40B, CKET20, CKET20B, CKET40, CKET40B		



1

No.	416788	Ref. No.	6A037600 BN6A037600
description	heating element 2400W 230V heating circuits 1 ID ø 175mm ED ø 193mm L 245mm H 35mm L1 45mm W1 31mm H1 33mm H2 33mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 20mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	941CEAC-1292164, 941FTE1-2RAC-1292562, 941FTE1-2RAC-1292662, 941FTEAC-1292462, 941FTEACC-1292464, 941FTEACC1-2R-1292465, 941FTEAC-1292562, 94CBEAC-1192362, 94CBGAC-1191362, 94CGAC-1191164, 94CTGAC-1191760, 98CGAC-1191168, TAC100-1022005, TAC101-1022006, TAC102-1022007, TAC130-1022105, TAC131-1022106, TAC132-1022107, TAC170-1022205, TAC171-1022206, TAC172-1022207, TAC210-1019505, TAC211-1019506, TAC212-1019507, TAC6100-1622005, TAC6130-1622105, TAC6131-1622106, TAC6170-1622205		
accessories for	416788		
	No.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

			
1			
No.	415966	Ref. No.	1037300200
description	heating element 2500W 230V heating circuits 1 ID ø 176mm ED ø 188mm L 210mm H 28mm L1 22mm W1 30mm H1 3mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	FOE60M, OFOE60M, OFOE-60M-12601001		
spare parts for	415966		
	No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		
accessories for	415966		
	No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

			
1			
No.	415845	Ref. No.	R65010320
description	heating element 3150W 230V heating circuits 3 ID ø 201mm ED ø 215mm L 272mm H 35mm L1 57mm W1 60mm H1 8mm H2 27mm flange length 95mm flange width 22mm hole distance 77mm connection male faston 6.3mm connection length 20mm tube ø 6.5mm convection heating element hole ø 6mm rectangular flange		
For models:	CCE042M		

			
1			
No.	418196	Ref. No.	R65011530
description	heating element 6000W 230V heating circuits 3 ID ø 215mm ED ø 228mm L 266mm H 78mm L1 38mm W1 102mm H1 10mm H2 68mm flange length 142mm flange width 25mm hole distance 57mm connection M4 connection length 66mm tube ø 6.3mm convection heating element hole ø 6mm rectangular flange		
For models:	CCE051M		

			
1			
No.	415829	Ref. No.	R65011540
description	heating element 7500W 230V heating circuits 3 ID ø 248mm ED ø 260mm L 287mm H 88mm L1 20mm W1 105mm H1 23mm H2 65mm flange length 142mm flange width 25mm hole distance 64mm connection M4 connection length 78mm convection heating element hole ø 5mm rectangular flange		
For models:	CCE071M, CKEP06, CKEP06B, CKET06, CKET06B		
accessories for	415829		
	No.	531270	Ref. No. —
	gasket L 141mm W 22mm D1 ø 10mm D2 ø 9mm 9 holes graphite thickness 1mm suitable for UNOX		

			
1			
No.	418107	Ref. No.	6A037460 BN6A037460
description	heating element 7500W 230V heating circuits 3 ID ø 368mm ED ø 385mm L 405mm H 135mm L1 24mm W1 105mm H1 35mm H2 100mm flange length 142mm flange width 24mm hole distance 64mm connection M5 connection length 92mm tube ø 8.5mm convection heating element hole ø 5.5mm rectangular flange		
For models:	CMV6ES2-1320392, CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV6E, CV6E-1320000, CV6E-1320010, CV6E-1320050, CV6E-2, CV6E2-1320040, CV6EB-1321000, CV6E-S, CV6E-S2, CV6ES2-1320090, CVM10E, CVM10E-1320400, CVM10E-1320410, CVM10E-2, CVM10E2-1320440, CVM10E-S, CVM10ES-1320450, CVM10E-S2, CVM10ES2-1320490, CVM21E, CVM21E-1322400, CVM21E-2, CVM21E2-1322440, CVM21E-S, CVM21ES-1322450, CVM21E-S2, CVM21ES2-1322490, CVM6E, CVM6E-1320300, CVM6E-1320340, CVM6E-1320390...(Other models you can see in the webshop)		



No.	418108	Ref. No.	6A037480 BN6A037480
description	heating element 7500W 230V heating circuits 3 ID ø 475mm ED ø 495mm L 515mm H 143mm L1 15mm W1 105mm H1 43mm H2 100mm flange length 142mm flange width 25mm hole distance 64mm connection M4 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CVM10E, CVM10E-1320400, CVM10E-1320410, CVM10E-2, CVM10E2-1320440, CVM10E-S, CVM10ES-1320450, CVM10E-S2, CVM10ES2-1320490, CVM21E, CVM21E-1322400, CVM21E-2, CVM21E2-1322440, CVM21E-S, CVM21ES-1322450, CVM21E-S2, CVM21ES2-1322490, CVP10E, CVP10E-1320700, CVP10E-1320710, CVP10E-2, CVP10E2-1320740, CVP10E2S-1320790, CVP10E-S, CVP10ES-1320750, CVP10ES-1320760, CVP10E-S2, CVP21E, CVP21E-1322700, CVP21E-2, CVP21E-S, CVP21ES-1322750...(Other models you can see in the webshop)		



No.	419110	Ref. No.	R65011900
description	heating element 9000W 230V heating circuits 3 ID ø 250mm ED ø 266mm L 290mm H 93mm L1 24mm W1 105mm H1 11mm H2 82mm flange length 142mm flange width 25mm hole distance 63mm connection M4 tube ø 8.5mm hole ø 6.1mm		
For models:	CKEP06, CKEP06B, CKET06, CKET06B		



No.	418109	Ref. No.	6A037475 BN6A037475
description	heating element 9000W 230V heating circuits 3 ID ø 470mm ED ø 485mm L 520mm H 155mm L1 18mm W1 104mm H1 50mm H2 105mm flange length 142mm flange width 25mm hole distance 63mm connection M5 tube ø 6.5mm convection heating element hole ø 6.3mm rectangular flange		
For models:	CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CVM20E, CVM20E-1320500, CVM20E-2, CVM20E2-1320540, CVM20E-S, CVM20ES-1320550, CVM20E-S2, CVM20ES2-1320590, CVP20E, CVP20E-1320800, CVP20E-2, CVP20E2-1320840, CVP20EB-1321200, CVP20E-S, CVP20ES-1320850, CVP20E-S2, CVP20ES2-1320890, ECVM20ES2, ECVM20ES2-1324390, ECVM20ES2-1326140, ECVP20ES2, ECVP20ES2-1324790, ECVP20ES2-1326220, FC20E, FC20E-2, FC20E-2-418035420240, FC20E-2S, FC20E-2S-418035420290, FC20E-418035420200, FC20E-S, FC20E-S-418035420250, FC-M20E, FCM20E-2, FCM20E-2-418035420540, FCM20E-2S, FCM20E-2S-418035420590, FCM20E-418035420500, FCM20E-S, FCM20E-S-418035420550, FCV20E, FCV20E-2...(Other models you can see in the webshop)		

radiation heaters



	No.	490079	Ref. No.	6A001405MAG BN6A001405MAG
description		radiation heater octagonal 3400W 230V L 300mm W 300mm heating circuits 2 H 30mm with heating coil energy regulation with temperature signalization connections 4+2 connection type cable AD		
spare parts for		490079		
	No.	390931	Ref. No.	—
safety thermostat for radiation heater				

square


1

No.	490202	Ref. No.	826620230 BN826620230 CR0735680
description	radiation heater L 300mm W 300mm 4000W 400V H 40mm connection type screw with pan detection		
For models:	110-90CTE, 110-90CTEE, 110-90TCTE, 94-04CTE-12901170, 94-04CTEE-12901180, 94-04CTEE-12901180BN, 94-04CTEES, 94-04CTEES-12901185, 94-04CTEES-12901185BN, 94-04CTES, 94-04CTES-12901175, 94-04TCTES, 94-04TCTES-12931175, 9TPF-E800, 9TPF-EE800, 9TPV-E800		



1

No.	490172	Ref. No.	826620241 BN826620241
description	radiation heater rectangular 4500W 400V L 280mm W 400mm heating circuits 2 connections 2x 2 connection type cable cable length 800mm IRCA		
For models:	72-02KBEF, 72-02KBEF-12701127, 74-02KBEF, 74-02KBEF-12701128, 7BRF-E405, 7BRF-E805		

1-circuit


1

No.	490150	Ref. No.	6A036750 CR0791310
description	radiation heater ø 250mm 2500W 230V heating circuits 1 energy regulation with temperature signalization with heating coil connections 2+2 connection type male faston 6.3mm EGO		
For models:	74-02CTE, 74-02CTE-12701170, 74-02CTEE, 74-02CTEE-12701180, 74-02TCTE, 74-02TCTE-12731170, 7TP-E800, 7TPF-EE800, 7TPV-E800, 7TPVP-E800		

2-circuit


1

No.	490139	Ref. No.	6A001401 BN6A001401 CR0511560
description	radiation heater ø 250mm 2500W 230V heating circuits 2 energy regulation with temperature signalization partial power 1000W with ribbon heater connections 3+2 connection type male faston 6.3mm EGO		
For models:	72-02TVTC, 72-02TVTCV, 72-02TVTCV-12731005, 72-02VTC, 72-02VTCV, 72-02VTG-12701005, 74-02TVTC, 74-02TVTCV, 74-02TVTCV-12731006, 74-02VTC, 74-02VTCE, 74-02VTCEV, 74-02VTCEV-12701020, 74-02VTCV, 74-02VTCV-12701006, 7NPCF-VCE800, 7NPC-VCE400, 7NPC-VCE800, 7NPCVP-VCE400, 7NPCVP-VCE800, 7NPCV-VCE400, 7NPCV-VCE800		

accessories
hexagonal nuts


1

No.	540436	Ref. No.	1033514900
description	hexagonal nut thread M10x1.25 H 4mm WS 13 brass Qty 1 pcs		
For models:	CFGE61, CFGE61D, CFGE61L, CFGE61P, CPE60, CPE60DB, OCFGE61, OCPE60, OCPE-60-12601900, OCPE-60-12601900MN, OPCG41, OPCG61		



1

No.	514022	Ref. No.	14044599
description	nut thread 1½" H 12mm SS WS 59 Qty 1 pcs		
For models:	CPE60, CPE60DB, OCPE60, OCPE-60-12601900, OCPE-60-12601900MN		




1

No.	521133	Ref. No.	1325313
description	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs		
For models:	CFG101, CFG120, CFG70, OCFG101, OCFG-101-12600025, OCFG120, OCFG70, OCFG-70-12600000, OPCG-41-12600010		


sealing washers

fibre gaskets




No.	510404	Ref. No.	6A022280 BN6A022280
description	flat gasket fibre ED ø 44mm ID ø 34mm thickness 2mm Qty 1 pcs		
For models:	74-02NPEI, 74-02NPEI-12701755, 74-02NPGD, 74-02NPGD-12700750, 74-02NPGI, 74-02NPGI-12700755, 7NP-G50, 7NP-GI50, 7PN-EI50		

PTFE gaskets




No.	514016	Ref. No.	1814500
description	flat gasket PTFE ED ø 45mm ID ø 40mm thickness 4mm Qty 1 pcs equiv. no. 1036500400/1814500 suitable for MARENO		
For models:	CPE60, CPE60DB, OCPE60, OCPE-60-12601900, OCPE-60-12601900MN		

O-rings



No.	510893	Ref. No.	13003
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	G125, OLDerby, OLDS35, OLDS35-1081005, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081006, OLDS37-1081063, OLDS37D-1081007, OLDS37D-1081064, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS37-Neutra, OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS40-Neutra, OLG35, OLG35-1080702, OLG35D-1081000, OLG35-Neutra, OLG600, OLGastro450, OLG537, OLG537-1080700, OLG537D-1080707, OLG537LS-1081001, OLG537LSD-1081002, OLG537-Neutra, OLG540, OLG540, OLG540-1080701, OLG540D-1080708, OLG540D-1081003, OLG540-Neutra, OLG540LSD-1081004, OLH600, OLH600Electronic, OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT-11-Neutra...(Other models you can see in the webshop)		




No.	510899	Ref. No.	13022
description	O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs		
For models:	OLHT-11-Neutra, OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP1-800-Neutra, OLLP-ZERO, OLLPZERO-1081057		



No.	521120	Ref. No.	13010
description	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
For models:	OLDS35, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081006, OLDS37-1081063, OLDS37D-1081007, OLDS37D-1081064, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS37-Neutra, OLDS40, OLDS40-1081065, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40-Neutra, OLElectron400, OLG35-1080702, OLG537, OLG537-1080700, OLG537D-1080707, OLG537LS-1081001, OLG537LSD-1081002, OLG537-Neutra, OLG540, OLG540, OLG540-1080701, OLG540D-1080708, OLG540D-1081003, OLG540-Neutra, OLG540LSD-1081004, OLStar		



No.	505092	Ref. No.	BN0119472130
description	O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs		



No.	510408	Ref. No.	13005
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	OLDS40-1081010, OLDS40D-1081011, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50P-1081018, OLDS50PD-1081019, OLElectron500, OLG600, OLGastro450, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLG545, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLG585, OLG585-1081016, OLG585D-1081017, OLG585-Neutra, OLLinear, OLLP-ZERO, OLLPZERO-1081057		

No.	510409	Ref. No.	13015 R70045010
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
For models:	CKEP06B, CKEP10B, CKEP20B, CKEP21B, CKET06B, CKET10B, CKET20B, CKET21B, CKGP21B, CKGP21B, CKGT21B, CKGT21B, G12S, OLAX151, OLAX151EDX-1080725, OLAX151LEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300...(Other models you can see in the webshop)		

No.	514017	Ref. No.	1814400
description	O-ring silicone thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
For models:	CPE60, CPE60DB, OCPE60, OCPE-60-12601900, OCPE-60-12601900MN		

No.	514021	Ref. No.	1814700
description	O-ring silicone thickness 3.53mm ID ø 49.21mm Qty 1 pcs		
For models:	CPE60, CPE60DB, OCPE60, OCPE-60-12601900, OCPE-60-12601900MN		

miscellaneous			
No.	550692	Ref. No.	6A037485 BN6A037485
description	gasket silicone thickness 7mm ID ø 193.7mm Qty 1 pcs for heating element suitable for BARON equiv. no. A037485		
For models:	CVP10E, CVP10E-1320700, CVP10E-2, CVP10E2-1320740, CVP10E2S-1320790, CVP10E-S, CVP10ES-1320750, CVP10E-S2, CVP10G, CVP10G-1310700, CVP10G-1310750, CVP10G-2, CVP10G2-1310740, CVP10GP-1310700, CVP10G-S, CVP10G-S2, CVP10GS2-1310790, CVP20E, CVP20E-1320800, CVP20E-2, CVP20E2-1320840, CVP20E-S, CVP20ES-1320850, CVP20E-S2, CVP20ES2-1320890, CVP20G, CVP20G-1310800, CVP20G-1310850, CVP20G-2, CVP20G-S, CVP20GS-1310840, CVP20G-S2, CVP20GS2-1310890, CVP21E, CVP21E-1322700, CVP21E-2, CVP21E-S, CVP21ES-1322750, CVP21E-S2, CVP21ES2-1322790, CVP21G, CVP21G-1312700, CVP21G-2, CVP21G2-1312740, CVP21G-S, CVP21GS-1312750, CVP21G-S2, CVP21GS2-1312790, CVP6E, CVP6E-1320600...(Other models you can see in the webshop)		

flange gaskets			
counterflanges			
No.	520235	Ref. No.	30001024
description	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
For models:	G12S		

No.	550002	Ref. No.	16045
description	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151LEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

			
No.	550002	Ref. No.	16045
description	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEF-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

capillary tube clips			
			
No.	550970	Ref. No.	1033709500
description	capillary tube clip for pipe ø 8.5mm		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, OFQE41, OFQE41-12601510, OFQE41-12601510MN, OFQE41L, OFQE41L, OFQE61, OFQE61-12601610, OFQE61-12601610MN, OFQE61L		

			
No.	550980	Ref. No.	8208270 BN8208270
description	capillary tube clip for pipe ø 8.5mm Qty 1 pcs		
For models:	41SEFR2S-1826120, 41SEFR-1826125, 55-45FRE, 55-90FRE, 61SEFR2S-1826130, 621SEFR-1826135, 7101FR-E-1077750R, 7121FR-E-1077950R, 7201FR-E-1077850R, 72-02FRE, 72-02FRE-12701500, 72-02FRE, 72-02FRE-12701530, 7221FR-E-1078050R, 73-02FRE, 73-02FRE-12701550, 73-02FRE, 73-02FRE-12701580, 74-02FRE, 74-02FRE-12701600, 74-02FRE, 74-02FRE-12701630, 7FRI-E415, 7FRI-E415M, 7FRI-E610, 7FRI-E815, 9122PFRE-1104930, 9141PFRE-1204950, 92-04FRE15L-12901510, 92-04FRE20L-12901500, 92-04FRE20L-12901500BN, 921FRE-1292925, 921RFRE-1392925, 922RFRE-1392930, 93-04FRE-12901550, 94-04FRE-12901600, 941FRE-1292950, 941RFRE-1392950, 9FRI-E415, 9FRI-E420, 9FRI-E610, 9FRI-E815, 9FRI-E820		

spring clips			
			
No.	550041	Ref. No.	8208250 BN8208250
description	probe clip for pipe ø 7mm for probe ø 6mm		
For models:	40SEFR2S-1826140, 41SEFR2S-1826120, 421SEFR-1826125, 55-45FRE, 55-90FRE, 60SEFR2S-1826150, 61SEFR2S-1826130, 621SEFR-1826135, 7101FR-E-1077750R, 7121FR-E-1077950R, 7201FR-E-1077850R, 72-02FRE, 72-02FRE-12701500, 7221FR-E-1078050R, 73-02FRE, 73-02FRE-12701550, 74-02FRE, 74-02FRE-12701600, 7FRI-E415, 7FRI-E415M, 7FRI-E610, 7FRI-E815, 9122PFRE-1104930, 9141PFRE-1204950, 914PFRE-1204940, 92-04FRE15L-12901510, 92-04FRE20L-12901500, 92-04FRE20L-12901500BN, 921FRE-1292925, 921RFRE-1392925, 922RFRE-1392930, 92CCPE-1192856, 92CCPE-1192856V, 92RCC-PE-1392856, 93-04FRE-12901550, 94-04FRE-12901600, 941FRE-1292950, 941RFRE-1392950, 94RCCPE-1392861, 9FRI-E415, 9FRI-E420, 9FRI-E610, 9FRI-E815, 9FRI-E820		

			
No.	550417	Ref. No.	1033515200
description	probe clip for pipe ø 2x8.5mm for probe ø 6mm for heating elements spacing 15-19mm Qty 1 pcs		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, OFQE41, OFQE41-12601510, OFQE41-12601510MN, OFQE41L, OFQE61, OFQE61-12601610, OFQE61-12601610MN, OFQE61L		

			
No.	550981	Ref. No.	8208260 BN8208260
description	probe clip for pipe ø 8.5mm for probe ø 6mm for heating elements spacing 0.4mm Qty 1 pcs		
For models:	40SEFR2S-1826140, 41SEFR2S-1826120, 421SEFR-1826125, 55-45FRE, 55-90FRE, 60SEFR2S-1826150, 61SEFR2S-1826130, 621SEFR-1826135, 7101FR-E-1077750R, 7121FR-E-1077950R, 7201FR-E-1077850R, 72-02FRE, 72-02FRE-12701500, 72-02FRE, 72-02FRE-12701530, 7221FR-E-1078050R, 73-02FRE, 73-02FRE-12701550, 73-02FRE, 73-02FRE-12701580, 74-02FRE, 74-02FRE-12701600, 74-02FRE, 74-02FRE-12701630, 7FRI-E415, 7FRI-E415M, 7FRI-E610, 7FRI-E815, 9122PFRE-1104930, 9141PFRE-1204950, 914PFRE-1204940, 92-04FRE15L-12901510, 92-04FRE20L-12901500, 92-04FRE20L-12901500BN, 921FRE-1292925, 921RFRE-1392925, 922RFRE-1392930, 93-04FRE-12901550, 94-04FRE-12901600, 941FRE-1292950, 941RFRE-1392950, 9FRI-E415, 9FRI-E420, 9FRI-E610, 9FRI-E815, 9FRI-E820		

			
No.	514018	Ref. No.	18146-00
description	bush		
For models:	CPE60, CPE60DB, OCPE60, OCPE-60-12601900, OCPE-60-12601900MN		

			
1			
No.	514020	Ref. No.	1815014
description	bush		
For models:	CPE60, CPE60DB, OCPE60, OCPE-60-12601900, OCPE-60-12601900MN		

			
1			
No.	691335	Ref. No.	1033715314
description	lever for tilting element		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, OFQE41, OFQE-41-12601510, OFQE-41-12601510MN, OFQE41L, OFQE61, OFQE-61-12601610, OFQE-61-12601610MN, OFQE61L		

			
1			
No.	691354	Ref. No.	1041304334
description	lever for tilting element		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, OFQE41, OFQE-41-12601510, OFQE-41-12601510MN, OFQE41L, OFQE61, OFQE-61-12601610, OFQE-61-12601610MN, OFQE61L		

hot plates

square & rectangular

with radiused edge

			
1			
No.	490066 ¹	Ref. No.	6A036720 BN6A036720 CR1078117R MA1712913
description	hot plate dimensions 220x220mm 2600W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	72-02CEPQ, 72-02CEPQ-12701201, 72-02TCEPQ, 72-02TCEPQ-12731201, 74-02CEEPQ, 74-02CEEPQ-12701210, 74-02CEPQ, 74-02CEPQ-12701202, 74-02TCEPQ, 74-02TCEPQ-12731202, 76-02CEEANPQ, 76-02CEEEACPQ, 76-02CEEEPQ-12701216, 76-02CEEPQ-12701215, 76-02CEPQ, 76-02CEPQ-12701203, 76-02TCEPQ, 76-02TCEPQ-12731203, EHB-78, EHU-78		

¹incl. protector

			
1			
No.	490068 ¹	Ref. No.	6A036730 BN6A036730
description	hot plate dimensions 220x220mm 2600W 400V with spill ring connection 4 screw clamps protector yes square		
For models:	721CAE-1000255, 721CAE-1000255R, 721TCE-1009255, 721TCE-1009255R, 741CAE-1000305, 741CAE-1000305R, 741CE-1000405, 741CE-1000405R, 741TCE-1009305, 741TCE-1009305R, 761CAE-1000355, 761CAE-1000355R, 761CE-1000455, 761CEAC-1000505, 761CEAC-1000505R, 761CEAN-1000455, 761CEAN-1000455R, 761TCE-1009355		

¹incl. protector

			
1			
No.	490176 ¹	Ref. No.	BN6A036735 SIR0109190
description	hot plate dimensions 220x220mm 2600W 440V with spill ring connection 4 screw clamps protector yes		

¹incl. protector

			
1			
No.	490056 ¹	Ref. No.	1036520 6A036530 BN6A036530
description	hot plate dimensions 300x300mm 3000W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	92-04CE, 92-04CEPQ-12901201, 92-04TCE, 92-04TCE-12931201, 94-04CE, 94-04CE-12901202, 94-04CEE, 94-04CEE-12901210, 94-04CEE-12901210BN, 94-04TCE, 94-04TCE-12931202, 9PC-E400, 9PC-E800, 9PCF-E800, 9PCV-E400, 9PCV-E800		

¹incl. protector



1

No.	490057 ¹	Ref. No.	6A036510 BN6A036510
description	hot plate dimensions 300x300mm 3000W 400V with spill ring connection 4 screw clamps protector yes square		
For models:	9121PTCE-1104292, 9141PCEE-1104394, 9141PTCE-1104294, 9161PTCE-1104296, 921CE-1292102, 921TCE-1292092, 92ICE-1292102, 941CE-1292104, 941CEAC-1292164, 941CEE-1292224, 941TCE-1292094, 961CE-1292106, 961CEEE-1292246, 961TCE-1292096, CA-E92-1050310, C-E904-1050350, C-E906AC-1050360		

¹incl. protector



1

No.	490177	Ref. No.	BN6A036540
description	hot plate dimensions 300x300mm 3000W 440V with spill ring connection 4 screw clamps protector no		

round

with radiused edge

for domestic and commercial kitchens



1

No.	490129	Ref. No.	1839813
description	hot plate ø 180mm 1500W 230V connection 4 screw clamps with 8mm spill ring		
For models:	CFE60, CFE60P, OCFE60, OCFE-60-12601005, OCFE-60-12601005MN, OPCE60, OPCE-60-12601015, OPCE-60-12601015MN, PCE60, PCE60D, PCE60DB		



1

No.	490016	Ref. No.	6A048901 BN6A048901
description	hot plate ø 180mm 2000W 230V connection 4 screw clamps with 8mm spill ring		
For models:	72-02CEPT, 72-02CEPT-12701001, 72-02CEPT-2212701001, 72-02TCEPT, 72-02TCEPT-12731001, 72CAE-000250, 7-2FXE, 74-02CEPT, 74-02CEPT-12701010, 74-02CEPT, 74-02CEPT-12701002, 74-02TCEPT, 74-02TCEPT-12731002, 74CAE-000300, 74CE-000400, 76-02CEANPT, 76-02CEEEACPT, 76-02CEEEPT-12701016, 76-02CEPT-12701015, 76-02CEPT, 76-02CEPT-12701003, 76-02TCEPT, 76-02TCEPT-12731003, 76CAE-272106, 76CEAC-000500, FO-E32C-1008325, FO-E32L-1008335		



1

No.	490017	Ref. No.	6A048910 BN6A048910
description	hot plate ø 180mm 2000W 400V connection 4 screw clamps with 8mm spill ring		
For models:	72CA-E-1000250, 72CA-E-1000250R, 72TCE-1009250, 72TCE-1009250R, 74CA-E-1000300, 74CA-E-1000300R, 74CE-1000400, 74CE-1000400R, 74TCE-1009300, 74TCE-1009300R, 76CA-E-1000350, 76CA-E-1000350R, 76CE-1000450, 76CEAC-1000500, 76CE-AC-1000500R, 76CEAN-1000450, 76CEAN-1000450R, 76TCE-1009350, FO-E32C-1008320, FO-E32L-1008330		



1

No.	490018	Ref. No.	BN6A045301
description	hot plate ø 220mm 2000W 230V connection 4 screw clamps with 8mm spill ring		



1

No.	490130	Ref. No.	1647013
description	hot plate ø 220mm 2000W 230V connection 4 screw clamps with 8mm spill ring		
For models:	CFE60, CFE60P, OCFE60, OCFE-60-12601005, OCFE-60-12601005MN		



1

No.	490020	Ref. No.	1832313 6A045601 BN6A045601
description	hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring		
For models:	40SEC, 40SEC-1825060, 60SEC, 60SEC-1825070, 61SEC-1826075, 72-02CEPT, 72-02CEPT-12701001, 72-02CEPT-2212701001, 72-02TCEPT, 72-02TCEPT-12731001, 72CAE-000250, 7-2FXE, 74-02CEPT, 74-02CEPT-12701010, 74-02CEPT, 74-02CEPT-12701002, 74-02TCEPT, 74-02TCEPT-12731002, 74CAE-000300, 74CE-000400, 76-02CEANPT, 76-02CEEEACPT, 76-02CEEEPT-12701016, 76-02CEPT-12701015, 76-02CEPT, 76-02CEPT-12701003, 76-02TCEPT, 76-02TCEPT-12731003, 76CAE-272106, 76CEAC-000500, CFE60, CFE60P, FO-E32C-1008325, FO-E32L-1008335, OCFE60, OCFE-60-12601005MN, OPCE40, OPCE-40-12601010, OPCE-40-12601010MN, OPCE60, OPCE-60-12601015, OPCE-60-12601015MN, PCE40, PCE40D, PCE40DB, PCE60, PCE60D, PCE60DB		

accessories for	490020		
	No.	550796	Ref. No.
	—		
	fixing plate for hot plate ø220mm		

			
No.	490021	Ref. No.	6A045600 BN41826620010
description	hot plate ø 220mm 2600W 400V connection 4 screw clamps with 8mm spill ring		
For models:	72CA-E-1000250, 72CA-E-1000250R, 72TCE-1009250, 72TCE-1009250R, 74CA-E-1000300, 74CA-E-1000300R, 74CE-1000400, 74CE-1000400R, 74TCE-1009300, 74TCE-1009300R, 76CA-E-1000350, 76CA-E-1000350R, 76CE-1000450, 76CEAC-1000500, 76CE-AC-1000500R, 76CEAN-1000450, 76CEAN-1000450R, 76TCE-1009350, FO-E32C-1008320, FO-E32L-1008330		

			
No.	490175	Ref. No.	BN6A045602
description	hot plate ø 220mm 2600W 440V connection 4 screw clamps with 8mm spill ring		

energy regulators

EGO

			
No.	380015	Ref. No.	0111641820 6A049320 BN0111641820
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		
For models:	40SEW, 40SEW-1825190, 74-02CTE, 74-02CTE-12701170, 74-02CTEE, 74-02CTEE-12701180, 74-02NPEI, 74-02NPEI-12701755, 74-02TCTE, 74-02TCTE-12731170, 7PN-EI50, 7TP-E800, 7TPF-EE800, 7TPV-E800, 7TPVP-E800, 911PEB-1192805, 911RPEB-1392890, 915PEB-1192800, 96-04KBEC-12901105, 9BR-E100, 9BR-E105, 9BRS-E100, 9BRS-E105, CV10E, CV10E-1320100, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290...(Other models you can see in the webshop)		

2-circuit

			
No.	380027	Ref. No.	6A001402 CM293900 MACM293900
description	energy regulator EGO 230V 13A dual circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-70% no. 50.55021.100		
For models:	72-02TVTC, 72-02TVTCV, 72-02TVTCV-12731005, 72-02VTC, 72-02VTCV, 72-02VTG-12701005, 74-02TVTC, 74-02TVTCV, 74-02TVTCV-12731006, 74-02VTC, 74-02VTCE, 74-02VTCEV, 74-02VTCEV-12701020, 74-02VTCV, 74-02VTCV-12701006, 7NPCF-VCE800, 7NPC-VCE400, 7NPC-VCE800, 7NPCVP-VCE400, 7NPCVP-VCE800, 7NPCV-VCE400, 7NPCV-VCE800, 92-04TVTC, 92-04TVTC-12931005, 92-04TVTCV-12931055, 92-04VTC, 92-04VTCV-12901055, 94-04TVTC, 94-04TVTC-12931006, 94-04TVTCV-12931056, 94-04VTC, 94-04VTCE, 94-04VTCEV-12901050, 94-04VTCV-12901056, 9NPCF-VCE800, 9NPC-VCE400, 9NPC-VCE800, 9NPCVP-VCE400, 9NPCVP-VCE800, 9NPCV-VCE400, 9NPCV-VCE800, CPE60, CPE60DB, OCPE60, OCPE-60-12601900, OCPE-60-12601900MN		

thermostats

bi-metal thermostats

safety bi-metal thermostats

			
No.	390480	Ref. No.	15550
description	bi-metal safety thermostat hole distance 23.8mm switch-off temp. 105°C 1NC 1-pole 16A connection F6.3 2 hole fixing		
For models:	OLDerby, OLDS35, OLDS35-1081005, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081006, OLDS37-1081063, OLDS37D-1081007, OLDS37D-1081064, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS37-Neutra, OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS40-Neutra, OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50P-1081018, OLDS50PD-1081019, OLElectron400, OLElectron500, OLG35-1080702, OLG600, OLGastro450, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLG37, OLG37-1080700, OLG37D-1080707, OLG37LS-1081001, OLG37LSD-1081002, OLG37-Neutra, OLG540, OLG540...(Other models you can see in the webshop)		

bi-metal thermostats



No.	375638	Ref. No.	6A046186 BN6A046186
description	bi-metal thermostat hole distance 23.5mm 1NC 1-pole connection F6.3 2 hole fixing		
For models:	CVP10E, CVP10E-1320700, CVP10E-2, CVP10E2-1320740, CVP10E2S-1320790, CVP10E-S, CVP10ES-1320750, CVP10E-S2, CVP10G, CVP10G-1310700, CVP10G-1310750, CVP10G-2, CVP10G2-1310740, CVP10GP-1310700, CVP10G-S, CVP10G-S2, CVP10GS2-1310790, CVP20E, CVP20E-1320800, CVP20E-2, CVP20E2-1320840, CVP20E-S, CVP20ES-1320850, CVP20E-S2, CVP20ES2-1320890, CVP20G, CVP20G-1310800, CVP20G-1310850, CVP20G-2, CVP20G-S, CVP20GS-1310840, CVP20G-S2, CVP20GS2-1310890, CVP21E, CVP21E-1322700, CVP21E-2, CVP21E-S, CVP21ES-1322750, CVP21E-S2, CVP21ES2-1322790, CVP21G, CVP21G-1312700, CVP21G-2, CVP21G2-1312740, CVP21G-S, CVP21GS-1312750, CVP21G-S2, CVP21GS2-1312790, CVP6E, CVP6E-1320600...(Other models you can see in the webshop)		

2



No.	390613	Ref. No.	6A035210 BN6A035210
description	bi-metal thermostat hole distance 23.5mm switch-off temp. 150°C 1NCA connection F6.3		
For models:	72-02TVTCV, 72-02TVTCV-12731005, 72-02VTC, 72-02VTCV, 72-02VTG-12701005, 74-02TVTCV, 74-02TVTCV-12731006, 74-02VTCEV, 74-02VTCEV-12701020, 74-02VTCV, 74-02VTCV-12701006, 7NPCF-VCE800, 7NPC-VCE400, 7NPC-VCE800, 7NPCVP-VCE400, 7NPCVP-VCE800, 7NPCV-VCE400, 7NPCV-VCE800, 92-04VTVC, 92-04VTVC-12931005, 92-04VTVC-12931055, 92-04VTC, 92-04VTCV-12901055, 94-04VTVC, 94-04VTVC-12931006, 94-04VTVC-12931056, 94-04VTC, 94-04VTCE, 94-04VTCEV-12901050, 94-04VTVC-12901056, 9NPCF-VCE800, 9NPC-VCE400, 9NPC-VCE800, 9NPCVP-VCE400, 9NPCVP-VCE800, 9NPCV-VCE400, 9NPCV-VCE800		

1



No.	390612	Ref. No.	6A035200 BN6A035200
description	bi-metal thermostat hole distance 24mm switch-off temp. 110°C		
For models:	72-02TVTCV, 72-02TVTCV-12731005, 72-02VTC, 72-02VTCV, 72-02VTG-12701005, 74-02TVTCV, 74-02TVTCV-12731006, 74-02VTCEV, 74-02VTCEV-12701020, 74-02VTCV, 74-02VTCV-12701006, 7NPCF-VCE800, 7NPC-VCE400, 7NPC-VCE800, 7NPCVP-VCE400, 7NPCVP-VCE800, 7NPCV-VCE400, 7NPCV-VCE800, 92-04VTVC, 92-04VTVC-12931005, 92-04VTVC-12931055, 92-04VTC, 92-04VTCV-12901055, 94-04VTVC, 94-04VTVC-12931006, 94-04VTVC-12931056, 94-04VTC, 94-04VTCE, 94-04VTCEV-12901050, 94-04VTVC-12901056, 9NPCF-VCE800, 9NPC-VCE400, 9NPC-VCE800, 9NPCVP-VCE400, 9NPCVP-VCE800, 9NPCV-VCE400, 9NPCV-VCE800		



No.	390231	Ref. No.	15551
description	bi-metal thermostat hole distance 40mm switch-off temp. 55°C 1CO 1-pole 16A connection F6.3 2 hole fixing		
For models:	OLElectron400		

control and safety thermostats

EGO

control thermostats


55.10/19_ series




No.	375386	Ref. No.	6A046105 BN6A046105
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 2000mm capillary pipe isolated 2000mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	761CEAC-1000505, 761CEAC-1000505R, 769CGVAC-1950079, 769CGVAC-1950079R, 769CGVFE-1950099, 769CGVFE-1950099R, 769CGVFEAC-1950099, 76CEAC-1000500, 76CEAC-1000500R, C-E906AC-1050360		




No.	375647	Ref. No.	6A046100 BN6A046100
description	thermostat t.max. 110°C temperature range 31-110°C 1-pole 1NO 16A probe ø 6mm probe L 133mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	TAC100-1022005, TAC101-1022006, TAC102-1022007, TAC130-1022105, TAC131-1022106, TAC132-1022107, TAC170-1022205, TAC171-1022206, TAC172-1022207, TAC6100-1622005, TAC6130-1622105, TAC6131-1622106, TAC6170-1622205		




No.	375363	Ref. No.	6A001414 BN6A001414
description	thermostat t.max. 161°C temperature range 73-161°C 1-pole 1NO 16A probe ø 3mm probe L 144mm capillary pipe 1600mm capillary pipe isolated 1600mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	94-04PEI100L, 94-04PEI100L-12901765, 94-04PEI110L-12901765BN, 94-04PEI150L, 94-04PEI150L-12901767, 94-04PEI150L-12901767BN, 9PN-EI100, 9PN-EI150		




No.	375387	Ref. No.	9000216 BN9000216
description	thermostat t.max. 170°C temperature range 85-170°C 1-pole 1NO 16A probe ø 4mm probe L 231mm capillary pipe 900mm capillary pipe isolated 850mm gland nut M9x1 shaft L 23mm shaft position upper rotation 270° probe material SS		
For models:	912PFRG-1103925, 914PFRG-1103950, 922FRE-1192930, 92FRE-192925, 92FRG, 92FRG-1191925, 92RFRG-1391925, 94FRE-192950, 94FRG, 94FRG-1191950, 94FRG-191950, 94RFRG-1391950		



No.	375639	Ref. No.	6A049100 BN6A049100
description	thermostat t.max. 192°C temperature range 100-192°C 1-pole 1NO 16A probe ø 4mm probe L 235mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 21mm shaft position upper rotation 270°		
For models:	710FRE-1077700, 712FRE-1077900, 720FRE-1077800, 722FRE-1078000, 92-04FRG20L, 92-04FRG20L-12900500, 92-04FRG20L-12900500TA, 94-04FRG-12900600, 94-04FRG20L, 94-04FRG20L-12900600TA, 94-04FRG23L-12900605, FR-E925N-1050730, FR-E950N-1050732		



No.	375382	Ref. No.	6A049200 BN6A049200
description	thermostat t.max. 295°C temperature range 45-295°C 1-pole 1NO 16A probe ø 3mm probe L 219mm capillary pipe 1300mm capillary pipe isolated 350mm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 270°		
For models:	61FE-1826050, 61SCGFE3S-1826055, 61SCGFE4S-1827055, 61SECFE-1826075, 725KB-E-1000200, 725KBE-1000200, 725KB-E-1000200R, 725KB-EB-1000201, 725KBEB-1000201, 725KB-EB-1000201R, 725KBEM-000200, 725KBEM-1000210, 725KB-EM-1000210R, 725KB-EMB-1000211, 725KBEMB-1000211, 725KB-G-1000110, 725KBG-1000110, 725KB-G-1000110R, 725KB-GB-1000111, 725KB-GB-1000111R, 725KBGM-000120, 725KB-GM-1000120, 725KB-GM-1000120R, 725KB-GMB-1000121, 725KB-GMB-1000121R, 74-02KBEB, 74-02KBEB-12701110, 74-02KBEBI, 74-02KBEBI-12701115, 74-02KBEMB, 74-02KBEMB-12701120, 74-02KBEMBI, 74-02KBEMBI-12701125, 74-02KBEMBI-12701125HB, 74-02KBGB, 74-02KBGB-12700110, 74-02KBGBI, 74-02KBGBI-12700115, 74-02KBGMB, 74-02KBGMB-12700120, 74-02KBGMBI, 74-02KBGMBI-12700125, 94-04KBG, 94-04KBG-12900115, 94-04KBG-12900115TA, 94-04KBG-12900118, 94-04KBG-12900118TA, 94-04KBGM, 94-04KBGM-12900125, 94-04KBGM-12900125TA...(Other models you can see in the webshop)		




No.	375270	Ref. No.	40100042 SI0101377 SIR0101377
description	thermostat t.max. 295°C temperature range 45-295°C 1-pole 1NO 16A probe ø 4mm probe L 100mm capillary pipe 900mm capillary pipe isolated 350mm gland nut shaft L 23mm shaft position upper rotation 270°		

E-G-O



No.	375184	Ref. No.	1037102300
description	thermostat t.max. 298°C temperature range 55-294°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 350mm gland nut shaft L 23mm shaft position upper probe material SS		
For models:	CFE60, CFE60P, FOE60M, OCFE60, OCFE-60-12601005, OCFE-60-12601005MN, OCFGE61, OFOE60M, OFOE-60M-12601001		

E-G-O



No.	375667	Ref. No.	R65070360
description	thermostat t.max. 300°C temperature range 68-300°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 980mm capillary pipe isolated 980mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	CCE042M, CCE051M, CCE071M, CCE101M, CCE102M, CCG051M, CCG071M, CCG101M, CCG102M		

E-G-O



No.	375002	Ref. No.	9010
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	OLCX, OLFX, OLFX250E-1081151, OLFX250V-1081152, OLFX250V-1081153, OLFX380E-1081154, OLFX380E-1081155, OLFX380V-1081156, OLFX380V-1081157, OLFX420E-1081158, OLFX420E-1081159, OLFX420V-1081160, OLFX420V-1081161, OLFX540E-1081162, OLFX540E-1081163, OLFX540V-1081164, OLFX540V-1081165, OLFX600E-1081166, OLFX600E-1081167, OLFX600V-1081168, OLFX600V-1081169, OLFX680E-1081170, OLFX680E-1081171, OLFX680V-1081172, OLFX680V-1081173, OLFX780E-1081174, OLFX780E-1081175, OLFX780V-1081176, OLFX780V-1081177, OLFX900E-1081178, OLFX900E-1081179, OLFX900V-1081180, OLFX900V-1081181, WASHER-1081150		

E-G-O



No.	375604	Ref. No.	826630191 BN826630191
description	thermostat t.max. 320°C temperature range 64-320°C 1-pole 1NO 0.5A probe ø 4mm probe L 124mm capillary pipe 1470mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	72-02KBEF, 72-02KBEF-12701127, 74-02KBEF, 74-02KBEF-12701128, 7BR-E100, 7BR-E105, 7BRF-E805, 7BR-G100, 7BR-G105, 7BRS-E100, 7BRS-E105, 7BRS-G100, 7BRS-G105, 94-04KBE, 94-04KBE-12901115, 94-04KBE-12901115BN, 94-04KBE-12901118, 94-04KBEM, 94-04KBEM-12901125, 94-04KBEM-12901125BN, 94-04KBEM-12901128, 94-04NKBE-12901215, 94-04NKBE-12901215BN, 96-04KBEC, 96-04KBEC-12901105, 96-04KBGC, 96-04KBGC-12900105, 96-04KBGC-12900105TA, 9BR-E100, 9BR-E105, 9BR-E125, 9BR-G100, 9BR-G105, 9BRS-E100, 9BRS-E105		

E-G-O



No.	375636	Ref. No.	6A046195 BN6A046195
description	thermostat t.max. 60°C temperature range fixed 60°C 1-pole 1CO 16A probe ø 11mm probe L 29mm capillary pipe 1470mm capillary pipe isolated 1450mm gland nut screw-in probe probe thread M14x1		
For models:	CMV6E52-1320392, CVM10E, CVM10E-1320400, CVM10E-1320410, CVM10E-2, CVM10E2-1320440, CVM10E-S, CVM10E-S-1320450, CVM10E-S2, CVM10E52-1320490, CVM10E52-1320495, CVM10G, CVM10G-1310400, CVM10G-1310410, CVM10G-1310430, CVM10G-1310450, CVM10G-2, CVM10G2-1310440, CVM10GP-1310400, CVM10G-S, CVM10GS-1310460, CVM10G-S2, CVM10GS2-1310490, CVM10GS2-1310495, CVM20E, CVM20E-1320500, CVM20E-2, CVM20E2-1320540, CVM20E-S, CVM20E-S-1320550, CVM20E-S2, CVM20E52-1320590, CVM20G, CVM20G-1310500, CVM20G-2, CVM20G2-1310540, CVM20G-S, CVM20GS-1310550, CVM20G-S2, CVM20GS2-1310590, CVM21E, CVM21E-1322400, CVM21E-2, CVM21E2-1322440, CVM21E-S, CVM21E-S-1322450, CVM21E-S2, CVM21E52-1322490, CVM21E52-1322495, CVM21G...(Other models you can see in the webshop)		

No.	390040	Ref. No.	6A046260 BN6A046260 MA7800300
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 2040mm capillary pipe isolated 1940mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° probe material SS		
For models:	40SEBM, 40SEBM-1826100, 40SEBM25-1826100, 40SECP, 60SEBM, 60SEBM-1826110, 60SEBM25-1826110, 912PCCPE-1104856, 912PTCBE-1104391, 92CBE-1192301, 92TCBE-1192391, 941CEAC-1292164, 941FTE1-2RAC-1292562, 941FTE1-2RAC-1292662, 941FTEAC-1292462, 941FTEACC-1292464, 941FTEACC1-2R-1292465, 941FTEAC-1292562, 94CBEAC-1192362, 94CBGAC-1191362, 94CGAC-1191164, 94CTGAC-1191760, 98CGAC-1191168, TAC210-1019505, TAC211-1019506, TAC212-1019507		

No.	375381	Ref. No.	6A046050 BN6A046050
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 2000mm capillary pipe isolated 2000mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	72-02CBE-12701150, 72-02TCBE-12731150, 74CBE-000550, 74CB-E-1000550, 74CBE-1000550, 74CB-E-1000550R, 76-02CEEEACPO, 76-02CEEEACPT, 76-02CEEEPQ-12701216, 76-02CEEEPT-12701016, 76-02CGEE, 76-02CGEE-12700018, 76-02CGEE-12700018TA, 76-02CGGE, 76-02CGGE-12700016, 76-02CGGE-12700016TA, 76-02CTGGE, 76-02CTGGE-12700196, 76-02CTGGE-12700196TA, 76CEAC-000500, 78CB-EAC-1000565, 78CBEAC-1000565, 78CB-EAC-1000565R, 78CB-GAC-1000165, 78CBGAC-1000165, 916PCGEE-1103246, 916PCGGE-1103236, 961CEEE-1292246, 96CEEE-192246, 96CGE-AC-1191246, 96CGEE-1191246, 96CGGAC-1191236, 96CGGE-1191236, 96CTGGAC-1191732		

55.14_series

No.	375874	Ref. No.	1037117700
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1NO 16A probe ø 6mm probe L 74mm capillary pipe 900mm capillary pipe isolated 800mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position 180° shaft position rotation 270°		
For models:	BSEI40M, OBME41M, OBME61M, OBSEI40M, OBSEI-40M-12601700		

55.18_series

No.	375110	Ref. No.	6A010502
description	thermostat t.max. 190°C temperature range 121-190°C 1-pole 1NC 16A probe ø 6mm probe L 117mm capillary pipe 390mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 15mm shaft position left rotation 270° probe material SS		

55.34_series

No.	375640	Ref. No.	6A046240 BN6A046240
description	thermostat t.max. 110°C temperature range 1x20-90/2x40-110°C 3-pole 2NO/1NO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	40SECP, 40SECP-1825080, 40SECP-1825080E		

E-G-O




No.	375887	Ref. No.	6A044650 BN6A044650
description	thermostat t.max. 125°C temperature range 65-125°C 3-pole 3NO 16A probe ø 6mm probe L 77mm capillary pipe 880mm capillary pipe isolated 880mm gland nut shaft L 23mm shaft position upper°		
For models:	55-45CPE, 55-90CPE, 72-02CPE, 72-02CPE-12701900, 74-02CPE, 74-02CPE-12701905, 7CP-E400, 7CP-E800, 92-04CPE, 92-04CPE-12901900, 92CCPE-1192856, 92CCPE-1192856V, 92RCCPE-1392856, 94-04CPE, 94-04CPE-12901905, 94CCPE-1192861, 94RCCPE-1392861, 9CP-E400, 9CP-E800		

E-G-O




No.	375385	Ref. No.	8219601 BN8219601
description	thermostat t.max. 180°C temperature range 100-180°C 3-pole 3NO 16A probe ø 6mm probe L 131mm capillary pipe 2000mm capillary pipe isolated 1800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	40SEFR, 40SEFR-1826140, 40SEFR2S-1826140, 41SEFR, 41SEFR-1826120, 41SEFR2S-1826120, 421SEFR-1826125, 55-45FRE, 55-90FRE, 60SEFR, 60SEFR-1826150, 60SEFR2S-1826150, 61SEFR, 61SEFR-1826130, 61SEFR2S-1826130, 621SEFR-1826135, 7101FR-E-1077750R, 7121FR-E-1077950R, 7201FR-E-1077850R, 72-02FRE, 72-02FRE-12701500, 7221FR-E-1078050R, 73-02FRE, 73-02FRE-12701550, 74-02FRE, 74-02FRE-12701600, 7FRI-E415, 7FRI-E415M, 7FRI-E610, 7FRI-E815, 9121PFRE-1204925, 9122PFRE-1104930, 9141PFRE-1204950, 914PFRE-1204940, 92-04FRE15L, 92-04FRE15L-12901510, 92-04FRE20L, 92-04FRE20L-12901500, 92-04FRE20L-12901500BN, 921FRE, 921FRE-1292925, 921RFRE-1392925, 922FRE-1192930, 922RFRE-1392930, 93-04FRE10L, 93-04FRE-12901550, 94-04FRE-12901600, 94-04FRE20L, 941FRE-1292950, 941RFRE-1392950...(Other models you can see in the webshop)		

E-G-O



No.	375384	Ref. No.	6A044601 BN6A044601
description	thermostat t.max. 275°C temperature range 50-275°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position lower rotation 318° probe material SS		
For models:	110-135CGE, 110-135CGE2P, 110-135CGEE, 110-135CGEE2P, 110-135CGEEP, 110-135CGEP, 110-90CGE, 110-90CGE1P, 110-90CGEP, 110-90CTEE, 110-90CTGE, 110-90FTTE, 110-90FTTGE, 40SEFTC-1825045, 60SEFTC-1825055, 72-02FTEC, 72-02FTEC-12701135, 72-02TFTEC, 72-02TFTEC-12731135, 74-02CEEQP, 74-02CEEQP-12701210, 74-02CEEPT, 74-02CEEPT-12701010, 74-02CGE, 74-02CGE-12700011, 74-02CGE-12700011TA, 74-02CTEE, 74-02CTEE-12701180, 74-02CTGE, 74-02CTGE-12700190, 74-02CTGE-12700190TA, 74-02VTCE, 74-02VTCEV, 74-02VTCEV-12701020, 74FT-EC-1000805, 74FTEC-1000805, 74FT-EC-1000805R, 74TFTEC-1009805, 74TFTEC-1009805R, 76-02CEEANPQ, 76-02CEEANPT, 76-02CEEQP-12701216, 76-02CEEPT-12701016, 76-02CEEQP-12701215, 76-02CEEPT-12701015, 76-02CGE, 76-02CGE-12700017, 76-02CGE-12700017TA, 76-02CGEE, 76-02CGEE-12700018...(Other models you can see in the webshop)		

E-G-O



No.	375192	Ref. No.	1309115
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, FTE100B, FTE100BR, FTE100CRL, FTE40B, FTE40BR, FTE40C, FTE40D, FTE40DC, FTE60B, FTE60BR, FTE60C, FTE60D, FTE60DC, FTE60DR, FTE60DRCL, OBRE40, OBRE-40-12601110, OBRE-40-12601110MN, OFTE-100C-12601136, OFTE-100C-12601136MN, OFTE100CRL, OFTE-100CRL-12601138, OFTE40B, OFTE-40B-12601130, OFTE-40B-12601130MN, OFTE40BR, OFTE-40BR-12601132, OFTE-40BR-12601132MN, OFTE40C, OFTE-40C-12601135, OFTE-40C-12601135MN, OFTE60B, OFTE-60B-12601140, OFTE-60B-12601140MN, OFTE60BR, OFTE-60BR-12601141, OFTE-60BR-12601141MN, OFTE60BRR, OFTE-60BRR-12601142, OFTE-60BRR-12601142MN, OFTE60C, OFTE-60C-12601145, OFTE-60C-12601145MN		



No.	375412	Ref. No.	6A044600 BN6A044600
description	thermostat t.max. 320°C temperature range 50-320°C 3-pole 3NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1480mm capillary pipe isolated 1400mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	40SEFT, 40SEFT-1825040, 40SEFT-1825045, 40SEFTC, 40SEFTC-1825045, 40SEFTR, 40SEFTR-1825041, 60SEFT, 60SEFT1-2R-1825051, 60SEFT1-3RIG-1825050, 60SEFT-1825050, 60SEFTC, 60SEFTC-1825050, 60SEFTR-1825052, 60SEFTRIG-1825050, 714CT-GVFE-1000180, 714CTGVFE-1000180, 714CT-GVFE-1000180R, 72-02FTE, 72-02FTE-12701130, 72-02FTE, 72-02FTE-12701132, 72-02TFTE, 72-02TFTE-12731130, 72-02TFTE, 72-02TFTE-12731132, 74-02FTE, 74-02FTE-12701140, 74-02FTE1-2R, 74-02FTE1-2R-12701141, 74-02FTE, 74-02FTE-12701142, 74-02TFTE, 74-02TFTE-12731140, 74-02TFTE-12731140MN, 74-02TFTE1-2R, 74-02TFTE1-2R-12731141, 74-02TFTE, 74-02TFTE-12731142, 741CE-1000405, 741CE-1000405R, 749CGVFE-1950059, 749CGVFE-1950059R, 74CE-000400, 74CE-1000400, 74CE-1000400R, 74FTE-000800, 74FT-E-1000800, 74FTE-1000800, 74FT-E-1000800R...(Other models you can see in the webshop)		



No.	375383	Ref. No.	6A044900
description	thermostat t.max. 350°C temperature range 100-350°C 3-pole 3NO 16A probe ø 6mm probe L 75mm capillary pipe 870mm capillary pipe isolated 870mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	40SEKB-1825200, 40SKE, 40SKE-1825200, FT-E940-1050510, FT-E940-1050511, FT-E980-1050520, FT-E980-1050521, FT-E980R1-2-1050522		



No.	375917	Ref. No.	6A046130 BN6A046130
description	thermostat t.max. 550°C temperature range 85-500/85-550°C 3-pole 2NO/1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 1110mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 318° outer switch 2NO/2NO		
For models:	110-90CTE, 110-90CTEE, 110-90CTCE, 94-04CTEES, 94-04CTEES-12901185, 94-04CTEES-12901185BN, 94-04CTES-12901175, 94-04CTES-12931175, 9TPF-EE800		



No.	375411	Ref. No.	6A046250 BN6A046250
description	thermostat t.max. 93°C temperature range 30-93°C 3-pole 3NO 16A probe ø 6mm probe L 129mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	72-02CBE, 72-02CBE-12701150, 72-02TCBE, 72-02TCBE-12731150, 74-02CBE, 74-02CBE-12701155, 74-02TCBE, 74-02TCBE-12731155, 78CBE-000560, 78CB-E-1000560, 78CBE-1000560, 78CB-E-1000560R, 78CB-EAC-1000565, 78CB-EAC-1000565R, 7-BME, 94CBE-1192302, 94CBEAC-1192362, 94TCBE-1192392		


safety thermostats

55.10/19_ series



No.	375379	Ref. No.	9000217 BN9000217
description	safety thermostat switch-off temp. 200°C 1-pole 0.5A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe		
For models:	912PFRG-1103925, 914PFRG-1103950, 922FRE-1192930, 92FRG, 92FRG-1191925, 92RFRG-1391925, 94FRG, 94FRG-1191950, 94FRG-191950, 94RFRG-1391950		

E-G-O



No.	390061	Ref. No.	6A049401 BN6A049401
description	safety thermostat switch-off temp. 220°C 1-pole 0.5A probe ø 6mm probe L 140mm capillary pipe 900mm capillary pipe isolatedmm gland nut probe M9x1		
For models:	40SGFR, 40SGFR-1826160, 40SGFR2S-1826160, 55-45FRG, 55-90FRG, 60SGFR, 60SGFR-1826170, 60SGFR2S-1826170, 710FRG-1077300, 710FR-G-1077350, 710FR-G-1077350R, 712FR-G-1077550, 712FRG-1077550, 712FR-G-1077550R, 72-02FRG, 72-02FRG-12700500, 72-02FRG17-12700505, 72-02FRGM, 72-02FRGM-12700530, 72-02FRGM-12700530TA, 720FRG-1077400, 720FR-G-1077450, 720FRG-1077450, 720FR-G-1077450R, 720FR-G-1077650, 722FRG-1077600, 722FR-G-1077650R, 73-02FRG, 73-02FRG-12700550, 73-02FRGM, 73-02FRGM-12700580, 73-02FRGM-12700580TA, 74-02FRG, 74-02FRG-12700600, 74-02FRG17-12700605, 74-02FRGM, 74-02FRGM-12700630, 7FRI-G415, 7FRI-G610, 7FRI-G815, 9122PFRG-1103930, 92-04FRG15L, 92-04FRG15L-12900510, 92-04FRG17L-12900515, 92-04FRG20L, 92-04FRG20L-12900500, 92-04FRG20L-12900500TA, 922FRG-1191930, 922RFRG-1391930, 93-04FRG...(Other models you can see in the webshop)		

E-G-O



No.	375378	Ref. No.	6A046170 BN6A046170	
description	safety thermostat switch-off temp. 350°C 1-pole 16A probe ø 6mm probe L 74mm capillary pipe 900mm capillary pipe isolatedmm gland nut probe SS			
For models:	61FE-1826050, 61SCGFE3S-1826055, 61SCGFE4S-1827055, 61SECFE-1826075			
accessories for	375378			
	No.	102067	Ref. No.	939300
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			
	No.	102500	Ref. No.	—
	nut thread M8x1 Qty 10 pcs			

55.13_ series

E-G-O




No.	391031	Ref. No.	BN9000515
description	safety thermostat switch-off temp. 235°C 1-pole 1CO 16A probe ø 6mm probe L 133mm capillary pipe 870mm shaft ømm probe SS		

E-G-O



No.	375936	Ref. No.	6A046140 BN6A046140
description	safety thermostat switch-off temp. 658°C 3-pole 3NC probe ø 4mm probe L 160mm capillary pipe 1210mm capillary pipe isolated 790mm gland nut probe		
For models:	110-90CTE, 110-90CTEE, 110-90TCTE, 94-04CTEES, 94-04CTEES-12901185, 94-04CTEES-12901185BN, 94-04CTES-12901175, 94-04TCTES-12931175, 9TPF-EE800		

E-G-O



No.	375285	Ref. No.	6A049500 BN6A049500
description	safety thermostat switch-off temp. 327°C 1-pole 1NC 16A probe ø 6mm probe L 77mm capillary pipe 870mm capillary pipe isolatedmm gland nut probe SS		
For models:	KB-E970-1050410, KB-E970A-1050411, KB-G970-1050450, KB-G970A-1050451		

55.31_ series



No.	390091	Ref. No.	6A046900 BN6A046900
description	safety thermostat switch-off temp. 230°C 3-pole 20A probe ø 6mm probe L 239mm capillary pipe 830mm capillary pipe isolatedmm gland nut probe SS 380V		
For models:	710FRE-077700, 710FRE-1077700, 712FRE-077900, 712FRE-1077900, 720FRE-077800, 720FRE-1077800, 722FRE-078000, 722FRE-1078000, 92FRE-192925		



No.	375888	Ref. No.	6A049407 BN6A049407
description	safety thermostat switch-off temp. 132°C 3-pole 3NC 20A probe ø 6mm probe L 87mm capillary pipe 890mm capillary pipe isolated 850mm gland nut starting temperature 118°C probe SS probe material SS		
For models:	55-45CPE, 55-90CPE, 72-02CPE, 72-02CPE-12701900, 74-02CPE, 74-02CPE-12701905, 7CP-E400, 7CP-E800, 92-04CPE, 92-04CPE-12901900, 92CCPE-1192856, 92CCPE-1192856V, 92RCCPE-1392856, 94-04CPE, 94-04CPE-12901905, 94CCPE-1192861, 94RCCPE-1392861, 9CP-E400, 9CP-E800		

55.32_ series


No.	390907	Ref. No.	15553
description	safety thermostat switch-off temp. 110°C 3-pole 3NC 20A probe ø 6mm probe L 95mm capillary pipe 1500mm capillary pipe isolated 1400mm gland nut probe		
For models:	OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLElectron500, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550E-CO-1081014, OLG550ED-1080731, OLG550-Neutra		



No.	390159	Ref. No.	R65070081
description	safety thermostat switch-off temp. 150°C 1-pole 20A probe ø 6mm probe L 89mm capillary pipe 900mm capillary pipe isolated 800mm gland nut probe		
For models:	CKEP06B, CKEP10B, CKEP20B, CKEP21B, CKEP40B, CKET06B, CKET10B, CKET20B, CKET21B, CKET40B, CKGP06B, CKGP10B, CKGP20B, CKGP21B, CKGP40B, CKGT06B, CKGT10B, CKGT20B, CKGT21B, CKGT40B		




No.	375199	Ref. No.	1878900
description	safety thermostat switch-off temp. 132°C 3-pole 2x20/1x0.5A probe ø 6mm probe L 77mm capillary pipe 890mm capillary pipe isolated-mm gland nut M10x1 probe SS		
For models:	CPE60, CPE60DB, OCPE60, OCPE-60-12601900, OCPE-60-12601900MN		



No.	375380	Ref. No.	6A049405 BN6A049405
description	safety thermostat switch-off temp. 160°C 3-pole 20A probe ø 6mm probe L 89mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	40SECP, 40SECP-1825080, 40SECP-1825080E, 74-02NPEI, 74-02NPEI-12701755, 74-02NPGI, 7NP-GI50, 7PN-EI50, 911PEB-1192805, 911RPEB-1392890, 915PEB-1192800		

E-G-O



No.	375364	Ref. No.	6A001415 BN6A001415
description	safety thermostat switch-off temp. 190°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 3000mm capillary pipe isolated 3000mm gland nut probe		
For models:	94-04PEI100L, 94-04PEI100L-12901765, 94-04PEI110L-12901765BN, 94-04PEI150L, 94-04PEI150L-12901767, 94-04PEI150L-12901767BN, 94-04PGD100L, 94-04PGD110L-12900760, 94-04PGD150L, 94-04PGD-150LGAS-12900762, 94-04PGI100L, 94-04PGI110L-12900765, 94-04PGI150L, 94-04PGI150L-12900767, 9PF-G100, 9PF-G150, 9PF-GI100, 9PF-GI150, 9PN-EI100, 9PN-EI150		

E-G-O



No.	375358	Ref. No.	1871100
description	safety thermostat switch-off temp. 230°C 2-pole 1x20/1x0.5A probe ø 6mm probe L 74mm capillary pipe 880mm capillary pipe isolated-mm gland nut M9x1 probe SS automatic		
For models:	FQG40, FQG60		

E-G-O




No.	375445	Ref. No.	MACM097701
description	safety thermostat switch-off temp. 230°C 3-pole 2x20/1x0.5A probe ø 4mm probe L 120mm capillary pipe 900mm capillary pipe isolated 700mm gland nut probe		

E-G-O



No.	375873	Ref. No.	1878600	
description	safety thermostat switch-off temp. 236°C 3-pole 20A probe ø 6mm probe L 77mm capillary pipe 1190mm capillary pipe isolated 990mm gland nut starting temperature 218°C probe			
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, OFQE41, OFQE-41-12601510, OFQE-41-12601510MN, OFQE41L, OFQE61, OFQE-61-12601610, OFQE-61-12601610MN, OFQE61L			
accessories for	375873			
	No.	550148	Ref. No.	—
	gland duct ET M12x0.75 IT M9x1 probe ø max. 6.5mm WS 17 silicone			

E-G-O



No.	375312	Ref. No.	8219602 BN8219602
description	safety thermostat switch-off temp. 245°C 3-pole 3NC 20A probe ø 4mm probe L 120mm capillary pipe 1800mm capillary pipe isolated 1800mm gland nut probe SS		
For models:	40SEFR, 40SEFR-1826140, 40SEFR2S-1826140, 41SEFR, 41SEFR-1826120, 41SEFR2S-1826120, 421SEFR-1826125, 55-45FRE, 55-90FRE, 60SEFR, 60SEFR-1826150, 60SEFR2S-1826150, 61SEFR, 61SEFR-1826130, 61SEFR2S-1826130, 621SEFR-1826135, 7101FR-E-1077750R, 7121FR-E-1077950R, 7201FR-E-1077850R, 72-02FRE, 72-02FRE-12701500, 72-02FRE, 72-02FRE-12701530, 7221FR-E-1078050R, 73-02FRE, 73-02FRE-12701550, 73-02FRE, 73-02FRE-12701580, 74-02FRE, 74-02FRE-12701600, 74-02FRE, 74-02FRE-12701630, 7FRI-E415, 7FRI-E415M, 7FRI-E610, 7FRI-E815, 9121PFRE-1204925, 9122PFRE-1104930, 9141PFRE-1204950, 914PFRE-1204940, 92-04FRE15L, 92-04FRE15L-12901510, 92-04FRE20L, 92-04FRE20L-12901500, 92-04FRE20L-12901500BN, 921FRE, 921FRE-1292925, 921RFRE-1392925, 922FRE-1192930, 922RFRE-1392930... (Other models you can see in the webshop)		
accessories for	375312		
	No.	550981	Ref. No.
	probe clip for pipe ø 8.5mm for probe ø 6mm for heating elements spacing 0.4mm Qty 1 pcs		8208260 BN8208260

E-G-O



1

No.	375635	Ref. No.	6A046190 BN6A046190
description	safety thermostat switch-off temp. 300°C 1-pole 20A probe ø 11mm probe L 16mm capillary pipe 900mm capillary pipe isolated 900mm gland nut screw-in probe probe thread M14x1		
For models:	CV10E, CV10E-1320100, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140, CV21G-S, CV21GS-1312150...(Other models you can see in the webshop)		

E-G-O



1

No.	375357	Ref. No.	1942900
description	safety thermostat switch-off temp. 325°C 1-pole 0.5A probe ø 3mm probe L 188mm capillary pipe 900mm capillary pipe isolatedmm gland nut probe		
For models:	FTG40BLC, FTG60BLC, OFTG40BLC, OFTG60BLC		

E-G-O



1

No.	375228	Ref. No.	6A046150 BN6A046150
description	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 3mm probe L 188mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	40SEFTC-1825045, 60SEFTC-1825055, 72-02CEPQ, 72-02CEPQ-12701201, 72-02CEPT, 72-02CEPT-12701001, 72-02CEPT-2212701001, 72-02FTEC, 72-02FTEC-12701135, 72-02TCEPQ, 72-02TCEPQ-12731201, 72-02TCEPT, 72-02TCEPT-12731001, 72-02TFTEC, 72-02TFTEC-12731135, 7-2FXE, 74-02CEEPO, 74-02CEEPO-12701210, 74-02CEEPT, 74-02CEEPT-12701010, 74-02CEPQ, 74-02CEPQ-12701202, 74-02CEPT, 74-02CEPT-12701002, 74-02CGE, 74-02CGE-12700011, 74-02CGE-12700011TA, 74-02CTEE, 74-02CTEE-12701180, 74-02CTGE, 74-02CTGE-12700190, 74-02CTGE-12700190TA, 74-02TCEPQ, 74-02TCEPQ-12731202, 74-02TCEPT, 74-02TCEPT-12731002, 74-02VTCE, 74-02VTCEV, 74-02VTCEV-12701020, 74CE-000400, 74FT-EC-1000805, 74FT-EC-1000805R, 74TFTEC-1009805, 74TFTEC-1009805R, 76-02CEEANPQ, 76-02CEEANPT, 76-02CEEACPO, 76-02CEEACPT, 76-02CEEPPQ-12701216, 76-02CEEPT-12701016...(Other models you can see in the webshop)		

E-G-O




1

No.	375684	Ref. No.	R65070350
description	safety thermostat switch-off temp. 360°C 1-pole 20A probe ø 11mm probe L 16mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1		
For models:	CCE042M, CCE051M, CCE071M, CCE101M, CCE102M, CCG051M, CCG071M, CCG101M, CCG102M, CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		



1

No.	375187	Ref. No.	1878500
description	safety thermostat switch-off temp. 360°C 3-pole 3NC 2x20/1x0.5A probe ø 6mm probe L 79mm capillary pipe 890mm capillary pipe isolatedmm gland nut probe SS		
For models:	CFE60, CFE60P, FOE60M, FTE100B, FTE100BR, FTE100CRL, FTE40B, FTE40BR, FTE40C, FTE40D, FTE40DC, FTE60B, FTE60BR, FTE60C, FTE60D, FTE60DC, FTE60DR, FTE60DRCL, OCFE60, OCFE-60-12601005, OCFE-60-12601005MN, OCFGE61, OFOE60M, OFOE-60M-12601001, OFTE-100C-12601136, OFTE-100C-12601136MN, OFTE100CRL, OFTE-100CRL-12601138, OFTE40B, OFTE-40B-12601130, OFTE-40B-12601130MN, OFTE40BR, OFTE-40BR-12601132, OFTE-40BR-12601132MN, OFTE40C, OFTE-40C-12601135, OFTE-40C-12601135MN, OFTE60B, OFTE-60B-12601140, OFTE-60B-12601140MN, OFTE60BR, OFTE-60BR-12601141, OFTE-60BR-12601141MN, OFTE60BRR, OFTE-60BRR-12601142, OFTE-60BRR-12601142MN, OFTE60C, OFTE-60C-12601145, OFTE-60C-12601145MN, OFTG40BLC...(Other models you can see in the webshop)		



1

No.	390181	Ref. No.	6A046180 BN6A046180
description	safety thermostat switch-off temp. 420°C 3-pole 20A probe ø 3.9mm probe L 306mm capillary pipe 870mm capillary pipe isolated 850mm gland nut probe SS		
For models:	40SEFT, 40SEFT-1825040, 40SEFT-1825045, 40SEFTC, 40SEFTC-1825045, 40SEFTR, 40SEFTR-1825041, 60SEFT, 60SEFT1-2R-1825051, 60SEFT1-3RIG-1825050, 60SEFT-1825050, 60SEFTC, 60SEFTC-1825050, 60SEFTR-1825052, 60SEFTRIG-1825050, 72-02FTE, 72-02FTE-12701130, 72-02FTE, 72-02FTE-12701132, 72-02TFTE, 72-02TFTE-12731130, 72-02TFTE, 72-02TFTE-12731132, 74-02FTE, 74-02FTE-12701140, 74-02FTE1-2R, 74-02FTE1-2R-12701141, 74-02FTE, 74-02FTE-12701142, 74-02TFTE, 74-02TFTE-12731140, 74-02TFTE-12731140MN, 74-02TFTE1-2R, 74-02TFTE1-2R-12731141, 74-02TFTE, 74-02TFTE-12731142, 9141PCEE-1104394, 914PCGE-1103224, 914PCTGE-1103721, 914PFTGE-1103423, 914PFTGEC-1103425, 916PCGEE-1103246, 918PCGE-1103228, 921FTE-1292401, 921FTE-1292501, 921TFTE-1292491, 921TFTE-1292591, 92FE-1192220, 93FE-1192230, 941CEE-1292224...(Other models you can see in the webshop)		

control thermostats with operation switch

55.10/19_ series



1

No.	375875	Ref. No.	1037317300
description	thermostat t.max. 180°C temperature range 53-180°C 1-pole 1NO 16A probe ø 6mm probe L 133mm capillary pipe 1170mm capillary pipe isolated 1000mm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 270° outer switch 2NO		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, OFQE41, OFQE-41-12601510, OFQE-41-12601510MN, OFQE41L, OFQE61, OFQE-61-12601610, OFQE-61-12601610MN, OFQE61L		



1

No.	375180	Ref. No.	CR0589660
description	thermostat t.max. 185°C temperature range 99-185°C 1-pole 1NO 0.5A probe ø 4mm probe L 235mm capillary pipe 870mm capillary pipe isolated 700mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position rotation 270° outer switch 2NO		

IMIT / TEMPOMATIC / ARTHERMO

control thermostats



1

No.	390192	Ref. No.	10707/2
description	thermostat t.max. 90°C temperature range 0-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 2000mm capillary pipe isolated 2000mm gland nut shaft ø 6x4.6mm shaft L 19mm shaft position upper° rotation 270° probe material copper		
For models:	OLAX151, OLAX160, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX380, OLAX380LC, OLAX400, OLAX440, OLAX440LC, OLAX510, OLAX510LC, OLAX540, OLAX540LC		

			
No.	390460	Ref. No.	10707/1
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 2000mm capillary pipe isolated 1950mm gland nut shaft ømm shaft Lmm shaft position rotation 270° probe material copper		
For models:	G12S, OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114...(Other models you can see in the webshop)		

CAMPINI


control thermostats

			
No.	375934	Ref. No.	10707/3
description	thermostat t.max. 280°C temperature range 50-280°C 1-pole 1NO 16A probe ø 3mm probe L 185mm capillary pipe 960mm capillary pipe isolated 700mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° probe material SS 250V		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039...(Other models you can see in the webshop)		

various

safety thermostats

			
No.	375637	Ref. No.	6A046185 BN6A046185
description	safety thermostat switch-off temp. 135°C temperature range°C 1-pole 1NC 16A probe ø 6mm probe L 75mm capillary pipe 600mm capillary pipe isolatedmm gland nut shaft ømm probe copper 250V		
For models:	CVP10E, CVP10E-1320700, CVP10E-2, CVP10E2-1320740, CVP10E2S-1320790, CVP10E-S, CVP10ES-1320750, CVP10E-S2, CVP10G, CVP10G-1310700, CVP10G-1310750, CVP10G-2, CVP10G2-1310740, CVP10GP-1310700, CVP10G-S, CVP10G-S2, CVP10GS2-1310790, CVP20E, CVP20E-1320800, CVP20E-2, CVP20E2-1320840, CVP20E-S, CVP20ES-1320850, CVP20E-S2, CVP20ES2-1320890, CVP20G, CVP20G-1310800, CVP20G-1310850, CVP20G-2, CVP20G-S, CVP20GS-1310840, CVP20G-S2, CVP20GS2-1310890, CVP21G, CVP21G-1312700, CVP21G-2, CVP21G2-1312740, CVP21G-S, CVP21GS-1312750, CVP21G-S2, CVP21GS2-1312790, CVP6E, CVP6E-1320600, CVP6E-2, CVP6E2-1320640, CVP6E-S, CVP6ES-1320650, CVP6E-S2, CVP6ES2-1320690, CVP6G...(Other models you can see in the webshop)		

			
No.	390194	Ref. No.	2000430 BN011DW2000430
description	safety thermostat switch-off temp. 90-110°C 1-pole 16A probe ø 6.5mm probe L 87mm capillary pipe 1500mm capillary pipe isolated 1497mm connection male faston 6.3mm adjustable		
For models:	G12S, OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039...(Other models you can see in the webshop)		



h2>accessories

h3>probe clips

h3>spring clips

h3>for thermostat



No.	550041	Ref. No.	8208250 BN8208250
description	probe clip for pipe ø 7mm for probe ø 6mm		
For models:	40SEFR2S-1826140, 41SEFR2S-1826120, 421SEFR-1826125, 55-45FRE, 55-90FRE, 60SEFR2S-1826150, 61SEFR2S-1826130, 621SEFR-1826135, 7101FR-E-1077750R, 7121FR-E-1077950R, 7201FR-E-1077850R, 72-02FRE, 72-02FRE-12701500, 7221FR-E-1078050R, 73-02FRE, 73-02FRE-12701550, 74-02FRE, 74-02FRE-12701600, 7FRI-E415, 7FRI-E415M, 7FRI-E610, 7FRI-E815, 9122PFRE-1104930, 9141PFRE-1204950, 914PFRE-1204940, 92-04FRE15L-12901510, 92-04FRE20L-12901500, 92-04FRE20L-12901500BN, 921FRE-1292925, 921RFRE-1392925, 922RFRE-1392930, 92CCPE-1192856, 92CCPE-1192856V, 92RCCPE-1392856, 93-04FRE-12901550, 94-04FRE-12901600, 941FRE-1292950, 941RFRE-1392950, 94RCCPE-1392861, 9FRI-E415, 9FRI-E420, 9FRI-E610, 9FRI-E815, 9FRI-E820		

h3>for safety thermostat



No.	550417	Ref. No.	1033515200
description	probe clip for pipe ø 2x8.5mm for probe ø 6mm for heating elements spacing 15-19mm Qty 1 pcs		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, OFQE41, OFQE-41-12601510, OFQE-41-12601510MN, OFQE41L, OFQE61, OFQE-61-12601610, OFQE-61-12601610MN, OFQE61L		



No.	550981	Ref. No.	8208260 BN8208260
description	probe clip for pipe ø 8.5mm for probe ø 6mm for heating elements spacing 0.4mm Qty 1 pcs		
For models:	40SEFR2S-1826140, 41SEFR2S-1826120, 421SEFR-1826125, 55-45FRE, 55-90FRE, 60SEFR2S-1826150, 61SEFR2S-1826130, 621SEFR-1826135, 7101FR-E-1077750R, 7121FR-E-1077950R, 7201FR-E-1077850R, 72-02FRE, 72-02FRE-12701500, 72-02FRE, 72-02FRE-12701530, 7221FR-E-1078050R, 73-02FRE, 73-02FRE-12701550, 73-02FRE, 73-02FRE-12701580, 74-02FRE, 74-02FRE-12701600, 74-02FRE, 74-02FRE-12701630, 7FRI-E415, 7FRI-E415M, 7FRI-E610, 7FRI-E815, 9122PFRE-1104930, 9141PFRE-1204950, 914PFRE-1204940, 92-04FRE15L-12901510, 92-04FRE20L-12901500, 92-04FRE20L-12901500BN, 921FRE-1292925, 921RFRE-1392925, 922RFRE-1392930, 93-04FRE-12901550, 94-04FRE-12901600, 941FRE-1292950, 941RFRE-1392950, 9FRI-E415, 9FRI-E420, 9FRI-E610, 9FRI-E815, 9FRI-E820		

h2>capillary tube clips



No.	550970	Ref. No.	1033709500
description	capillary tube clip for pipe ø 8.5mm		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, OFQE41, OFQE-41-12601510, OFQE-41-12601510MN, OFQE41L, OFQE61, OFQE-61-12601610, OFQE-61-12601610MN, OFQE61L		



No.	550980	Ref. No.	8208270 BN8208270
description	capillary tube clip for pipe ø 8.5mm Qty 1 pcs		
For models:	41SEFR2S-1826120, 421SEFR-1826125, 55-45FRE, 55-90FRE, 61SEFR2S-1826130, 621SEFR-1826135, 7101FR-E-1077750R, 7121FR-E-1077950R, 7201FR-E-1077850R, 72-02FRE, 72-02FRE-12701500, 72-02FRE, 72-02FRE-12701530, 7221FR-E-1078050R, 73-02FRE, 73-02FRE-12701550, 73-02FRE, 73-02FRE-12701580, 74-02FRE, 74-02FRE-12701600, 74-02FRE, 74-02FRE-12701630, 7FRI-E415, 7FRI-E415M, 7FRI-E610, 7FRI-E815, 9122PFRE-1104930, 9141PFRE-1204950, 92-04FRE15L-12901510, 92-04FRE20L-12901500, 92-04FRE20L-12901500BN, 921FRE-1292925, 921RFRE-1392925, 922RFRE-1392930, 93-04FRE-12901550, 94-04FRE-12901600, 941FRE-1292950, 941RFRE-1392950, 9FRI-E415, 9FRI-E420, 9FRI-E610, 9FRI-E815, 9FRI-E820		

h2>gland nut accessories

h3>washers with slot



No.	510241	Ref. No.	6A038803 BN6A038803
description	washer with slot ED ø 7.8mm slit width 1.3mm Qty 10		
For models:	40SEFR2S-1826140, 40SGFR-1826160, 40SGFR2S-1826160, 55-45FRG, 55-90FRG, 60SEFR2S-1826150, 60SGFR-1826170, 60SGFR2S-1826170, 72-02FRG, 72-02FRG-12700500, 72-02FRG-12700505, 72-02FRGM-12700530, 72-02FRGM-12700530TA, 73-02FRG, 73-02FRG-12700550, 73-02FRGM-12700580, 73-02FRGM-12700580TA, 74-02FRG, 74-02FRG-12700600, 74-02FRG-12700605, 74-02FRGM-12700630, 7FRI-G415, 7FRI-G610, 7FRI-G815, 9122PFRG-1103930, 914PFRE-1204940, 92-04FRG15L, 92-04FRG15L-12900510, 92-04FRG17L-12900515, 92-04FRG20L, 92-04FRG20L-12900500, 92-04FRG20L-12900500TA, 922FRG-1191930, 922RFRG-1391930, 93-04FRG, 93-04FRG-12900550, 93-04FRG-12900550H, 94-04FRG-12900600, 94-04FRG20L, 94-04FRG20L-12900600TA, 94-04FRG23L-12900605, 9FRI-G415, 9FRI-G610, 9FRI-G815		



gaskets



No.	550982	Ref. No.	6A038804 BN6A038804
description	gasket graphite ø 7.5mm L 7mm Qty 1 pcs for gland nut		
For models:	40SEFR2S-1826140, 40SGFR-1826160, 40SGFR2S-1826160, 55-45FRG, 55-90FRG, 60SEFR2S-1826150, 60SGFR-1826170, 60SGFR2S-1826170, 72-02FRG, 72-02FRG-12700500, 72-02FRG17-12700505, 73-02FRG, 73-02FRG-12700550, 74-02FRG, 74-02FRG-12700600, 74-02FRG17-12700605, 7FRI-G415, 7FRI-G610, 7FRI-G815, 9122PFRG-1103930, 914PFRTE-1204940, 92-04FRG15L, 92-04FRG15L-12900510, 92-04FRG17L-12900515, 92-04FRG20L, 92-04FRG20L-12900500, 92-04FRG20L-12900500TA, 922FRG-1191930, 922RFRG-1391930, 93-04FRG, 93-04FRG-12900550, 93-04FRG-12900550H, 94-04FRG-12900600, 94-04FRG20L, 94-04FRG20L-12900600TA, 94-04FRG23L-12900605, 9FRI-G415, 9FRI-G610, 9FRI-G815, FR-E925N-1050730, FR-E950N-1050732, FR-G925N-1050731, FR-G950N-1050733		

bolts with slot



1

No.	520243	Ref. No.	6A038801 BN6A038801	
description	bolt with slot thread M9x1 Qty 10 pcs nickel-plated brass			
For models:	40SEFR2S-1826140, 40SGFR-1826160, 40SGFR2S-1826160, 55-45FRG, 55-90FRG, 60SEFR2S-1826150, 60SGFR-1826170, 60SGFR2S-1826170, 72-02FRG, 72-02FRG-12700500, 72-02FRG17-12700505, 73-02FRG, 73-02FRG-12700550, 74-02FRG, 74-02FRG-12700600, 74-02FRG17-12700605, 7FRI-G415, 7FRI-G610, 7FRI-G815, 9122PFRG-1103930, 914PFRTE-1204940, 92-04FRG15L, 92-04FRG15L-12900510, 92-04FRG17L-12900515, 92-04FRG20L, 92-04FRG20L-12900500, 92-04FRG20L-12900500TA, 922FRG-1191930, 922RFRG-1391930, 93-04FRG, 93-04FRG-12900550, 93-04FRG-12900550H, 94-04FRG-12900600, 94-04FRG20L, 94-04FRG20L-12900600TA, 94-04FRG23L-12900605, 9FRI-G415, 9FRI-G610, 9FRI-G815, FR-E925N-1050730, FRE950N-1050732, FR-G925N-1050731, FR-G950N-1050733			
accessories for	520243			
	No.	510591	Ref. No.	—
washer with slot ED ø 8.8mm slit width 1.2mm Qty 10				
	No.	510592	Ref. No.	—
gasket ø 8x8.7mm Qty 10 pcs slotted silicone				

locking screws



No.	106605	Ref. No.	CM012401
description	union screw thread M10x1 probe ø max. 4.5mm		
For models:	FQG41, FQG61, OFQG41, OFQG-41-12600500, OFQG61, OFQG-61-12600600		

plunger sockets



No.	517292	Ref. No.	12510
description	thermowell thread M10x1 ID ø 7.7mm L 108mm SS single ø 10mm		
For models:	OLDS40-1081010, OLDS40D-1081011, OLDS40LS-1081012, OLDS40LSD-1081013, OLG600, OLGastro450, OLLinear		

connecting bows



No.	550060	Ref. No.	1988500 6A045900 921200 BN6A045900
description	connecting bow long for thermostat Qty 1 pcs		
For models:	40SEC, 40SEC-1825060, 60SEC, 60SEC-1825070, 61FE-1826050, 61SCGFE3S-1826055, 61SCGFE4S-1827055, 61SECFE-1826075, 72-02CBE-12701150, 72-02CG, 72-02CG-12700001, 72-02CG-12700001TA, 72-02FRE, 72-02FRE-12701500, 72-02TCBE-12731150, 72-02TCG-12730001, 72-02TCG-12730001TA, 72-02TGC, 725KB-E-1000200, 725KB-E-1000200R, 725KB-EB-1000201, 725KB-EB-1000201R, 725KB-EM-1000210R, 725KB-EMB-1000211, 74-02CG, 74-02CG-12700002, 74-02CG-12700002TA, 74-02CGE, 74-02CGE-12700011, 74-02CGE-12700011TA, 74-02CGG, 74-02CGG-12700010, 74-02CGG-12700010TA, 74-02FRE, 74-02FRE-12701600, 74-02KBEB-12701110, 74-02KBEBI-12701115, 74-02KBEMB-12701120, 74-02KBEMBI-12701125, 74-02KBGB, 74-02KBGB-12700110, 74-02KBGBI, 74-02KBGBI-12700115, 74-02KBGMB, 74-02KBGMB-12700120, 74-02KBGMBI, 74-02KBGMBI-12700125, 74-02TCG-12730002, 74-02TCG-12730002TA, 74-02TGC...(Other models you can see in the webshop)		



No.	550059	Ref. No.	6A045000
description	connecting bow short for switch Qty 1 pcs		
For models:	40SEBM2S-1826100, 40SEC-1825060, 40SECP-1825080, 40SECP-1825080E, 40SEFR, 40SEFR-1826140, 40SEFR2S-1826140, 40SEFT-1825040, 40SEFTC-1825045, 40SEFTR-1825041, 40SEKB-1825200, 41SEFR-1826120, 41SEFR2S-1826120, 421SEFR-1826125, 60SEBM-1826110, 60SEBM2S-1826110, 60SEC-1825070, 60SEFR, 60SEFR-1826150, 60SEFR2S-1826150, 60SEFT1-2R-1825051, 60SEFT-1825050, 60SEFTC-1825055, 60SEFTR-1825052, 61SEFR-1826130, 61SEFR2S-1826130, 621SEFR-1826135, 7101FR-E-1077750R, 7121FR-E-1077950R, 714CT-GVFE-1000180, 714CT-GVFE-1000180R, 7201FR-E-1077850R, 72-02CBE, 72-02CBE-12701150, 72-02CPE, 72-02CPE-12701900, 72-02FTE, 72-02FTE-12701130, 72-02FTEC, 72-02FTEC-12701135, 72-02FTER, 72-02FTER-12701132, 72-02TCBE, 72-02TCBE-12731150, 72-02TFTE, 72-02TFTE-12731130, 72-02TFTEC, 72-02TFTEC-12731135, 72-02TFTER, 72-02TFTER-12731132...(Other models you can see in the webshop)		

switches and momentary switches

rocker/momentary rocker switches

27.8x25mm



No.	348221	Ref. No.	1635110
description	rocker switch mounting measurements 27.8x25mm black/green 1NO/indicator light 250V 16A ON-OFF connection F6.3x0.8 ambient temperature max. 100/55°C protection IP40		
For models:	KTAP01-BASE-20220901044U, KTAP02-BASE-20221301048K, KTAP02BT-BASE-2022630105KW, KTAP03-BASE-2022180109UA, KTAP04-2022230109X0, KTAP04-BASE-2022230109RY, KTAR01, KTAR01N, KTAR02, KTAR02N, KTAR03, KTAR03N, KTAR04, KTAR04N, KTRE21-202108010BL5, KTRE2-202108010BFC, KTRE2A-202108010BGP, KTRE3-202113010BHF, KTRE32A-202113010BLQ, KTRE34-202113010BLW, KTRE3A-202113010BFW, KTRE4-202117010BLG, KTRE42-202117010BMO, KTRE42A-202117010BMB, KTRE44-202117010BMB, KTRE4A-202117010BFF, KTRE5-202122010BG2, KTRE52-202122010BNK, KTRE54-202122010BGC, KTRE54A-202122010BNP, KTRE5A-202122010BL3, KTRP3-202611010C2F, KTRP34-20261101096L, KTRP34A-20261101096K, KTRP3A-202611010C1L, KTRP4-202615010BNQ, KTRP4A-202615010BNR, KTRP52A-202620010BO5, KTRN200012-202010050495, KTRN200012A-2020100507UK, KTRN200013-2020100507UV, KTRN200013A-2020100507UU, KTRN200014-2020100507UM, KTRN200014A-2020100507UL, KTRN200015-2020100507UR, KTRN200015A-2020100507UT, KTRN300122-202013050479, KTRN300122A-2020130504DY, KTRN300142-2020130506BG, KTRN300142A-2020130507GY...(Other models you can see in the webshop)		

30x22mm



No.	301314	Ref. No.	1635103
description	rocker switch mounting measurements 30x22mm white 2NO 250V 16A ON-OFF connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40		
For models:	KBT40-21091640, KC41-210916400BDC, KR41-210906400BFA, KTN40-21090640		

blank



No.	345983	Ref. No.	15049	
description	momentary rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap			
For models:	G125			
accessories for	345983			
	No.	301036	Ref. No.	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

SWITCHES AND MOMENTARY SWITCHES OLIS

push/momentary push switches

28.5x28.5mm



No.	345975	Ref. No.	15849 15861
description	push switch mounting measurements 28.5x28.5mm green/red 2NO 250V 16A main switch connection male faston 6.3mm ambient temperature max. 150°C protection IP40 with indicator green/red		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151LEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

30x22mm



No.	301086	Ref. No.	6A038550 BN6A038550
description	push switch mounting measurements 30x22mm black 2NO 250V 12A 0-1 connection male faston 6.3mm ambient temperature max. 85/55°C protection IP54 with protective collar		
For models:	ECVM10ES2, ECVM10ES2-1324290, ECVM10ES2-1324290MN, ECVM10ES2-1326120, ECVM10GS2, ECVM10GS2-1314290, ECVM10GS2-1316120, ECVM20ES2, ECVM20ES2-1324390, ECVM20ES2-1326140, ECVM20GS2, ECVM20GS2-1314390, ECVM20GS2-1316140, ECVM21ES2, ECVM21ES2-1324490, ECVM21ES2-1326160, ECVM21GS2-1314490, ECVM21GS2-1316160, ECVM6ES2, ECVM6ES2-1324190, ECVM6ES2-1326100, ECVM6ES2-1326100H, ECVM6GS2, ECVM6GS2-1314190, ECVM6GS2-1316100, ECVP10ES2, ECVP10ES2-1324690, ECVP10ES2-1326200, ECVP10GS2, ECVP10GS2-1314690, ECVP10GS2-1316200, ECVP20ES2, ECVP20ES2-1324790, ECVP20ES2-1326220, ECVP20GS2, ECVP20GS2-1314790, ECVP20GS2-1316220, ECVP21ES2, ECVP21ES2-1324890, ECVP21ES2-1326240, ECVP21GS2, ECVP21GS2-1314890, ECVP21GS2-1316240, ECVP6ES2, ECVP6ES2-1324590, ECVP6ES2-1326180, ECVP6GS2, ECVP6GS2-1314590, ECVP6GS2-1316180		

ø16mm



No.	301172	Ref. No.	R65260610
description	momentary push switch mounting ø 16mm black 1NO 250V 16A connection male faston 6.3mm protection IP40 ambient temperature max. 150°C		
For models:	CCE042M, CCE051M, CCE071M, CCE101M, CCE102M, CCG051M, CCG071M, CCG101M, CCG102M		

			
No.	345044	Ref. No.	164602
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 25mm type C99ZP3 actuating force: 25g lever length 71mm		
For models:	KBT40-21091640, KC41-210916400BDC, KR41-210906400BFA, KTN40-21090640		

pin-plunger actuated

			
No.	345326	Ref. No.	1037312900
description	microswitch with plunger 250V 16A 1NO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 22mm type XP52Z11 actuating force: 350g red stroke 15mm		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, OFQE41, OFQE-41-12601510, OFQE-41-12601510MN, OFQE41L, OFQE61, OFQE-61-12601610, OFQE-61-12601610MN, OFQE61L		

M10

			
No.	345032	Ref. No.	6A039800 BN6A039800 R65260540
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		
For models:	41SEFR, 41SEFR-1826120, 41SEFR2S-1826120, 421SEFR-1826125, 55-45FRE, 55-90FRE, 61SEFR, 61SEFR-1826130, 61SEFR2S-1826130, 621SEFR-1826135, 7101FR-E-1077750R, 710FRE-1077700, 7121FR-E-1077950R, 712FRE-1077900, 7201FR-E-1077850R, 72-02FRE, 72-02FRE-12701500, 72-02FREM, 72-02FREM-12701530, 720FRE-1077800, 7221FR-E-1078050R, 722FRE-1078000, 725KBEM-000200, 725KBEM-1000210, 725KB-EM-1000210R, 725KB-EMB-1000211, 725KBEMB-1000211, 73-02FRE, 73-02FRE-12701550, 73-02FREM, 73-02FREM-12701580, 74-02FRE, 74-02FRE-12701600, 74-02FREM, 74-02FREM-12701630, 74-02KBEB, 74-02KBEB-12701110, 74-02KBEBI, 74-02KBEBI-12701115, 74-02KBEMB, 74-02KBEMB-12701120, 74-02KBEMBI, 74-02KBEMBI-12701125, 74-02KBEMBI-12701125HB, 74-02KBGB, 74-02KBGB-12700110, 74-02KBGBI, 74-02KBGBI-12700115, 74-02KBGMB, 74-02KBGMB-12700120...(Other models you can see in the webshop)		

with push button

switches with snap-fit

			
No.	347057	Ref. No.	164606 164608
description	microswitch with push button 250V 2.5A 1CO connection male faston 4.8mm L 27x21mm ambient temperature max. 85°C type built-in version actuating force: 300g		
For models:	KSABT70G-2045370CJD, OLKSABTV140-2045240CIY, OLKSABTV70-2045170CIR, OLKSATNV140-2045140CIX, OLKSATNV70-2045070CIQ, OLSPAB100-201706030CLP, OLSPAB120-201707030CLN, OLSPAB200-201712030CLQ, OLSPAB240-201714030CLO, OLSPABT120-201722030CII, OLSPABT124-201722030CIM, OLSPABT140-201724030C12, OLSPABT144-201724030C16, OLSPABT60-201716030CIC, OLSPABT70-201717030CHW, OLSPABT72-201717030CIO, OLSPABTV120-201722030CIK, OLSPABTV140-201724030C14, OLSPABTV70-201717030CHY, OLSPATNN120-201712030CIH, OLSPATNN124-201712030CIL, OLSPATNN140-201714030C11, OLSPATNN144-201714030C15, OLSPATNN60-201706030CIB, OLSPATNN62-201706030CIF, OLSPATNN70-201707030CEM, OLSPATNN72-201707030CHZ, OLSPATNV120-201712030CIJ, OLSPATNV140-201714030C13, OLSPATNV60-201706030CID, OLSPATNV70-201707030CHX, TN140, TN144, TN70, TN72, TNV140, TNV144, TNV70, TNV72		

roller actuated

roller 90°

			
No.	347096	Ref. No.	70305
description	microswitch with roller plunger 250V 20A 1CO connection screw L1 49mm ambient temperature max. 125°C thread L 14.5mm thread M12x1 mounting distance 25mm actuating force: 370g type Z15G1318		
For models:	G12S, OLH600, OLH600Electronic, OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT-11-Neutra, OLHT11S, OLHT11S-Neutra, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12SEElectronic, OLHT12S-Neutra		

system switches (ROLD)

			
No.	346229	Ref. No.	15880
description	blank size 23x23mm grey		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG37-Neutra, OLG40-Neutra, OLG50-Neutra, OLG50E-COD-1081015, OLG50-Neutra, OLG58S-Neutra, OLHT-11-Neutra, OLHT11S-Neutra, OLHT12S-Neutra, OLLP1-800-Neutra		

			
1			
No.	345721	Ref. No.	15844
description	blank cap holder		
For models:	OLDerby, OLDS35-1081005, OLDS35-Neutra, OLDS37-1081006, OLDS37D-1081007, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS37-Neutra, OLDS40-1081010, OLDS40D-1081011, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG600, OLGastro450, OLG537-Neutra, OLG540, OLG540-Neutra, OLG550ECOD-1081015, OLG550-Neutra, OLG585-Neutra, OLH600, OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT-11-Neutra, OLHT11S, OLHT11S-Neutra, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12S-Neutra, OLLinear, OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP1-800-Neutra, OLLP1-S8, OLLP1-S8EL, OLLP-ZERO, OLLPZERO-1081057, OLStar		

			
1			
No.	347592	Ref. No.	15815
description	element holder single mounting measurements 28.5x28.5mm grey for push buttons 23x23mm		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151LEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

			
1			
No.	345603	Ref. No.	15843
description	element holder triple mounting measurements 28.5x77.5mm black for push buttons 23x23mm		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG537-Neutra, OLG540, OLG540-Neutra, OLG550ECOD-1081015, OLG550-Neutra, OLG585-Neutra		

			
1			
No.	347620	Ref. No.	15836
description	element holder triple mounting measurements 28.5x77.5mm grey for push buttons 23x23mm		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG537-Neutra, OLG540, OLG540-Neutra, OLG550ECOD-1081015, OLG550-Neutra, OLG585-Neutra		

			
1			
No.	345601	Ref. No.	15827
description	indicator lamp holder V ø 11mm		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG537-Neutra, OLG540, OLG540-Neutra, OLG550ECOD-1081015, OLG550-Neutra, OLG585-Neutra, OLHT-11-Neutra, OLHT11S-Neutra, OLHT12S-Neutra, OLLP1-800-Neutra		

			
1			
No.	346245	Ref. No.	15825
description	indicator light lens size 23x23mm green		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG537-Neutra, OLG540, OLG540-Neutra, OLG550ECOD-1081015, OLG550-Neutra, OLG585-Neutra, OLHT-11-Neutra, OLHT11S-Neutra, OLHT12S-Neutra, OLLP1-800-Neutra		

			
1			
No.	346249	Ref. No.	15876
description	indicator light lens size 23x23mm green temperature		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG537-Neutra, OLG540, OLG540-Neutra, OLG550ECOD-1081015, OLG550-Neutra, OLG585-Neutra, OLHT12S-Neutra		

			
1			
No.	346250	Ref. No.	15875
description	indicator light lens size 23x23mm green washing cycle		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG537-Neutra, OLG540, OLG540-Neutra, OLG550ECOD-1081015, OLG550-Neutra, OLG585-Neutra, OLHT-11-Neutra, OLHT12S-Neutra		

			
No.	347193	Ref. No.	15813
description	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		
For models:	OLDerby, OLDS35, OLDS35-1081005, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081006, OLDS37-1081063, OLDS37D-1081007, OLDS37D-1081064, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS37-Neutra, OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS40-Neutra, OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50P-1081018, OLDS50PD-1081019, OLGS35, OLGS35-1080702, OLGS35D-1081000, OLGS35-Neutra, OLGS600, OLGastro450, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLGS37, OLGS37-1080700, OLGS37D-1080707, OLGS37LS-1081001, OLGS37LSD-1081002, OLGS37-Neutra, OLGS40...(Other models you can see in the webshop)		

			
No.	345606	Ref. No.	15811/A
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS50-Neutra, OLDS50P-1081018, OLDS50PD-1081019, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLGS40, OLGS40, OLGS40-1080701, OLGS40D-1080708, OLGS40D-1081003, OLGS45, OLGS45LSD-1081004, OLGS50, OLGS50-1080705, OLGS50D-1080706, OLGS50E-1080730, OLGS50ECO-1081014, OLGS50ECOD-1081015, OLGS50ED-1080731, OLGS50-Neutra, OLGS85, OLGS85-1081016, OLGS85D-1081017, OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT-11-Neutra, OLHT11S, OLHT11S-Neutra, OLHT12S-Neutra, OLLinear, OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP1-800-Neutra, OLLP1-S8, OLLP1-S8EL, OLLP-ZERO, OLLPZERO-1081057		

			
No.	345980	Ref. No.	15800
description	momentary switch unit 2NO 250V 16A connection male faston 6.3mm		
For models:	OLDS35, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081063, OLDS37D-1081064, OLDS37-Neutra, OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS40-Neutra, OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50P-1081018, OLDS50PD-1081019, OLGS35, OLGS35-1080702, OLGS35D-1081000, OLGS35-Neutra, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLGS37, OLGS37-1080700, OLGS37D-1080707, OLGS37LS-1081001, OLGS37LSD-1081002, OLGS37-Neutra, OLGS40, OLGS40, OLGS40-1080701, OLGS40D-1080708, OLGS40D-1081003, OLGS40-Neutra, OLGS45, OLGS45LSD-1081004, OLGS50...(Other models you can see in the webshop)		

			
No.	345539	Ref. No.	84001
description	push button size 17x13mm grey		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLGS35-Neutra, OLGS37-Neutra, OLGS40-Neutra, OLGS50E-COD-1081015, OLGS50-Neutra, OLHT11S-Neutra, OLHT12S-Neutra		

			
No.	347895	Ref. No.	15817
description	push button size 23x23mm blue		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLGS35-Neutra, OLGS37-Neutra, OLGS40, OLGS40-Neutra, OLGS50E-COD-1081015, OLGS50-Neutra, OLGS85-Neutra, OLHT-11-Neutra, OLHT11S-Neutra, OLLP1-800-Neutra		

			
No.	347892	Ref. No.	15990
description	push button size 23x23mm blue drain pump		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLGS35-Neutra, OLGS37-Neutra, OLGS40, OLGS40-Neutra, OLGS50E-COD-1081015, OLGS50-Neutra, OLGS85-Neutra, OLHT-11-Neutra, OLHT11S-Neutra, OLHT12S-Neutra, OLLP1-800-Neutra		

			
No.	347893	Ref. No.	15988
description	push button size 23x23mm blue ON-OFF with lens		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLGS35-Neutra, OLGS37-Neutra, OLGS40, OLGS40-Neutra, OLGS50E-COD-1081015, OLGS50-Neutra, OLGS85-Neutra, OLHT-11-Neutra, OLHT11S-Neutra, OLHT12S-Neutra, OLLP1-800-Neutra		

			
No.	347701	Ref. No.	15877
description	push button size 23x23mm blue programme		
For models:	OLHT-11-Neutra, OLHT11S-Neutra, OLLP1-800-Neutra		

			
1			
No.	347891	Ref. No.	15993
description	push button size 23x23mm blue regeneration		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG37-Neutra, OLG540, OLG540-Neutra, OLG550E-COD-1081015, OLG550-Neutra, OLG585-Neutra, OLHT-11-Neutra, OLHT11S-Neutra		

			
1			
No.	347894	Ref. No.	15986
description	push button size 23x23mm blue START		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG37-Neutra, OLG540, OLG540-Neutra, OLG550E-COD-1081015, OLG550-Neutra, OLG585-Neutra, OLHT-11-Neutra, OLHT11S-Neutra, OLHT12S-Neutra, OLLP1-800-Neutra		

			
1			
No.	347896	Ref. No.	15872
description	push button size 23x23mm green cold rinsing		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG37-Neutra, OLG540, OLG540-Neutra, OLG550E-COD-1081015, OLG550-Neutra, OLG585-Neutra		

			
1			
No.	347590	Ref. No.	15854
description	push button size 23x23mm green drain pump		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG37-Neutra, OLG540, OLG540-Neutra, OLG550E-COD-1081015, OLG550-Neutra, OLG585-Neutra, OLHT-11-Neutra, OLHT11S-Neutra, OLHT12S-Neutra, OLLP1-800-Neutra		

			
1			
No.	346221	Ref. No.	15874
description	push button size 23x23mm green ON-OFF with lens		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

			
1			
No.	346224	Ref. No.	15871
description	push button size 23x23mm green regeneration		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG37-Neutra, OLG540, OLG540-Neutra, OLG550E-COD-1081015, OLG550-Neutra, OLG585-Neutra, OLHT-11-Neutra, OLHT11S-Neutra		

			
1			
No.	346222	Ref. No.	15873
description	push button size 23x23mm green START		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG37-Neutra, OLG540, OLG540-Neutra, OLG550E-COD-1081015, OLG550-Neutra, OLG585-Neutra, OLHT-11-Neutra, OLHT11S-Neutra, OLHT12S-Neutra, OLLP1-800-Neutra		

			
1			
No.	346214	Ref. No.	15819
description	push button size 23x23mm yellow		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG37-Neutra, OLG540, OLG540-Neutra, OLG550E-COD-1081015, OLG550-Neutra, OLG585-Neutra, OLHT-11-Neutra, OLHT11S-Neutra, OLLP1-800-Neutra		

			
No.	347889	Ref. No.	15991
description	push button size 23x23mm yellow drain pump		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG37-Neutra, OLG540, OLG540-Neutra, OLG550E-COD-1081015, OLG550-Neutra, OLG585-Neutra, OLHT-11-Neutra, OLHT115-Neutra, OLHT125-Neutra, OLLP1-800-Neutra		

			
No.	347484	Ref. No.	15989
description	push button size 23x23mm yellow ON-OFF with lens		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG37-Neutra, OLG540, OLG540-Neutra, OLG550E-COD-1081015, OLG550-Neutra, OLG585-Neutra, OLHT-11-Neutra, OLHT115-Neutra, OLHT125-Neutra, OLLP1-800-Neutra		

			
No.	347890	Ref. No.	15858
description	push button size 23x23mm yellow regeneration		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG37-Neutra, OLG540, OLG540-Neutra, OLG550E-COD-1081015, OLG550-Neutra, OLG585-Neutra, OLHT-11-Neutra, OLHT115-Neutra		

			
No.	347888	Ref. No.	15987
description	push button size 23x23mm yellow START		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG37-Neutra, OLG540, OLG540-Neutra, OLG550E-COD-1081015, OLG550-Neutra, OLG585-Neutra, OLHT-11-Neutra, OLHT115-Neutra, OLHT125-Neutra, OLLP1-800-Neutra		

			
No.	346251	Ref. No.	15824 15824/A
description	rotary disc orange/green disc ø 20.6mm		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

			
No.	345605	Ref. No.	15811
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	OLDS35, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081006, OLDS37-1081063, OLDS37D-1081007, OLDS37D-1081064, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS37-Neutra, OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS50-Neutra, OLDS50P-1081018, OLDS50PD-1081019, OLG35, OLG35-1080702, OLG35D-1081000, OLG35-Neutra, OLGastro-500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLG357, OLG357-1080700, OLG357D-1080707, OLG357LS-1081001, OLG357LSD-1081002, OLG357-Neutra, OLG540, OLG540, OLG540-1080701, OLG540D-1080708, OLG540D-1081003, OLG545, OLG545LSD-1081004, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014...(Other models you can see in the webshop)		

			
No.	345720	Ref. No.	15812
description	switch 2NO 250V 16A connection male faston 6.3mm		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

float switches

			
1			
No.	401986	Ref. No.	6A021950 BN6A021950
description	float switch thread 1/8" 1NO ø 28mm L 116mm mounting ø 10mm 220V 0.5A cable length 330mm		
For models:	74-02NPEI, 7PN-EI50		

cam switches


on/off

1

No.	300020	Ref. No.	6A049300 BN6A049300	
description	cam switch 4 operating positions 2NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic			
For models:	40SECC, 40SECC-1826260, 72-02FREM, 72-02FREM-12701530, 72-02KBEF, 72-02KBEF-12701127, 72-02SPE-12701700, 725KBEM-000200, 725KB-G-1000110, 725KBG-1000110, 725KB-G-1000110R, 725KB-GB-1000111, 725KB-GB-1000111R, 725KBGM-000120, 725KB-GM-1000120, 725KB-GM-1000120R, 725KB-GMB-1000121, 725KB-GMB-1000121R, 74-02FREM, 74-02FREM-12701630, 74-02KBEF, 74-02KBEF-12701128, FR-E925N-1050730, FR-E950N-1050732, KB-E970-1050410, KBE970-1050410, KB-E970A-1050411, KB-G970-1050450, KB-G970A-1050451			
accessories for	300020			
	No.	110135	Ref. No.	—
	rosette knob up to ø 52mm			
	No.	110231	Ref. No.	—
	knob switch 0-1-0-1 t.max.°C°C ø 50mm shaft ø 6x4.6mm shaft flat upper black			

			
1			
No.	300021	Ref. No.	1230100 6A046700 MA1230100
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	72-02KBEF-12701127, 73-02FREM, 73-02FREM-12701580, 7BRF-E405, 7BRF-E805, 96-04CGFL, 96-04CGFL-12900019, 96-04CGFL2P, 96-04CG-FL2P-12900037, 96-04CGFLP, 96-04CGFLP-12900069, BSEI40M, C-GV906FL-1050200, OBSEI40M, OBSEI-40M-12601700		

4-position

			
1			
No.	300104	Ref. No.	6A038300 BN6A038300
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		

7-position

E·G·O

1

No.	300025	Ref. No.	1616100 6A045500 MA1616100	
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic			
For models:	40SEC, 40SEC-1825060, 60SEC, 60SEC-1825070, 61SECFE-1826075, 72-02CEPQ, 72-02CEPQ-12701201, 72-02CEPT, 72-02CEPT-12701001, 72-02CEPT-2212701001, 72-02TCEPQ, 72-02TCEPQ-12731201, 72-02TCEPT, 72-02TCEPT-12731001, 721CAE-1000255, 721CAE-1000255R, 721TCE-1009255, 721TCE-1009255R, 72CA-E-1000250, 72CA-E-1000250R, 7-2FXE, 72TCE-1009250, 72TCE-1009250R, 74-02CEEPQ, 74-02CEEPQ-12701210, 74-02CEEPT, 74-02CEEPT-12701010, 74-02CEPQ, 74-02CEPQ-12701202, 74-02CEPT, 74-02CEPT-12701002, 74-02TCEPQ, 74-02TCEPQ-12731202, 74-02TCEPT, 74-02TCEPT-12731002, 741CAE-1000305, 741CAE-1000305R, 741CE-1000405, 741CE-1000405R, 741TCE-1009305, 741TCE-1009305R, 74CAE-000300, 74CA-E-1000300, 74CA-E-1000300R, 74CE-000400, 74CE-1000400, 74CE-1000400R, 74TCE-1009300, 74TCE-1009300R, 76-02CEEANPQ...(Other models you can see in the webshop)			
accessories for	300025			
	No.	112172	Ref. No.	—
	knob universal ø 70mm black without adaptor/dial plate			
	No.	112213	Ref. No.	—
	knob dial plate silver switch 7-position t.max.°C°C ED ø 63mm ID ø 45.5mm			
	No.	112311	Ref. No.	—
	knob adapter shaft ø 6x4.6mm L 0mm with spring			

3 operating positions



1

No.	300167	Ref. No.	6A001412 BN6A001412
description	cam switch 3 operating positions 2NO/1CO sequence 0-1-2 16A shaft ø 6x4.6mm shaft L 23mm connection screw		
For models:	94-04PEI100L, 94-04PEI100L-12901765, 94-04PEI110L-12901765BN, 94-04PEI150L, 94-04PEI150L-12901767, 94-04PEI150L-12901767BN, 9PN-EI100, 9PN-EI150		

4 operating positions



1


No.	300010	Ref. No.	R65080010
description	cam switch 4 operating positions 2NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	CCE042M, CCE051M, CCE071M, CCE101M, CCE102M, CCG051M, CCG071M, CCG101M, CCG102M		



1

No.	300081	Ref. No.	MA1309000
description	cam switch 4 operating positions 3NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection screw		


SWITCHES AND MOMENTARY SWITCHES OLIS



1

No.	300184	Ref. No.	6A046750 BN6A046750
description	cam switch 4 operating positions sequence 0-3-2-1 shaft ø 6x4.6mm connection male faston 4-pole		
For models:	110-135CGE, 110-135CGE2P, 110-135CGEE, 110-135CGEE2P, 110-135CGEEP, 110-135CGEP, 110-90CGE, 110-90CGE1P, 110-90CGEP, 110-90CTEE, 110-90CTGE, 110-90FTEE, 110-90FTTGE, 74-02CEE-PQ, 74-02CEEPQ-12701210, 74-02CEEP, 74-02CEEP-12701010, 74-02CGE, 74-02CGE-12700011, 74-02CGE-12700011TA, 74-02CTEE, 74-02CTEE-12701180, 74-02CTGE, 74-02CTGE-12700190, 74-02CTGE-12700190TA, 74-02VTCE, 74-02VTCEV, 74-02VTCEV-12701020, 76-02CEEANPQ, 76-02CEEANPT, 76-02CEEEACPO, 76-02CEEEACPT, 76-02CEEEPQ-12701215, 76-02CEEEPQ-12701015, 76-02CGE, 76-02CGE-12700017, 76-02CGE-12700017TA, 76-02CGEE, 76-02CGEE-12700018, 76-02CGEE-12700018TA, 7FTTF-GE800, 7FTTF-GE805, 7FTTF-GE820, 7FTTF-GE825, 7NPCF-VCE800, 7PCF-E120, 7PCF-E800, 7PCF-GE120... (Other models you can see in the webshop)		

5 operating positions



1

No.	346352	Ref. No.	6A046015 BN6A046015
description	cam switch 5 operating positions 5NO/2CO sequence 1-0-2-3-4 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	CV10E, CV10E-1320100, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140, CV21G-S, CV21GS-1312150... (Other models you can see in the webshop)		

10 operating positions



1

No.	345666	Ref. No.	1037103800
description	cam switch 10 operating positions 6NO/1CO sequence 0-1-2-3-4-5-6-7-8-9 8A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	FOE60M, OFOE60M, OFOE-60M-12601001		

operation switches



1

No.	300002	Ref. No.	6A046001 BN6A046001
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	110-135CGE, 110-135CGE2P, 110-135CGEE, 110-135CGEE2P, 110-135CGEEP, 110-135CGEP, 110-90CGE, 110-90CGE1P, 110-90CGEP, 110-90CTEE, 110-90CTGE, 110-90FTTE, 110-90FTTGE, 40SEC-1825060, 40SECP, 40SECP-1825080, 40SECP-1825080E, 40SEFR, 40SEFR-1826140, 40SEFR2S-1826140, 40SEFT, 40SEFT-1825040, 40SEFT-1825045, 40SEFTC, 40SEFTC-1825045, 40SEFTR, 40SEFTR-1825041, 41SEFR, 41SEFR-1826120, 41SEFR2S-1826120, 421SEFR-1826125, 55-45CPE, 55-90CPE, 60SEC-1825070, 60SEFR, 60SEFR-1826150, 60SEFR2S-1826150, 60SEFT, 60SEFT1-2R-1825051, 60SEFT1-3RIG-1825050, 60SEFT-1825050, 60SEFTC, 60SEFTC-1825050, 60SEFTC-1825055, 60SEFTR-1825052, 60SEFTRIG-1825050, 61SECFE-1826075, 61SEFR, 61SEFR-1826130, 61SEFR2S-1826130...(Other models you can see in the webshop)		



1

No.	300080	Ref. No.	6A044800 710300 MA710300	
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C			
For models:	40SEBM, 40SEBM-1826100, 40SECP, 40SEKB-1825200, 40SKE, 40SKE-1825200, 60SEBM, 60SEBM-1826110, 72-02FRGM, 72-02FRGM-12700530, 72-02FRGM-12700530TA, 73-02FRGM, 73-02FRGM-12700580, 73-02FRGM-12700580TA, 74-02FRGM, 74-02FRGM-12700630, BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, CFE60, CFE60P, FTE100B, FTE100BR, FTE100CRL, FTE40B, FTE40BR, FTE40C, FTE40D, FTE40DC, FTE60B, FTE60BR, FTE60C, FTE60D, FTE60DC, FTE60DR, FTE60DRCL, OBRE40, OBRE-40-12601110, OBRE-40-12601110MN, OCFE60, OCFE-60-12601005, OCFE-60-12601005MN, OCFGE61, OFTE-100C-12601136, OFTE-100C-12601136MN, OFTE100CRL, OFTE-100CRL-12601138...(Other models you can see in the webshop)			
accessories for	300080			
	No.	551456	Ref. No.	—
	gasket for switch ED ø 14mm ID ø 2.5mm			



1

No.	300200	Ref. No.	1037313200 6A046000 MA1037313200
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		
For models:	110-90FTE, 110-90FTE1-2R, 110-90FTEC, 110-90FTEC1-2R, 110-90FTECR, 110-90FTEE, 110-90FTER, 110-90TFTE, 110-90TFTE1-2R, 110-90TFTEC, 110-90TFTEC1-2R, 110-90TFTECR, 110-90TFTER, 40SEC, 40SEC-1825060, 40SEFT-1825040, 55-45FRE, 55-90FRE, 60SEC, 60SEC-1825070, 61FE-1826050, 61SCGFE3S-1826055, 61SCGFE4S-1827055, 61SECFE-1826075, 710FRE-1077700, 72-02CBE-12701150, 72-02FRE, 72-02FRE-12701500, 72-02TCBE-12731150, 720FRE-1077800, 722FRE-1078000, 725KB-E-1000200, 725KBE-1000200, 725KB-E-1000200R, 725KB-EB-1000201, 725KBEB-1000201, 725KB-EB-1000201R, 725KBEM-1000210, 725KB-EM-1000210R, 725KB-EMB-1000211, 725KBEMB-1000211, 74-02FRE, 74-02FRE-12701600, 74-02KBEB, 74-02KBEB-12701110, 74-02KBEBI, 74-02KBEBI-12701115, 74-02KBEMB, 74-02KBEMB-12701120, 74-02KBEMB... (Other models you can see in the webshop)		

rotary switches

BREMAS

A1200 series



1

No.	345912	Ref. No.	10300206
description	rotary switch		
For models:	G12S		



1

No.	345913	Ref. No.	10300207 10300208
description	rotary switch sets of contacts 4 4 1-2-3-4 type CS012M014 400V 12A shaft ø 5x5mm shaft L 23mm shaft square with knob connection screw		
For models:	OLH600, OLHT11-1081071, OLHT11D-1081072, OLHT11E-CO-1081070, OLHT11S, OLHT11S-Neutra, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12S-Neutra		



1

No.	347857	Ref. No.	3002031
description	rotary switch sets of contacts 6 4 0-1-2-3 type CA0127042 600V 12A shaft ø 5x5mm shaft L 25mm shaft square with knob connection screw		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLBX230, OLBX230Special, OLBX280, OLUX220		

producer-specific rotary switches

DIHR / KROMO



1

No.	345911	Ref. No.	89349
description	element holder blue-grey format round 0-3		
For models:	OLH600, OLHT11-1081071, OLHT11D-1081072, OLHT11E-CO-1081070, OLHT11S, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S		



1

No.	697909	Ref. No.	89322
description	fastening angle for rotary switch plastic L 76mm W 31mm		
For models:	OLH600, OLHT11-1081071, OLHT11D-1081072, OLHT11E-CO-1081070, OLHT11S, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S		



1

No.	697910	Ref. No.	89323
description	fixing plate for rotary switch L 80mm W 60mm thickness 1mm		
For models:	OLH600, OLHT11-1081071, OLHT11D-1081072, OLHT11E-CO-1081070, OLHT11S, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S		

SWITCHES AND MOMENTARY SWITCHES OLIS



1

No.	110731	Ref. No.	89321
description	knob switch zero mark ø 29mm black shaft special		
For models:	OLH600, OLHT11-1081071, OLHT11D-1081072, OLHT11E-CO-1081070, OLHT11S, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S		



1

No.	345896	Ref. No.	89332
description	O-ring EPDM thickness 1.5mm ID ø 37mm Qty 1 pcs		
For models:	OLDerby, OLDS35-1081005, OLDS37-1081006, OLDS37D-1081007, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS40-1081010, OLDS40D-1081011, OLDS40LS-1081012, OLDS40LSD-1081013, OLG600, OLGastro450, OLH600, OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT11S, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLLinear, OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP1-S8, OLLP1-S8EL, OLLP-ZERO, OLLPZERO-1081057, OLStar		



1

No.	345913	Ref. No.	10300207 10300208
description	rotary switch sets of contacts 4 4 1-2-3-4 type CS012M014 400V 12A shaft ø 5x5mm shaft L 23mm shaft square with knob connection screw		
For models:	OLH600, OLHT11-1081071, OLHT11D-1081072, OLHT11E-CO-1081070, OLHT11S, OLHT11S-Neutra, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12S-Neutra		

touch sensitive light switches




1

No.	346388	Ref. No.	R65260750
description	touch sensitive light switch 1NOVA for combi-steamer L 47mm W 20mm H 30mm		
For models:	CCE071M, CCE101M, CCE102M, CCG071M, CCG101M, CCG102M, CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		

magnetic switches

36x13mm




No.	345335	Ref. No.	995405
description	magnetic switch L 36mm W 13mm 1NO 250V 0.04A P max. 10W connection cable cable length 960mm		
For models:	031, 051, 081, 121, 161, BBC051DF-ASX-4186V21A286220, BBF031AF-ASX-4186V204286210, KBC051-20354051, KBC151-20354151, KBC201-20355201, KBC201-PASS-THROUGH-20355221, KBC202-20355202, KBC202-PASS-THROUGH-20355222, KBF051T-20363050, KRC201-20358201, KRC202-20358202, OBC051DF-ASX-6V21A-286220OL, OBC081AF-ASX-6V221285220OL, OBC121DF-ASX-6V23A-285220OL, OBC161DF-ASX-6V24A485220OL, OBF031AF-ASX-6V204286210OL, OLBFO51-20364051OL, OLBFO51T-20363050OL, OLBFI51-20364151OL, OLBFI201-20365201OL, OLBFI201-20365221OL, OLBFI202-20365202OL, OLBFI202-20365222OL, OLBFI201-20368201OL, OLBFI202-20368202OL		
accessories for	345335		
	No.	519049	Ref. No.
	magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm		

37x16mm




No.	347790	Ref. No.	R65265100
description	magnetic switch L 37mm W 16mm 1NO 250V connection cable cable length 1960mm 10W with magnet nominal 0.04A		
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		

40x13mm



No.	346351	Ref. No.	6A047085 BN6A047085
description	magnetic switch L 40mm W 13mm 1NO 250V 0.04A P max. 10W connection cable cable length 650mm		
For models:	CMV6E52-1320392, CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140...(Other models you can see in the webshop)		




No.	345990	Ref. No.	10778
description	magnetic switch L 40mm W 13mm 1NO 250V 0.04A P max. 10W connection male faston 6.3mm cable length 2000mm		
For models:	OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLG540, OLG545, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLG585, OLG585-1081016, OLG585D-1081017, OLG585-Neutra		

65x20mm



1



No.	345116	Ref. No.	3003112	
description	magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm			
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEF-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)			
accessories for	345116			
	No.	345399	Ref. No.	—
	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3			

ø 9mm



1

No.	345991	Ref. No.	2000309
description	magnetic switch 250V 0.04A P max. 10W probe L 30mm 1NO connection cable cable length 2000mm		
For models:	OLLP1-1081059, OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP1-800-Neutra, OLLP2-1080722, OLLP2Electronic-Neutra, OLLP3-1080723, OLLP3Electronic-Neutra, OLLP4-800-1081058, OLLP4-800Electronic-Neutra, OLLP-ZERO, OLLPZERO-1081057		

miscellaneous



1

No.	401961	Ref. No.	R66110300
description	magnetic switch door contact		
For models:	CCE071M, CCE101M, CCE102M, CCG071M, CCG101M, CCG102M, CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		


accessories

magnets



1

No.	347702	Ref. No.	3003113
description	magnet H 10mm ED ø 12mm		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEF-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		



1

No.	345336	Ref. No.	3108890 80232 BN3108890
description	magnet ø 4.8mm L 63mm H 11mm W 18.8mm hole distance 51mm M4		
For models:	CMV6ES2-1320392, CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140...(Other models you can see in the webshop)		

magnetic holders



1

No.	524076	Ref. No.	3003058
description	magnet holder internal size 13mm H 60mm for dishwasher		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		
accessories for	524076		
	No.	524655	Ref. No.
	screw cap for magnet holder thread M16x1.25 SS WS 19		

miscellaneous



1

No.	346360	Ref. No.	3108879 BN3108879
description	switch mounting pos. door		
For models:	CMV6ES2-1320392, CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140, CV21G-S, CV21GS-1312150, CV21G-S2, CV21GS2-1312190...(Other models you can see in the webshop)		

control equipment

MOELLER/EATON

switches (complete)

rotary switches



1

No.	346461	Ref. No.	R65080150
description	rotary switch mounting measurements ø22mm black latching 1NC/1NO sequence 0-1		
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B		


ERSCE

push buttons



1

No.	346654	Ref. No.	2000284
description	push button mounting measurements ø22mm green illuminated		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053...(Other models you can see in the webshop)		

			
No.	346659	Ref. No.	3002052
description	contact block ERSCE C02 2NC max 400V 10(4)A red/red		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151LEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

			
No.	346658	Ref. No.	3002051
description	contact block ERSCE C02 2NO max 400V 10(4)A green/green		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053...(Other models you can see in the webshop)		

SIEMENS

3SB series ø16mm


fascias

			
No.	346357	Ref. No.	3102860 BN3102860
description	blank mounting measurements ø16mm black		
For models:	CMV6ES2-1320392, CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G-1312100, CV21G2-1312140, CV21GS-1312150, CV21GS2-1312190, CV6E...(Other models you can see in the webshop)		

push buttons

			
No.	346356	Ref. No.	3102801 BN3102801
description	push button mounting measurements ø16mm green		
For models:	CV10E, CV10E-1320100, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140, CV21G-S, CV21GS-1312150...(Other models you can see in the webshop)		

3SB series ø22mm old



No.	346354	Ref. No.	3102803 BN3102803
description	contact block SIEMENS 1NO 3SB2404-08 brown max 250V 10A		
For models:	CMV6ES2-1320392, CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140...(Other models you can see in the webshop)		

TELEMECANIQUE (EFA)

XB4 series



No.	347497	Ref. No.	3002056
description	contact block 2NC colour coding red		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151LEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		



No.	347496	Ref. No.	3002054
description	contact block 2NO colour coding green		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151LEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

signal element



No.	347700	Ref. No.	2000232
description	signal element mounting measurements ø22mm green metal		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LC-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053...(Other models you can see in the webshop)		



No.	347730	Ref. No.	2000234
description	signal element mounting measurements ø22mm metal		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LC-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053...(Other models you can see in the webshop)		

			
No.	347727	Ref. No.	2000231
description	signal element mounting measurements ø22mm red metal		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053...(Other models you can see in the webshop)		

			
No.	347485	Ref. No.	3002050
description	emergency switch mounting measurements ø22mm red		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

			
No.	347728	Ref. No.	2000230
description	signal element mounting measurements ø22mm yellow metal		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053...(Other models you can see in the webshop)		

			
No.	347729	Ref. No.	2000311
description	rotary selector mounting measurements ø22mm black		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053...(Other models you can see in the webshop)		

miscellaneous

			
1			
No.	347698	Ref. No.	3002055
description	push button mounting measurements ø22mm black metal		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEF-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

			
2			
No.	347699	Ref. No.	2000310
description	rotary selector mounting measurements ø22mm black metal		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053...(Other models you can see in the webshop)		

lamps

			
1			
No.	359807	Ref. No.	3002068
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380LC, OLAX380V-1080785, OLAX380V-1080786, OLAX400, OLAX400E-1081126, OLAX400E-1081127, OLAX400V-1081128, OLAX400V-1081129...(Other models you can see in the webshop)		

encoders and potentiometers

			
1			
No.	401194	Ref. No.	3103267 BN3103267
description	encoder		
For models:	ECVM10ES2, ECVM10ES2-1324290, ECVM10ES2-1324290MN, ECVM10ES2-1326120, ECVM10GS2, ECVM10GS2-1314290, ECVM10GS2-1316120, ECVM20ES2, ECVM20ES2-1324390, ECVM20ES2-1326140, ECVM20GS2, ECVM20GS2-1314390, ECVM20GS2-1316140, ECVM21ES2, ECVM21ES2-1324490, ECVM21ES2-1326160, ECVM21GS2-1314490, ECVM21GS2-1316160, ECVM6ES2, ECVM6ES2-1324190, ECVM6ES2-1326100, ECVM6ES2-1326100H, ECVM6GS2, ECVM6GS2-1314190, ECVM6GS2-1316100, ECVP10ES2, ECVP10ES2-1324690, ECVP10ES2-1326200, ECVP10GS2, ECVP10GS2-1314690, ECVP10GS2-1316200, ECVP20ES2, ECVP20ES2-1324790, ECVP20ES2-1326220, ECVP20GS2, ECVP20GS2-1314790, ECVP20GS2-1316220, ECVP21ES2, ECVP21ES2-1324890, ECVP21ES2-1326240, ECVP21GS2, ECVP21GS2-1314890, ECVP21GS2-1316240, ECVP6ES2, ECVP6ES2-1324590, ECVP6ES2-1326180, ECVP6GS2, ECVP6GS2-1314590, ECVP6GS2-1316180, NECVM10ES2...(Other models you can see in the webshop)		

			
1			
No.	401338	Ref. No.	R65301450
description	encoder		
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		



			
No.	300188	Ref. No.	3103260 BN3103260
description	potentiometer rotation 310° oven		
For models:	CMV6ES2-1320392, CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E-1322100, CV21E2-1322140, CV21ES-1322150, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140, CV21G-S, CV21GS-1312150, CV21G-S2, CV21GS2-1312190...(Other models you can see in the webshop)		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø10mm (type SRZ-3)

			
No.	359125	Ref. No.	6A038907 bis 2009 A038907BIS2009 BN6A038907 bis 2009
description	indicator light housings mounting measurements ø10mm red round Qty 1 pcs		

ø12mm (type SDY-3)

			
No.	359262	Ref. No.	6A001438 BN6A001438
description	indicator light housings mounting measurements ø12mm green round Qty 1 pcs		
For models:	94-04PEI100L, 94-04PEI100L-12901765, 94-04PEI110L-12901765BN, 94-04PEI150L, 94-04PEI150L-12901767, 94-04PEI150L-12901767BN, 9PN-EI100, 9PN-EI150		

			
No.	359261	Ref. No.	6A001436 BN6A001436
description	indicator light housings mounting measurements ø12mm red round Qty 1 pcs		
For models:	94-04PEI100L, 94-04PEI100L-12901765, 94-04PEI110L-12901765BN, 94-04PEI150L, 94-04PEI150L-12901767, 94-04PEI150L-12901767BN, 9PN-EI100, 9PN-EI150		

			
No.	359260	Ref. No.	6A001437 BN6A001437
description	indicator light housings mounting measurements ø12mm yellow round Qty 1 pcs		
For models:	94-04PEI100L, 94-04PEI100L-12901765, 94-04PEI110L-12901765BN, 94-04PEI150L, 94-04PEI150L-12901767, 94-04PEI150L-12901767BN, 9PN-EI100, 9PN-EI150		

indicator lamps for socket type SRZ / SDK / SDY / SFK

			
No.	359131	Ref. No.	6A038506
description	indicator lamp 400V clear connection male faston 6.3mm		
For models:	110-135CGE, 110-135CGE2P, 110-135CGEE, 110-135CGEE2P, 110-135CGEEP, 110-135CGEP, 110-135CGGE, 110-135CGGE2P, 110-135CGGEP, 110-45CBE, 110-45TCBE, 110-90CGE, 110-90CGE1P, 110-90CGEP, 110-90CTE, 110-90CTEE, 110-90CTGE, 110-90FTE, 110-90FTE1-2R, 110-90FTEC, 110-90FTEC1-2R, 110-90FTECR, 110-90FTEE, 110-90FTE1-2R, 110-90FTTGE, 110-90FTTE, 110-90FTTE1-2R, 110-90FTFTEC, 110-90FTFTEC1-2R, 110-90FTFTECR, 110-90FTTER, 40SEBM, 40SEBM-1826100, 40SEBM2S-1826100, 40SEC, 40SEC-1825060, 40SECC, 40SECC-1826260, 40SECP, 40SECP-1825080, 40SECP-1825080E, 40SEFR, 40SEFR-1826140, 40SEFR2S-1826140, 40SEFT, 40SEFT-1825040, 40SEFT-1825045, 40SEFTC, 40SEFTC-1825045...(Other models you can see in the webshop)		

			
No.	359133	Ref. No.	6A001435
description	indicator lamp 400V green connection male faston 6.3mm		
For models:	94-04PEI100L, 94-04PEI100L-12901765, 94-04PEI110L-12901765BN, 94-04PEI150L, 94-04PEI150L-12901767, 94-04PEI150L-12901767BN, 9PN-EI100, 9PN-EI150		

			
No.	359132	Ref. No.	15826
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
For models:	OLDerby, OLDS35, OLDS35-1081005, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081006, OLDS37-1081063, OLDS37D-1081007, OLDS37D-1081064, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS37-Neutra, OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS40-Neutra, OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50P-1081018, OLDS50PD-1081019, OLG35, OLG35-1080702, OLG35D-1081000, OLG35-Neutra, OLG600, OLGastro450, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLG37, OLG37-1080700, OLG37D-1080707, OLG37LS-1081001, OLG37LSD-1081002, OLG37-Neutra, OLG40...(Other models you can see in the webshop)		

indicator lights 3-piece (housing, lens and bulb)

lamps

light bulbs



1

No.	359807	Ref. No.	3002068
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LC-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380LC, OLAX380V-1080785, OLAX380V-1080786, OLAX400, OLAX400E-1081126, OLAX400E-1081127, OLAX400V-1081128, OLAX400V-1081129... (Other models you can see in the webshop)		

indicator lights (complete)

ø 6mm



1

No.	359004	Ref. No.	10711
description	indicator light ø 6mm 230V green cable length 400mm temp.-resist. 106°C		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG37-Neutra, OLG540-Neutra, OLG550E-COD-1081015, OLG550-Neutra, OLHT115-Neutra, OLHT125-Neutra		

ø10mm

with screw socket



1

No.	359378	Ref. No.	1037300810
description	indicator light ø 10mm 230V green connection male faston 6.3mm socket screw base		
For models:	BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, BSEI40M, CFE60, CFE60P, FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, FTE100B, FTE100BR, FTE100CRL, FTE40B, FTE40BR, FTE40C, FTE40D, FTE40DC, FTE60B, FTE60BR, FTE60C, FTE60D, FTE60DC, FTE60DR, FTE60DRCL, OBRE40, OBRE-40-12601110, OBRE-40-12601110MN, OBSEI40M, OBSEI-40M-12601700, OCFE60, OCFE-60-12601005, OCFE-60-12601005MN, OCFGE61, OFQE41, OFQE-41-12601510, OFQE-41-12601510MN, OFQE41L, OFQE61, OFQE-61-12601610, OFQE-61-12601610MN, OFQE61L, OFTE-100C-12601136, OFTE-100C-12601136MN, OFTE100CRL...(Other models you can see in the webshop)		



1

No.	360148	Ref. No.	3002066
description	indicator light ø 10mm 24V green cable length 200mm socket screw base		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX230, OLAX230Special, OLAX280, OLUX220		



1

No.	360111	Ref. No.	3002065
description	indicator light ø 10mm 24V red cable length 200mm socket screw base		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX230, OLAX230Special, OLAX280, OLUX220		



1

No.	360502	Ref. No.	3002067
description	indicator light ø 10mm 24V yellow cable length 200mm socket screw base		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX230, OLAX230Special, OLAX280, OLUX220		

with plug-in socket



1

No.	359139	Ref. No.	10711/B
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		
For models:	OLDS35-Neutra, OLDS37-Neutra, OLDS40-Neutra, OLDS50-Neutra, OLG35-Neutra, OLG37-Neutra, OLG540, OLG540-Neutra, OLG550E-COD-1081015, OLG550-Neutra, OLH600, OLHT-11-Neutra, OLHT115-Neutra, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT125, OLHT125-Neutra, OLLP1-800-Neutra		



			
No.	359140	Ref. No.	1037300900 1037300910
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		
For models:	BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, BSEI40M, CFE60, CFE60P, FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, FTE100B, FTE100BR, FTE100CRL, FTE40B, FTE40BR, FTE40C, FTE40D, FTE40DC, FTE60B, FTE60BR, FTE60C, FTE60D, FTE60DC, FTE60DR, FTE60DRCL, OBME41M, OBME61M, OBRE40, OBRE-40-12601110, OBRE-40-12601110MN, OBSEI40M, OBSEI-40M-12601700, OCFE60, OCFE-60-12601005, OCFE-60-12601005MN, OCFGE61, OFQE41, OFQE-41-12601510, OFQE-41-12601510MN, OFQE41L, OFQE61, OFQE-61-12601610, OFQE-61-12601610MN, OFQE61L, OFTE-100C-12601136...(Other models you can see in the webshop)		

ø12mm			
with screw socket			
			
No.	359994	Ref. No.	6A039207 BN6A039207
description	indicator light ø 12mm 400V clear connection male faston 6.3mm		
For models:	110-135CGE, 110-135CGE2P, 110-135CGEE, 110-135CGEE2P, 110-135CGEEP, 110-135CGEP, 110-135CGGE, 110-135CGGE2P, 110-135CGGEP, 110-45CBE, 110-45TCBE, 110-90CGE, 110-90CGE1P, 110-90CGEP, 110-90CTE, 110-90CTEE, 110-90CTGE, 110-90FTE, 110-90FTE1-2R, 110-90FTEC, 110-90FTEC1-2R, 110-90FTECR, 110-90FTEE, 110-90FTER, 110-90FTTGE, 110-90TCTE, 110-90TFTE, 110-90TFTE1-2R, 110-90TFTEC, 110-90TFTEC1-2R, 110-90TFTECR, 110-90TFTER, 40SEBM, 40SEBM-1826100, 40SEBM2S-1826100, 40SEC, 40SEC-1825060, 40SECC, 40SECC-1826260, 40SECP, 40SECP-1825080, 40SECP-1825080E, 40SEFR, 40SEFR-1826140, 40SEFR2S-1826140, 40SEFT, 40SEFT-1825040, 40SEFT-1825045, 40SEFTC, 40SEFTC-1825045...(Other models you can see in the webshop)		

			
No.	359291	Ref. No.	6A038507 von 2010 A038507VON2010 BN6A038507 von 2010 SI0101169 SIR0101169
description	indicator light ø 12mm 400V green connection male faston 6.3mm		

			
No.	359292	Ref. No.	6A038907 von 2010 A038907VON2010 BN6A038907 von 2010
description	indicator light ø 12mm 400V red connection male faston 6.3mm		

ø13mm			
with plug-in socket			
			
No.	359016	Ref. No.	6A038500+6A039200 A038500+A039200
description	indicator light ø 13mm clear 400V model OB/2		

			
No.	359015	Ref. No.	6A038500+6A038900 A038500+A038900
description	indicator light ø 13mm red 400V model OB/1		

ø16mm			
with plug-in socket			
			
No.	359788	Ref. No.	R65270160
description	indicator light ø 16mm 230V green connection male faston 6.3mm		
For models:	CCE042M, CCE071M, CCE101M, CCE102M, CCG071M, CCG101M, CCG102M		

			
No.	359789	Ref. No.	R65270150
description	indicator light ø 16mm 230V yellow connection male faston 6.3mm		
For models:	CCE042M, CCE071M, CCE101M, CCE102M, CCG071M, CCG101M, CCG102M		

ø18mm			
			
No.	346358	Ref. No.	3102850 BN3102850
description	lamp socket ø 18mm 230V without cap		
For models:	CV10E, CV10E-1320100, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140, CV21G-S, CV21GS-1312150...(Other models you can see in the webshop)		

28.5x28.5mm

lamps (complete)



1

No.	345978	Ref. No.	15862
description	indicator light mounting measurements 28.5x28.5mm 230V green		
For models:	G12S		

screw-on/push-on fit

light bulbs

for indicator lights



1

No.	359807	Ref. No.	3002068
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380LC, OLAX380V-1080785, OLAX380V-1080786, OLAX400, OLAX400E-1081126, OLAX400E-1081127, OLAX400V-1081128, OLAX400V-1081129... (Other models you can see in the webshop)		

halogen lamp

for socket G4 / G6.35 / G9



1

No.	359599	Ref. No.	R65270020
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
For models:	CCE071M, CCE101M, CCE102M, CCG071M, CCG101M, CCG102M, CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		

fluorescent lamps

accessories

ballasts



1

No.	401187	Ref. No.	6A047060 BN6A047060
description	electrical ballast 60W for fluorescent lamps		
For models:	CV10E, CV10E-1320100, CV10E-2, CV10E2-1320140, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV6E, CV6E-1320000, CV6E-1320050, CV6E-2, CV6E2-1320040, CV6E-S, CV6E-S2, CV6ES2-1320090, CV6G, CV6G-1310000, CV6G-2, CV6G2-1310040, CV6G-S, CV6GS-1310050, CV6G-S2, CV6GS2-1310090, CVM10E, CVM10E-1320400...(Other models you can see in the webshop)		

fridge lamps



1

No.	359595	Ref. No.	1640403
description	light bulb socket E14 15W 230-240V ø 25mm L 56mm lens L 30mm Qty 1 pcs		
For models:	KSABT70G-2045370CJD, OLKSABT140-2045240CIW, OLKSABT144-2045240CJO, OLKSABT70-2045170CIO, OLKSABT72-2045170CIT, OLKSABTV140-2045240CIY, OLKSABTV70-2045170CIR, OLKSABTV70-2045270CIP, OLKSATN140-2045140CIV, OLKSATN144-2045140CIZ, OLKSATN70-2045070CIN, OLKSATN72-2045070CIS, OLKSATNV140-2045140CIX, OLKSATNV70-2045070CIQ, OLSPAB120-201707030CLN, OLSPAB200-201712030CLQ, OLSPAB240-201714030CLO, OLSPABT120-201722030CII, OLSPABT124-201722030CIM, OLSPABT140-201724030CI2, OLSPABT144-201724030CI6, OLSPABT60-201716030CIC, OLSPABT70-201717030CHW, OLSPABT72-201717030CIO, OLSPABTV140-201724030CI4, OLSPABTV70-201717030CHY, OLSPATNN120-201712030CIH, OLSPATNN124-201712030CIL, OLSPATNN140-201714030CI1, OLSPATNN144-201714030CI5, OLSPATNN60-201706030CIB, OLSPATNN62-201706030CIF, OLSPATNN70-201707030CEM, OLSPATNN72-201707030CHZ, OLSPATNV120-201712030CIJ, OLSPATNV140-201714030CI3, OLSPATNV60-201706030CID, OLSPATNV70-201707030CHX, TN140, TN144, TN70, TN72		



producer-specific fridge lamps

POLARIS



No.	550070	Ref. No.	165705
description	lamp socket socket E14		
For models:	KSABT70G-2045370CJD, OLKSABT140-2045240CIW, OLKSABT144-2045240CJO, OLKSABT70-2045170CIO, OLKSABT72-2045170CIT, OLKSABTV140-2045240CIY, OLKSABTV70-2045170CIR, OLKSAP70-2045270CIP, OLKSATN140-2045140CIV, OLKSATN144-2045140CIZ, OLKSATN70-2045070CIN, OLKSATN72-2045070CIS, OLKSATNV140-2045140CIX, OLKSATNV70-2045070CIQ, OLSPAB100-201706030CLP, OLSPAB120-201707030CLN, OLSPAB200-201712030CLQ, OLSPAB240-201714030CLO, OLSPABT120-201722030CII, OLSPABT124-201722030CIM, OLSPABT140-201724030CII, OLSPABT144-201724030CIE, OLSPABT60-201716030CIC, OLSPABT70-201717030CHW, OLSPABT72-201717030CIO, OLSPABTV140-201724030CII, OLSPABTV70-201717030CHY, OLSPATNN120-201712030CIH, OLSPATNN124-201712030CIL, OLSPATNN140-201714030CI1, OLSPATNN144-201714030CI5, OLSPATNN60-201706030CIB, OLSPATNN62-201706030CIF, OLSPATNN70-201707030CEM, OLSPATNN72-201707030CHZ, OLSPATNV120-201712030CIJ, OLSPATNV140-201714030CI3, OLSPATNV60-201706030CID, OLSPATNV70-201707030CHX, TN140, TN144, TN70, TN72		

oven lamps

universal oven lamps

mounting diameter 35.5mm



No.	359718	Ref. No.	1037300100
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
For models:	FOE60M, OFOE60M, OFOE-60M-12601001		
spare parts for	359718		
	No.	359701	Ref. No. —
	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
	No.	359740	Ref. No. —
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT		

55x70mm



No.	359375	Ref. No.	R65270510
description	lamp socket complete without lamp socket E14 mounting measurements 55x70mm		
For models:	CCE042M, CCE051M, CCG051M		

lamps

halogen lamps

for socket G4 / G6.35 / G9



No.	359599	Ref. No.	R65270020
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
For models:	CCE071M, CCE101M, CCE102M, CCG071M, CCG101M, CCG102M, CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		

sockets

G4 / G5,3 / G6,35



No.	359836	Ref. No.	3108860 BN3108860
description	lamp socket socket G4 for halogen lamp		
For models:	CMV6E52-1320392, CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10E-S, CV10E5-1320150, CV10E-S2, CV10E52-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10G-S, CV10G5-1310150, CV10G-S2, CV10G52-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20E-S, CV20E5-1320250, CV20E-S2, CV20E52-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20G-S, CV20G5-1310250, CV20G-S2, CV20G52-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21E5-1322150, CV21E-S2, CV21E52-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140, CV21G-S, CV21G5-1312150, CV21G-S2, CV21G52-1312190...(Other models you can see in the webshop)		

residual heat indicators



No.	357003	Ref. No.	6A001404 BN6A001404
description	residual heat indicator single 250V connection male faston 6.3mm mounting ø 14mm temp.-resist. 180°C		
For models:	72-02VTVC, 72-02VTVCV, 72-02VTVCV-12731005, 72-02VTC, 72-02VTVCV, 72-02VTG-12701005, 74-02VTVC, 74-02VTVCV, 74-02VTVCV-12731006, 74-02VTC, 74-02VTCE, 74-02VTCEV, 74-02VTCEV-12701020, 74-02VTVCV, 74-02VTVCV-12701006, 7NPCF-VCE800, 7NPC-VCE400, 7NPC-VCE800, 7NPCVP-VCE400, 7NPCVP-VCE800, 7NPCVP-VCE400, 7NPCVP-VCE800, 92-04VTVC, 92-04VTVC-12931005, 92-04VTVCV-12931055, 92-04VTC, 92-04VTVCV-12901055, 94-04VTVC, 94-04VTVC-12931006, 94-04VTVCV-12931056, 94-04VTC, 94-04VTCE, 94-04VTCEV-12901050, 94-04VTVCV-12901056, 9NPCF-VCE800, 9NPC-VCE400, 9NPC-VCE800, 9NPCVP-VCE400, 9NPCVP-VCE800, 9NPCVP-VCE400, 9NPCVP-VCE800		

timers

programme timers



1

No.	403577	Ref. No.	R65095000
description	gear motor CDC 4901F1 engines 1 chambers 1 operation time 20s 230V 50Hz shaft ø 6x4.6mm shaft L 24mm		
For models:	CCG071M, CCG101M, CCG102M, CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		



1

No.	360633	Ref. No.	6A047080 BN6A047080
description	time switch kit 14000F3 operation time 120min impulse electric shaft ø 6x4.6mm shaft L 20mm CDC 230V engines 1 chambers 2		
For models:	CV10E, CV10E-1320100, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140, CV21G-S, CV21GS-1312150...(Other models you can see in the webshop)		



1

No.	360291	Ref. No.	10708/E
description	timer CDC 11803 engines 1 chambers 3 operation time 120s 115V shaft ømm shaft Lmm manuf. no. 11803F1 / 10708E motor type M48R ATS /60Hz connection F4.8 supply at 60Hz 115V		
For models:	OLDerby, OLDS35-1081005, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra		
spare parts for	360291		
	No.	360118	Ref. No.
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		



1

No.	360273	Ref. No.	16064/A
description	timer CDC 11803 engines 1 chambers 3 operation time 18min 230V shaft ømm shaft Lmm manuf. no. 11803F1 / 16064/A motor type M48R ATS		
For models:	OLDS37-1081006, OLDS37D-1081007, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS40-1081010, OLDS40D-1081011, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS50P-1081018, OLDS50PD-1081019, OLG35-1080702, OLG600, OLGastro450, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLG537, OLG537-1080700, OLG537D-1080707, OLG537LS-1081001, OLG537LSD-1081002, OLG537-Neutra, OLG540, OLG540, OLG540-1080701, OLG540D-1080708, OLG540D-1081003, OLG540-Neutra, OLG545, OLG545LSD-1081004, OLG585, OLG585-1081016, OLG585D-1081017, OLG585-Neutra, OLHT-11-Neutra, OLLinear, OLStar		
spare parts for	360273		
	No.	360118	Ref. No.
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		





1

No.	360569	Ref. No.	10708/B
description	timer CDC 11804F engines 1 chambers 3 operation time 120s 230V 60Hz shaft ømm shaft Lmm manuf. no. 11804F1ADY000.0010 motor type M48R ATS voltage AC		
For models:	OLDerby, OLDS35, OLDS35-1081005, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081006, OLDS37-1081063, OLDS37D-1081007, OLDS37D-1081064, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS37-Neutra, OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS40-Neutra, OLG35, OLG35-1080702, OLG35D-1081000, OLG35-Neutra, OLG600, OLGastro450, OLG537, OLG537-1080700, OLG537D-1080707, OLG537LS-1081001, OLG537LSD-1081002, OLG537-Neutra, OLG540, OLG540, OLG540-1080701, OLG540D-1080708, OLG540D-1081003, OLG540-Neutra, OLG540LSD-1081004, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731...(Other models you can see in the webshop)		



2

No.	360290	Ref. No.	10708/T
description	timer CDC 11804F engines 1 chambers 4 operation time 120s 230V shaft ømm shaft Lmm manuf. no. 11804F1 / 10708T motor type M48R ATS connection F4.8		
For models:	OLDS35, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081063, OLDS37D-1081064, OLDS37-Neutra, OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS40-Neutra, OLG35, OLG35-1080702, OLG35D-1081000, OLG35-Neutra, OLGastro450, OLG537, OLG537-1080700, OLG537D-1080707, OLG537LS-1081001, OLG537LSD-1081002, OLG537-Neutra, OLG540, OLG540, OLG540-1080701, OLG540D-1080708, OLG540D-1081003, OLG540-Neutra, OLG540LSD-1081004, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLHT-11-Neutra, OLLinear		
spare parts for	360290		
	No.	360118	Ref. No.
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		



1

No.	360427	Ref. No.	10708/N
description	timer CDC 11804F engines 1 chambers 4 operation time 90s 230V shaft ømm shaft Lmm motor type M48R ATS		
For models:	OLG600, OLG585, OLG585-1081016, OLG585D-1081017, OLG585-Neutra, OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT-11-Neutra, OLHT11S, OLHT11S-Neutra		



1

No.	360709	Ref. No.	LA65090110 LAR65090110
description	timer CDC 14003F3 engines 1 chambers 3 operation time 120min shaft ø 6x4.6mm shaft L 22mm manuf. no. 14003F3120ME0.0010		




1


No.	360752	Ref. No.	R65090190
description	timer CDC 4902F1 engines 1 chambers 2 operation time 8min 230V shaft ømm shaft Lmm		
For models:	CCE042M, CCE051M, CCE071M, CCE101M, CCE102M, CCG051M, CCG071M, CCG101M, CCG102M		




1


No.	360389	Ref. No.	011DW10300122 BN011DW10300122
description	timer CDC 4904F engines 1 chambers 4 operation time 5min 230V shaft ømm shaft Lmm manuf. no. 4904F3 / 10300122 motor type M48L ATS		
For models:	OLH600, OLHT-11-Neutra, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12S-Neutra		
spare parts for	360389		
	No.	360083	Ref. No.
	motor CDC pinion ø 4.9mm teeth 10 230V turn direction left motor ø 47mm H 19.3mm motor type M48L ATS for timer		

			
1			
No.	360464	Ref. No.	10300118
description	timer CDC 4904F engines 1 chambers 4 operation time 6min 230V 60Hz shaft ømm shaft Lmm voltage AC		
For models:	OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT-11-Neutra, OLHT11S, OLHT11S-Neutra		

			
1			
No.	360297	Ref. No.	10300121
description	timer CDC 4904F engines 1 chambers 4 operation time 6min 230V manif. no. 4904F3 / 10300121 motor type M48L ATS run-time 60/120/180s		
For models:	OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT-11-Neutra, OLHT11S, OLHT11S-Neutra		
spare parts for	360297		
		No.	360083
		Ref. No.	—

			
1			
No.	360257	Ref. No.	10300117
description	timer CDC 4904F engines 1 chambers 4 operation time 6min 230V shaft ømm shaft Lmm manif. no. 4904F3 / 360257 motor type M48L ATS		
For models:	G12S, OLHT-11-Neutra		
spare parts for	360257		
		No.	360083
		Ref. No.	—

			
1			
No.	360296	Ref. No.	10300123
description	timer CDC 7804DV engines 2 chambers 4 operation time 6s / 3min 230V shaft ømm shaft Lmm manif. no. 7804DV / 10300123 motor type M37RN/M37LN		
For models:	OLGastro750Plus, OLGastro750S		
spare parts for	360296		
		No.	360119
		Ref. No.	—
		No.	360131
		Ref. No.	—

			
1			
No.	360293	Ref. No.	30001027
description	timer CDC 7804DV engines 2 chambers 4 operation time 6s / 3min 230V shaft ømm shaft Lmm manif. no. 7804DV / 30001027 motor type M37RN/M37LN		
For models:	OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50P-1081018, OLDS50PD-1081019, OLGastro500Plus, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra		
spare parts for	360293		
		No.	360119
		Ref. No.	—
		No.	360131
		Ref. No.	—



1

No.	360295	Ref. No.	22011	
description	timer CDC 7805DV engines 2 chambers 5 operation time 6s / 4min 230V shaft ømm shaft Lmm manuf. no. 7805DV / 22011 motor type M37RN/M37LN			
For models:	OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP1-800-Neutra, OLLP1-S8, OLLP1-S8EL, OLLP-ZERO, OLLPZERO-1081057			
spare parts for	360295			
	No.	360119	Ref. No.	—
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer			
	No.	360131	Ref. No.	—
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer			

1

No.	360346	Ref. No.	30001032	
description	timer CDC 7806DV engines 2 chambers 6 operation time 6s / 3min 230V shaft ømm shaft Lmm manuf. no. 7806DV / 30001032 motor type M37RN/M37LN			
For models:	OLDS50P-1081018, OLDS50PD-1081019, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S			
spare parts for	360346			
	No.	360119	Ref. No.	—
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer			
	No.	360131	Ref. No.	—
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer			

1

No.	360294	Ref. No.	30001031	
description	timer CDC 7806DV engines 2 chambers 6 operation time 6s / 3min 230V shaft ømm shaft Lmm manuf. no. 7806DV / 30001031 motor type M37RN/M37LN			
For models:	OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50P-1081018, OLDS50PD-1081019, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra			
spare parts for	360294			
	No.	360119	Ref. No.	—
motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer				
	No.	360131	Ref. No.	—
motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer				

1

No.	360289	Ref. No.	10708/L
description	timer CROUZET engines 1 chambers 2 operation time 120s 230V shaft ømm shaft Lmm manuf. no. 627/5309 motor type 600		
For models:	OLDerby, OLDS35, OLDS35-1081005, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081006, OLDS37-1081063, OLDS37D-1081007, OLDS37D-1081064, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS37-Neutra, OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS40-Neutra, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLG35, OLG35-1080702, OLG35D-1081000, OLG35-Neutra, OLGastro450, OLG537, OLG537-1080700, OLG537D-1080707, OLG537LS-1081001, OLG537LSD-1081002, OLG537-Neutra, OLG540, OLG540-1080701, OLG540D-1080708, OLG540D-1081003, OLG540-Neutra, OLG545, OLG545LSD-1081004, OLG550...(Other models you can see in the webshop)		



1

No.	360336	Ref. No.	3102335 BN3102335
description	timer FIBER P25 engines 1 chambers 1 operation time 30s 230V shaft ø 6x4.6mm shaft L 18mm manuf. no. P255J01C6R7 motor type M51BJ0R6400		
For models:	ECVM10ES2, ECVM10ES2-1324290, ECVM10ES2-1324290MN, ECVM10ES2-1326120, ECVM10GS2, ECVM10GS2-1314290, ECVM10GS2-1316120, ECVM20ES2, ECVM20ES2-1324390, ECVM20ES2-1326140, ECVM20GS2, ECVM20GS2-1314390, ECVM20GS2-1316140, ECVM21ES2, ECVM21ES2-1324490, ECVM21ES2-1326160, ECVM21GS2, ECVM21GS2-1314490, ECVM21GS2-1316160, ECVM6ES2, ECVM6ES2-1324190, ECVM6ES2-1326100, ECVM6ES2-1326100H, ECVM6GS2, ECVM6GS2-1314190, ECVM6GS2-1316100, ECVP10ES2, ECVP10ES2-1324690, ECVP10ES2-1326200, ECVP10GS2, ECVP10GS2-1314690, ECVP10GS2-1316200, ECVP20ES2, ECVP20ES2-1324790, ECVP20ES2-1326220, ECVP20GS2, ECVP20GS2-1314790, ECVP20GS2-1316220, ECVP21ES2, ECVP21ES2-1324890, ECVP21ES2-1326240, ECVP21GS2, ECVP21GS2-1314890, ECVP21GS2-1316240, ECVP6ES2, ECVP6ES2-1324590, ECVP6ES2-1326180, ECVP6GS2, ECVP6GS2-1314590, ECVP6GS2-1316180...(Other models you can see in the webshop)		




1

No.	360337	Ref. No.	3102320 BN3102320	
description	timer FIBER P25 engines 1 chambers 2 operation time 8min 230V shaft ø 6x4.6mm shaft L 20mm manuf. no. P255J02J2E4 motor type M51B-J0R6400			
For models:	CV10E-1320100, CV10EB-1321100, CV10G-1310100, CV10GB-1311100, CV20E-1320200, CV20EB-1321200, CV20G-1310200, CV20GB-1311200, CV21E-1322100, CV21ES2-1322190, CV21G-1312100, CV21GS2-1312190, CV6E-1320000, CV6E2-1320040, CV6G-1310000, CVM10E-1320400, CVM10G-1310400, CVM10G-1310410, CVM10GP-1310400, CVM20E-1320500, CVM20G-1310500, CVM21E-1322400, CVM21ES2-1322490, CVM21G-1312400, CVM21GS2-1312490, CVM6E-1320300, CVM6G-1310300, CVM6G-1310310, CVP10E-1320700, CVP10G-1310700, CVP10GP-1310700, CVP20E-1320800, CVP20EB-1321200, CVP20G-1310800, CVP21E-1322700, CVP21ES2-1322790, CVP21GS-1312750, CVP21GS2-1312790, CVP6E-1320600, CVP6G-1310600			
spare parts for	360337			
	No.	360673	Ref. No.	—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder			



1

No.	360435	Ref. No.	011DWM10300121 BN011DWM10300121	
description	timer FIBER P25 engines 1 chambers 4 operation time 6min 230V 50Hz shaft ø 6mm shaft Lmm motor type M51BJ0L6400			
spare parts for	360435			
	No.	360674	Ref. No.	—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder			



1

No.	350038	Ref. No.	R65090020	
description	timer FIBER P34 engines 1 chambers 2 operation time 144min 230V shaft ø 6x4.6mm shaft L 20mm manuf. no. P345J02N765 motor type M51BJ0L6400 impulse electric			
For models:	CCE042M, CCE051M, CCE071M, CCE101M, CCE102M, CCG051M, CCG071M, CCG101M, CCG102M			
spare parts for	350038			
	No.	360674	Ref. No.	—
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder			

audible timers



1

No.	350036	Ref. No.	1031006400
description	audible timer operation time 60min ø 55mm shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm		
For models:	FOE60M, OFOE60M, OFOE-60M-12601001		

alarm devices


alarm units



1

No.	350114	Ref. No.	6A021955
description	buzzer 110-240VAC ø 22.5mm H 68mm built-in version mounting ø 22.5 80dB		
For models:	74-02NPEI, 7PN-EI50		

buzzers



1

No.	350086	Ref. No.	R65301440
description	buzzer 12VDC connection cable 200mm PCB buzzer 20dB		
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		



1

No.	350050	Ref. No.	R65330010
description	buzzer 230VAC connection male faston 6.3mm screw mounting thread M4 60dB		
For models:	CCE042M, CCE051M, CCE071M, CCE101M, CCE102M, CCG051M, CCG071M, CCG101M, CCG102M		



1

No.	350080	Ref. No.	3103266 BN3103266
description	buzzer buzzer		
For models:	ECVM10ES2, ECVM10ES2-1324290, ECVM10ES2-1324290MN, ECVM10ES2-1326120, ECVM10GS2, ECVM10GS2-1314290, ECVM10GS2-1316120, ECVM20ES2, ECVM20ES2-1324390, ECVM20ES2-1326140, ECVM20GS2, ECVM20GS2-1314390, ECVM20GS2-1316140, ECVM21ES2, ECVM21ES2-1324490, ECVM21ES2-1326160, ECVM21GS2-1314490, ECVM21GS2-1316160, ECVM6ES2, ECVM6ES2-1324190, ECVM6ES2-1326100, ECVM6ES2-1326100H, ECVM6GS2, ECVM6GS2-1314190, ECVM6GS2-1316100, ECVP10ES2, ECVP10ES2-1324690, ECVP10ES2-1326200, ECVP10GS2, ECVP10GS2-1314690, ECVP10GS2-1316200, ECVP20ES2, ECVP20ES2-1324790, ECVP20ES2-1326220, ECVP20GS2, ECVP20GS2-1314790, ECVP20GS2-1316220, ECVP21ES2, ECVP21ES2-1324890, ECVP21ES2-1326240, ECVP21GS2, ECVP21GS2-1314890, ECVP21GS2-1316240, ECVP6ES2, ECVP6ES2-1324590, ECVP6ES2-1326180, ECVP6GS2, ECVP6GS2-1314590, ECVP6GS2-1316180, NECVM10ES2...(Other models you can see in the webshop)		

contactors

ABB

power contactors



1

No.	380104	Ref. No.	6A001410
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type A9-30-10		
For models:	94-04PEI100L, 94-04PEI100L-12901765, 94-04PEI110L-12901765BN, 94-04PEI150L, 94-04PEI150L-12901767, 94-04PEI150L-12901767BN, 9PN-EI100, 9PN-EI150		

GENERAL ELECTRIC (AEG)

power contactors



1

No.	380239	Ref. No.	10300391 15086/B 6A047031 BN6A047031
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type LS05 01A type AEG LS05 01A type GE MC1A 301A		
For models:	110-135CGE, 110-135CGE2P, 110-135CGEE, 110-135CGEE2P, 110-135CGEEP, 110-135CGEP, 110-90CGE, 110-90CGE1P, 110-90CGEP, 110-90CTEE, 110-90CTGE, 110-90FTE, 110-90FTE1-2R, 110-90FTEC, 110-90FTEC1-2R, 110-90FTECR, 110-90FTFE, 110-90FTFE1-2R, 110-90FTFTE, 110-90FTFTE1-2R, 110-90FTFTECR, 110-90FTFTECR, 55-45FRE, 55-90FRE, 73-02FRE, 73-02FRE-12701550, 73-02FRE, 73-02FRE-12701580, 7FRI-E610, 93-04FRE10L, 93-04FRE-12901550, 94-04CEE, 94-04CEE-12901210, 94-04CEE-12901210BN, 94-04CGE-12900011, 94-04CGE-12900011TA, 94-04CGE1P-12900031, 94-04CGEP-12900061, 94-04CGEP-12900061TA, 94-04CGG1P-12900031TA, 94-04CTEE-12901180, 94-04CTEE-12901180BN, 94-04CTEES, 94-04CTEES-12901185, 94-04CTEES-12901185BN, 94-04CTGE, 94-04CTGE-12900190...(Other models you can see in the webshop)		

			
1			
No.	380238	Ref. No.	10300392
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type LS0510A type AEG LS0510A type GE MC1A 310A		
For models:	OLH600, OLH600Electronic, OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT-11-Neutra, OLHT11S, OLHT11S-Neutra, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12SElectronic, OLHT12S-Neutra		

			
2			
No.	380337	Ref. No.	6A047037 BN6A047037
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 4NO auxiliary contacts connection screw connection type AEG LS05 400A type GE MC1A 400A		
For models:	421SEFR-1826125, 621SEFR-1826135, CV10E, CV10E-1320100, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140...(Other models you can see in the webshop)		

			
1			
No.	380839	Ref. No.	2000370
description	power contactor resistive load 20A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type LS0510A type AEG LS0510A type GE MC1A 310A		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151LEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

			
1			
No.	380245	Ref. No.	6A047034 BN6A047034
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS4K 01A type GE CL00A 301 H 85mm		
For models:	40SEW-1825190, 41SEFR, 41SEFR-1826120, 41SEFR2S-1826120, 61SEFR, 61SEFR-1826130, 61SEFR2S-1826130, 7101FR-E-1077750R, 7121FR-E-1077950R, 7201FR-E-1077850R, 72-02FRE, 72-02FRE-12701500, 72-02FREM, 72-02FREM-12701530, 7221FR-E-1078050R, 725KB-E-1000200, 725KB-E-1000200R, 725KB-EB-1000201, 725KB-EB-1000201R, 725KB-EM-1000210R, 725KB-EMB-1000211, 73-02FRE, 73-02FRE-12701550, 74-02FRE, 74-02FRE-12701600, 74-02FREM, 74-02FREM-12701630, 74-02KBEB, 74-02KBEB-12701110, 74-02KBEBI, 74-02KBEBI-12701115, 74-02KBEF, 74-02KBEF-12701128, 74-02KBEMB, 74-02KBEMB-12701120, 74-02KBEMBI, 74-02KBEMBI-12701125, 74-02KBEMBI-12701125HB, 74-02NPEI, 74-02NPEI-12701755, 7FRI-E415, 7FRI-E415M, 7FRI-E815, 7PN-EI50, 9122PFRE-1104930, 9141PFRE-1204950, 92-04FRE15L, 92-04FRE15L-12901510, 921FRE-1292925, 921RFRE-1392925...(Other models you can see in the webshop)		

			
1			
No.	380244	Ref. No.	10300050
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS4K 10A type GE CL00A 310		
For models:	G12S, OLGRANUL900, OLH600, OLH600Electronic, OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT-11-Neutra, OLHT11S, OLHT11S-Neutra, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12SElectronic, OLHT12S-Neutra, OLLP1-1081059, OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP1-800-Neutra, OLLP1-S8, OLLP1-S8EL, OLLP2-1080722, OLLP2-1080742, OLLP2Electronic-Neutra, OLLP2PLUS, OLLP3-1080723, OLLP3-1080743, OLLP3Electronic-Neutra, OLLP3PLUS, OLLP4-1081258, OLLP4-800-1081058, OLLP4-800Electronic-Neutra, OLLP4PLUS, OLLP-ZERO, OLLPZERO-1081057		



1

No.	381136	Ref. No.	2000380
description	power contactor resistive load 25A 24VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG type GE CL01A310T1		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		



2

No.	380262	Ref. No.	10300052 6A047036 BN6A047036
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS7K01A type GE CL02A 301 H 85mm		
For models:	72-02TVTCV, 72-02TVTCV-12731005, 72-02VTC, 72-02VTCV, 72-02VTG-12701005, 74-02TVTCV, 74-02TVTCV-12731006, 74-02VTCEV, 74-02VTCEV-12701020, 74-02VTCV, 74-02VTCV-12701006, 7NPCF-VCE800, 92-04FRE20L, 92-04FRE20L-12901500, 92-04FRE20L-12901500BN, 92-04VTC, 92-04VTC-12931005, 92-04VTCV-12931055, 92-04VTC, 92-04VTCV-12901055, 94-04FRE-12901600, 94-04FRE20L, 9FRI-E415, 9FRI-E420, 9FRI-E610, 9FRI-E820, 9NPC-VCE400, 9NPCV-VCE400, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CVM20E, CVM20E-1320500, CVM20E-2, CVM20E2-1320540, CVM20E-S, CVM20ES-1320550, CVM20E-S2, CVM20ES2-1320590, CVP20E, CVP20E-1320800, CVP20E-2, CVP20E2-1320840, CVP20EB-1321200...(Other models you can see in the webshop)		



1

No.	381154	Ref. No.	10300054
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG type GE CL02A310R6		
For models:	OLH600, OLH600Electronic, OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT-11-Neutra, OLHT11S, OLHT11S-Neutra, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12SElectronic, OLHT12S-Neutra, OLLP1-1081059, OLLP2-1080722, OLLP2Electronic-Neutra, OLLP4-800-1081058, OLLP4-800Electronic-Neutra		



1

No.	380671	Ref. No.	2000385
description	power contactor resistive load 45A 24VAC (AC3/400V) 25A/11kW main contacts 3NO auxiliary contacts connection screw connection type AEG LS11K 00A type GE CL25A300T1		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		



 			
1			
No.	380385	Ref. No.	6A047035 BN6A047035
description	power contactor resistive load 60A 230VAC (AC3/400V) 32A/16kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS15K 01A type GE CL04A 310		
For models:	CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21E5-1322150, CV21E-S2, CV21E52-1322190, CVM21E, CVM21E-1322400, CVM21E-2, CVM21E2-1322440, CVM21E-S, CVM21E5-1322450, CVM21E-S2, CVM21E52-1322490, CVP21E, CVP21E-1322700, CVP21E-2, CVP21E-S, CVP21E5-1322750, CVP21E-S2, CVP21E52-1322790, ECV21E52, ECV21E52-1324390, ECV21E52-1326140, ECV21E52, ECV21E52-1324790, ECV21E52-1326220, ECV21E52, ECV21E52-1324890, ECV21E52-1326240, FC21E, FC21E-2, FC21E-2-418035422140, FC21E-2S, FC21E-2S-418035422190, FC21E-418035422100, FC21E-S, FC21E-S-418035422150, FCM21E, FCM21E-2, FCM21E-2-418035422440, FCM21E-2S, FCM21E-2S-418035422490, FCM21E-418035422400, FCM21E-S, FCM21E-S-418035422450, FCM21E... (Other models you can see in the webshop)		

auxiliary contacts

			
1			
No.	380242	Ref. No.	6A047038 BN6A047038
description	auxiliary contact contacts 1NO/1NC for contactors M+LS05 connection screw AC-12 10A type AEG HS05K 11HS type GE MARN 211		
For models:	CV10E, CV10E-1320100, CV10E-2, CV10E2-1320140, CV10E5-1321100, CV10E-S, CV10E5-1320150, CV10E-S2, CV10E52-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10G5-1311100, CV10G-S, CV10G5-1310150, CV10G-S2, CV10G52-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20E5-1321200, CV20E-S, CV20E5-1320250, CV20E-S2, CV20E52-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20G5-1311200, CV20G-S, CV20G5-1310250, CV20G-S2, CV20G52-1310290, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S2, CV21E52-1322190, CV21G-2, CV21G2-1312140, CV21G-S2, CV21G52-1312190, CV6E, CV6E-1320000, CV6E-1320050, CV6E-2, CV6E2-1320040... (Other models you can see in the webshop)		

			
1			
No.	380243	Ref. No.	6A047039 BN6A047039
description	auxiliary contact contacts 2NO/2NC for contactors M+LS05 connection screw AC-12 10A type AEG HS05K 22HS type GE MARN 422		
For models:	CV10E-2, CV10E2-1320140, CV10E-S2, CV10E52-1320190, CV10G-2, CV10G2-1310140, CV10G-S2, CV10G52-1310190, CV20E-2, CV20E2-1320240, CV20E-S2, CV20E52-1320290, CV20G-2, CV20G2-1310240, CV20G-S2, CV20G52-1310290, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S2, CV21E52-1322190, CV21G-2, CV21G2-1312140, CV21G-S2, CV21G52-1312190, CV6E-2, CV6E2-1320040, CV6E-S2, CV6E52-1320090, CV6G-2, CV6G2-1310040, CV6G-S2, CV6G52-1310090, CVM10E-2, CVM10E2-1320440, CVM10E-S2, CVM10E52-1320490, CVM10G-2, CVM10G2-1310440, CVM10G-S2, CVM10G52-1310490, CVM20E-2, CVM20E2-1320540, CVM20E-S2, CVM20E52-1320590, CVM20G-2, CVM20G2-1310540, CVM20G-S2, CVM20G52-1310590, CVM21E-1322400... (Other models you can see in the webshop)		

			
1			
No.	380387	Ref. No.	6A047040 BN6A047040
description	auxiliary contact contacts 3NO/1NC AC15 6A for contactors M+LS05 connection screw AC-12 10A		
For models:	CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21E5-1322150, CV21E-S2, CV21E52-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140, CV21G-S, CV21G5-1312150, CV21G-S2, CV21G52-1312190, CVM21E, CVM21E-1322400, CVM21E-2, CVM21E2-1322440, CVM21E-S, CVM21E5-1322450, CVM21E-S2, CVM21E52-1322490, CVM21G, CVM21G-1312400, CVM21G-2, CVM21G2-1312440, CVM21G-S, CVM21G5-1312450, CVM21G-S2, CVM21G52-1312490, CVP21E, CVP21E-1322700, CVP21E-2, CVP21E-S, CVP21E5-1322750, CVP21E-S2, CVP21E52-1322790, CVP21G, CVP21G-1312700, CVP21G-2, CVP21G2-1312740, CVP21G-S, CVP21G5-1312750, CVP21G-S2, CVP21G52-1312790, FC21E, FC21E-2, FC21E-2-418035422140... (Other models you can see in the webshop)		

motor protection circuit breakers



1

No.	380940	Ref. No.	2000394
description	motor protection circuit breaker type GPS1BSAH setting range 2.5-4A DIN rail contacts screw clamp		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		



2

No.	380939	Ref. No.	2000400
description	motor protection circuit breaker type GPS1BSAJ setting range 4-6.3A DIN rail connection screw		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

ISKRA (FANAL)

power contactors



1

No.	380213	Ref. No.	15086
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL7 10 type ISKRA K07M 10		
For models:	G12S, OLDS40-1081010, OLDS40D-1081011, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50P-1081018, OLDS50PD-1081019, OLDW020H, OLElectron1000, OLElectron400, OLElectron500, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLG600, OLGastro450, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLGRANUL900, OLG540, OLG545, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLG585, OLG585-1081016, OLG585D-1081017, OLG585-Neutra, OLH600, OLH600Electronic, OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT-11-Neutra, OLHT11S, OLHT11S-Neutra, OLHT12-1081075...(Other models you can see in the webshop)		

LOVATO

power contactors



1

No.	380855	Ref. No.	6A047200 826630300 BN826630300	
description	power contactor resistive load 25A 230VAC (AC3/400V) 4.2kW main contacts 3NO auxiliary contacts 1NO			
For models:	40SEW, 40SEW-1825190, 41SEFR, 41SEFR-1826120, 61SEFR, 61SEFR-1826130, 710FRE-1077700, 712FRE-1077900, 720FRE-1077800, 722FRE-1078000, 725KB-E-1000200, 725KBE-1000200, 725KBEB-1000201, 725KBEM-1000210, 725KBEMB-1000211, 7BR-E100, 7BR-E105, 7BRF-E805, 7BRS-E100, 7BRS-E105, 9121PFRE-1204925, 9122PFRE-1104930, 9141PFRE-1204950, 921FRE, 921FRE-1292925, 921RFRE-1392925, 922FRE-1192930, 922RFRE-1392930, 941FRE-1292950, 941RFRE-1392950, 96-04KBEC, 96-04KBEC-12901105, 9BR-E100, 9BR-E105, 9BR-E125, 9BRS-E100, 9BRS-E105, CV6E-1320000, CV6E2-1320040, CV6EB-1321000			
accessories for	380855			
	No.	380055	Ref. No.	—
RC circuit voltage AC/DC suitable for BF09-32 rated 240V				
	No.	380118	Ref. No.	—
auxiliary contact contacts 1NO/1NC AC1 10A for contactors BF series connection screw type G480/11				

			
1			
No.	380782	Ref. No.	6A047030 BN6A047030
description	power contactor resistive load 40A 230VAC (AC3/400V) 12.5kW main contacts 3NO connection screw connection		
For models:	911PEB-1192805, 911RPEB-1392890, 915PEB-1192800, 94KBE, 94KBE-1192870, 94KBEM-1192880, 94RKBE-1392870, 94RKBE-1392880		

			
1			
No.	381005	Ref. No.	R65140710
description	power contactor resistive load 35A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type DILM 17-01		
For models:	CCE101M, CCE102M, CKEP06B, CKEP10, CKEP10B, CKET10, CKET10B		

MOELLER/EATON

power contactors

			
1			
No.	380550	Ref. No.	R65140550 R65140700
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type DILM9 01		
For models:	CCE042M, CCE051M, CCE071M, CCE101M, CCE102M, CCG071M, CCG101M, CCG102M, CKEP06, CKEP06B, CKEP10, CKEP10B, CKET06, CKET06B, CKET10B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGT06, CKGT06B, CKGT10B		
accessories for	380550		
	No.	380555	Ref. No. —
	auxiliary contact contacts 2NO/2NC AC15 16A for contactors DILEM connection screw type DILA-XHI22		
	No.	380556	Ref. No. —
	auxiliary contact contacts 4NO AC15 16A for contactors DILM 7-32 connection screw type DILA-XHI40		
	No.	380557	Ref. No. —
	auxiliary contact contacts 4NC AC15 16A for contactors DILM 7-32 connection screw type DILA-XHI04		
	No.	380558	Ref. No. —
	auxiliary contact contacts 3NO/1NC AC15 16A for contactors DILM 7-32 connection screw type DILA-XHI31		
	No.	380559	Ref. No. —
	auxiliary contact contacts 1NO/3NC AC15 16A for contactors DILM 7-32 connection screw type DILA-XHI13		
	No.	380568	Ref. No. —
RC circuit suitable for DILM 9-12 rated 110-240V			

overload switches

			
1			
No.	381006	Ref. No.	R65160760
description	overload switch connection screw setting range 1-1.6A type ZB12		
For models:	CCE101M, CCE102M, CKEP10, CKEP10B, CKGP10, CKGP10B		

auxiliary contacts

1

No.	381007	Ref. No.	R65140730
description	auxiliary contact contacts 1NO/1NC AC15 10A for contactors connection screw type DILA-XHI11		
For models:	CKEP06, CKEP06B, CKEP10B, CKET06, CKET06B, CKET10B		

1

No.	380565	Ref. No.	R65140740
description	auxiliary contact contacts 1NO/1NC AC15 10A for contactors DIL 17-32 connection screw type DILM 32-CHI11-S		
For models:	CKEP06, CKEP10, CKEP10B, CKET10		

SIEMENS

power contactors



1

No.	380652	Ref. No.	R65140380
description	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 3RT10-16-1AP02		
For models:	CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		



1

No.	380389	Ref. No.	CM187300
description	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT10-16-1AP01		
For models:	CPE60, CPE60DB, FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, OCPE60, OCPE-60-12601900, OCPE-60-12601900MN, OFQE41, OFQE-41-12601510, OFQE-41-12601510MN, OFQE41L, OFQE61, OFQE-61-12601610, OFQE-61-12601610MN, OFQE61L		



1

No.	380646	Ref. No.	R65140400
description	power contactor resistive load 40A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts connection screw connection type 3RT10-25-1AL20		
For models:	CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B		

auxiliary contacts



1

No.	380653	Ref. No.	R65140420
description	auxiliary contact contacts 1NO/1NC AC15 3A for contactors 3RT101 connection screw connection type 3RH1911-1FA11		
For models:	CKEP20		



1

No.	380647	Ref. No.	R65140430
description	auxiliary contact contacts 1NO/1NC AC15 3A for contactors 3RT102 3 RT103 connection screw connection type 3RH1921-1EA11 resistive load 10A AC-12 10A		
For models:	CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B		

overload switches



1

No.	380659	Ref. No.	R65160570
description	overload switch setting range 0.7-1A connection screw type 3RU1116-0JB0 (AC3/400V) 0.25kW		
For models:	CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B		



1

No.	380661	Ref. No.	R65160620
description	overload switch setting range 1.4-2.0A connection screw type 3RU1116-1BB0 (AC3/400V) 0.75kW		
For models:	CKEP20, CKEP21, CKEP21B, CKEP40, CKEP40B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B		

motor protection circuit breakers



1

No.	382000	Ref. No.	R65160590
description	motor protection circuit breaker type 3RU1116-1EBO setting range 2.8-4A (AC3/400V) 1.5kW		
For models:	CKEP20B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B		

ABL SURSUM

motor protection circuit breakers



1

No.	380300	Ref. No.	2000390
description	motor protection circuit breaker type Mbs25-016 setting range 1-1.6A (AC3/400V) 0.55kW		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEF-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		
accessories for	380300		
	No.	380305	Ref. No. —
auxiliary contact contacts 1NO/1NC HMS11			

relays

power relays

with DIN rail mounting

upper



1

No.	380180	Ref. No.	560301
description	power relays FINDER 230VAC 16A 3CO connection male faston 6.3mm DIN rail manuf. no. 62.83.8.230.4007		
For models:	G12S, OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT11S, OLHT11S-Neutra, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12SElec-tronic, OLHT12S-Neutra		



1

No.	380314	Ref. No.	166550971
description	power relays Italiana Relè 230VAC 20A 1NC/1NO connection male faston 6.3mm DIN rail manuf. no. A1B-230AC-AD		
For models:	KBT40-21091640, KC41-210916400BDC		

lateral



1

No.	380336	Ref. No.	LA65170100 LAR65170100
description	power relays FINDER 230VAC 16A 2NO connection male faston 6.3mm DIN rail manuf. no. 62.82.8.230.0308		
For models:	CCG051M, CCG071M, CCG101M, CCG102M, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B		
accessories for	380336		
	No.	380703	Ref. No. —
adapter for flange mounting suitable for Finder relay 62 series.			
	No.	380811	Ref. No. —
adapter with bracket mounting suitable for Finder relay 62 series.			

Table continues overleaf

accessories for 380336		No.	380954	Ref. No.	—
	adapter hole distance 54mm bracket mounting suitable for Finder relay 62 series. L 41mm W 39mm H 49mm				
	adapter for DIN rail mounting suitable for Finder relay 62 series.				
	adapter for DIN rail mounting suitable for Finder relay 62 series.				

with bracket mounting

					
1	No.	380139	Ref. No.	15620	
description		power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000			
For models:		OLDS35, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081006, OLDS37-1081063, OLDS37D-1081007, OLDS37D-1081064, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS37-Neutra, OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS40-Neutra, OLDS50-Neutra, OLG35, OLG35D-1081000, OLG35-Neutra, OLG600, OLGastro450, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLG540, OLG545, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLG585, OLG585-1081016, OLG585D-1081017, OLG585-Neutra, OLHT11-1081071, OLHT11D-1081072, OLHT11E-CO-1081070, OLHT-11-Neutra...(Other models you can see in the webshop)			


					
1	No.	380403	Ref. No.	16047	
description		power relays FINDER 230VAC 16A 3CO connection F6.3 bracket mounting manuf. no. 62.83.8.230.0500			
For models:		OLDS37-1081006, OLDS37D-1081007, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS40-1081010, OLDS40D-1081011, OLDS40LS-1081012, OLDS40LSD-1081013, OLG35-1080702, OLG37, OLG37-1080700, OLG37D-1080707, OLG37LS-1081001, OLG37LSD-1081002, OLG37-Neutra, OLG540, OLG540-1080701, OLG540D-1080708, OLG540D-1081003, OLG540-Neutra, OLG545, OLG540LSD-1081004, OLG585, OLG585-1081016, OLG585D-1081017, OLG585-Neutra, OLLinear, OLStar			

					
1	No.	380185	Ref. No.	166560	
description		power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A10-230AC-FA			
For models:		KC41-210916400BDC, KTRNBT300122-2025130105DK, KTRNB-T300122A-20251301051G, OLSPABTV140-201724030CI4, OLSPABTV70-201717030CHY, ROLL-IN1P-211008120CJE, ROLL-IN1P-211008120CJG, ROLL-IN1PBT-211009120CJF, ROLL-IN2P-211016120CJL, ROLL-IN2P-211016120CJM, ROLL-IN2P-211016220CJN, ROLL-IN2P-211016220CJP, ROLL-IN2PMTN-211016220CJO, ROLL-INP1P-211008220CJH, ROLL-INP1P-211008220CJG, ROLL-INP1PBT-211009220CJI, ROLL-INP1PPMTN-211008220CJJ			

with male contacts

female contact 2.0mm

					
1	No.	380377	Ref. No.	6A047070 BN6A047070 FR995940	
description		power relays FINDER 220-240VAC 10A 2CO connection F2 plug-in connection manuf. no. 55.32.8.230.0000 94.92.3 250V			
For models:		74-02NPEI, 7PN-EI50, CV10E-1320100, CV10EB-1321100, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E-1320200, CV20EB-1321200, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E-1322100, CV21ES2-1322190, CV21G-1312100, CV21GS2-1312190, CV6E-1320000, CV6E2-1320040, CV6EB-1321000, CV6G, CV6G-1310000, CV6G-2, CV6G2-1310040, CV6GB-1311000, CV6G-S, CV6GS-1310050, CV6G-S2, CV6GS2-1310090, CVM10E-1320400, CVM10G-1310400, CVM10G-1310410, CVM10GP-1310400, CVM20E-1320500, CVM20G-1310500, CVM21E-1322400, CVM21ES2-1322490, CVM21G-1312400, CVM21GS2-1312490...(Other models you can see in the webshop)			
accessories for 380377					
	No.	380341	Ref. No.	—	
relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4					
	No.	380378	Ref. No.	—	
relay socket 2-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.72					
	No.	380384	Ref. No.	6A047074 A047074 BN6A047074	
relay socket 2-pole contacts male faston 2.8mm 250V voltage AC 10A W 23mm for					
	No.	380399	Ref. No.	—	
relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3					



1

1



1

[illegible]

1

time relays

1

MAG-PRO 



1

No.	380386	Ref. No.	6A047065 BN6A047065
description	time relay CROUZET MUS2-88826004 time range 0.1s-100h 24-240VAC 0.7A 1NO connection grip connection		
For models:	CV10E-1320100, CV10G-1310100, CV20E-1320200, CV20G-1310200, CV21E-1322100, CV21ES2-1322190, CV21G-1312100, CV21GS2-1312190, CV6E-1320000, CV6E2-1320040, CV6G-1310000, CVM10E-1320400, CVM10G-1310400, CVM10G-1310410, CVM10GP-1310400, CVM20E-1320500, CVM20G-1310500, CVM21E-1322400, CVM21ES2-1322490, CVM21G-1312400, CVM21GS2-1312490, CVM6E-1320300, CVM6G-1310300, CVM6G-1310310, CVP10E-1320700, CVP10G-1310700, CVP10GP-1310700, CVP20E-1320800, CVP20G-1310800, CVP21E-1322700, CVP21ES2-1322790, CVP21GS-1312750, CVP21GS2-1312790, CVP6E-1320600, CVP6G-1310600		




1

No.	380878	Ref. No.	3006225 3006226
description	time relay FINDER 80.11.0.240 time range 0.1s-20h 12-240V AC/DC 16A mounting measurements DIN railmm 1CO connection grip connection		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEF-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

transformers

open transformers

with clamp terminal



1

No.	401189	Ref. No.	6A047047 BN6A047047
description	transformer 20VA		
For models:	ECVM10ES2, ECVM10ES2-1324290, ECVM10ES2-1326120, ECVM10GS2, ECVM10GS2-1314290, ECVM10GS2-1316120, ECVM20ES2, ECVM20ES2-1324390, ECVM20ES2-1326140, ECVM20GS2, ECVM20GS2-1314390, ECVM20GS2-1316140, ECVM21ES2, ECVM6ES2, ECVM6ES2-1324190, ECVM6ES2-1326100, ECVM6ES2-1326100H, ECVM6GS2, ECVM6GS2-1314190, ECVM6GS2-1316100, ECVP10ES2, ECVP10ES2-1324690, ECVP10ES2-1326200, ECVP10GS2, ECVP10GS2-1314690, ECVP10GS2-1316200, ECVP20ES2, ECVP20ES2-1324790, ECVP20ES2-1326220, ECVP20GS2, ECVP20GS2-1314790, ECVP20GS2-1316220, ECVP21ES2, ECVP21ES2-1324890, ECVP21ES2-1326240, ECVP21GS2, ECVP21GS2-1314890, ECVP21GS2-1316240, ECVP6ES2, ECVP6ES2-1324590, ECVP6ES2-1326180, ECVP6GS2, ECVP6GS2-1314590, ECVP6GS2-1316180, NECVM10ES2, NECVM10ES2-1327290, NECVM10ES2-1328120, NECVM10ES2-1328120H, NECVM10GS2, NECVM10GS2-1317290...(Other models you can see in the webshop)		

encapsulated transformers

with screw connection



1

No.	400127	Ref. No.	R65180430
description	transformer primary 230VAC secondary 12VAC 40VA secondary 3.2A H 63mm L 75mm W 78mm connection 2-wire connection systems 50/60Hz moulded		
For models:	CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		

PMA



1

No.	400126	Ref. No.	R65180420
description	transformer primary 230VAC secondary 12VAC 20VA secondary 2.1A connection screw 50Hz		
For models:	CCE071M, CCE101M, CCE102M, CCG071M, CCG101M, CCG102M, CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		



1

No.	379054	Ref. No.	168305
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	KBT40-21091640, KC41-21091640BDC, KR41-210906400BFA, KTAP01-BASE-20220901044U, KTAP02-BASE-20221301048K, KTAP02BT-BASE-2022630105KW, KTAP03-BASE-2022180109UA, KTAP04-2022230109X0, KTAP04-BASE-2022230109RY, KTAR01, KTAR01N, KTAR02, KTAR02N, KTAR03, KTAR03N, KTAR04, KTAR04N, KTN40-21090640, KTR21-202108010BL5, KTR2-202108010BFC, KTR2A-202108010BGP, KTR3-202113010BHF, KTR32A-202113010BLQ, KTR34-202113010BLW, KTR3A-202113010BFW, KTR4-202117010BLG, KTR42-202117010BM0, KTR42A-202117010BM6, KTR44-202117010BMB, KTR4A-202117010BFF, KTR5-202122010BG2, KTR52-202122010BNK, KTR54-202122010BGC, KTR54A-202122010BNP, KTR5A-202122010BL3, KTRP3-202611010C2F, KTRP34-20261101096L, KTRP34A-20261101096K, KTRP3A-202611010C1L, KTRP4-202615010BNQ, KTRP4A-202615010BNR, KTRP52A-202620010BO5, KTRN200012-202010050495, KTRN200012A-2020100507UK, KTRN200013-2020100507UV, KTRN200013A-2020100507UU, KTRN200014-2020100507UM, KTRN200014A-2020100507UL, KTRN200015-2020100507UR, KTRN200015A-2020100507UT...(Other models you can see in the webshop)		

for lighting



1

No.	401188	Ref. No.	6A047061 BN6A047061
description	transformer primary 240V secondary 11.5V 100VA		
For models:	CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21E5-1322150, CV21E-S2, CV21E52-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140, CV21G-S, CV21GS-1312150, CV21G-S2, CV21GS2-1312190, CVM21E, CVM21E-1322400, CVM21E-2, CVM21E2-1322440, CVM21E-S, CVM21E5-1322450, CVM21E-S2, CVM21E52-1322490, CVM21G, CVM21G-1312400, CVM21G-2, CVM21G2-1312440, CVM21G-S, CVM21GS-1312450, CVM21G-S2, CVM21GS2-1312490, CVP21E, CVP21E-1322700, CVP21E-2, CVP21E-S, CVP21E5-1322750, CVP21E-S2, CVP21E52-1322790, CVP21G, CVP21G-1312700, CVP21G-2, CVP21G2-1312740, CVP21G-S, CVP21GS-1312750, CVP21G-S2, CVP21GS2-1312790, ECV21E52, ECV21GS2, ECV21GS2-1314490...(Other models you can see in the webshop)		

electronic controllers

DIXELL

refrigeration controllers

built-in version



1

No.	378249	Ref. No.	3006120
description	electronic controller DIXELL XR20C-1P3C0 mounting measurements 71x29mm 24V voltage AC/DC NTC/PTC relay outputs 1 CO-8A(3) NTC/PTC DI protection IP54 -50 up to +150°C display 3½ digits		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053...(Other models you can see in the webshop)		




1

No.	378228	Ref. No.	16815108 BN16815108
description	electronic controller DIXELL XW20L-5N0C1 mounting measurements 150x30mm built-in depth 65.5mm 230V voltage AC NTC/PTC relay outputs 2 NO-20A(8) CO-8A(3) NTC/PTC DI -50 up to +150°C display 3½ digits		
For models:	5520178		
accessories for	378228		
	No.	378194	Ref. No. —
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø7x24.5mm cable length 1.5m without screw connection 2-wire		
	No.	379052	Ref. No. 167201
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		
	No.	379053	Ref. No. —
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		
	No.	379057	Ref. No. —
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire		
	No.	379064	Ref. No. —
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
	No.	379160	Ref. No. 167212
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	No.	379161	Ref. No. 167211 2000401
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	No.	379162	Ref. No. —
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 6m 2-wire		
	No.	379343	Ref. No. —
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire		
	No.	379458	Ref. No. —
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		
	No.	402818	Ref. No. —
	programming key 4K for electronic controller DIXELL		

electronic thermometers

built-in version



1

No.	378046	Ref. No.	2000402
description	thermometer DIXELL XT11S mounting measurements 58x25.5mm 24V voltage AC/DC NTC 0 up to +60°C display 2½ digit 1 TempIn1 NTC DigilN1 defr. funct. front measurements 31x64mm		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLBX230, OLBX280, OLUX220		

ELIWELL

refrigeration controllers

built-in version



1

No.	379570	Ref. No.	16811201
description	electronic controller ELIWELL type ID961 mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC relay outputs 1 relay -50 up to +150°C display 3½ digits RoomTempIn yes compressor relay 8A		
For models:	SAL22R-2124922093V		
accessories for	379570		
	No.	379053	Ref. No. —
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		
	No.	379064	Ref. No. —
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
	No.	379161	Ref. No. 167211 2000401
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	No.	379782	Ref. No. —
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm		

			
1			
No.	379025	Ref. No.	16814001
description	electronic controller ELIWELL type ID961LX mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 front measurements 76.2x35mm protection IP65 -55 up to +150°C display 3½ digits		
For models:	KR41-210906400BFA, SAL22R-2124922093V		

			
1			
No.	379577	Ref. No.	1681108
description	electronic controller ELIWELL type ID974 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 3 relays -50 up to +150°C display 3½ digits RoomTempIN yes DEF Probe yes DEF Relay 8A fan relay 5A compressor relay 8A		
For models:	KTAP02BT-BASE-2022630105KW, KTRPBT300222-2022630107KT, KTRPBT300222A-2022630107KU		
accessories for	379577		
	No.	379053	Ref. No. —
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		
	No.	379064	Ref. No. —
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
	No.	379161	Ref. No. 167211 2000401
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	No.	379782	Ref. No. —
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm		

EVCO - EVERY CONTROL

refrigeration controllers

built-in version

			
1			
No.	379820	Ref. No.	BN1681114
description	electronic controller EVERY CONTROL type EVC20S35N7ALX30 mounting measurements 165x45mm 230V voltage AC NTC relay outputs 3 NO-16A(5) NO-8A(4) CO-8A(4) NTC NTC DI for fridge front measurementsmm built-in depth 56mm protection IP00 yes yes yes -40° up to 105°C display 4 digits		

			
1			
No.	379850	Ref. No.	936092 BN1681118 FR936092
description	electronic controller EVERY CONTROL type EVC20S35N7ALX40 mounting measurements 165x45mm 230V voltage AC NTC relay outputs 4 NO-16A(5) NO-8A(4) CO-8A(4) NO-8A(4) NTC NTC DI DI for fridge front measurementsmm built-in depth 56mm protection IP00 yes yes yes -40 up to +99°C display 4 digits		

SHANGFANG

accessories

			
1			
No.	379054	Ref. No.	168305
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	KBT40-21091640, KC41-210916400BDC, KR41-210906400BFA, KTAP01-BASE-20220901044U, KTAP02-BASE-20221301048K, KTAP02BT-BASE-2022630105KW, KTAP03-BASE-2022180109UA, KTAP04-202230109X0, KTAP04-BASE-2022230109RY, KTAR01, KTAR01N, KTAR02, KTAR02N, KTAR03, KTAR03N, KTAR04, KTAR04N, KTN40-21090640, KTRE21-202108010BL5, KTRE2-202108010BFC, KTRE2A-202108010BGP, KTRE3-202113010BHF, KTRE32A-202113010BLQ, KTRE34-202113010BLW, KTRE3A-202113010BFW, KTRE4-202117010BLG, KTRE42-202117010BMO, KTRE42A-202117010BM6, KTRE44-202117010BMB, KTRE4A-202117010BFF, KTRE5-202122010BG2, KTRE52-202122010BNK, KTRE54-202122010BG, KTRE54A-202122010BNP, KTRE5A-202122010BL3, KTREP3-202611010C2F, KTREP34-20261101096L, KTREP34A-20261101096K, KTREP3A-202611010C1L, KTREP4-202615010BNQ, KTREP4A-202615010BNR, KTRE-PS2A-202620010BO5, KTRN200012-202010050495, KTRN200012A-2020100507UK, KTRN200013-2020100507UV, KTRN200013A-2020100507UU, KTRN200014-2020100507UM, KTRN200014A-2020100507UL, KTRN200015-2020100507UR, KTRN200015A-2020100507UT...(Other models you can see in the webshop)		

miscellaneous

refrigeration controllers



No.	378411	Ref. No.	996380
description	power PCB EVCO type EVC80P16P7FRL01 mounting measurements 170x120mm		
For models:	031, 051, 081, 121, 161, BBC051DF-ASX-4186V21A286220, BB-F031AF-ASX-4186V204286210, OBC051DF-ASX-6V21A286220OL, OBC081AF-ASX-6V221285220OL, OBC121DF-ASX-6V23A285220OL, OBC161DF-ASX-6V24A485220OL, OBF031AF-ASX-6V204286210OL		

probes

universal probes

temperature probes



No.	379160	Ref. No.	167212
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
For models:	KSABT70G-2045370CJD, OLKSABT140-2045240CIW, OLKSABT144-2045240CJO, OLKSABT70-2045170CIO, OLKSABT72-2045170CIT, OLKSABTV140-2045240CIY, OLKSABTV70-2045170CIR, OLKSAP70-2045270CIP, OLKSATN140-2045140CIV, OLKSATN144-2045140CIZ, OLKSATN70-2045070CIN, OLKSATN72-2045070CIS, OLKSATNV140-2045140CIX, OLKSATNV70-2045070CIQ, OLSPAB100-201706030CLP, OLSPAB120-201707030CLN, OLSPAB200-201712030CLO, OLSPAB240-201714030CLO, OLSPABT120-201722030CII, OLSPABT124-201722030CIM, OLSPABT140-201724030CI2, OLSPABT144-201724030CI6, OLSPABT60-201716030CIC, OLSPABT70-201717030CHW, OLSPABT72-201717030CIO, OLSPABTV120-201722030CIK, OLSPABTV140-201724030CI4, OLSPABTV70-201717030CHY, OLSPATNN120-201712030CIH, OLSPATNN124-201712030CIL, OLSPATNN140-201714030CI1, OLSPATNN144-201714030CI5, OLSPATNN60-201706030CIB, OLSPATNN62-201706030CIF, OLSPATNN70-201707030CEM, OLSPATNN72-201707030CHZ, OLSPATNV120-201712030CIJ, OLSPATNV140-201714030CI3, OLSPATNV60-201706030CID, OLSPATNV70-201707030CHX, ROLL-IN1P-211008120CJE, ROLL-IN1P-211008120CJG, ROLL-IN1PBT-211009120CJF, ROLL-IN2P-211016120CJL, ROLL-IN2P-211016120CJM, ROLL-IN2P-211016220CJN, ROLL-IN2P-211016220CJP, ROLL-IN2PMTN-211016220CJO, ROLL-INP1P-211008220CJH, ROLL-INP1P-211008220CJL... (Other models you can see in the webshop)		



No.	379161	Ref. No.	167211 2000401
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
For models:	KSABT70G-2045370CJD, KTAP01-BASE-20220901044U, KTAP02-BASE-20221301048K, KTAP03-BASE-2022180109UA, KTAP04-2022230109X0, KTAP04-BASE-2022230109RY, KTRP00522-2022130107K4, KTRP200022-202209010500, KTRP200022A-2022090104EB, KTRP200042-2022090107HY, KTRP200042A-20220901077B, KTRP200044-2022090105CF, KTRP200044A-2022090107HZ, KTRP200052-2022090107HW, KTRP200052A-2022090107HX, KTRP200055-2022090107K1, KTRP200055A-2022090107K0, KTRP300222-2022130105HP, KTRP300222A-2022130104EC, KTRP300422-2022130106TB, KTRP300422A-2022130105XL, KTRP300442-2022130107K6, KTRP300442A-2022130107K7, KTRP300522-2022130107K2, KTRP300522A-2022130107K3, KTRP300552A-2022130107K5, KTRP402222A-2022180109WR, KTRP404222-2022180109WV, KTRP404222A-2022180109WU, KTRP404422-2022180104VV, KTRP404422A-2022180107KE, KTRP405222-2022180109WT, KTRP405222A-2022180109WS, KTRP405522-2022180107KB, KTRP405522A-2022180107KC, KTRP522222-2022230109WV, KTRP522222A-2022230109WX, KTRP542222A-2022230109X1, KTRP544222-2022230107KR, KTRP544222A-2022230107KP, KTRP552222-2022230109WZ, KTRP552222A-2022230109WY, KTRP555222-2022230107KM, KTRP555222A-2022230107KN, OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750... (Other models you can see in the webshop)		



No.	379130 ¹	Ref. No.	R65325000
description	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 1.4m without screw connection 3-wire resistance at 0°C 100Ohm		
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		

¹3-wire




No.	379050 ¹	Ref. No.	R65325010
description	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire		
For models:	CKEP21, CKEP21B, CKEP40, CKEP40B, CKET21, CKET21B, CKET40, CKET40B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT21, CKGT21B, CKGT40, CKGT40B		

¹3-wire

			
No.	379199	Ref. No.	3006121
description	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 5m without screw connection 2-wire		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053...(Other models you can see in the webshop)		

			
No.	379052	Ref. No.	167201
description	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		
For models:	KBT40-21091640, KC41-210916400BDC, KR41-210906400BFA, KTN40-21090640		

core probes

			
No.	378392	Ref. No.	6638200 996424 FR6638200 FR996424
description	core temperature probe Pt1000 universal angled probe -40 up to +120°C cable -10 up to 100°C cable PVC probe ø4x100mm cable length 5m 2-wire resistance at 0°C 1000Ohm for blast chiller		

producer-specific probes

probes

			
No.	378248	Ref. No.	50562
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection coded plug thread probe ø6x14mm cable length 2m		
For models:	OLDS40, OLDS40-1081065, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40-Neutra, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50D-1081090, OLElectron1000, OLElectron400, OLElectron500, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLGRANUL900, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLH600E-Neutra, OLHT-11-Neutra, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12SElectronic, OLHT12S-Neutra, OLLP1-800, OLLP1-800EL, OLLP1-800EL, OLLP155-1081087, OLLP1-S8, OLLP1-S8EL, OLLP2-1080742, OLLP2-PLUS, OLLP3-1080743, OLLP3-PLUS, OLLP4-1081258, OLLP4-PLUS		

			
No.	378314	Ref. No.	3006165
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread probe ø5x30mm cable length 0.35m		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053...(Other models you can see in the webshop)		

			
No.	378268	Ref. No.	50563
description	temperature probe NTC cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread probe ø6x15mm cable length 1.1m		
For models:	OLLP1-1081059, OLLP2-1080722, OLLP2Electronic-Neutra, OLLP3-1080723, OLLP3Electronic-Neutra, OLLP4-800-1081058, OLLP4-800Electronic-Neutra		

1 			
No.	379936	Ref. No.	3103275 BN3103275
description	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C connection 2-wire thread probe ø4-6x100mm cable length 1m		
For models:	CV20E-1320200, CV20E2-1320240, CV20EB-1321200, CV20ES-1320250, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140, CV21G-S, CV21GS-1312150, CV21G-S2, CV21GS2-1312190, CVM20E, CVM20E-1320500, CVM20E-2, CVM20E2-1320540, CVM20E-S, CVM20ES-1320550, CVM20E-S2, CVM20ES2-1320590, CVM20G, CVM20G-1310500, CVM20G-2, CVM20G2-1310540, CVM20G-S, CVM20GS-1310550, CVM20G-S2, CVM20GS2-1310590, CVM21E, CVM21E-1322400, CVM21E-2, CVM21E2-1322440...(Other models you can see in the webshop)		

2 			
No.	379935	Ref. No.	3103270 BN3103270
description	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C connection 2-wire thread probe ø6x100mm cable length 0.8m		
For models:	CMV6ES2-1320392, CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV6E, CV6E-1320000, CV6E-1320010, CV6E-1320050, CV6E-2, CV6E2-1320040, CV6EB-1321000, CV6E-S, CV6E-S2, CV6ES2-1320090, CV6G, CV6G-1310000, CV6G-1310010, CV6G-2, CV6G2-1310040, CV6GB-1311000, CV6G-S, CV6GS-1310050, CV6G-S2, CV6GS2-1310090, CVM10E, CVM10E-1320400...(Other models you can see in the webshop)		

1 			
No.	379937	Ref. No.	3103282 BN3103282
description	temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -50 up to 1150°C cable -40 up to +250°C connection 2-wire thread probe ø4x120mm cable length 2.4m -40 up to +250°C		
For models:	ECVM10ES2, ECVM10ES2-1324290, ECVM10ES2-1324290MN, ECVM10ES2-1326120, ECVM10GS2, ECVM10GS2-1314290, ECVM10GS2-1316120, ECVM20ES2, ECVM20ES2-1324390, ECVM20ES2-1326140, ECVM20GS2, ECVM20GS2-1314390, ECVM20GS2-1316140, ECVM21ES2, ECVM21ES2-1324490, ECVM21ES2-1326160, ECVM21GS2, ECVM21GS2-1314490, ECVM21GS2-1316160, ECVM6ES2, ECVM6ES2-1324190, ECVM6ES2-1326100, ECVM6ES2-1326100H, ECVM6GS2, ECVM6GS2-1314190, ECVM6GS2-1316100, ECVP10ES2, ECVP10ES2-1324690, ECVP10ES2-1326200, ECVP10GS2, ECVP10GS2-1314690, ECVP10GS2-1316200, ECVP20ES2, ECVP20ES2-1324790, ECVP20ES2-1326220, ECVP20GS2, ECVP20GS2-1314790, ECVP20GS2-1316220, ECVP21ES2, ECVP21ES2-1324890, ECVP21ES2-1326240, ECVP21GS2, ECVP21GS2-1314890, ECVP21GS2-1316240, ECVP6ES2, ECVP6ES2-1324590, ECVP6ES2-1326180, ECVP6GS2, ECVP6GS2-1314590, ECVP6GS2-1316180...(Other models you can see in the webshop)		

core probes

No.	379939	Ref. No.	3103280 BN3103280	
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø4x100mm thread cable length 1.25m handle ø 10mm handle length 90/100mm			
For models:	CMV6ES2-1320392, CV10E-1320100, CV10E-2, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G-1310100, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E-1320200, CV20E-2, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G-1310200, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E-1322100, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G-S, CV21GS-1312150, CV21G-S2, CV21GS2-1312190, CV6E-1320000, CV6E-1320050, CV6E-2, CV6E2-1320040, CV6EB-1321000, CV6E-S, CV6E-S2, CV6ES2-1320090, CV6G-1310000, CV6GB-1311000, CV6G-S, CV6GS-1310050, CV6G-S2, CV6GS2-1310090...(Other models you can see in the webshop)			
accessories for	379939			
	No.	379938	Ref. No.	3103285 BN3103285
	female connector 4-pole			

1 			
No.	378679	Ref. No.	965295
description	core temperature probe Pt1000 connection 8-wire probe ø4x100mm cable length 5m handle ø 16mm handle length 110mm		
For models:	031, 051, 081, 121, 161, BBC051DF-ASX-4186V21A286220, BB-F031AF-ASX-4186V204286210, OBC051DF-ASX-6V21A286220OL, OBC081AF-ASX-6V221285220OL, OBC121DF-ASX-6V23A285220OL, OBC161DF-ASX-6V24A485220OL, OBF031AF-ASX-6V204286210OL		

1			
No.	379510	Ref. No.	R65321100
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 6-pin connector probe ø3.5x90mm thread cable length 1.1m handle ømm handle length 90mm		
For models:	CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		

2			
No.	379773 ¹	Ref. No.	R65321120
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x90mm thread cable length 1.1m handle ømm handle length 90mm		
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B		

¹ multipoint probe

accessories

plugs/bushes

1			
No.	378016	Ref. No.	R65320920
description	female connector 4-pole		
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B		

1			
No.	379938	Ref. No.	3103285 BN3103285
description	female connector 4-pole		
For models:	CMV6ES2-1320392, CV10E-1320100, CV10E-2, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G-1310100, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E-1320200, CV20E-2, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G-1310200, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E-1322100, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G-S, CV21GS-1312150, CV21G-S2, CV21GS2-1312190, CV6E-1320000, CV6E-1320050, CV6E-2, CV6E2-1320040, CV6EB-1321000, CV6E-S, CV6E-S2, CV6ES2-1320090, CV6G-1310000, CV6GB-1311000, CV6G-S, CV6GS-1310050, CV6G-S2, CV6GS2-1310090...(Other models you can see in the webshop)		

1			
No.	379940	Ref. No.	3103290 BN3103290
description	lid		
For models:	CMV6ES2-1320392, CV10E-1320100, CV10E-2, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G-1310100, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E-1320200, CV20E-2, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G-1310200, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E-1322100, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G-S, CV21GS-1312150, CV21G-S2, CV21GS2-1312190, CV6E-1320000, CV6E-1320050, CV6E-2, CV6E2-1320040, CV6EB-1321000, CV6E-S, CV6E-S2, CV6ES2-1320090, CV6G-1310000, CV6GB-1311000, CV6G-S, CV6GS-1310050, CV6G-S2, CV6GS2-1310090...(Other models you can see in the webshop)		

1			
No.	378017	Ref. No.	R65321020
description	lid for plug contact		
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		

miscellaneous

1			
No.	379856	Ref. No.	R86020420
description	bag for core temperature probe		
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40		


electronics

frequency converters




No.	403841	Ref. No.	R65140830
description	frequency converter with heat sink for combi-steamer L 135mm W 135mm 800W ECS P0010205-0		
For models:	CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		


PCBs



No.	401191	Ref. No.	3103251 BN3103251
description	keypad PCB		
For models:	ECVM10ES2, ECVM10ES2-1324290, ECVM10ES2-1324290MN, ECVM10ES2-1326120, ECVM10GS2, ECVM10GS2-1314290, ECVM10GS2-1316120, ECVM20ES2, ECVM20ES2-1324390, ECVM20ES2-1326140, ECVM20GS2, ECVM20GS2-1314390, ECVM20GS2-1316140, ECVM21ES2, ECVM21ES2-1324490, ECVM21ES2-1326160, ECVM21GS2-1314490, ECVM21GS2-1316160, ECVM6ES2, ECVM6ES2-1324190, ECVM6ES2-1326100, ECVM6ES2-1326100H, ECVM6GS2, ECVM6GS2-1314190, ECVM6GS2-1316100, ECVP10ES2, ECVP10ES2-1324690, ECVP10ES2-1326200, ECVP10GS2, ECVP10GS2-1314690, ECVP10GS2-1316200, ECVP20ES2, ECVP20ES2-1324790, ECVP20ES2-1326220, ECVP20GS2, ECVP20GS2-1314790, ECVP20GS2-1316220, ECVP21ES2, ECVP21ES2-1324890, ECVP21ES2-1326240, ECVP21GS2, ECVP21GS2-1314890, ECVP21GS2-1316240, ECVP6ES2, ECVP6ES2-1324590, ECVP6ES2-1326180, ECVP6GS2, ECVP6GS2-1314590, ECVP6GS2-1316180		



No.	401957	Ref. No.	R65302180
description	keypad PCB		
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B		



1


No.	403498	Ref. No.	R65302160	
Description	keypad PCB combi-steamer with steam generator suitable for HME/HVE/HVG/HMG suitable for LAINOX 3 type K probes			
For models:	CKEP06B, CKEP10B, CKEP20B, CKEP21B, CKEP40B, CKGP06B, CKGP10B, CKGP20B, CKGP21B, CKGP40B			
Spare parts for	403498			
	No.	379130	Ref. No.	R65325000
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 1.4m without screw connection 3-wire resistance at 0°C 100Ohm			
	No.	381363	Ref. No.	—
	temperature probe thermocouple K (NiCr-Ni) probe -50 up to 1150°C cable -50 up to +180°C cable length 1.5m thread M10x1 adapter length 93mm adapter ø 6mm cable colours silver/yellow probe L 90/14mm probe ø 6/3mm			
Accessories for	403498			
	No.	381363	Ref. No.	—
	temperature probe thermocouple K (NiCr-Ni) probe -50 up to 1150°C cable -50 up to +180°C cable length 1.5m thread M10x1 adapter length 93mm adapter ø 6mm cable colours silver/yellow probe L 90/14mm probe ø 6/3mm			




1

No.	401958	Ref. No.	R65302150 R65302190
description	keypad PCB combi-steamer without steam generator suitable for LAINOX 2 type K probes		
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B		
spare parts for	401958		
	No.	379130	Ref. No. R65325000
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 1.4m without screw connection 3-wire resistance at 0°C 100Ohm		
	No.	381363	Ref. No. —
	temperature probe thermocouple K (NiCr-Ni) probe -50 up to 1150°C cable -50 up to +180°C cable length 1.5m thread M10x1 adapter length 93mm adapter ø 6mm cable colours silver/yellow probe L 90/14mm probe ø 6/3mm		
accessories for	401958		
	No.	381363	Ref. No. —
	temperature probe thermocouple K (NiCr-Ni) probe -50 up to 1150°C cable -50 up to +180°C cable length 1.5m thread M10x1 adapter length 93mm adapter ø 6mm cable colours silver/yellow probe L 90/14mm probe ø 6/3mm		

			
1			
No.	403231	Ref. No.	50570/D
description	keypad PCB dishwasher 80E/81E L 155mm W 100mm with display H 25mm buttons 6		
For models:	OLLP2-1080742, OLLP2-PLUS, OLLP3-1080743, OLLP3-PLUS, OLLP4-1081258, OLLP4-PLUS		

			
1			
No.	401192	Ref. No.	3103249 BN3103249
description	main PCB		
For models:	ECVM10ES2, ECVM10ES2-1324290, ECVM10ES2-1324290MN, ECVM10ES2-1326120, ECVM10GS2, ECVM10GS2-1314290, ECVM10GS2-1316120, ECVM20ES2, ECVM20ES2-1324390, ECVM20ES2-1326140, ECVM20GS2, ECVM20GS2-1314390, ECVM20GS2-1316140, ECVM21ES2, ECVM21ES2-1324490, ECVM21ES2-1326160, ECVM21GS2-1314490, ECVM21GS2-1316160, ECVM6ES2, ECVM6ES2-1324190, ECVM6ES2-1326100, ECVM6ES2-1326100H, ECVM6GS2, ECVM6GS2-1314190, ECVM6GS2-1316100, ECVP10ES2, ECVP10ES2-1324690, ECVP10ES2-1326200, ECVP10GS2, ECVP10GS2-1314690, ECVP10GS2-1316200, ECVP20ES2, ECVP20ES2-1324790, ECVP20ES2-1326220, ECVP20GS2, ECVP20GS2-1314790, ECVP20GS2-1316220, ECVP21ES2, ECVP21ES2-1324890, ECVP21ES2-1326240, ECVP21GS2, ECVP21GS2-1314890, ECVP21GS2-1316240, ECVP6ES2, ECVP6ES2-1324590, ECVP6ES2-1326180, ECVP6GS2, ECVP6GS2-1314590, ECVP6GS2-1316180, NECVM10ES2...(Other models you can see in the webshop)		

			
1			
No.	403221	Ref. No.	3006164
description	main PCB dishwasher AX 250/300/310/320/330 L 168mm W 148mm for display PCB Qty 1 pcs		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053...(Other models you can see in the webshop)		

			
1			
No.	401195	Ref. No.	3103245 3198400 BN3103245
description	PCB combi-steamer CV10E complete without potentiometer		
For models:	CMV6ES2-1320392, CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140...(Other models you can see in the webshop)		

			
1			
No.	402825	Ref. No.	R65301480
description	PCB combi-steamer GEMT L 130mm W 86mm new edition level control steam generator EVCO		
For models:	CKEP06B, CKEP10B, CKEP20B, CKEP21B, CKEP40B, CKGP06B, CKGP10B, CKGP20B, CKGP21B, CKGP40B		

			
1			
No.	402687	Ref. No.	50584
description	PCB dishwasher DS40/DS50 for flow meter		
For models:	OLDS40, OLDS40-1081065, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40-Neutra, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDW020H, OLElectron1000, OLElectron400, OLElectron500, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLG50, OLG50-1080705, OLG50D-1080706, OLG50E-1080730, OLG50ECO-1081014, OLG50ECOD-1081015, OLG50ED-1080731, OLG50-Neutra, OLLP1S5-1081087		



1



No.	402677	Ref. No.	50580
description	PCB dishwasher DS40/DS50 L 161mm W 90mm		
For models:	OLDS40, OLDS40-1081065, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40-Neutra, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50D-1081092, OLElectron1000, OLElectron400, OLElectron500, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLLP155-1081087		

1



No.	402676	Ref. No.	50559
description	PCB dishwasher HT11/12 L 102mm W 62mm timer		
For models:	OLDW020H, OLElectron1000, OLElectron500, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLGRA-NUL900, OLH600Electronic, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12SElectronic, OLHT12S-Neutra, OLLP1-1081059, OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP155-1081087, OLLP1-S8, OLLP1-S8EL, OLLP2-1080722, OLLP2-1080742, OLLP2Electronic-Neutra, OLLP2PLUS, OLLP3-1080723, OLLP3-1080743, OLLP3Electronic-Neutra, OLLP3PLUS, OLLP4-1081258, OLLP4-800-1081058, OLLP4-800Electronic-Neutra, OLLP4PLUS		

1




No.	402682	Ref. No.	50557
description	PCB dishwasher HT600/HT11/HT12 L 160mm W 102mm timer run-time 60/100/180s		
For models:	OLHT-11-Neutra		

1



No.	402675	Ref. No.	50581
description	PCB dishwasher KD60 L 185mm W 30mm buttons 4		
For models:	OLDS40, OLDS40-1081065, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40-Neutra, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50D-1081092, OLElectron1000, OLElectron400, OLElectron500, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLLP155-1081087		
accessories for	402675		
	No.	400066	Ref. No. 50589
ribbon cable 10-pole L 1000mm plug type FC-10P raster size 2.54mm			

1



No.	401193	Ref. No.	3103246 BN3103246
description	PCB HACCP interface		
For models:	ECVM10ES2, ECVM10ES2-1324290, ECVM10ES2-1324290MN, ECVM10ES2-1326120, ECVM10GS2, ECVM10GS2-1314290, ECVM10GS2-1316120, ECVM20ES2, ECVM20ES2-1324390, ECVM20ES2-1326140, ECVM20GS2, ECVM20GS2-1314390, ECVM20GS2-1316140, ECVM21ES2, ECVM21ES2-1324490, ECVM21ES2-1326160, ECVM21GS2-1314490, ECVM21GS2-1316160, ECVM6ES2, ECVM6ES2-1324190, ECVM6ES2-1326100, ECVM6ES2-1326100H, ECVM6GS2, ECVM6GS2-1314190, ECVM6GS2-1316100, ECVP10ES2, ECVP10ES2-1324690, ECVP10ES2-1326200, ECVP10GS2, ECVP10GS2-1314690, ECVP10GS2-1316200, ECVP20ES2, ECVP20ES2-1324790, ECVP20ES2-1326220, ECVP20GS2, ECVP20GS2-1314790, ECVP20GS2-1316220, ECVP21ES2, ECVP21ES2-1324890, ECVP21ES2-1326240, ECVP21GS2, ECVP21GS2-1314890, ECVP21GS2-1316240, ECVP6ES2, ECVP6ES2-1324590, ECVP6ES2-1326180, ECVP6GS2, ECVP6GS2-1314590, ECVP6GS2-1316180, NECVM10ES2...(Other models you can see in the webshop)		




1

No.	402924	Ref. No.	3103241 BN3103241
description	PCB L 83mm W 74mm suitable for Olis		
For models:	CMV6ES2-1320392, CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140...(Other models you can see in the webshop)		



2

No.	402973	Ref. No.	R63130050
description	PCB oven BPG044-104 L 140mm W 80mm for cooler control		
For models:	CCG051M, CCG071M, CCG101M, CCG102M, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		



1

No.	401776	Ref. No.	16811299
description	power PCB		
For models:	KSABT70G-2045370CJD, OLKSABT140-2045240CIW, OLKSABT144-2045240CJO, OLKSABT70-2045170CIO, OLKSABT72-2045170CIT, OLKSABTV140-2045240CIY, OLKSABTV70-2045170CIR, OLKSAP70-2045270CIP, OLKSATN140-2045140CIV, OLKSATN144-2045140CIZ, OLKSATN70-2045070CIN, OLKSATN72-2045070CIS, OLKSAT-NV140-2045140CIX, OLKSATNV70-2045070CIO		



1

No.	401757	Ref. No.	995857
description	power PCB blast freezer ESP2000 suitable for FRIULINIX		
For models:	KBC201-20355201, KBC201-PASS-THROUGH-20355221, KBC202-20355202, KBC202-PASS-THROUGH-20355222, KRC061-20357061, KRC101-20357101, KRC102-20357102, KRC201-20358201, KRC202-20358202, OLB201-20365201OL, OLB201-20365221OL, OLB202-20365202OL, OLB202-20365222OL, OLB201-20367061OL, OLB202-20367061OL, OLB201-20367101OL, OLB201-20367103OL, OLB201-20367102OL, OLB201-20368201OL, OLB202-20368202OL, OLB201-20368201OL		



1

No.	401758	Ref. No.	FR6632410 FR965101
description	power PCB blast freezer ESP2000 suitable for FRIULINOX		

central units



1

No.	402683	Ref. No.	50556
description	control box timer operation time 3/6/9min		
For models:	OLL1P-1081059, OLLP2-1080722, OLLP2Electronic-Neutra, OLLP3-1080723, OLLP3Electronic-Neutra, OLLP4-800-1081058, OLLP4-800Electronic-Neutra		



1

No.	402681	Ref. No.	50553/A DW50553/A
description	control box timer run-time 50/120/180s		
For models:	OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT11S, OLHT11S-Neutra		



2

No.	402684	Ref. No.	50569
description	control box without EPROM		
For models:	OLDW020H, OLElectron1000, OLElectron500, OLELELEC-TRON1000-1081084, OLELELECTRON1000D-1081085, OLGRA-NUL900, OLH600Electronic, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12SElectronic, OLHT12S-Neutra, OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP1S5-1081087, OLLP1-S8, OLLP1-S8EL, OLLP2-1080742, OLLP-2PLUS, OLLP3-1080743, OLLP-3PLUS, OLLP4-1081258, OLLP-4PLUS		



1

No.	379026	Ref. No.	50553
description	electronic timer for dishwasher		
For models:	OLDS35, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081063, OLDS37D-1081064, OLDS37-Neutra, OLDS40, OLDS40-1081065, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40-Neutra, OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLG35, OLG35-1080702, OLG35D-1081000, OLG35-Neutra, OLG600, OLG537, OLG537-1080700, OLG537D-1080707, OLG537LS-1081001, OLG537LSD-1081002, OLG537-Neutra, OLG540, OLG540-1080701, OLG540D-1080708, OLG540D-1081003, OLG540-Neutra, OLG545, OLG545LSD-1081004, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLHT11S-Neutra		

keypads

front foils



1

No.	401773	Ref. No.	14261052
description	front foil L 500mm W 50mm		
For models:	KSABT70G-2045370CJD, OLKSABT140-2045240CIW, OLKSABT144-2045240CJO, OLKSABT70-2045170CIO, OLKSABT72-2045170CIT, OLKSABTV140-2045240CIY, OLKSABTV70-2045170CIR, OLKSAP70-2045270CIP, OLKSATN140-2045140CIV, OLKSATN144-2045140CIZ, OLKSATN70-2045070CIN, OLKSATN72-2045070CIS, OLKSATNV140-2045140CIX, OLKSATNV70-2045070CIQ		



1

No.	403256	Ref. No.	560039
description	keypad foil dishwasher 20/29/83ELK 2055 blue L 557mm W 36mm buttons 4		
For models:	OLDW020H, OLElectron1000, OLElectron500, OLELELEC-TRON1000-1081084, OLELELECTRON1000D-1081085, OLLP1S5-1081087		



1

No.	402685	Ref. No.	50571 50575 50578
description	keypad foil dishwasher H63/373E/144E L 134mm W 79mm buttons 6		
For models:	OLH600Electronic, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12SElectronic, OLHT12S-Neutra, OLLP1-1081059, OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP1-S8, OLLP1-S8EL, OLLP2-1080722, OLLP2-1080742, OLLP2Electronic-Neutra, OLLP-2PLUS, OLLP3-1080723, OLLP3-1080743, OLLP3Electronic-Neutra, OLLP-3PLUS, OLLP4-1081258, OLLP4-800-1081058, OLLP4-800Electronic-Neutra, OLLP-4PLUS		

keypad units



1

No.	402679	Ref. No.	50570/C
description	keypad unit dishwasher 17U/70U buttons 6 L 158mm W 103mm		
For models:	OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP1-S8, OLLP1-S8EL		

			
1			
No.	402913	Ref. No.	50570/A
description	keypad unit dishwasher 37E/80E/81E/18ER/19E buttons 6 suitable for Dühr L 145mm W 90mm with cable		
For models:	OLLP1-1081059, OLLP2-1080722, OLLP2Electronic-Neutra, OLLP3-1080723, OLLP3Electronic-Neutra, OLLP4-800-1081058, OLLP4-800Electronic-Neutra		

1

No.	402678	Ref. No.	50570
description	keypad unit dishwasher H63/373E/144E buttons 6 L 158mm W 103mm		
For models:	OLH600Electronic, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12SElectronic, OLHT12S-Neutra, OLLP1-1081059, OLLP2-1080722, OLLP2Electronic-Neutra, OLLP3-1080723, OLLP3Electronic-Neutra, OLLP4-800-1081058, OLLP4-800Electronic-Neutra		
accessories for	402678		
	No.	402685	Ref. No.
			50571
			50575
			50578

keypad foil dishwasher H63/373E/144E L 134mm W 79mm buttons 6

control panel

			
1			
No.	697946	Ref. No.	3108550 BN3108550
description	control panel combi-steamer CV6E W 212mm H 725mm D 6mm suitable for Olis glas		
For models:	CMV6ES2-1320392, CV6E, CV6E-1320000, CV6E-1320050, CV6E-2, CV6E2-1320040, CV6EB-1321000, CV6E-S, CV6E-S2, CV6ES2-1320090, CVM6E, CVM6E-1320300, CVM6E-1320340, CVM6E-1320390, CVM6E-2, CVM6E-S, CVM6ES-1320350, CVM6ES-1320350MN, CVM6ES-1320360, CVM6E-S2, CVM6ES2-1320395, CVM6G, CVM6G-1310300, CVM6G-1310310, CVM6G-2, CVM6G2-1310340, CVM6G-S, CVM6GS-1310350, CVM6GS-1310360, CVM6G-S2, CVM6GS2-1310390, CVM6GS2-1310395, CVP6E, CVP6E-1320600, CVP6E-2, CVP6E2-1320640, CVP6E-S, CVP6ES-1320650, CVP6E-S2, CVP6ES2-1320690, CVP6G, CVP6G-1310600, CVP6G-2, CVP6G2-1310640, CVP6G-S, CVP6GS-1310650, CVP6G-S2, CVP6GS2-1310690, CVP6GS2-1310690MN		

accessories

			
1			
No.	401777	Ref. No.	16671299
description	buttons strip 8 buttons L 200mm W 37mm		
For models:	KSABT70G-2045370CJD, OLKSABT140-2045240CIW, OLKSABT144-2045240CJO, OLKSABT70-2045170CIO, OLKSABT72-2045170CIT, OLKSABTV140-2045240CIY, OLKSABTV70-2045170CIR, OLKSAP70-2045270CIP, OLKSATN140-2045140CIV, OLKSATN144-2045140CIZ, OLKSATN70-2045070CIN, OLKSATN72-2045070CIS, OLKSATNV140-2045140CIX, OLKSATNV70-2045070CIQ		

solenoid valves

solenoid valves (water)

ELBI

straight



No.	373025	Ref. No.	15099
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI		
For models:	OLDS37-1081006, OLDS37D-1081007, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS40-1081010, OLDS40D-1081011, OLDS40LS-1081012, OLDS40LSD-1081013, OLElectron400, OLGastro450, OLG540, OLLinear, OLLP1-S8, OLLP1-S8EL, OLStar		
spare parts for	373025		
	No.	370467	Ref. No. —
solenoid valve filter suitable for ELBI			

RPE



No.	374021	Ref. No.	3103610 BN3103610
description	solenoid valve double straight 230VAC inlet 3/4" outlet 10mm DN10 RPE		
For models:	CVP10E, CVP10E-1320700, CVP10E-1320710, CVP10E-2, CVP10E2-1320740, CVP10E2S-1320790, CVP10E-S, CVP10ES-1320750, CVP10ES-1320760, CVP10E-S2, CVP10G, CVP10G-1310700, CVP10G-1310750, CVP10G-2, CVP10G2-1310740, CVP10GP-1310700, CVP10G-S, CVP10G-S2, CVP10GS2-1310790, CVP20E, CVP20E-1320800, CVP20E-2, CVP20E2-1320840, CVP20E-S, CVP20ES-1320850, CVP20E-S2, CVP20ES2-1320890, CVP20G, CVP20G-1310800, CVP20G-1310850, CVP20G-2, CVP20G-S, CVP20GS-1310840, CVP20G-S2, CVP20GS2-1310890, CVP21E, CVP21E-1322700, CVP21E-2, CVP21E-S, CVP21ES-1322750, CVP21E-S2, CVP21ES2-1322790, CVP21G, CVP21G-1312700, CVP21G-2, CVP21G2-1312740, CVP21G-S, CVP21GS-1312750, CVP21G-S2, CVP21GS2-1312790...(Other models you can see in the webshop)		



No.	374017	Ref. No.	10703 3103620 BN3103620
description	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input 6l/min DN10 RPE polyamide flow regulating valve inlet white membranes NBR pressure range 0.2-10bar		
For models:	CMV6ES2-1320392, CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140...(Other models you can see in the webshop)		



No.	374016	Ref. No.	30001000
description	solenoid valve single angled 230VAC inlet 3/4" outlet 13mm DN10 duty cycle 100% RPE polyamide		
For models:	G12S, OLH600, OLHT11-1081071, OLHT11D-1081072, OLHT11E-CO-1081070, OLHT11-Neutra, OLHT11S, OLHT11S-Neutra, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12SElectronic, OLHT12S-Neutra, OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP1-800-Neutra, OLLP1-S8, OLLP1-S8EL, OLLP-ZERO, OLLPZERO-1081057		



No.	374060	Ref. No.	2000093
description	solenoid valve single angled 24V inlet 3/4" outlet 13mm DN10 duty cycle 100% RPE polyamide		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed		

JOHN GUEST


No.	374032 ¹	Ref. No.	R65110230
description	solenoid valve double straight 230VAC inlet 3/4" outlet 10mm DN10 plastic output A w/t membrane (constantly open)		
For models:	CKEP06, CKEP10, CKEP20, CKET06, CKET10, CKET20B, CKGP06, CKGP10, CKGP20, CKGT06, CKGT20, CKGT20B		

¹cylindrical outlet


No.	370768 ¹	Ref. No.	R65110200
description	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input/min output/min DN10 t.max. 90°C duty cycle 100% RPE		
For models:	CCE042M, CCE051M, CCE071M, CCE101M, CCE102M, CCG051M, CCG071M, CCG101M, CCG102M, CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET10, CKET10B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT10B, CKGT21, CKGT21B, CKGT40, CKGT40B		

¹cylindrical outlet

reducers
outlet side


No.	371269	Ref. No.	R65110500
description	reducer flow rate 0.07-0.14l/min brown		
For models:	CCE042M, CCE051M, CCE071M, CCG051M, CCG071M, CKEP06, CKEP06B, CKEP40, CKEP40B, CKET06, CKET06B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT40, CKGT40B		

solenoid valves with reducers
2-fold


No.	374031	Ref. No.	R65110210
description	solenoid valve double straight 230VAC inlet 3/4 outlet JG 10 input 10-12l/min t.max. 90°C RPE plastic flow regulating valve inlet white + outlet reducer red		
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20, CKGT20B		

3-fold


No.	374014 ¹	Ref. No.	R65110280
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 10mm input 10-12l/min RPE plastic flow regulating valve inlet white flow regulating valve outlet A red/green flow regulating valve outlet B red/green flow regulating valve outlet C red/green		
For models:	CKEP21, CKEP21B, CKEP40, CKEP40B, CKET21, CKET21B, CKET40, CKET40B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT21, CKGT21B, CKGT40, CKGT40B		

¹cylindrical outlet


No.	374033	Ref. No.	R65110240
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 10mm input 10-12l/min t.max. 90°C RPE plastic flow regulating valve inlet white output B w/t membrane (constantly open)		
For models:	CKEP40, CKET21, CKET40, CKGP21, CKGT21		

TP


No.	370021	Ref. No.	15098
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white		
For models:	OLDerby, OLDS35, OLDS35-1081005, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081006, OLDS37-1081063, OLDS37D-1081007, OLDS37D-1081064, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS37-Neutra, OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS40-Neutra, OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50P-1081018, OLDS50PD-1081019, OLDW020H, OLElectron1000, OLElectron400, OLElectron500, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLG35, OLG35-1080702, OLG35D-1081000, OLG35-Neutra, OLG600, OLGastro450, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLG537...(Other models you can see in the webshop)		

spare parts for


No.	371013	Ref. No.	—
description	solenoid coil TP 230VAC 50/60Hz		

accessories for


No.	371220	Ref. No.	—
description	reducer TP flow rate 3l/min red tolerance ±15%		



No.	371221	Ref. No.	—
description	reducer TP flow rate 5.5l/min yellow tolerance ±15%		

Table continues overleaf

accessories for		370021		
No.		371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%			
No.		371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%			
No.		371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%			
No.		371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance ±15%			
No.		371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance ±15%			
No.		371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%			
No.		371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%			
No.		371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%			
No.		371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%			
No.		371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%			
No.		371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%			
No.		371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%			
No.		371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%			
No.		371238	Ref. No.	15115
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
No.		371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
No.		371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

spare parts and accessories

reducers

outlet side



1

No.	371238	Ref. No.	15115
description reducer TP flow rate 3.4l/min dark green tolerance ±25%			
For models: OLDS35, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081006, OLDS37-1081063, OLDS37D-1081007, OLDS37D-1081064, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS37-Neutra, OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS40-Neutra, OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50P-1081018, OLDS50PD-1081019, OLDS50W20H, OLElectron1000, OLElectron400, OLElectron500, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLG35, OLG35-1080702, OLG35D-1081000, OLG35-Neutra, OLGastro450, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLG37, OLG37-1080700, OLG37D-1080707, OLG37LS-1081001... (Other models you can see in the webshop)			

inlet side

1

No.	371209	Ref. No.	3103643 BN3103643
description reducer red ø 1.7mm mounting measurements 19.5mm			
For models: CVP10E, CVP10E-1320700, CVP10E-1320710, CVP10E-2, CVP10E2-1320740, CVP10E2S-1320790, CVP10E-S, CVP10ES-1320750, CVP10ES-1320760, CVP10E-S2, CVP10G, CVP10G-1310700, CVP10G-1310750, CVP10G-2, CVP10G2-1310740, CVP10GP-1310700, CVP10G-S, CVP10G-S2, CVP10GS2-1310790, CVP20E, CVP20E-1320800, CVP20E-2, CVP20E2-1320840, CVP20E-S, CVP20ES-1320850, CVP20E-S2, CVP20ES2-1320890, CVP20G, CVP20G-1310800, CVP20G-1310850, CVP20G-2, CVP20G-S, CVP20GS-1310840, CVP20G-S2, CVP20GS2-1310890, CVP21E, CVP21E-1322700, CVP21E-2, CVP21E-S, CVP21ES-1322750, CVP21E-S2, CVP21ES2-1322790, CVP21G, CVP21G-1312700, CVP21G-2, CVP21G2-1312740, CVP21G-S, CVP21GS-1312750, CVP21G-S2, CVP21GS2-1312790... (Other models you can see in the webshop)			

metal

BÜRKERT

solenoid valves (various)



1

No.	370464	Ref. No.	3002030
description	solenoid valve 2-ways 24VAC connection 1/2" DN 13mm t.max. -10 up to +90°C membranes NBR p max 10bar brass water		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEF-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

CEME

solenoid valves



1

No.	370353	Ref. No.	3103600 BN3103600
description	solenoid valve 2-ways 230VAC inlet 1/2" IT outlet 1/2" IT L 61mm brass		
For models:	CVP10E-1320700, CVP10G-1310700, CVP10GP-1310700, CVP20E-1320800, CVP20G-1310800, CVP21ES2-1322790, CVP21GS2-1312790, CVP6E-1320600, CVP6G-1310600		

solenoid valves (refrigeration)

CASTEL

valve bodies

STANDARD series

suitable for refrigerants R22, R134a, R404A, R407C, R410A, R507



1

No.	370382	Ref. No.	14970245
description	solenoid valve body NC type 1028/M10S p max 45bar connection 10mm soldering connection DN 3mm -35 up to +105°C L 125mm refrigeration straight CASTEL		
For models:	KBT40-21091640, KC41-210916400BDC, KSABT70G-2045370CJD		
accessories for	370382		
	No.	371084	Ref. No. —
	solenoid coil CASTEL 230VAC 8VA 50/60Hz connection cable 1000mm type CM2		
	No.	371090	Ref. No. 14970511
	power socket plug type DIN 43650A screw		
	No.	371301	Ref. No. —
	solenoid coil CASTEL 110VAC 8VA 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2		
	No.	371314	Ref. No. —
	solenoid coil CASTEL 240VAC 8VA 50/60Hz seat ø 11.5mm		
	No.	371321	Ref. No. —
	solenoid coil CASTEL 12/24VAC 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2		

spare parts and accessories

Castel



1

No.	371041	Ref. No.	14970502
description	solenoid coil CASTEL 240VAC 8VA 50/60Hz seat ø 11.5mm connection DIN 43650A type HM2		
For models:	KSABT70G-2045370CJD, KTRE21-202108010BL5, KTRE2-202108010BFC, KTRE2A-202108010BGP, KTRE3-202113010BHF, KTRE32A-202113010BLQ, KTRE34-202113010BLW, KTRE3A-202113010BFW, KTRE4-202117010BLG, KTRE42-202117010BM0, KTRE42A-202117010BM6, KTRE44-202117010BMB, KTRE4A-202117010BFF, KTRE5-202122010BG2, KTRE52-202122010BNK, KTRE54-202122010BGC, KTRE54A-202122010BNP, KTRE5A-202122010BL3, TSR01-202108010BL7, TSR01-202108010BL8, TSR01-202108010BL9, TSR01-202108010BLA, TSR02-202113010BLK, TSR02-202113010BL, TSR02-202113010BLP, TSR02-202113010BLR, TSR02-202113010BLV, TSR02-202113010BLX, TSR03-202117010BLY, TSR03-202117010BLZ, TSR03-202117010BM8, TSR03-202117010BMA, TSR03-202117010BMC, TSR04-202122010BMD, TSR04-202122010BME, TSR04-202122010BNM, TSR04-202122010BNN, TSR04-202122010BNO		
accessories for	371041		
	No.	371090	Ref. No. 14970511
	power socket plug type DIN 43650A screw		
	No.	371092	Ref. No. —
	power socket plug type DIN large cable length 1000mm		

Castel



1

No.	371090	Ref. No.	14970511
description	power socket plug type DIN 43650A screw		
For models:	KSABT70G-2045370CJD, KTRE21-202108010BL5, KTRE2-202108010BFC, KTRE2A-202108010BGP, KTRE3-202113010BHF, KTRE32A-202113010BLQ, KTRE34-202113010BLW, KTRE3A-202113010BFW, KTRE4-202117010BLG, KTRE42-202117010BM0, KTRE42A-202117010BM6, KTRE44-202117010BMB, KTRE4A-202117010BFF, KTRE5-202122010BG2, KTRE52-202122010BNK, KTRE54-202122010BGC, KTRE54A-202122010BNP, KTRE5A-202122010BL3, TSR01-202108010BL7, TSR01-202108010BL8, TSR01-202108010BL9, TSR01-202108010BLA, TSR02-202113010BLK, TSR02-202113010BL, TSR02-202113010BLP, TSR02-202113010BLR, TSR02-202113010BLV, TSR02-202113010BLX, TSR03-202117010BLY, TSR03-202117010BLZ, TSR03-202117010BM8, TSR03-202117010BMA, TSR03-202117010BMC, TSR04-202122010BMD, TSR04-202122010BME, TSR04-202122010BNM, TSR04-202122010BNN, TSR04-202122010BNO		

SANHUA

valves

SANHUA



1

No.	370757	Ref. No.	995508
description	solenoid valve type MDF-A03-6H001 230VAC p max 45bar pressure range 2 up to 31bar connection 10mm soldering connection -30 up to +105°C SANHUA refrigeration tube ø 10mm L 111mm		
For models:	081, 121, 161, OBC081AF-ASX-6V221285220OL, OBC121DF-ASX-6V23A285220OL, OBC161DF-ASX-6V24A485220OL		

ball valves electric



1

No.	403042	Ref. No.	R65110560
description	ball valve inlet 3/4" IT outlet 3/4" IT 230V L 68mm closed off-current mode of operation electric connection cable 400mm		
For models:	CKEP06B, CKEP10B, CKEP20B, CKEP21B, CKEP40B, CKET06B, CKET10B, CKET20B, CKET21B, CKET40B, CKGP06B, CKGP10B, CKGP20B, CKGP21B, CKGP40B, CKGT06B, CKGT10B, CKGT20B, CKGT21B, CKGT40B		

			
No.	401190	Ref. No.	3103590 3198150 BN3103590 BN3198150
description	ball valve inlet 3/4" IT outlet 3/4" IT IP42 230V L 68mm 50/60Hz closed off-current mode of operation electric connection cable 300mm 3.5W duty cycle 50%		
For models:	CVP10E, CVP10E-1320700, CVP10E-1320710, CVP10E-2, CVP10E2-1320740, CVP10E2S-1320790, CVP10E-S, CVP10ES-1320750, CVP10ES-1320760, CVP10E-S2, CVP10G, CVP10G-1310700, CVP10G-1310750, CVP10G-2, CVP10G2-1310740, CVP10G-S, CVP10G-S2, CVP10GS2-1310790, CVP20E, CVP20E-1320800, CVP20E-2, CVP20E2-1320840, CVP20E-S, CVP20ES-1320850, CVP20E-S2, CVP20ES2-1320890, CVP20G, CVP20G-1310800, CVP20G-1310850, CVP20G-2, CVP20G-S, CVP20GS-1310840, CVP20G-S2, CVP20GS2-1310890, CVP21E, CVP21E-1322700, CVP21E-2, CVP21E-S, CVP21ES-1322750, CVP21E-S2, CVP21ES2-1322790, CVP21G, CVP21G-1312700, CVP21G-2, CVP21G2-1312740, CVP21G-S, CVP21GS-1312750, CVP21G-S2, CVP21GS2-1312790, CVP6E...(Other models you can see in the webshop)		

pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal

			
No.	541136	Ref. No.	80225
description	pressure control pressure range 100/18mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	OLLP2-1080722, OLLP2Electronic-Neutra		

			
No.	541975	Ref. No.	90023
description	pressure control pressure range 190/60mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 5.5mm		
For models:	OLLP1-S8, OLLP1-S8EL		

			
No.	541619	Ref. No.	88110
description	pressure control pressure range 250/40mbar connection 6mm ø 58mm pressure connection ø 6mm		
For models:	G12S, OLAX151, OLAX151EDX-1080725, OLAX151ELEF-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114...(Other models you can see in the webshop)		

			
No.	541314	Ref. No.	10706/A
description	pressure control pressure range 46/26mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300V-1080776, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053, OLAX380E-1081054, OLAX380E-1081055, OLAX380E-1081056, OLAX380LC, OLAX380V-1080785, OLAX380V-1080786, OLAX400, OLAX400E-1081126, OLAX400E-1081127, OLAX400V-1081128, OLAX400V-1081129, OLAX440, OLAX440E-1081041, OLAX440E-1081042, OLAX440LC, OLAX440LCE-1081045, OLAX510, OLAX510E-1081130, OLAX510E-1081131, OLAX510LC, OLAX510LCE-1081134, OLAX510LC-1081135, OLAX510LCV-1081136, OLAX510LCV-1081137, OLAX510V-1081132, OLAX510V-1081133, OLAX540, OLAX540E-1081049, OLAX540E-1081050...(Other models you can see in the webshop)		

			
No.	541133	Ref. No.	540450
description	pressure control pressure range 60/25mbar connection male faston 6.3mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	OLElectron400		



1

No.	541311	Ref. No.	10300026
description	pressure control pressure range 76/38mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	OLDW020H, OLElectron1000, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLLP155-1081087		



1

No.	541312	Ref. No.	75950
description	pressure control pressure range 86/59mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT-11-Neutra, OLHT11S, OLHT11S-Neutra, OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP1-800-Neutra, OLLP-ZERO, OLLPZE-RO-1081057		

for gas equipment



1

No.	541073	Ref. No.	R63070010
description	pressure control ø 45mm pressure range adjustable 5-20mbar pressure connection vertical gas technology connection 1/4" pressure connection ø 1/4"mm		
For models:	CCG051M, CCG071M, CCG101M, CCG102M, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		

for steam control



1

No.	541074	Ref. No.	3103630 6A03630 BN3103630 LAR63070050
description	pressure control ø 45mm triggering pressure 0.5bar reset pressure 0.35bar pressure connection vertical steam control pressure range 0.35/0.51bar connection 1/8" pressure connection 1/8"		
For models:	CKEP06, CKEP10, CKEP20, CKEP21, CKEP40, CKET06, CKET10, CKET20, CKET21, CKET40, CKGP06, CKGP10, CKGP20, CKGP21, CKGP40, CKGT06, CKGT10, CKGT20, CKGT21, CKGT40, CM-V6ES2-1320392, CVM10E, CVM10E-1320400, CVM10E-1320410, CVM10E-2, CVM10E2-1320440, CVM10E-S, CVM10ES-1320450, CVM10E-S2, CVM10ES2-1320490, CVM10ES2-1320495, CVM10G, CVM10G-1310400, CVM10G-1310410, CVM10G-1310430, CVM10G-1310450, CVM10G-2, CVM10G2-1310440, CVM10GP-1310400, CVM10G-S, CVM10GS-1310460, CVM10G-S2, CVM10GS2-1310490, CVM10GS2-1310495, CVM20E, CVM20E-1320500, CVM20E-2, CVM20E2-1320540, CVM20E-S, CVM20ES-1320550...(Other models you can see in the webshop)		



1

No.	541350	Ref. No.	6A022200 BN6A022200
description	pressure control pressure range adjustable 0.3-0.8bar connection 1/4" CO 250V 10A ambient temperature max. 60°C pressure connection 1/4"		
For models:	74-02NPEI, 74-02NPEI-12701755, 7PN-EI50		

electrodes



1

No.	401208	Ref. No.	6A037482 BN6A037482
description	level electrode 1/4" total length 150mm probe L 124mm insulated probe length 69mm PTFE insulated connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CVP10E, CVP10E-1320700, CVP10E-2, CVP10E2-1320740, CVP10E2S-1320790, CVP10E-S, CVP10ES-1320750, CVP10E-S2, CVP10G, CVP10G-1310700, CVP10G-1310750, CVP10G-2, CVP10G2-1310740, CVP10GP-1310700, CVP10G-S, CVP10G-S2, CVP10GS2-1310790, CVP20E, CVP20E-1320800, CVP20E-2, CVP20E2-1320840, CVP20E-S, CVP20ES-1320850, CVP20E-S2, CVP20ES2-1320890, CVP20G, CVP20G-1310800, CVP20G-1310850, CVP20G-2, CVP20G-S, CVP20GS-1310840, CVP20G-S2, CVP20GS2-1310890, CVP21E, CVP21E-1322700, CVP21E-2, CVP21E-S, CVP21ES-1322750, CVP21E-S2, CVP21ES2-1322790, CVP21G, CVP21G-1312700, CVP21G-2, CVP21G2-1312740, CVP21G-S, CVP21GS-1312750, CVP21G-S2, CVP21GS2-1312790, CVP6E, CVP6E-1320600...(Other models you can see in the webshop)		

			
1			
No.	401209	Ref. No.	6A037481 BN6A037481
description	level electrode 1/4" total length 180mm probe L 155mm insulated probe length 70mm PTFE insulated connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CVP10E, CVP10E-1320700, CVP10E-2, CVP10E2-1320740, CVP10E2S-1320790, CVP10E-S, CVP10ES-1320750, CVP10E-S2, CVP10G, CVP10G-1310700, CVP10G-1310750, CVP10G-2, CVP10G2-1310740, CVP10GP-1310700, CVP10G-S, CVP10GS-2, CVP10GS2-1310790, CVP20E, CVP20E-1320800, CVP20E-2, CVP20E2-1320840, CVP20E-S, CVP20ES-1320850, CVP20E-S2, CVP20ES2-1320890, CVP20G, CVP20G-1310800, CVP20G-1310850, CVP20G-2, CVP20G-S, CVP20GS-1310840, CVP20G-S2, CVP20GS2-1310890, CVP21E, CVP21E-1322700, CVP21E-2, CVP21E-S, CVP21ES-1322750, CVP21E-S2, CVP21ES2-1322790, CVP21G, CVP21G-1312700, CVP21G-2, CVP21G2-1312740, CVP21G-S, CVP21GS-1312750, CVP21GS2-1312790, CVP6E, CVP6E-1320600...(Other models you can see in the webshop)		

			
1			
No.	400130	Ref. No.	R65320010
description	level electrode M14x1.25 total length 220mm probe L 194mm insulated probe length 26mm connection male faston 6.3mm ø 2.5mm		
For models:	CKEP06B, CKEP10B, CKEP20B, CKEP21B, CKEP40B, CKET06B, CKET10B, CKET20B, CKET21B, CKET40B, CKGP06B, CKGP10B, CKGP20B, CKGP21B, CKGP40B, CKGT06B, CKGT10B, CKGT20B, CKGT21B, CKGT40B		

flow meters and flow sensors

flow meters

miscellaneous

			
1			
No.	402680	Ref. No.	50583
description	flow meter pressure range 0.2-10bar connection 10mm L 69mm		
For models:	OLDS40, OLDS40-1081065, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40-Neutra, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS5020H, OLElectron1000, OLElectron400, OLElectron500, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLLP1S5-1081087		

compressors

ACC/ZEL

R134A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C

			
1			
No.	605007	Ref. No.	141514200595 141565100035
description	compressor coolant R134a type GL60TB 220-240V 50Hz HMBP fully hermetic 9.5kg 1/5HP power input 437W cylinder capacity 5.7cm³ CSIR H 175.5mm 95W 128W 170W 222W 284W 355W 437W 528W test method ASHRAE ambient temperature max. 43°C		
For models:	KR41-210906400BFA, KTAR01, KTAR01N, KTAR02, KTAR02N, KTAR03, KTAR03N, KTAR04, KTAR04N, KTN40-21090640, KTRE21-202108010BL5, KTRE2-202108010BFC, KTRE2A-202108010BGP, KTRE3-202113010BHF, KTRE32A-202113010BLQ, KTRE34-202113010BLW, KTRE3A-202113010BFW, KTRE4-202117010BLG, KTRE42-202117010BM0, KTRE42A-202117010BM6, KTRE44-202117010BMB, KTRE4A-202117010BFF, KTRE5-202122010BG2, KTRE52-202122010BNK, KTRE54-202122010BGC, KTRE54A-202122010BNP, KTRE5A-202122010BL3, KTREP3-202611010C2F, KTREP34-20261101096L, KTREP34A-20261101096K, KTREP3A-202611010C1L, KTREP4-202615010BNQ, KTREP4A-202615010BNR, KTREP52A-202620010BO5, KTRN200012-202010050495, KTRN200012A-2020100507UK, KTRN200013-2020100507UV, KTRN200013A-2020100507UU, KTRN200014-2020100507UM, KTRN200014A-2020100507UL, KTRN200015-2020100507UR, KTRN200015A-2020100507UT, KTRN300122-202013050479, KTRN300122A-2020130504DY, KTRN300142-2020130506BG, KTRN300142A-2020130507GY, KTRN300144-2020130505UU, KTRN300144A-20201305079X, KTRN300152-2020130507GW, KTRN300152A-2020130507GX...(Other models you can see in the webshop)		



1

No.	605008	Ref. No.	141565100030
description	compressor coolant R134a type GL80TB 220-240V 50Hz HMBP fully hermetic 9.5kg 1/5HP power input 554W cylinder capacity 7.6cm ³ CSIR H 175.5mm 165W 215W 290W 390W 500W 615W 727W 840W test method ASHRAE ambient temperature max. 43°C		
For models:	KTAR01, KTAR01N, KTAR02, KTAR02N, KTAR03, KTAR03N, KTAR04, KTAR04N, KTR21-202108010BL5, KTR2-202108010BFC, KTR2A-202108010BGP, KTR3-202113010BHF, KTR32A-202113010BLQ, KTR34-202113010BLW, KTR3A-202113010BFW, KTR4-202117010BLG, KTR42-202117010BMO, KTR42A-202117010BM6, KTR44-202117010BMB, KTR4A-202117010BFF, KTR5-202122010BG2, KTR52-202122010BNK, KTR54-202122010BGC, KTR54A-202122010BNP, KTR5A-202122010BL3, KTRP3-202611010C2F, KTRP34-20261101096L, KTRP34A-20261101096K, KTRP3A-202611010C1L, KTRP4-202615010BNQ, KTRP4A-202615010BNR, KTRP52A-202620010BO5, KTRN200012-202010050495, KTRN200012A-2020100507UK, KTRN200013-2020100507UV, KTRN200013A-2020100507UU, KTRN200014-2020100507UM, KTRN200014A-2020100507UL, KTRN200015-2020100507UR, KTRN200015A-2020100507UT, KTRN300122-202013050479, KTRN300122A-2020130504DY, KTRN300142-2020130506BG, KTRN300142A-2020130507GY, KTRN300144-2020130505UU, KTRN300144A-20201305079X, KTRN300152-2020130507GW, KTRN300152A-2020130507GX, KTRN300155-2020130507HC, KTRN300155A-202013050559...(Other models you can see in the webshop)		



2

No.	605010	Ref. No.	141565100050
description	compressor coolant R134a type GP12TB 220-240V 50Hz HMBP fully hermetic 11.2kg 3/8HP power input 661W cylinder capacity 12cm ³ CSIR H 203.6mmW 143W 194W 259W 339W 432W 539W 661W 796W test method ASHRAE ambient temperature max. 43°C		
For models:	KTAR01, KTAR01N, KTAR02, KTAR02N, KTAR03, KTAR03N, KTAR04, KTAR04N, KTR21-202108010BL5, KTR2-202108010BFC, KTR2A-202108010BGP, KTR3-202113010BHF, KTR32A-202113010BLQ, KTR34-202113010BLW, KTR3A-202113010BFW, KTR4-202117010BLG, KTR42-202117010BMO, KTR42A-202117010BM6, KTR44-202117010BMB, KTR4A-202117010BFF, KTR5-202122010BG2, KTR52-202122010BNK, KTR54-202122010BGC, KTR54A-202122010BNP, KTR5A-202122010BL3, KTRP3-202611010C2F, KTRP34-20261101096L, KTRP34A-20261101096K, KTRP3A-202611010C1L, KTRP4-202615010BNQ, KTRP4A-202615010BNR, KTRP52A-202620010BO5, KTRN200012-202010050495, KTRN200012A-2020100507UK, KTRN200013-2020100507UV, KTRN200013A-2020100507UU, KTRN200014-2020100507UM, KTRN200014A-2020100507UL, KTRN200015-2020100507UR, KTRN200015A-2020100507UT, KTRN300122-202013050479, KTRN300122A-2020130504DY, KTRN300142-2020130506BG, KTRN300142A-2020130507GY, KTRN300144-2020130505UU, KTRN300144A-20201305079X, KTRN300152-2020130507GW, KTRN300152A-2020130507GX, KTRN300155-2020130507HC, KTRN300155A-202013050559...(Other models you can see in the webshop)		

R404a/R507

LBP monophase

Lower evaporation temperature below -20°C



1

No.	605073	Ref. No.	141565100180
description	compressor coolant R404a/R507 type MP14FB 220-240V 50Hz LBP fully hermetic 13.9kg 1/2HP cylinder capacity 14cm ³ CSIR H 203.6mm 439W 584W 746W 926W 1124W test method ASHRAE		
For models:	KTR4-202117010BLG, KTR42-202117010BMO, KTR42A-202117010BM6, KTR44-202117010BMB, KTR4A-202117010BFF, KTR5-202122010BG2, KTR52-202122010BNK, KTR54-202122010BGC, KTR54A-202122010BNP, KTR5A-202122010BL3, TSR03-202117010BLY, TSR03-202117010BLZ, TSR03-202117010BM8, TSR03-202117010BMA, TSR03-202117010BMC, TSR04-202122010BMD, TSR04-202122010BME, TSR04-202122010BNM, TSR04-202122010BNN, TSR04-202122010BNO		

CUBIGEL
R404a/R507
LBP monophase
Lower evaporation temperature below -20°C


1

No.	605176	Ref. No.	141565100021
description	compressor coolant R404a/R507 type ML90FB 220-240V 50Hz LBP 11kg 1/3HP cylinder capacity 8.85cm ³ CSIR H 198mm 305W 394W 495W 606W 729WWWWWW test method ASHRAE		
For models:	KTRE3-202113010BHF, KTRE32A-202113010BLQ, KTRE34-202113010BLW, KTRE3A-202113010BFW, TSR02-202113010BLK, TSR02-202113010BLL, TSR02-202113010BLP, TSR02-202113010BLR, TSR02-202113010BLV, TSR02-202113010BLX		

EMBRACO / ASPERA
R404a/R507
LBP monophase
Lower evaporation temperature below -20°C


1

No.	605144	Ref. No.	995745
description	compressor coolant R404a/R507 type NEK2168GK 220-240V 50Hz LBP 22.9kg 3/4HP cylinder capacity 14.28cm ³ CSR H 200mm 345W 454W 587W 742W 921W 1123WWWWWW		
For models:	031, BBF031AF-ASX-4186V204286210, OBF031AF-ASX-6V204286210OL		



1

No.	605078	Ref. No.	141514202580
description	compressor coolant R404a/R507 type NT2180GK 220-240V 50Hz LBP fully hermetic 17.3kg 1HP cylinder capacity 20.44cm ³ CSIR H 221mm 515W 598W 682W 769W 859W 956WWWWWW test method ASHRAE		
For models:	ROLL-IN1P-211008120CJE, ROLL-IN1P-211008120CJG, ROLL-IN2P-211016120CJL, ROLL-IN2P-211016120CJM, ROLL-IN2P-211016220CJN, ROLL-IN2P-211016220CJP, ROLL-IN-2PMTN-211016220CJO, ROLL-INP1P-211008220CJH, ROLL-INP1P-211008220CJK, ROLL-INP1PPMTN-211008220CJJ		

SECOP DANFOSS
R134A
HMBP monophase
High/Medium evaporation temperature above -20/-15 °C


1

No.	605089	Ref. No.	141514208850
description	compressor coolant R134a type NL8.4MF 220-240V 50Hz HMBP fully hermetic 10.5kg 1/4HP cylinder capacity 8.35cm ³ RSIR/CSIR H 197mmW 235W 305W 390W 491W 610W 749W 912W test method ASHRAE		
For models:	ROLL-IN1P-211008120CJE, ROLL-IN1P-211008120CJG, ROLL-IN2P-211016120CJL, ROLL-IN2P-211016120CJM, ROLL-IN2P-211016220CJN, ROLL-IN2P-211016220CJP, ROLL-IN-2PMTN-211016220CJO, ROLL-INP1P-211008220CJH, ROLL-INP1P-211008220CJK, ROLL-INP1PPMTN-211008220CJJ		

spare parts for	605089		
	No.	381528	Ref. No.
			—
start relay DANFOSS 117U6016 HST			





R404a/R507

LBP monophase

Lower evaporation temperature below -20°C

SECCP



1

No.	605058	Ref. No.	141555100055	
description	compressor coolant R404a/R507 type SC15CL 220-240V 50Hz LBP fully hermetic 13.8kg 1/2HP cylinder capacity 15.28cm³ CSIR H 219mm 486W 637W 813W 1017W 1251W 1699WWWW test method ASHRAE 175W 358W			
For models:	KSABT70G-2045370CJD, OLKSABT70-2045170CIO, OLKSABT72-2045170CIT, OLKSABTV70-2045170CIR, OLSPABT60-201716030CIC, OLSPABT70-201717030CHW, OLSPABT72-201717030CIO, OLSPABTV70-201717030CHY			
spare parts for	605058			
	No.	380058	Ref. No.	—
	start relay DANFOSS 117U6019/F278 HST			

evaporation and condensing trays

condensing trays heated

universal

heating cartridges

1



No.	417227	Ref. No.	1666090 1666150
description	heating cartridge 90W 230V ø 12mm L 124mm thread 3/8" cable length 4000mm Hmm Wmm condensate evaporation		
For models:	KBT40-21091640, KC41-210916400BDC, KR41-210906400BFA, KSABT70G-2045370CJD, KTAP01-BASE-20220901044U, KTAP02-BASE-20221301048K, KTAP02BT-BASE-2022630105KW, KTAP03-BASE-2022180109UA, KTAP04-2022230109X0, KTAP04-BASE-2022230109RY, KTAP82-202282020AY0, KTAP82-202282020AY1, KTAP83-202283020AY3, KTAP84-202284020AY4, KTAP84-202284020AY5, KTN40-21090640, KTRP00522-2022130107K4, KTRP200022-202209010500, KTRP200022A-2022090104EB, KTRP200042-2022090107HY, KTRP200042A-20220901077B, KTRP200044-2022090105CF, KTRP200044A-2022090107HZ, KTRP200052-2022090107HW, KTRP200052A-2022090107HX, KTRP200055-2022090107K1, KTRP200055A-2022090107K0, KTRP300222-2022130105HP, KTRP300222A-2022130104EC, KTRP300422-2022130106TB, KTRP300422A-2022130105XL, KTRP300442-2022130107K6, KTRP300442A-2022130107K7, KTRP300522-2022130107K2, KTRP300522A-2022130107K3, KTRP300552A-2022130107K5, KTRP402222A-2022180109WR, KTRP404222-2022180109WV, KTRP404222A-2022180109WU, KTRP404422-2022180104VV, KTRP404422A-2022180107KE, KTRP405222-2022180109WT, KTRP405222A-2022180109WS, KTRP405522-2022180107KB, KTRP405522A-2022180107KC, KTRP522222-2022230109WW, KTRP522222A-2022230109WX, KTRP542222A-2022230109X1, KTRP544222-2022230107KR, KTRP544222A-2022230107KP...(Other models you can see in the webshop)		

fans

axial fans

ebm-papst



1

			3102350 65060050 BN3102350 LA65060050 LAR65060050	
No.	601030 ¹	Ref. No.		
description	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C			
For models:	7PCV-WOK400, 92-04VTCI-12901035, 92-04VTCIWOK, CCE071M, CCE101M, CCE102M, CCG071M, CCG101M, CCG102M, CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B, CMV6ES2-1320392, CV10E...(Other models you can see in the webshop)			
accessories for	601030			
	No.	550898	Ref. No.	—
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan			
	No.	692497	Ref. No.	—
	guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm			

¹with ball bearings

import



1

No.	601601 ¹	Ref. No.	3000118
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 22W bearing slide bearing manuf. no. DP200A2123XST.GN SUNON input current 0.14A		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151LEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

¹with slide bearings

2

No.	601080 ¹	Ref. No.	1648110107
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
For models:	KBT40-21091640, KC41-210916400BDC, KR41-210906400BFA, KTAPO2BT-BASE-2022630105KW, KTN40-21090640, KTRPBT300222-2022630107KT, KTRPBT300222A-2022630107KU, ROLL-IN1P-211008120CJE, ROLL-IN1P-211008120CJG, ROLL-IN1PBT-211009120CJF, ROLL-IN2P-211016120CJL, ROLL-IN2P-211016120CJM, ROLL-IN2P-211016220CJN, ROLL-IN2P-211016220CJP, ROLL-IN-2PMTN-211016220CJO, ROLL-INP1P-211008220CJH, ROLL-INP1P-211008220CJL, ROLL-INP1PBT-211009220CJI, ROLL-INP1PP-MTN-211008220CJJ		
accessories for	601080		
	No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No.	692519	Ref. No. —
	guard L 120mm W 120mm plastic		

¹with ball bearings

1

No.	601081 ¹	Ref. No.	R65060010
description	axial fan L 80mm W 80mm H 38mm 230VAC 50/60Hz 14/13.5W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 75mm temp.-resist. 70°C		
For models:	CCG051M		
accessories for	601081		
	No.	691102	Ref. No. —
	guard ø 75mm mounting distance 71mm for axial fan 80mm		

¹with ball bearings

1

No.	601055 ¹	Ref. No.	1648110150 6A036420 BN6A036420
description	axial fan L 92mm W 92mm H 25mm 230VAC 50/60Hz 14.5/14W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 85mm temp.-resist. 70°C		
For models:	72-02TVTCV, 72-02TVTCV-12731005, 72-02VTC, 72-02VTCV, 72-02VTG-12701005, 74-02TVTCV, 74-02TVTCV-12731006, 74-02VTCEV, 74-02VTCEV-12701020, 74-02VTCV, 74-02VTCV-12701006, 7NPCF-VCE800, 7NPC-VCE400, 7NPC-VCE800, 7NPCVP-VCE400, 7NPCVP-VCE800, 7NPCV-VCE400, 7NPCV-VCE800, 92-04TVTC, 92-04VTC-12931005, 92-04TVTCV-12931055, 92-04VTC, 92-04VTCV-12901055, 94-04TVTC, 94-04TVTC-12931006, 94-04TVTCV-12931056, 94-04VTC, 94-04VTC, 94-04VTCEV-12901050, 94-04VTCV-12901056, 9NPCF-VCE800, 9NPC-VCE400, 9NPC-VCE800, 9NPCVP-VCE400, 9NPCVP-VCE800, 9NPCV-VCE400, 9NPCV-VCE800, KTRE21-202108010BL5, KTRE2-202108010BFC, KTRE2A-202108010BGP, KTRE3-202113010BHF, KTRE32A-202113010BLQ, KTRE34-202113010BLW, KTRE3A-202113010BFW, KTRE4-202117010BLG, KTRE42-202117010BMO, KTRE42A-202117010BMB, KTRE44-202117010BMB, KTRE4A-202117010BFF, KTRE5-202122010BG2...(Other models you can see in the webshop)		
accessories for	601055		
	No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No.	691103	Ref. No. —
	guard ø 90mm mounting distance 83mm for axial fan 92mm		

¹with ball bearings

refrigeration fans

refrigeration motors universal

ELCO

N series - multi fit



1

No.	601430	Ref. No.	1648000510
description	fan motor ELCO 5W 230V 50/60Hz bearing slide bearing L1 48mm L2 52mm L3 79.5mm W 83mm connection cable 500mm 1300/1550rpm 5 mounting options VNT5-13/027		
For models:	SAL22R-2124922093V		
spare parts for	601430		
	No.	560140	Ref. No. —
hexagonal nut thread M4 H 4.8mm SS WS 7 Qty 20 pcs DIN/ISO DIN 985 self-locking			
	No.	560332	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 1 pcs			
	No.	560340	Ref. No. 11703
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs			
	No.	601413	Ref. No. —
fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm			

N series - standard



1

No.	601442	Ref. No.	1648001017
description	fan motor ELCO 10W 230V 50-60Hz bearing slide bearing L1 45mm L3 83mm W 83mm cable length 1800mm 1300/1550rpm 3 mounting options VN10-20/507 triple		
For models:	OLKSABT70-2045170CIO, OLKSABT72-2045170CIT, OLKSABTV70-2045170CIR, OLKSAP70-2045270CIP, OLKSATN140-2045140CIV, OLKSATN144-2045140CIZ, OLKSATN70-2045070CIN, OLKSATN72-2045070CIS, OLKSATNV140-2045140CIX, OLKSATNV70-2045070CIQ, OLSPAB100-201706030CLP, OLSPAB120-201707030CLN, OLSPAB200-201712030CLQ, OLSPAB240-201714030CLO, OLSPAB60-201716030CIC, OLSPAB70-201717030CHW, OLSPABT72-201717030CIO, OLSPABTV70-201717030CHY, OLSPATNN120-201712030CIH, OLSPATNN124-201712030CIL, OLSPATNN140-201714030CI1, OLSPATNN144-201714030CI5, OLSPATNN60-201706030CIB, OLSPATNN62-201706030CIF, OLSPATNN70-201707030CEM, OLSPATNN72-201707030CHZ, OLSPATNV120-201712030CIJ, OLSPATNV140-201714030CI3, OLSPATNV60-201706030CID, OLSPATNV70-201707030CHX		
spare parts for	601442		
	No.	601413	Ref. No. —
fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm			

IMPORT

multi fit fan motors



1

No.	601022	Ref. No.	1648001010 1648001015
description	fan motor 10W 230V 50-60Hz L1 44mm L2 54mm L3 85mm W 84mm cable length 500mm 1300rpm YZF10-20-18/26 5 mounting options bearing slide bearing		
For models:	KBT40-21091640, KC41-210916400BDC, KR41-210906400BFA, KSABT70G-2045370CJD, KTAR01, KTAR01N, KTAR02, KTAR02N, KTAR03, KTAR03N, KTAR04, KTAR04N, KTN40-21090640, KTRE21-202108010BL5, KTRE2-202108010BFC, KTRE2A-202108010BGP, KTRE3-202113010BHF, KTRE32A-202113010BLQ, KTRE34-202113010BLW, KTRE3A-202113010BFW, KTRE4-202117010BLG, KTRE42-202117010BM0, KTRE42A-202117010BM6, KTRE44-202117010BMB, KTRE4A-202117010BFF, KTRE5-202122010BG2, KTRE52-202122010BNK, KTRE54-202122010BGC, KTRE54A-202122010BNP, KTRE5A-202122010BL3, KTREP3-202611010C2F, KTREP34-20261101096L, KTREP34A-20261101096K, KTREP3A-202611010C1L, KTREP4-202615010BNQ, KTREP4A-202615010BNR, KTREP52A-202620010BO5, KTRN200012-202010050495, KTRN200012A-2020100507UK, KTRN200013-2020100507UV, KTRN200013A-2020100507UU, KTRN200014-2020100507UM, KTRN200014A-2020100507UL, KTRN200015-2020100507UR, KTRN200015A-2020100507UT, KTRN300122-202013050479, KTRN300122A-2020130504DY, KTRN300142-2020130506BG, KTRN300142A-2020130507GY, KTRN300144-2020130505UU...(Other models you can see in the webshop)		



2

No.	601023	Ref. No.	1648001600
description	fan motor 16W 230V 50-60Hz L1 45mm L2 61mm L3 92mm W 84mm cable length 500mm 1300rpm YZF16-25-18/26 5 mounting options bearing slide bearing		
For models:	KTRNBT401222-2025180107LE, KTRNBT401222A-20251801045Z, KTRNBT512222-2025230107LF, KTRNBT51222A-2025230104XK, ROLL-IN1P-211008120CJE, ROLL-IN1P-211008120CJG, ROLL-IN2P-211016120CJL, ROLL-IN2P-211016120CJM, ROLL-IN2P-211016220CJN, ROLL-IN2P-211016220CJP, ROLL-IN-2PMTN-211016220CJO, ROLL-INP1P-211008220CJH, ROLL-INP1P-211008220CJL, ROLL-INP1PMTN-211008220CJJ		

accessories

fan wheels

aluminium




1

No.	601070	Ref. No.	1495200028
description	fan wheel sucking ø 200mm fan wheel mounting 25.4mm blade angle 28° W 38mm aluminium		
For models:	KBT40-21091640, KC41-210916400BDC, KR41-210906400BFA, KTN40-21090640, SAL22R-2124922093V		




1

No.	601282	Ref. No.	1495200034
description	fan wheel sucking ø 200mm fan wheel mounting 25.4mm blade angle 34° W 44mm aluminium		
For models:	KSABT70G-2045370CJD, OLKSABT140-2045240CIW, OLKSABT144-2045240CJO, OLKSABT70-2045170CIO, OLKSABT72-2045170CIT, OLKSABTV140-2045240CIY, OLKSABTV70-2045170CIR, OLKSAP70-2045270CIP, OLKSATN140-2045140CIV, OLKSATN144-2045140CIZ, OLKSATN70-2045070CIN, OLKSATN72-2045070CIS, OLKSAT-NV140-2045140CIX, OLKSATNV70-2045070CIQ		



1

No.	601172	Ref. No.	1495230034
description	fan wheel sucking ø 230mm fan wheel mounting 25.4mm blade angle 34° W 50mm aluminium		
For models:	K5ABT70G-2045370CJD, KTAR01, KTAR01N, KTAR02, KTAR02N, KTAR03, KTAR03N, KTAR04, KTAR04N, KTR2E1-202108010BL5, KTR2E2-202108010BFC, KTR2E2A-202108010BGP, KTR2E3-202113010BHF, KTR2E32A-202113010BLQ, KTR34-202113010BLW, KTR2E3A-202113010BFW, KTR2E4-202117010BLG, KTR2E42-202117010BMO, KTR2E42A-202117010BMB, KTR2E44-202117010BMB, KTR2E4A-202117010BFF, KTR2E5-202122010BG2, KTR2E52-202122010BNK, KTR2E54-202122010BGC, KTR2E54A-202122010BNP, KTR2E5A-202122010BL3, KTR2E3P-202611010C2F, KTR2E3P4-20261101096L, KTR2E3P4A-20261101096K, KTR2E3A-202611010C1L, KTR2E4P-202615010BNQ, KTR2E4A-202615010B8N, KTR2E5P5A-202620010BO5, KTRN200012-202010050495, KTRN200012A-2020100507UJ, KTRN200013-2020100507UV, KTRN200013A-2020100507UU, KTRN200014-2020100507UM, KTRN200014A-2020100507UL, KTRN200015-2020100507UR, KTRN200015A-2020100507UT, KTRN300122-202013050479, KTRN300122A-2020130504DY, KTRN300142-2020130506BG, KTRN300142A-2020130507GY, KTRN300144-2020130505UU, KTRN300144A-20201305079X, KTRN300152-2020130507GW, KTRN300152A-2020130507GX, KTRN300155-2020130507HC....(Other models you can see in the webshop)		





2

No.	601387	Ref. No.	1495254028
description	fan wheel sucking ø 254mm fan wheel mounting 25.4mm blade angle 34° W 50mm aluminium		
For models:	KTRNBT401222-2025180107LE, KTRNBT401222A-20251801045Z, KTRNBT512222-2025230107LF, KTRNBT512222A-2025230104XK, ROLL-IN1P-211008120CJE, ROLL-IN1P-211008120CJG, ROLL-IN2P-211016120CJL, ROLL-IN2P-211016120CJM, ROLL-IN2P-211016220CJN, ROLL-IN2P-211016220CJP, ROLL-IN-2PMTN-211016220CJO, ROLL-IN1P-211008220CJH, ROLL-INP1P-211008220CJL, ROLL-INP1PPMTN-211008220CJJ		

cold air circulating fans (complete)

HIDRIA



1

No.	601811	Ref. No.	995870
description	fan type R09R-3030HP-4M-2543 fan wheel ø 300mm 230V 50/60Hz 65/90W suitable capacitor 2.5µF HIDRIA suitable for blast chiller suitable for FRUULINOX 1400/1500rpm blowing H 138mm cable lengthmm mounting distance 265mm		
For models:	081, 121, 161, KBC051-20354051, KBC151-20354151, KBC201-20355201, KBC201-PASS-THROUGH-20355221, KRC061-20357061, KRC101-20357101, KRC201-20358201, OBC081AF-ASX-6V221285220OL, OBC121DF-ASX-6V23A285220OL, OBC161DF-ASX-6V24A485220OL, OLB051-20364051OL, OLB151-20364151OL, OLB201-20365201OL, OLB201-20365221OL, OLB201-20367061OL, OLB201-20367101OL, OLB201-20367103OL, OLB201-20368201OL, OLB201-20364061OL		

miscellaneous



1

No.	601858	Ref. No.	996074	
description	fan 52W REH190X62-1CN fan wheel ø 190mm blades 16 230V 50/60Hz input current 0.39/0.49A H 70mm 2600/2900rpm connection 4-wire cable length 450mm rotation direction right XFAN with capacitor suitable capacitor 2.5µF			
For models:	BBF030AF-GOLD-4186V004284200, KBF030-20362030, OBF030AF-GOLD-6V004284200OL, OLB030-20362030OL			
spare parts for	601858			
	No.	365170	Ref. No.	—
 capacitor capacity 2µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 25mm L 49mm M8 plastic connection cable 250mm 416.17.74 protection				

cross flow fans

ebm-papst



1

No.	601000	Ref. No.	1648106045
description	cross flow fan ebm-papst QLK45/0006-2513 roller ø 45mm roller length 60mm laminated core thickness 13mm motor position left 230V/50Hz 15W refrigeration bearing rubber connection male faston 6.3mm airflow 36m³/h 0 up to +60°C		
For models:	KTAP01-BASE-20220901044U, KTAP02-BASE-20221301048K, KTAP03-BASE-2022180109UA, KTAP04-2022230109X0, KTAP04-BASE-2022230109RY, KTRP00522-2022130107K4, KTRP200022-202209010500, KTRP200022A-2022090104EB, KTRP200042-2022090107HY, KTRP200042A-20220901077B, KTRP200044-2022090105CF, KTRP200044A-2022090107HZ, KTRP200052-2022090107HW, KTRP200052A-2022090107HX, KTRP200055-2022090107K1, KTRP200055A-2022090107K0, KTRP300222-2022130105HP, KTRP300222A-2022130104EC, KTRP300422-2022130106TB, KTRP300422A-2022130105XL, KTRP300442-2022130107K6, KTRP300442A-2022130107K7, KTRP300522-2022130107K2, KTRP300522A-2022130107K3, KTRP300552A-2022130107K5, KTRP402222A-2022180109WR, KTRP404222-2022180109VW, KTRP404222A-2022180109WU, KTRP404422-2022180104VV, KTRP404422A-2022180107KE, KTRP405222-2022180109WT, KTRP405222A-2022180109WS, KTRP405522-2022180107KB, KTRP405522A-2022180107KC, KTRP522222-2022230109WW, KTRP522222A-2022230109WX, KTRP542222A-2022230109X1, KTRP544222-2022230107KR, KTRP544222A-2022230107KP, KTRP552222-2022230109WZ, KTRP552222A-2022230109WY, KTRP552222-2022230107KM, KTRP552222A-2022230107KN		

EMMEVI - FERGAS

with moulded coils



1

No.	601110	Ref. No.	1648106018
description	cross flow fan TGO 60/1-180/20 roller ø 60mm roller length 180mm laminated core thickness 20mm motor position left 230V/50Hz 28W refrigeration bearing rubber connection male faston 6.3mm -30 up to +100°C 230V cable length 1800mm		
For models:	KTAP82, KTAP82-202282020AY0, KTAP82-202282020AY1, KTAP83, KTAP83-202283020AY3, KTAP84, KTAP84-202284020AY4, KTAP84-202284020AY5, KTAR01, KTAR01N, KTAR02, KTAR02N, KTAR03, KTAR03N, KTAR04, KTAR04N, KTRE21-202108010BL5, KTRE2-202108010BFC, KTRE2A-202108010BGP, KTRE3-202113010BHF, KTRE32A-202113010BLQ, KTRE34-202113010BLW, KTRE3A-202113010BFW, KTRE4-202117010BLG, KTRE42-202117010BM0, KTRE42A-202117010BM6, KTRE44-202117010BMB, KTRE4A-202117010BFF, KTRE5-202122010BG2, KTRE52-202122010BNK, KTRE54-202122010BGC, KTRE54A-202122010BNP, KTRE5A-202122010BL3, KTREP3-202611010C2F, KTREP34-20261101096L, KTREP34A-20261101096K, KTREP3A-202611010C1L, KTREP4-202615010BNQ, KTREP4A-202615010BNR, KTRE-P52A-202620010BO5, KTRN200012-202010050495, KTRN200012A-2020100507UK, KTRN200013-2020100507UV, KTRN200013A-2020100507UU, KTRN200014-2020100507UM, KTRN200014A-2020100507UL, KTRN200015-2020100507UR, KTRN200015A-2020100507UT, KTRN300122-202013050479, KTRN300122A-2020130504DY...(Other models you can see in the webshop)		

hot air motors



1

No.	550857	Ref. No.	R58003870
description	counterflange for fan motor ED ø 50mm int. ø 1 25mm int. ø 2 16mm thickness 6mm brass		
For models:	CCE071M, CCG071M, CKEP06, CKEP06B, CKET06, CKET06B, CKGP06, CKGP06B, CKGT06, CKGT06B		




1

No.	550859	Ref. No.	R58003850
description	counterflange for fan motor ED ø 60mm int. ø 1 34mm int. ø 2 25mm thickness 6mm brass		
For models:	CCE101M, CCE102M, CCG101M, CCG102M, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		




1

No.	500656	Ref. No.	R65040520	
description	fan motor 200-240/415V 3 phase 50/60Hz 0.15/0.55kW 900/1400rpm speeds 2 L1 150mm L2 50mm L3 48mm D1 ø 24mm D2 ø 20mm M12L IT 2.3/1.3-1.2/0.7A at 50Hz 200-240/415V at 60Hz 200-240/480V at 50Hz 900/1400rpm at 60Hz 1100/1700rpm type 3042D4050			
For models:	CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B			
spare parts for	500656			
	No.	511172	Ref. No.	R70020050
	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm			




1

No.	500662	Ref. No.	R65041000
description	fan motor 220-240V 1 phase 50/60Hz 0.12kW 2800/3200rpm speeds 1 L1 85mm L2 7mm L3 47mm L4 12mm D1 ø 8/6mm D2 ø 12mm M5R ET 1.6A power input 0.25W suitable capacitor 5µF/400V		
For models:	CCE042M, CCE051M, CCG051M		




2

No.	500661	Ref. No.	R65040431
description	fan motor 220-240V 1 phase 50Hz 0.03/0.2kW 0.05/0.25HP 1400/2700rpm speeds 2 L1 123mm L2 77mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET 1.6/0.6A suitable capacitor 10µF/450 V at 50Hz 1400/2700rpm type 1057D1901		
For models:	CKEP06, CKEP06B, CKGP06, CKGP06B		




1

No.	500644	Ref. No.	3102300 BN3102300
description	fan motor 230/400V 3 phase 50/60Hz 0.55kW 0.58HP 1420/1700rpm speeds 1 L1 188mm L2 67mm L3 46mm D1 ø 24mm D2 ø 20mm M12L IT 1.1/1.9A Cos(φ) 0.6 at 50Hz 1420/1700rpm type ST80/4 no. 654282 mounting distance 185mm		
For models:	CV10E, CV10E-1320100, CV10E-1320110, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10G, CV10G-1310100, CV10G-S, CV10GS-1310150, CV20E, CV20E-1320200, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20G, CV20G-1310200, CV20G-S, CV20GS-1310250, CV21E, CV21E-1322100, CV21E-S, CV21ES-1322150, CV6E, CV6E-1320000, CV6E-1320010, CV6E-1320050, CV6EB-1321000, CV6E-S, CV6G, CV6G-1310000, CV6G-S, CV6GS-1310050, CVM10E, CVM10E-1320400, CVM10E-1320410, CVM10E-S, CVM10ES-1320450, CVM10G, CVM10G-1310400, CVM10G-1310430, CVM10G-1310450, CVM10G-S, CVM20E, CVM20E-1320500, CVM20E-S, CVM20ES-1320550, CVM20G, CVM20G-1310500, CVM20G-S...(Other models you can see in the webshop)		
accessories for	500644		
	No.	560449	Ref. No.
	3102250 BN3102250 R58004000		
hexagonal screw thread M12x1.5 L thread L 22mm bore ø 6.3mm WS 19 total length 30mm			




1

No.	500658	Ref. No.	R65040530	
description	fan motor 230/400V 3 phase 50/60Hz 0.55kW 1400/1700rpm speeds 1 L1 145mm L2 47mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 2.6-2.3/1.5-1.3A (at 50-60Hz)A Cos(φ) 0.73 at 50Hz 200-240/415V at 60Hz 200-240/480V at 50Hz 1400rpm at 60Hz 1700rpm			
For models:	CCE101M, CCE102M, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B			
spare parts for	500658			
	No.	511172	Ref. No.	R70020050
	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm			
accessories for	500658			
	No.	560449	Ref. No.	3102250 BN3102250 R58004000
	hexagonal screw thread M12x1.5 L thread L 22mm bore ø 6.3mm WS 19 total length 30mm			
	No.	601244	Ref. No.	R75400440
	fan wheel D1 ø 350mm H1 114mm blades 12 D2 ø 19.5mm D3 ø 23mm H2 45mm			


1

No.	500646	Ref. No.	3102200 BN3102200	
description	fan motor 230V 1 phase 50/60Hz 0.55kW 1400/1680rpm speeds 1 L1 188mm L2 67mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 2.4A suitable capacitor 20µF/450V Cos(φ) 0.95 at 50Hz 1400rpm at 60Hz 1680rpm type LM80/4 no. 601259			
For models:	CV10G, CV10G-1310100, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV20G, CV20G-1310200, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV21G, CV21G-1312100, CV21G-S, CV21GS-1312150, CV6G, CV6G-1310000, CV6G-1310010, CV6GB-1311000, CV6G-S, CV6GS-1310050, CV-M10G-1310400, CVM10G-1310410, CVM10G-1310430, CV-M10G-1310450, CVM10GP-1310400, CVM10GS-1310460, CVM20G-1310500, CVM20GS-1310550, CVM21G, CV-M21G-1312400, CVM21G-S, CVM21GS-1312450, CV-M6G-1310300, CVM6G-1310310, CVM6GS-1310350, CVM-6GS-1310360, FC10G-418035410100, FC10G-S-418035410150, FC20G-418035410200, FC20G-S-418035410250, FC21G-B-418035412100, FC21G-S-418035412150, FC6G-418035410000, FC6G-S-418035410050, FCM10G-418035410400, FCM10G-S-418035410450, FCM10G-S-418035410450AU, FCM20G-418035410500, FCM20G-S-418035410550, FC-M21G-418035412400...(Other models you can see in the webshop)			
accessories for	500646			
	No.	365019	Ref. No.	—
	operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection			
	No.	560449	Ref. No.	3102250 BN3102250 R58004000
	hexagonal screw thread M12x1.5 L thread L 22mm bore ø 6.3mm WS 19 total length 30mm			


1

No.	500659	Ref. No.	R65040550	
description	fan motor 230V 1 phase 50/60Hz 0.55kW 1400/1700rpm speeds 1 L1 150mm L2 52mm L3 45mm D1 ø 24mm D2 ø 20mm M12L IT 3A suitable capacitor 20µF/450V Cos(φ) 0.9 at 50Hz 1400rpm at 60Hz 1700rpm type 3042A2350			
For models:	CCG101M, CCG102M, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B			
spare parts for	500659			
	No.	511172	Ref. No.	R70020050
	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm			


1

No.	500647	Ref. No.	3102210 BN3102210
description	fan motor 230V 1 phase 50Hz 0.13/0.55kW 700/1400rpm speeds 2 L1 188mm L2 64mm L3 46mm D1 ø 24mm D2 ø 20mm 0.66/2.4A suitable capacitor 25µF Cos(φ) 0.98 at 50Hz 700/1400rpm at 60Hz 850/1700rpm 4P/8P type LM/FB80 no. 483823		
For models:	CMV6ES2-1320392, CV10G-2, CV10G2-1310140, CV10G-S2, CV10GS2-1310190, CV20G-2, CV20G2-1310240, CV20G-S2, CV20GS2-1310290, CV21G-2, CV21G2-1312140, CV21G-S2, CV21GS2-1312190, CV6G-2, CV6G2-1310040, CV6G-S2, CV6GS2-1310090, CVM10G2-1310440, CVM10GS2-1310490, CVM20G2-1310540, CVM20GS2-1310590, CVM21G-2, CV-M21G2-1312440, CVM21G-S2, CVM21GS2-1312490, CV-M6G2-1310340, CVM6GS2-1310390, FC10G-2-418035410140, FC10G-2S-418035410190, FC20G-2-418035410240, FC20G-2S-418035410290, FC21G-2-418035412140, FC21G-2S-418035412190, FC6G-2-418035410040, FC6G-2S-418035410090, FCM10G-2-418035410440, FCM10G-2S-418035410490, FCM20G-2-418035410540, FCM20G-2S-418035410590, FC-M21G-2-418035412440, FCM21G-2S-418035412490, FC-M6G-2-418035410340, FCM6G-2S-418035410390		


1

No.	500649	Ref. No.	3102212 BN3102212
description	fan motor 230V 1 phase 50Hz 0.13/0.55kW 700/1400rpm speeds 2 L1 200mm L2 67mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 0.66/2.4A suitable capacitor 8/25 µF Cos(φ) 0.98 at 50Hz 700/1400rpm at 60Hz 850/1700rpm 4P/8P type LM/FB80 no. 635521		
For models:	ECVM10ES2, ECVM10ES2-1324290, ECVM10ES2-1326120, ECVM-10GS2, ECVM10GS2-1314290, ECVM10GS2-1316120, ECVM20ES2, ECVM20ES2-1324390, ECVM20ES2-1326140, ECVM20GS2, ECVM-20GS2-1314390, ECVM20GS2-1316140, ECVM21ES2, ECVM-21GS2, ECVM21GS2-1314490, ECVM21GS2-1316160, ECVM6ES2, ECVM6ES2-1324190, ECVM6ES2-1326100, ECVM6ES2-1326100H, ECVM6GS2, ECVM6GS2-1314190, ECVM6GS2-1316100, ECVP10ES2, ECVP10ES2-1324690, ECVP10ES2-1326200, ECVP20ES2, ECVP20ES2-1324790, ECVP20ES2-1326220, ECVP21ES2, ECVP21ES2-1324890, ECVP21ES2-1326240, ECVP6ES2, ECVP6ES2-1324590, ECVP6ES2-1326180, NECVM10ES2, NECV-M10ES2-1327290, NECVM10ES2-1328120, NECVM10ES2-1328120H, NECVM10GS2, NECVM10GS2-1317290, NECVM10GS2-1318120, NECVM20ES2, NECVM20ES2-1327390, NECVM20ES2-1328140, NECVM20GS2, NECVM20GS2-1317390, NECVM20GS2-1318140, NECVM21ES2, NECVM21ES2-1327490...(Other models you can see in the webshop)		

1

No.	500657	Ref. No.	R65040540
description	fan motor 230V 1 phase 50Hz 0.15/0.55kW 900/1400rpm speeds 2 L1 150mm L2 45mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 1.3/3.0A suitable capacitor 20/10µF Cos(φ) 0.98 at 50Hz 900/1400rpm at 60Hz 1100/1700rpm 4P/6P type LM/FB 100L no. 472986		
For models:	CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B		
spare parts for	500657		
	No.	511172	Ref. No.
	R70020050		
shaft sealing ID ø 24mm ED ø 29mm thickness 3mm			


1

No.	500663	Ref. No.	R65040421
description	fan motor 230V 1 phase 50Hz 0.18kW 0.25HP 2800rpm speeds 1 L1 123mm L2 77mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET 1.6A suitable capacitor 10µF/400V Cos(φ) 0.95 at 50Hz 2800rpm type 1057C2401		
For models:	CCE071M, CCG071M, CKEP06, CKEP06B, CKGP06, CKGP06B		




1

No.	501566	Ref. No.	R65040600
description	fan motor 230V 3 phase 50Hz 0.25kW 2700rpm L1 122mm L2 77mm L3 30mm D1 ø 15mm D2 ø 8mm M10 1.5A type FIR no. 1057.2650		
For models:	CKET06, CKET06B, CKGT06, CKGT06B		

1

No.	500645	Ref. No.	3102310 BN3102310
description	fan motor 400V 3 phase 50Hz 0.13/0.55kW 720/1440rpm speeds 2 L1 188mm L2 64mm L3 46mm D1 ø 24mm D2 ø 20mm 0.4/0.85A Cos(φ) 0.60/0.75 at 50Hz 720/1440rpm at 60Hz 860/1720rpm type FB80 4/8 no. 520481		
For models:	CV10E-2, CV10E2-1320140, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-2, CV10G2-1310140, CV10G-S, CV10G-S2, CV10GS2-1310190, CV20E-2, CV20E2-1320240, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-2, CV20G2-1310240, CV20G-S, CV20G-S2, CV20GS2-1310290, CV21E-2, CV21E2-1322140, CV21E-S2, CV21ES2-1322190, CV6E-2, CV6E2-1320040, CV6E-S2, CV6ES2-1320090, CV6G-2, CV6G2-1310040, CV6G-S2, CV6GS2-1310090, CVM10E-2, CVM10E2-1320440, CVM10E-S2, CVM10ES2-1320490, CVM10G-2, CVM10G2-1310440, CVM10G-S2, CVM10GS2-1310490, CVM20E-2, CVM20E2-1320540, CVM20E-S2, CVM20ES2-1320590, CVM20G-2, CVM20G2-1310540, CVM20G-S2, CVM20GS2-1310590, CVM21E-2, CVM21E2-1322440... (Other models you can see in the webshop)		

1

No.	500648	Ref. No.	3102312 BN3102312
description	fan motor 400V 3 phase 50Hz 0.13/0.55kW 720/1440rpm speeds 2 L1 198mm L2 65mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 400 0.4/0.85A Cos(φ) 0.60/0.75 at 50Hz 720/1440rpm at 60Hz 860/1720rpm type FB80 4/8 no. 500256		
For models:	ECVM10ES2, ECVM10ES2-1324290, ECVM10ES2-1326120, ECVM20ES2, ECVM20ES2-1324390, ECVM20ES2-1326140, ECVM21ES2, ECVM6ES2, ECVM6ES2-1324190, ECVM6ES2-1326100, ECVM6ES2-1326100H, ECVP10ES2, ECVP10ES2-1324690, ECVP10ES2-1326200, ECVP10GS2, ECVP10GS2-1314690, ECVP10GS2-1316200, ECVP20ES2, ECVP20ES2-1324790, ECVP20ES2-1326220, ECVP20GS2, ECVP20GS2-1314790, ECVP20GS2-1316220, ECVP21ES2, ECVP21ES2-1324890, ECVP21ES2-1326240, ECVP21GS2, ECVP21GS2-1314890, ECVP21GS2-1316240, ECVP6ES2, ECVP6ES2-1324590, ECVP6ES2-1326180, ECVP6GS2, ECVP6GS2-1314590, ECVP6GS2-1316180, NECVM10ES2, NECVM10ES2-1327290, NECVM10ES2-1328120, NECVM10ES2-1328120H, NECVM20ES2, NECVM20ES2-1327390, NECVM20ES2-1328140, NECVM21ES2, NECVM21ES2-1327490, NECVM21ES2-1328160, NECVM6ES2, NECVM6ES2-1327190, NECVM6ES2-1328100, NECVP10ES2, NECVP10ES2-1327690...(Other models you can see in the webshop)		



1

No.	602148	Ref. No.	R75400470
description	fan wheel blades 12 D1 ø 350mm D2 ø 19.5mm D3 ø 23mm H1 118mm H2 50mm		
For models:	CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B		



1

No.	602146	Ref. No.	R75400490
description	fan wheel blades 8 D1 ø 220mm D2 ø 11mm D3 ø 16mm H1 83mm H2 25mm		
For models:	CKEP06, CKEP06B, CKET06, CKET06B		



1

No.	601353	Ref. No.	R75400510
description	fan wheel D1 ø 150mm H1 50mm blades 36 D2 ø 8mm D3 ø 6/8mm H2 26mm		
For models:	CCE042M		



1

No.	601246	Ref. No.	R75400410
description	fan wheel D1 ø 180mm H1 77mm blades 12 D2 ø 8mm D3 ø 6mm H2 25.5mm		
For models:	CCE051M, CCG051M		




1

No.	601243	Ref. No.	R75400400
description	fan wheel D1 ø 220mm H1 78mm blades 12 D2 ø 11mm D3 ø 16mm H2 29mm		
For models:	CCE071M, CCG071M, CKEP06, CKEP06B, CKET06, CKET06B, CKGP06, CKGP06B, CKGT06, CKGT06B		



1

No.	601214	Ref. No.	3101630 BN3101630
description	fan wheel D1 ø 335mm H1 135mm blades 12 D2 ø 19.5mm D3 ø 23.5mm H2 51mm		
For models:	CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CVM20E, CVM20E-1320500, CVM20E-2, CVM20E2-1320540, CVM20E-S, CVM20ES-1320550, CVM20E-S2, CVM20ES2-1320590, CVM20G, CVM20G-1310500, CVM20G-2, CVM20G2-1310540, CVM20G-S, CVM20GS-1310550, CVM20G-S2, CVM20GS2-1310590, CVP20E, CVP20E-1320800, CVP20E-2, CVP20E2-1320840, CVP20EB-1321200, CVP20E-S, CVP20ES-1320850, CVP20E-S2, CVP20ES2-1320890, CVP20G, CVP20G-1310800, CVP20G-1310850, CVP20G-2, CVP20G-S, CVP20GS-1310840, CVP20G-S2...(Other models you can see in the webshop)		
accessories for	601214		
	No.	560449	Ref. No.
	3102250 BN3102250 R58004000		
hexagonal screw thread M12x1.5 L thread L 22mm bore ø 6.3mm WS 19 total length 30mm			



1

No.	601213	Ref. No.	3101600 BN3101600
description	fan wheel D1 ø 335mm H1 135mm blades 16 D2 ø 19.5mm D3 ø 23.5mm H2 50.5mm		
For models:	CMV6ES2-1320392, CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140, CV21G-S, CV21GS-1312150, CV21G-S2, CV21GS2-1312190, CV6E, CV6E-1320000, CV6E-1320010, CV6E-1320050, CV6E-2, CV6E2-1320040, CV6EB-1321000, CV6E-S, CV6E-S2, CV6ES2-1320090, CV6G, CV6G-1310000, CV6G-1310010, CV6G-2...(Other models you can see in the webshop)		



2

No.	601244	Ref. No.	R75400440
description	fan wheel D1 ø 350mm H1 114mm blades 12 D2 ø 19.5mm D3 ø 23mm H2 45mm		
For models:	CCE101M, CCE102M, CCG101M, CCG102M, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		



1

No.	550856	Ref. No.	R58003860
description	flange for fan motor ED ø 50mm int. ø 1 19.5mm int. ø 2 16mm thickness 3mm brass		
For models:	CCE071M, CCG071M, CKEP06, CKEP06B, CKET06, CKET06B, CKGP06, CKGP06B, CKGT06, CKGT06B		



1

No.	550858	Ref. No.	R58003840
description	flange for fan motor ED ø 60mm int. ø 1 28.5mm int. ø 2 25mm thickness 4mm brass		
For models:	CCE101M, CCE102M, CCG101M, CCG102M, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		



1

No.	550860	Ref. No.	R58005500
description	flange for gasket ED ø 35mm int. ø 1 22mm int. ø 2 9mm thickness 8mm brass		
For models:	CCE042M, CCE051M, CCG051M		



1

No.	550850	Ref. No.	3102500 BN3102500
description	flange pair for fan motor ED ø 70mm int. ø 1 43.5mm int. ø 2 24.5mm thickness 5mm brass		
For models:	CMV6ES2-1320392, CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140...(Other models you can see in the webshop)		



1

No.	550849	Ref. No.	3102400 BN3102400
description	gasket for fan motor ID ø 24mm ED ø 36mm thickness 4.5mm		
For models:	CMV6ES2-1320392, CV10E, CV10E-1320100, CV10E-1320110, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140...(Other models you can see in the webshop)		

			
1			
No.	560449	Ref. No.	3102250 BN3102250 R58004000
description	hexagonal screw thread M12x1.5 L thread L 22mm bore $\varnothing$ 6.3mm WS 19 total length 30mm		
For models:	CCE101M, CCE102M, CCG101M, CCG102M, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		

			
1			
No.	550861	Ref. No.	R70020020
description	shaft seal for fan motor ID $\varnothing$ 7.5mm ED $\varnothing$ 22mm thickness 7mm		
For models:	CCE042M, CCE051M, CCG051M		

			
1			
No.	511171	Ref. No.	R70020040
description	shaft seal ID $\varnothing$ 14.5mm ED $\varnothing$ 20mm thickness 3mm		
For models:	CCE071M, CCG071M, CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP21, CKEP21B, CKET06, CKET06B, CKET10, CKET10B, CKET21, CKET21B, CKGP06, CKGP06B, CKGT06, CKGT06B		


			
1			
No.	511172	Ref. No.	R70020050
description	shaft sealing ID $\varnothing$ 24mm ED $\varnothing$ 29mm thickness 3mm		
For models:	CCE101M, CCE102M, CCG101M, CCG102M, CKEP20, CKEP20B, CKEP40, CKEP40B, CKET20, CKET20B, CKET40, CKET40B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		

hot air fans

miscellaneous




1



No.	601054	Ref. No.	1037117200	
description	hot air fan 220-240V 32W 50/60Hz L1 60mm L2 10mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C20X0E01/46			
For models:	CFE60, CFE60P, OCFE60, OCFE-60-12601005, OCFE-60-12601005MN, OCFGE61			
accessories for	601054			
	No.	550879	Ref. No.	—
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan			




1



No.	601125	Ref. No.	6A036410 BN6A036410	
description	hot air fan 220-240V 45W 50/60Hz L1 70mm L2 11mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C30R0479CLF			
For models:	61FE-1826050, 61SCGFE3S-1826055, 61SCGFE4S-1827055, 61SECFE-1826075, 941CEAC-1292164, 941FTE1-2RAC-1292562, 941FTE1-2RAC-1292662, 941FTEAC-1292462, 941FTEACC-1292464, 941FTEACC1-2R-1292465, 941FTEAC-1292562, 94CBEAC-1192362, 94CBGAC-1191362, 94CGAC-1191164, 94CTGAC-1191760, 98CGAC-1191168, TAC100-1022005, TAC101-1022006, TAC102-1022007, TAC130-1022105, TAC131-1022106, TAC132-1022107, TAC170-1022205, TAC171-1022206, TAC172-1022207, TAC210-1019505, TAC211-1019506, TAC212-1019507, TAC6100-1622005, TAC6130-1622105, TAC6131-1622106, TAC6170-1622205			
accessories for	601125			
	No.	550879	Ref. No.	—
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan			



1



No.	602149	Ref. No.	3000300
description	fan motor 230/400V 0.55W type N552		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151LEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		

accessories

fan wheels for hot air fans



1

No.	601630	Ref. No.	1034400200
description	fan wheel ø 150mm W 25mm shaft intake ø 6x5mm chrome-plated blades 7		
For models:	CFE60, CFE60P, OCFE60, OCFE-60-12601005, OCFE-60-12601005MN, OCFGE61		

miscellaneous




1

No.	551434	Ref. No.	R58004010
description	plain washer ø 30mm thickness 3mm hole ø 12.5mm for fan wheel combi-steamer		
For models:	CCE101M, CCE102M, CCG101M, CCG102M, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		

radial fans



1



No.	601181	Ref. No.	R65060360
description	radial fan 230V voltage AC 50Hz 100W H1 170mm L1 175mm D1 ø 50mm W1 115mm W2 40mm H2 45mm		
For models:	CCG051M, CCG071M, CCG101M, CCG102M, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		

motors

gear motors

for combi-steamers



1

No.	502288	Ref. No.	R65090250
description	gear kit 8W 230V voltage AC 30rpm shaft ø 6mm L 75mm W 87mm H 84mm conversion kit		
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		
spare parts for	502288		
	No.	502291	Ref. No.
			—
	gear motor METEOR type 58U59DB4A1/00 8W 230V voltage AC 50Hz 30rpm shaft ø 6x5mm L 69mm W 49mm H 65mm		

for dishwashers



1

No.	501405	Ref. No.	3000120
description	motor without gearbox 180/220W 230/400-280/480V 50/60Hz 3 phase 1.2/0.7-1.15/0.67A shaft ø 11mm shaft length 26mm flange ø 89mm 1340/1608rpm type MS63B-4 ø 119mm H 163mm L 215mm E.M.C. for drying 0.18/0.22kW		
For models:	OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113...(Other models you can see in the webshop)		

motors

for dishwashers



1

No.	501477	Ref. No.	3000110
description	motor 260W 400V 50Hz 0.8A shaft ø 14mm shaft length 40mm flange ø 156mm 900rpm ø 140mm H 215mm OLYMPIA 0.26kW		
For models:	OLAX151-highspeed, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120...(Other models you can see in the webshop)		



1

No.	501405	Ref. No.	3000120
description	motor without gearbox 180/220W 230/400-280/480V 50/60Hz 3 phase 1.2/0.7-1.15/0.67A shaft ø 11mm shaft length 26mm flange ø 89mm 1340/1608rpm type MS63B-4 ø 119mm H 163mm L 215mm E.M.C. for drying 0.18/0.22kW		
For models:	OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113...(Other models you can see in the webshop)		



universal



1

No.	601463	Ref. No.	2510631 BN2510631
description	motor 90W 230V 50Hz 1 phase shaft ø 9mm flange ø 80mm 1300rpm type AMM56ZAA4 ø 110mm H 150mm L 170mm Lafert 0.09kW		
For models:	725KBEM-000200, 725KBEM-1000210, 725KB-EM-1000210R, 725KB-EMB-1000211, 725KBEMB-1000211, 725KBGM-000120, 725KB-GM-1000120, 725KB-GM-1000120R, 725KB-GMB-1000121, 725KB-GMB-1000121R, 74-02KBEMB, 74-02KBEMB-12701120, 74-02KBEMBI, 74-02KBEMBI-12701125, 74-02KBEMBI-12701125HB, 74-02KBGMB, 74-02KBGMB-12700120, 74-02KBGMBI, 74-02KBGMBI-12700125, 94-04KBEM, 94-04KBEM-12901125, 94-04KBEM-12901125BN, 94-04KBEM-12901128, 94-04KBGM, 94-04KBGM-12900125, 94-04KBGM-12900125TA, 94-04KBGM-12900128, 94-04KBGM-12900128TA, 9BR-EM80, 9BR-G80, 9BR-G81, 9BR-GM80		

accessories

fan wheels



1

No.	601749	Ref. No.	3000125
description	fan wheel ø 174mm shaft intake ø 11mm H 54.5mm		
For models:	OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113...(Other models you can see in the webshop)		

pumps

wash and rinse pumps

FIR

pumps



1

No.	500532	Ref. No.	10300057/A
description	pump		
For models:	G12S, OLDW020H, OLLP1S5-1081087, OLLP-ZERO, OLLPZE-RO-1081057		



1

No.	501446	Ref. No.	10508
description	pump inlet ø 28mm outlet ø 26mm type 4213E2250 220-240V 50Hz 1 phase 0.19kW 0.26HP L 190mm rotation direction left capacitor 5µF FIR		
For models:	OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12SElectronic, OLHT12S-Neutra		
spare parts for	501446		
	No.	365017	Ref. No. 10702
operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection			
	No.	510384	Ref. No. —
pump cover inlet ø 28mm outlet ø 26mm ø 100mm ID ø 76mm			
	No.	510695	Ref. No. 10505
mechanical shaft seal height counter ring 5.5mm ID ø 11mm			
	No.	521203	Ref. No. —
impellor ø 72mm H 18mm thread M7 shaft ø 11mm shaft length 32mm blades 3			
	No.	521703	Ref. No. 10506
pump cover gasket EPDM thickness 2.5mm ID ø 75mm Qty 1 pcs			



1

No.	500527	Ref. No.	15908/A	
description	pump inlet ø 60mm outlet ø 50/30mm type 2233.B140 230V 50Hz 1 phase 0.55kW 0.75HP L 210mm rotation direction right capacitor 12.5µF FIR inlet ø 60mm			
	For models: OLDS50P-1081018, OLDS50PD-1081019, OLElectron500, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra			
spare parts for		500527		
	No.	365014	Ref. No.	—
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection			
	No.	510552	Ref. No.	15079/D
	pump cover gasket pump type 1292-2/3942/3981/3911/3983			
	No.	510608	Ref. No.	15079/B
	impellor ø 93mm H 32mm shaft intake ø 9/8mm blades 6 inner height 11mm			
	No.	510692	Ref. No.	—
	mechanical shaft seal for shaft ø 11mm slide ringext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm			
	No.	521511	Ref. No.	15031/E
	pump cover inlet ø 60mm outlet ø 50/30mm supporting pressure M12x1.75 supporting pressure open pump type 2233 turn direction right ø 160mm ID ø 120mm inner height 23mm			



1

No.	500528	Ref. No.	15908/D	
description	pump inlet ø 60mm outlet ø 50mm type 4233.1500 230V 50Hz 1 phase 0.74kW 1HP L 220mm rotation direction right capacitor 16µF FIR			
For models:	OLElectron500, OLG600, OLGastro750Plus, OLGastro750S, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra			
spare parts for	500528			
	No.	365021	Ref. No.	—
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection			
	No.	510552	Ref. No.	15079/D
	pump cover gasket pump type 1292-2/3942/3981/3911/3983			
	No.	510693	Ref. No.	15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	517319	Ref. No.	—
	hose connector T1: M12x1.75 hose ø 11mm brass			
	No.	521177	Ref. No.	15912
	impellor ø 93mm H 23mm thread M10L suitable for FIR			
	No.	521511	Ref. No.	15031/E
	pump cover inlet ø 60mm outlet ø 50/30mm supporting pressure M12x1.75 supporting pressure open pump type 2233 turn direction right ø 160mm ID ø 120mm inner height 23mm			



1

No.	499139	Ref. No.	80912
description	pump inlet ø 62mm outlet ø 62mm type 2275.2722 230/400V 50Hz 3 phase 2.6kW L 400mm rotation direction right FIR		
For models:	OLLP1-1081059, OLLP4-1081258, OLLP4-800-1081058, OLLP4-800Electronic-Neutra, OLLP-4PLUS		
spare parts for	499139		
	No.	510687	Ref. No. 80912/B
	mechanical shaft seal for shaft ø 18mm height counter ring 8mm ID ø 17mm ED ø 39mm H 15mm mounting ø 42mm int. ø 1 21mm		
	No.	521026	Ref. No. 80912/D
	pump cover gasket ID ø 182.5mm thickness 5x4.5mm		
	No.	521028	Ref. No. 80912/C
	pump cover FIR inlet ø 62mm outlet ø 62mm turn direction right ø 215mm ID ø 175mm inner height 40mm		
	No.	521277	Ref. No. 80912/A
	impellor ø 135mm H 39mm pump type Fir 2275 - 3.6HP thread M14L		
	No.	524676	Ref. No. —
	fan wheel ø 160mm shaft intake ø 24mm plastic blades 12 W 30mm		



1

No.	500155	Ref. No.	10300058
description	pump inlet ø 63mm outlet ø 47mm type 1225 230V 50Hz 1 phase 1.1kW 1.5HP L 335mm rotation direction right capacitor 31.5µF FIR		
For models:	OLHT-11-Neutra		
spare parts for	500155		
	No.	365016	Ref. No. —
	operating capacitor capacity 31.5µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 45mm L 95mm M8 plastic connect. on male faston 6.3mm protection		

spare parts for	500155		
	No.	510602	Ref. No. —
	impellor ø 110mm H 34mm rotation direction right thread M8L shaft ø 28mm seat ø 12.2mm blades 6		
	No.	510693	Ref. No. 15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521513	Ref. No. 10200222
	pump cover FIR inlet ø 63mm outlet ø 47mm turn direction right ID ø 150mm inner height 32mm		
	No.	524416	Ref. No. 10200290
	pump cover gasket thickness 4x4mm Qty 1 pcs		



1

No.	499297	Ref. No.	88106
description	pump inlet ø 63mm outlet ø 53mm type 1205.2820 230/400V 50Hz 3 phase 2.7HP L 330mm rotation direction left FIR		
For models:	OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121... (Other models you can see in the webshop)		
spare parts for	499297		
	No.	510357	Ref. No. 88222
	impellor ø 124mm H 34/16mm thread M8R blades 6		
	No.	510523	Ref. No. —
	fan wheel ø 142mm shaft intake ø 15mm blades 12		
	No.	510531	Ref. No. —
	pump cover FIR inlet ø 63mm outlet ø 53mm auxiliary pressure connection M16x1.5mm supporting pressure open turn direction left ø 185mm ID ø 150mm inner height 37mm		
	No.	510693	Ref. No. 15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		

Table continues overleaf

spare parts for 499297				
	No.	524416	Ref. No.	10200290
	pump cover gasket thickness 4x4mm Qty 1 pcs			

LOWARA

pumps



1

No.	499255	Ref. No.	15100/L
description	pump inlet ø 1 1/4" IT outlet ø 1" IT type CEAM/70/3/A 220-240V 50Hz 1 phase 0.6kW L 310mm rotation direction left capacitor 14µF LOWARA		
For models:	OLLP1-1081059, OLLP4-800-1081058, OLLP4-800Electronic-Neutra		

OLYMPIA

pumps



1

No.	500521	Ref. No.	135501	
description	pump inlet ø 1" IT outlet ø 26mm type T33 230V 50Hz 1 phase 0.25kW 0.34HP L 225mm rotation direction right capacitor 5µF auxiliary pressure connection 11mm supporting pressure closed OLYMPIA			
For models:	OLGS40, OLGS40, OLGS40-1080701, OLGS40D-1080708, OLGS40D-1081003, OLGS40-Neutra, OLGS450LSD-1081004			
spare parts for	500521			
	No.	365017	Ref. No.	10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection			
	No.	510693	Ref. No.	15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	521256	Ref. No.	135505
	impeller ø 74mm H 14mm thread M10L shaft ø 12mm shaft length 7.5mm blades 8			

spare parts for 500521				
	No.	521554	Ref. No.	135503
	pump cover OLYMPIA inlet 1" ø 90mm ID ø 66mm inner height 5mm			
	No.	521724	Ref. No.	135506
	O-ring EPDM thickness 1.78mm ID ø 72.75mm Qty 1 pcs			
	No.	528800	Ref. No.	135502
	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs			




1

No.	499257	Ref. No.	401402	
description	pump inlet ø 1" IT outlet ø 30mm type L63.T45F_2V 230V 50Hz 1 phase 0.33kW L 230mm rotation direction left capacitor 8µF OLYMPIA			
For models:	OLDS40, OLDS40-1081065, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40-Neutra			
spare parts for	499257			
	No.	365013	Ref. No.	—
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection			
	No.	509007	Ref. No.	—
	impellor ø 85mm H 20mm rotation direction left thread M10R shaft ø 12mm shaft length 7.5mm blades 12			
	No.	510693	Ref. No.	15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	No.	521167	Ref. No.	—
	pump cover OLYMPIA inlet ø 1"mm outlet ø 30/30mm ID ø 94mm			
	No.	521723	Ref. No.	18245
	pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs			



No.	499131	Ref. No.	351400
description	pump inlet ø 1" IT outlet ø 30mm type T.19DX 230V 50Hz 1 phase 0.19kW L 195mm rotation direction left capacitor 5µF OLYMPIA outlet ø 30mm		
For models:	OLDS35, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081063, OLDS37D-1081064, OLDS37-Neutra		
spare parts for	499131		
	No.	365017	Ref. No. 10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	510693	Ref. No. 15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521168	Ref. No. 371402/A
	pump cover OLYMPIA inlet ø 1"mm outlet ø 30mm pump type T.19DX		
	No.	521169	Ref. No. —
	impellor ø 64mm H 15mm pump type T.19DX thread M7R shaft ø 12mm shaft length 30mm		
	No.	521723	Ref. No. 18245
	pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs		



No.	499095	Ref. No.	15100/DO
description	pump inlet ø 15mm outlet ø 14mm type T.33PRS 230V 50Hz 1 phase 0.25kW L 185mm rotation direction right capacitor 8µF OLYMPIA		
For models:	OLDW020H, OLElectron1000, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLH600, OLH600Electronic, OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT11S, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12SElectronic, OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP1S5-1081087, OLLP1-S8, OLLP1-S8EL		
spare parts for	499095		
	No.	365013	Ref. No. —
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
	No.	510693	Ref. No. 15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521165	Ref. No. —
	pump cover OLYMPIA inlet ø 15mm outlet ø 13mm pump type R63. T33 PRS		
	No.	521166	Ref. No. 15100/U
	impellor ø 90mm H 9mm pump type R63.T33 PRS thread M10R shaft ø 12mm shaft length 8mm		




1

No.	499318	Ref. No.	10501/A
description	pump inlet ø 28mm outlet ø 28mm type L63.T19 230V 50Hz 1 phase 0.19kW L 185mm rotation direction right capacitor 5µF OLYMPIA inlet ø 28mm outlet ø 28mm		
For models:	OLDerby, OLDS35-1081005, OLDW020H, OLElectron1000, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLG35, OLG35-1080702, OLG35D-1081000, OLG35-Neutra, OLG537, OLG537-1080700, OLG537D-1080707, OLG537LS-1081001, OLG537LSD-1081002, OLG537-Neutra, OLG600, OLG600Electronic, OLHT-11-Neutra, OLHT12-1081075, OLHT12EL-1081080, OLHT12EL-1081083, OLHT12ELD-1081081, OLHT12ELPLUS-1081086, OLHT12S, OLHT12SElectronic, OLHT12S-Neutra, OLLP1-800, OLLP1-800-1080721, OLLP1-800EL, OLLP1-800-Neutra, OLLP1S5-1081087, OLLP2-1080722, OLLP2-1080742, OLLP2Electronic-Neutra, OLLP2PLUS, OLLP3-1080723, OLLP3-1080743, OLLP3Electronic-Neutra, OLLP3PLUS, OLLP-ZERO, OLLPZERO-1081057		
spare parts for	499318		
	No.	365017	Ref. No. 10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	510693	Ref. No. 15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521163	Ref. No. —
	pump cover OLYMPIA inlet ø 28mm outlet ø 26mm pump type L63. T19		
	No.	521164	Ref. No. —
	impellor ø 64mm H 15mm pump type L63.T19 thread M7L shaft ø 12mm shaft length 30mm		
	No.	521724	Ref. No. 135506
	O-ring EPDM thickness 1.78mm ID ø 72.75mm Qty 1 pcs		



1

No.	500522	Ref. No.	16042
description	pump inlet ø 29mm outlet ø 27mm type T41 230V 50Hz 1 phase 0.29kW 0.4HP L 200mm rotation direction left capacitor 8µF OLYMPIA		
For models:	OLDS40-1081010, OLDS40D-1081011, OLDS40LS-1081012, OLDS40LSD-1081013, OLLinear		
spare parts for	500522		
	No.	365013	Ref. No. —
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
	No.	510693	Ref. No. 15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521259	Ref. No. 7135
	impellor ø 94mm H 11mm rotation direction left thread M10R blades 6		
	No.	521555	Ref. No. 7133
	pump cover OLYMPIA inlet ø 29mm outlet ø 28mm ø 132mm ID ø 123mm inner height 18mm		
	No.	521726	Ref. No. —
	pump cover gasket EPDM thickness 2mm ID ø 120mm Qty 1 pcs		




1

No.	500520	Ref. No.	18242 18242/B
description	pump inlet ø 33mm outlet ø 30/28mm type T33 230V 50Hz 1 phase 0.25kW 0.34HP L 190mm rotation direction left capacitor 5µF OLYMPIA		
For models:	OLDS37-1081006, OLDS37D-1081007, OLDS37LS-1081008, OLDS37LSD-1081009, OLElectron400, OLG35-1080702, OLG537, OLG537-1080700, OLG537D-1080707, OLG537LS-1081001, OLG537LSD-1081002, OLG537-Neutra, OLG540, OLG540, OLG540-1080701, OLG540D-1080708, OLG540D-1081003, OLG540-Neutra, OLG540LSD-1081004, OLStar		
spare parts for	500520		
	No.	365017	Ref. No. 10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	510693	Ref. No. 15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521151	Ref. No. —
	impellor ø 71mm H 19mm pump type OLYMPIA thread M10R shaft ø 12mm shaft length 8mm		
	No.	521551	Ref. No. 18247
	pump cover OLYMPIA inlet ø 33mm outlet ø 30mm outlet 2 ø 28 turn direction left ø 103mm ID ø 93mm inner height 30mm		



1

No.	500958	Ref. No.	18300
description	pump inlet ø 33mm outlet ø 30/28mm type T45 230V 50Hz 1 phase 0.33kW 0.45HP L 215mm rotation direction left capacitor 8µF OLYMPIA		
For models:	OLGS40, OLGS40, OLGS40-1080701, OLGS40D-1080708, OLGS40D-1081003, OLGS40-Neutra, OLGS40LSD-1081004		
spare parts for	500958		
	No.	365013	Ref. No. —
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
	No.	510693	Ref. No. 15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521257	Ref. No. 18246
	impellor ø 80mm H 12mm rotation direction left thread M10R shaft ø 12mm shaft length 7.5mm blades 6		
	No.	521551	Ref. No. 18247
	pump cover OLYMPIA inlet ø 33mm outlet ø 30mm outlet 2 ø 28 turn direction left ø 103mm ID ø 93mm inner height 30mm		




1

No.	499320	Ref. No.	10501/C
description	pump inlet ø 33mm outlet ø 30mm type L63.T20SX 230V 50Hz 1 phase 0.2kW L 200mm rotation direction right capacitor 5µF auxiliary pressure connection 10mm supporting pressure closed OLYMPIA		
For models:	OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121... (Other models you can see in the webshop)		
spare parts for	499320		
	No. 365017	Ref. No.	10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No. 510693	Ref. No.	15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No. 521173	Ref. No.	—
	pump cover OLYMPIA inlet ø 33mm outlet ø 30mm auxiliary pressure connection 10mm pump type L63.T20SX		
	No. 521174	Ref. No.	—
	impellor ø 60mm H 16mm pump type L63.T20SX shaft ø 12mm shaft length 8mm		




1

No.	500519	Ref. No.	18243
description	pump inlet ø 33mm outlet ø 30mm type T33 230V 50Hz 1 phase 0.25kW 0.34HP L 195mm rotation direction left capacitor 5µF OLYMPIA		
For models:	OLDS37-1081006, OLDS37D-1081007, OLDS37LS-1081008, OLDS37LSD-1081009, OLElectron400, OLStar		
spare parts for	500519		
	No. 365017	Ref. No.	10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No. 510693	Ref. No.	15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No. 521257	Ref. No.	18246
	impellor ø 80mm H 12mm rotation direction left thread M10R shaft ø 12mm shaft length 7.5mm blades 6		
	No. 521553	Ref. No.	18248
	pump cover OLYMPIA inlet ø 33mm outlet ø 30mm turn direction left ø 103mm ID ø 93mm inner height 25mm		
	No. 521723	Ref. No.	18245
	pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs		



1

No.	500523	Ref. No.	16176
description	pump inlet ø 50mm outlet ø 30mm type T5 230V 50Hz 1 phase 0.35kW 0.48HP L 205mm rotation direction right capacitor 10µF auxiliary pressure connection 10mm supporting pressure open OLYMPIA		
For models:	OLDS40-1081010, OLDS40D-1081011, OLDS40LS-1081012, OLDS40LSD-1081013, OLLinear		
spare parts for	500523		
	No.	365015	Ref. No. 18043 R65190180
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
	No.	510554	Ref. No. 7130
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
	No.	510693	Ref. No. 15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521260	Ref. No. 15079
	impellor ø 90mm H 12mm M10L type B		
	No.	521556	Ref. No. 16182
	pump cover OLYMPIA inlet ø 50mm outlet ø 30mm outlet 2 ø 30 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 130mm ID ø 124mm inner height 20mm		



1

No.	500524	Ref. No.	26176
description	pump inlet ø 50mm outlet ø 30mm type T6 230V 50Hz 1 phase 0.48kW 0.65HP L 215mm rotation direction right capacitor 10µF OLYMPIA		
For models:	OLGastro450		
spare parts for	500524		
	No.	365015	Ref. No. 18043 R65190180
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
	No.	510554	Ref. No. 7130
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
	No.	510693	Ref. No. 15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521262	Ref. No. 22009/A
	impellor ø 102mm H 19mm rotation direction right thread M10L blades 6		
	No.	521556	Ref. No. 16182
	pump cover OLYMPIA inlet ø 50mm outlet ø 30mm outlet 2 ø 30 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 130mm ID ø 124mm inner height 20mm		



1

No.	500525	Ref. No.	150914
description	pump inlet ø 50mm outlet ø 30mm type T7 230V 50Hz 1 phase 0.52kW 0.71HP L 230mm rotation direction right capacitor 12.5µF OLYMPIA		
For models:	OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLG545, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra		
spare parts for	500525		
	No.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	No.	510554	Ref. No. 7130
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
	No.	510693	Ref. No. 15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	517368	Ref. No. 15079/F
	impellor ø 102mm H 21mm rotation direction right thread M10L suitable for Dühr blades 8		
	No.	521556	Ref. No. 16182
	pump cover OLYMPIA inlet ø 50mm outlet ø 30mm outlet 2 ø 30 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 130mm ID ø 124mm inner height 20mm		



1

No.	499260	Ref. No.	22041
description	pump inlet ø 60mm outlet ø 48mm type A.4.5/2.6 220-240/380-415V 50Hz 3 phase 1.12kW 1.5HP L 310mm rotation direction right OLYMPIA		
For models:	OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT-11-Neutra, OLHT11S, OLHT11S-Neutra		
spare parts for	499260		
	No.	510693	Ref. No. 15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521175	Ref. No. —
	pump cover OLYMPIA inlet ø 60mm outlet ø 48mm outlet 2 ø 31 auxiliary pressure connection 10mm		
	No.	521262	Ref. No. 22009/A
	impellor ø 102mm H 19mm rotation direction right thread M10L blades 6		
	No.	521727	Ref. No. 15080/A
	pump cover gasket EPDM thickness 1.78mm ID ø 145mm Qty 1 pcs		



1

No.	500529	Ref. No.	15913
description	pump inlet ø 60mm outlet ø 48mm type T12 230V 50Hz 1 phase 0.88kW 1.2HP L 270mm rotation direction right capacitor 16µF auxiliary pressure connection 10mm supporting pressure open OLYMPIA		
For models:	OLGS85, OLGS85-1081016, OLGS85D-1081017, OLGS85-Neutra, OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT11S		
spare parts for	500529		
	No.	365021	Ref. No. —
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	No.	510693	Ref. No. 15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521010	Ref. No. —
	impellor ø 98mm H 12mm M10L blades 8		
	No.	521559	Ref. No. 15078
	pump cover OLYMPIA inlet ø 60mm outlet ø 48mm outlet 2 ø 31 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 170mm ID ø 150mm inner height 22mm		
	No.	521727	Ref. No. 15080/A
	pump cover gasket EPDM thickness 1.78mm ID ø 145mm Qty 1 pcs		



1

No.	500530	Ref. No.	22009
description	pump inlet ø 60mm outlet ø 48mm type T15 230V 50Hz 1 phase 1.1kW 1.5HP L 305mm rotation direction right OLYMPIA		
For models:	OLDW020H, OLElectron1000, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLHT11-1081071, OLHT11D-1081072, OLHT11ECO-1081070, OLHT-11-Neutra, OLHT11S, OLHT11S-Neutra		
spare parts for	500530		
	No.	365021	Ref. No. —
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	No.	510693	Ref. No. 15080 15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521039	Ref. No. —
	fanwheel cover ID ø 156mm ED ø 161mm H 76mm for wash pump		
	No.	521262	Ref. No. 22009/A
	impellor ø 102mm H 19mm rotation direction right thread M10L blades 6		
	No.	521559	Ref. No. 15078
	pump cover OLYMPIA inlet ø 60mm outlet ø 48mm outlet 2 ø 31 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 170mm ID ø 150mm inner height 22mm		
	No.	521727	Ref. No. 15080/A
	pump cover gasket EPDM thickness 1.78mm ID ø 145mm Qty 1 pcs		



1

No.	499259	Ref. No.	3000082
description	pump inlet ø 62mm outlet ø 52mm type MEC.T120DX 220-240/380-415V 50Hz 3 phase 0.89kW 1.2HP L 310mm rotation direction left OLYMPIA		
For models:	OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121, OLAX320V-1081125, OLAX330, OLAX330E-1081122, OLAX330E-1081123, OLAX330V-1081124, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053, OLAX380E-1081054, OLAX380E-1081055, OLAX380E-1081056, OLAX380LC, OLAX380V-1080785, OLAX380V-1080786...(Other models you can see in the webshop)		
spare parts for	499259		
	No.	510693	Ref. No.
	15080 15080/E		
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521152	Ref. No.
	—		
	pump cover OLYMPIA inlet 62 ø 190mm		
	No.	521153	Ref. No.
	—		
	pump casing OLYMPIA outlet ø 52mm		
	No.	521154	Ref. No.
	—		
	O-ring ID ø 152.7mm thickness 2.62mm EPDM Qty 1 pcs		
	No.	521172	Ref. No.
	—		
	impellor ø 107mm H 28mm pump type MEC.T120DX thread M8R		



1

No.	499226	Ref. No.	22037
description	pump inlet ø 62mm outlet ø 52mm type MEC80.T200SX 230/400V 50Hz 3 phase 1.5kW 2HP L 340mm rotation direction right OLYMPIA		
For models:	OLAX151, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115, OLAX310LCV-1081116, OLAX310LCV-1081117, OLAX310V-1081112, OLAX310V-1081113, OLAX320, OLAX320E-1081118, OLAX320E-1081119, OLAX320V-1081120, OLAX320V-1081121...(Other models you can see in the webshop)		
spare parts for	499226		
	No.	510693	Ref. No.
	15080 15080/E		
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521152	Ref. No.
	—		
	pump cover OLYMPIA inlet 62 ø 190mm		
	No.	521153	Ref. No.
	—		
	pump casing OLYMPIA outlet ø 52mm		
	No.	521154	Ref. No.
	—		
	O-ring ID ø 152.7mm thickness 2.62mm EPDM Qty 1 pcs		
	No.	521155	Ref. No.
	—		
	impellor ø 107mm H 34mm pump type OLYMPIA thread M8L blades 6		
accessories for	499226		
	No.	542157	Ref. No.
	—		
	bracket for wash pump L 267mm W 132mm H 43mm		



booster pumps I



1

No.	500060	Ref. No.	15100
description	pump inlet ø 1" outlet ø 1" type PQM60 230V 50Hz 1 phase 0.37kW PEDRELLO		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151LEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LCE-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		
accessories for	500060		
	No.	365015	Ref. No. 18043 R65190180
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		



1

No.	499294	Ref. No.	15100/D
description	pump inlet ø 3/8" outlet ø 3/8" type B299.2351 230V 50Hz 1 phase 0.15kW 2800rpm L 170mm capacitor 6.3µF FIR		
For models:	OLDS35, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081063, OLDS37D-1081064, OLDS37-Neutra, OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS40-Neutra, OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50P-1081018, OLDS50PD-1081019, OLDS50W20H, OLElectron1000, OLElectron400, OLElectron500, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLG600, OLGastro450, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLGRA-NUL900, OLG540, OLG540, OLG540-1080701, OLG540D-1080708, OLG540D-1081003, OLG540-Neutra, OLG545, OLG545LSD-1081004, OLG550, OLG550-1080705...(Other models you can see in the webshop)		
accessories for	499294		
	No.	365017	Ref. No. 10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		

drain pumps

ASKOLL



1

No.	500515	Ref. No.	15101/A
description	drain pump inlet ø 30mm outlet ø 22mm 230V 25W 50Hz ASKOLL type M253 with thermal fuse		
For models:	OLDS50P-1081018, OLDS50PD-1081019, OLElectron400, OLElectron500, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S		

PLASET



1

No.	499298	Ref. No.	15101
description	drain pump inlet ø 30mm outlet ø 22mm 220-240V 22W 50Hz PLASET type 59491		
For models:	OLDS35, OLDS35-1081061, OLDS35D-1081062, OLDS35-Neutra, OLDS37, OLDS37-1081063, OLDS37-1081066, OLDS37D-1081007, OLDS37D-1081064, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS37-Neutra, OLDS40, OLDS40-1081010, OLDS40-1081065, OLDS40D-1081011, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40LS-1081012, OLDS40LSD-1081013, OLDS40-Neutra, OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLElectron400, OLG35, OLG35-1080702, OLG35D-1081000, OLG35-Neutra, OLG600, OLGastro450, OLG357, OLG37-1080700, OLG37D-1080707, OLG37LS-1081001, OLG37LSD-1081002, OLG37-Neutra, OLG540, OLG540, OLG540-1080701, OLG540D-1080708, OLG540D-1081003, OLG540-Neutra, OLG545, OLG545LSD-1081004...(Other models you can see in the webshop)		

booster pumps II

accessories



1

No.	365015	Ref. No.	18043 R65190180
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	CCE042M, CCE051M, CCG051M, CCG071M, CKGP06, CKGP06B, OLDS37-1081006, OLDS37D-1081007, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS40-1081010, OLDS40D-1081011, OLDS40LS-1081012, OLDS40LSD-1081013, OLElectron400, OLGastro450, OLLinear, OLStar		



2

No.	365017	Ref. No.	10702
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300V-1080776, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053, OLAX380E-1081054, OLAX380E-1081055, OLAX380E-1081056, OLAX380LC, OLAX380V-1080785, OLAX380V-1080786, OLAX400, OLAX400E-1081126, OLAX400E-1081127, OLAX400V-1081128, OLAX400V-1081129, OLAX440, OLAX440E-1081041, OLAX440E-1081042, OLAX440LC, OLAX440LCE-1081045, OLAX510, OLAX510E-1081130, OLAX510E-1081131, OLAX510LC, OLAX510LCE-1081134, OLAX510LCE-1081135, OLAX510LCV-1081136, OLAX510LCV-1081137, OLAX510V-1081132, OLAX510V-1081133, OLAX540, OLAX540E-1081049, OLAX540E-1081050...(Other models you can see in the webshop)		

vibration pumps



1

No.	500568	Ref. No.	R65110600	
description	vibration pump 230V 32W 50Hz inlet ø 7 outlet ø 1/8" IT CEME type E512/A32			
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B			
spare parts for	500568			
	No.	390698	Ref. No.	—
	thermal fuse switch-off temp. 110°C suitable for ULKA pump			

condensators & interference suppression filters

operating capacitors

plastic



1

No.	365015	Ref. No.	18043 R65190180
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	CCE042M, CCE051M, CCG051M, CCG071M, CKGP06, CKGP06B, OLDS37-1081006, OLDS37D-1081007, OLDS37LS-1081008, OLDS37LSD-1081009, OLDS40-1081010, OLDS40D-1081011, OLDS40LS-1081012, OLDS40LSD-1081013, OLElectron400, OLGastro450, OLLinear, OLStar		



1

No.	365017	Ref. No.	10702
description	operating capacitor capacity 5μF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300V-1080776, OLAX380, OLAX380E-1080780, OLAX380E-1080781, OLAX380E-1081037, OLAX380E-1081038, OLAX380E-1081039, OLAX380E-1081040, OLAX380E-1081043, OLAX380E-1081044, OLAX380E-1081046, OLAX380E-1081047, OLAX380E-1081048, OLAX380E-1081051, OLAX380E-1081052, OLAX380E-1081053, OLAX380E-1081054, OLAX380E-1081055, OLAX380E-1081056, OLAX380LC, OLAX380V-1080785, OLAX380V-1080786, OLAX400, OLAX400E-1081126, OLAX400E-1081127, OLAX400V-1081128, OLAX400V-1081129, OLAX440, OLAX440E-1081041, OLAX440E-1081042, OLAX440LC, OLAX440LCE-1081045, OLAX510, OLAX510E-1081130, OLAX510E-1081131, OLAX510LC, OLAX510LCE-1081134, OLAX510LCE-1081135, OLAX510LCV-1081136, OLAX510LCV-1081137, OLAX510V-1081132, OLAX510V-1081133, OLAX540, OLAX540E-1081049, OLAX540E-1081050...(Other models you can see in the webshop)		

metal



1

No.	365140	Ref. No.	15081
description	operating capacitor capacity 12.5μF 450V tolerance 5% 60Hz ambient temperature max. -25 up to +70°C ø 40mm L 83mm M8 aluminium connection male faston 6.3mm C.87.8BF2 MKP protection		
For models:	OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDS50P-1081018, OLDS50PD-1081019, OLElectron500, OLG600, OLGastro500Plus, OLGastro500S, OLGastro750Plus, OLGastro750S, OLG545, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLG585, OLG585-1081016, OLG585D-1081017, OLG585-Neutra		

ferrite rings



1

No.	365054	Ref. No.	R65280490
description	ferrite ring ID ø 22mm ED ø 38mm H 17mm for protection		
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		

filters

interference suppression filters



1

No.	365045	Ref. No.	1037116500
description	interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 40mm ø 30mm Hmm Wmm plastic Qty 1 pcs		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, OFQE41, OFQE41-12601510, OFQE41-12601510MN, OFQE41L, OFQE61, OFQE61-12601610, OFQE61-12601610MN, OFQE61L		



1

No.	365044	Ref. No.	R65280200
description	interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 42mm ø 23mm Hmm Wmm plastic Qty 1 pcs		
For models:	CCE042M, CCE051M, CCE071M, CCE101M, CCE102M, CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B		

RC circuits



1

No.	365155	Ref. No.	R65280130
description	RC circuit 250/630V connection male faston 6.3mm cable length 65mm capacity 47nF 100Ohm		
For models:	CCE042M		

fuses

fine fuses



1

No.	358610	Ref. No.	15160
description	fine fuse size ø5x20mm 10A fast-acting rated 250V Qty 10 pcs		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LC-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		



2

No.	358671	Ref. No.	15163
description	fine fuse size ø5x20mm 1A fast-acting rated 250V Qty 10 pcs		
For models:	OLAX151, OLAX151EDX-1080725, OLAX151ELEFT-1080727, OLAX151-highspeed, OLAX160, OLAX160E-1080750, OLAX160E-1080751, OLAX160V-1080755, OLAX160V-1080756, OLAX160V-1081031, OLAX160V-1081032, OLAX210, OLAX210E-1081029, OLAX210E-1081030, OLAX220, OLAX220E-1080787, OLAX220E-1080788, OLAX220V-1080789, OLAX220V-1080790, OLAX230, OLAX230E-1080791, OLAX230E-1080792, OLAX230V-1080793, OLAX230V-1080794, OLAX240, OLAX240E-1080795, OLAX240E-1080796, OLAX240V-1080797, OLAX240V-1080798, OLAX250, OLAX250E-1080760, OLAX250E-1080761, OLAX250V-1080765, OLAX250V-1080766, OLAX300, OLAX300E-1080770, OLAX300E-1080771, OLAX300E-1081033, OLAX300E-1081035, OLAX300E-1081036, OLAX300LC, OLAX300LC-1081034, OLAX300V-1080775, OLAX300V-1080776, OLAX310, OLAX310E-1081110, OLAX310E-1081111, OLAX310LC, OLAX310LCE-1081114, OLAX310LCE-1081115...(Other models you can see in the webshop)		



1

No.	358532	Ref. No.	R65200200
description	fine fuse size ø5x20mm 2A fast-acting rated 250V Qty 10 pcs		
For models:	CCE042M, CCE051M, CCE071M, CCE101M, CCE102M, CCG051M, CCG071M, CCG101M, CCG102M, CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		



1

No.	358593	Ref. No.	R65200086
description	fine fuse size ø5x20mm 0.125A slow-acting rated 250V Qty 10 pcs		
For models:	CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		



1

No.	358595	Ref. No.	R65200320
description	fine fuse size ø5x20mm 0.2A slow-acting rated 250V Qty 10 pcs		
For models:	CCE071M, CCE101M, CCE102M, CCG071M, CCG101M, CCG102M, CKEP06, CKEP06B, CKET06, CKET06B, CKGP06, CKGP06B, CKGT06, CKGT06B		



1

No.	358703	Ref. No.	R65200350
description	fine fuse size ø5x20mm 0.4A slow-acting rated 250V Qty 10 pcs		
For models:	CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		



1

No.	358605	Ref. No.	6A001420 BN6A001420
description	fine fuse size ø5x20mm 3.15A slow-acting rated 250V Qty 10 pcs		
For models:	94-04PEI100L, 94-04PEI100L-12901765, 94-04PEI110L-12901765BN, 94-04PEI150L, 94-04PEI150L-12901767, 94-04PEI150L-12901767BN, 9PN-EI100, 9PN-EI150		



1

No.	358609	Ref. No.	R65200240
description	fine fuse size ø5x20mm 5A slow-acting rated 250V Qty 10 pcs		
For models:	CKET06, CKET06B, CKGT06, CKGT06B		

fine fuse holders



No.	358512	Ref. No.	R65210020
description	fuse holder		
For models:	CCE042M, CCE051M, CCE071M, CCE101M, CCE102M, CCG051M, CCG071M, CCG101M, CCG102M, CKEP06, CKEP06B, CKEP10, CKEP10B, CKEP20, CKEP20B, CKEP21, CKEP21B, CKEP40, CKEP40B, CKET06, CKET06B, CKET10, CKET10B, CKET20, CKET20B, CKET21, CKET21B, CKET40, CKET40B, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		



No.	550848	Ref. No.	6A034500 BN6A034500
description	fuse holder suitable fuse $\varnothing 5 \times 20 \text{ mm}$		
For models:	CV10E, CV10E-1320100, CV10E-2, CV10E2-1320140, CV10EB-1321100, CV10E-S, CV10ES-1320150, CV10E-S2, CV10ES2-1320190, CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20E, CV20E-1320200, CV20E-2, CV20E2-1320240, CV20EB-1321200, CV20E-S, CV20ES-1320250, CV20E-S2, CV20ES2-1320290, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21E, CV21E-1322100, CV21E-2, CV21E2-1322140, CV21E-S, CV21ES-1322150, CV21E-S2, CV21ES2-1322190, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140, CV21G-S, CV21GS-1312150...(Other models you can see in the webshop)		

overload switches



No.	358514	Ref. No.	R65160300
description	overload switch drop-away current 0.8A		
For models:	CKEP06, CKEP06B, CKGP06, CKGP06B		



No.	358516	Ref. No.	R65160320
description	overload switch drop-away current 2A		
For models:	CCE071M, CCG071M, CKEP06, CKEP06B, CKGP06, CKGP06B		

electric accessories

cables

accessories

cable glands

cable glands



No.	550311	Ref. No.	8217570 BN8217570
description	cable gland ID $\varnothing 6 \text{ mm}$ mounting $\varnothing 9 \text{ mm}$ ED $\varnothing 14 \text{ mm}$ Neoprene -30 up to +90°C Qty 10 pcs		
For models:	421SEFR-1826125, 55-45FRE, 55-90FRE, 621SEFR-1826135, 72-02FRE, 72-02FRE-12701500, 72-02FREM, 72-02FREM-12701530, 73-02FRE, 73-02FRE-12701550, 73-02FREM, 73-02FREM-12701580, 74-02FRE, 74-02FRE-12701600, 74-02FREM, 74-02FREM-12701630, 92-04FRE15L-12901510, 92-04FRE20L-12901500, 92-04FRE20L-12901500BN, 93-04FRE-12901550, 94-04FRE-12901600		

threaded cable glands

screw connections



No.	550971	Ref. No.	1037115100
description	cable gland thread PG16 cable $\varnothing 14 \text{ mm}$ mounting $\varnothing 22.5 \text{ mm}$ Qty 1 pcs plastic WS 27		
For models:	BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, BSEI40M, FTE100B, FTE100BR, FTE100CRL, FTE40B, FTE40BR, FTE40C, FTE40D, FTE40DC, FTE60B, FTE60BR, FTE60C, FTE60D, FTE60DC, FTE60DR, FTE60DRCL, OBME41M, OBME61M, OBRE40, OBRE-40-12601110, OBRE-40-12601110MN, OBSEI40M, OBSEI-40M-12601700, OFTE-100C-12601136, OFTE-100C-12601136MN, OFTE100CRL, OFTE-100CRL-12601138, OFTE40B, OFTE-40B-12601130, OFTE-40B-12601130MN, OFTE40BR, OFTE-40BR-12601132, OFTE-40BR-12601132MN, OFTE40C, OFTE-40C-12601135, OFTE-40C-12601135MN, OFTE60B, OFTE-60B-12601140, OFTE-60B-12601140MN, OFTE60BR, OFTE-60BR-12601141, OFTE-60BR-12601141MN, OFTE60BRR, OFTE-60BRR-12601142...(Other models you can see in the webshop)		



No.	550973	Ref. No.	1037112400
description	cable gland thread PG21 cable $\varnothing 17 \text{ mm}$ mounting $\varnothing 28 \text{ mm}$ Qty 1 pcs plastic WS 34		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, OFQE41, OFQE-41-12601510, OFQE-41-12601510MN, OFQE41L, OFQE61, OFQE-61-12601610, OFQE-61-12601610MN, OFQE61L, OPCE40, OPCE-40-12601010, OPCE-40-12601010MN, OPCE60, OPCE-60-12601015, OPCE-60-12601015MN, PCE40, PCE40D, PCE40DB, PCE60, PCE60D, PCE60DB		

fastening nuts



1

No.	550972	Ref. No.	1037115200
description	nut thread PG16 WS 30 plastic Qty 1 pcs thickness 6mm mounting ømm cable ømm		
For models:	BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, BSEI40M, FTE100B, FTE100BR, FTE100CRL, FTE40B, FTE40BR, FTE40C, FTE40D, FTE40DC, FTE60B, FTE60BR, FTE60C, FTE60D, FTE60DC, FTE60DR, FTE60DRCL, OBME41M, OBME61M, OBRE40, OBRE-40-12601110, OBRE-40-12601110MN, OBSEI40M, OFTE-100C-12601136, OFTE-100C-12601136MN, OFTE100CRL, OFTE-100CRL-12601138, OFTE40B, OFTE-40B-12601130, OFTE-40B-12601130MN, OFTE-40BR, OFTE-40BR-12601132, OFTE-40BR-12601132MN, OFTE40C, OFTE-40C-12601135, OFTE-40C-12601135MN, OFTE60B, OFTE-60B-12601140, OFTE-60B-12601140MN, OFTE60BR, OFTE-60BR-12601141, OFTE-60BR-12601141MN, OFTE60BRR, OFTE-60BRR-12601142, OFTE-60BRR-12601142MN...(Other models you can see in the webshop)		



1

No.	550974	Ref. No.	1037114500
description	nut thread PG21 WS 34 plastic Qty 1 pcs thickness 7.5mm mounting ømm cable ømm		
For models:	FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, OFQE41, OFQE-41-12601510, OFQE-41-12601510MN, OFQE41L, OFQE61, OFQE-61-12601610, OFQE-61-12601610MN, OFQE61L, OPCE40, OPCE-40-12601010, OPCE-40-12601010MN, OPCE60, OPCE-60-12601015, OPCE-60-12601015MN, PCE40, PCE40D, PCE40DB, PCE60, PCE60D, PCE60DB		

ribbon cables

group 1



1

No.	400066	Ref. No.	50589
description	ribbon cable 10-pole L 1000mm plug type FC-10P raster size 2.54mm		
For models:	OLDS40, OLDS40-1081065, OLDS40D-1081066, OLDS40E-1081067, OLDS40ED-1081068, OLDS40-Neutra, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDW020H, OLElectron1000, OLElectron400, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLLP155-1081087		

miscellaneous



1

No.	401960	Ref. No.	R66110320
description	kable set		
For models:	CCE071M, CCE101M, CCE102M, CCG071M, CCG101M, CCG102M, CKEP10B, CKEP10B, CKEP20, CKEP20B, CKEP40, CKEP40B, CKET10, CKET10B, CKET20, CKET20B, CKET40, CKET40B, CKGP10B, CKGP10B, CKGP20, CKGP20B, CKGP40, CKGP40B, CKGT10, CKGT10B, CKGT20B, CKGT40, CKGT40B		

terminals

porcelain clamps



1

No.	550115	Ref. No.	1037117600
description	porcelain terminal block 2-pole 10mm ² max. 30A max 450V L 37mm W 37mm H 23mm mounting distancemm Qty 1 pcs		
For models:	BSEI40M, OBSEI40M, OBSEI-40M-12601700		

terminal blocks



1

No.	550239	Ref. No.	6A036360 BN6A036360
description	lustre terminal 12-pole cross section 16mm ² max. 75A max 500V temp.-resist. 150°C		
For models:	74-02KBGB, 74-02KBGBI, 74-02KBGMB, 74-02KBGMBI, 74CE-000400, 76CEAC-000500, 96-04CGFL-12900019, 96-04CGFL2P-12900037, 96-04CGFLP-12900069, 961CEEE-1292246, 96CGEAC-1191246, 96CGGAC-1191236, 96CGGE-1191236, 96CTGGAC-1191732, C-GV906FL-1050200		

connection terminals with screw/faston connections



1

No.	550278	Ref. No.	1037117300
description	power terminal block 3-pole max. 40A max 400V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	BSEI40M, OBME41M, OBME61M, OBSEI40M, OBSEI-40M-12601700		



1



No.	550349	Ref. No.	6A036204 BN6A036204
description	power terminal block 4-pole max. 40A max 400V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm²		
For models:	40SEBM-1826100, 40SEBM2S-1826100, 40SEC-1825060, 40SECC-1826260, 40SECP-1825080, 40SECP-1825080E, 40SEFR, 40SEFR-1826140, 40SEFR2S-1826140, 40SEFT-1825040, 40SEFT-1825045, 40SEFTC-1825045, 40SEFT-1825041, 40SEKB-1825200, 40SKE-1825200, 41SEFR-1826120, 41SEFR2S-1826120, 421SEFR-1826125, 60SEBM-1826110, 60SEBM2S-1826110, 60SEC-1825070, 60SEFR, 60SEFR-1826150, 60SEFR2S-1826150, 60SEFT1-2R-1825051, 60SEFT1-3RIG-1825050, 60SEFT-1825050, 60SEFTC-1825050, 60SEFTC-1825055, 60SEFT-1825052, 60SEFT-1825050, 61SCGFE3S-1826055, 61SCGFE4S-1827055, 61SECFE-1826075, 61SEFR-1826130, 61SEFR2S-1826130, 621SEFR-1826135, 7101FR-E-1077750R, 710FRE-077700, 710FRE-1077700, 7121FR-E-1077950R, 712FRE-077900, 712FRE-1077900, 7201FR-E-1077850R, 72-02CBE, 72-02CBE-12701150, 72-02CBEF-12701127, 72-02SPE-12701700, 72-02TCBE, 72-02TCBE-12731150...(Other models you can see in the webshop)		

2



No.	550411	Ref. No.	1037104000 500551
description	power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm²		
For models:	BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, FQE41, FQE41L, FQE41L2, FQE61, FQE61L, FQE61L2, FTE100B, FTE100BR, FTE100CRL, FTE40B, FTE40BR, FTE40C, FTE40D, FTE40DC, FTE60B, FTE60BR, FTE60C, FTE60D, FTE60DC, FTE60DR, FTE60DRCL, OBRE40, OBRE-40-12601110, OBRE-40-12601110MN, OFQE41, OFQE-41-12601510, OFQE-41-12601510MN, OFQE41L, OFQE61, OFQE-61-12601610, OFQE-61-12601610MN, OFQE61L, OFTE-100C-12601136, OFTE-100C-12601136MN, OFTE100CRL, OFTE-100CRL-12601138, OFTE40B, OFTE-40B-12601130, OFTE-40B-12601130MN, OFTE40BR, OFTE-40BR-12601132, OFTE-40BR-12601132MN, OFTE40C, OFTE-40C-12601135...(Other models you can see in the webshop)		

1



No.	550977 ¹	Ref. No.	6A036206 CR0588170
description	power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm² with ground lug		
For models:	40SEW-1825190, 74-02CEEPQ, 74-02CEEPQ-12701210, 74-02CEEP, 74-02CEEP-12701010, 74-02CGE, 74-02CGE-12700011, 74-02CGE-12700011TA, 74-02CTEE-12701180, 74-02CTGE, 74-02CTGE-12700190, 74-02CTGE-12700190TA, 74-02KBEF-12701128, 74-02VTCEV-12701020, 76-02CEEANPQ, 76-02CEEANPT, 76-02CEEACQP, 76-02CEEACPT, 76-02CEEAPQ-12701216, 76-02CEEPT-12701016, 76-02CEEPQ-12701215, 76-02CEEP-12701015, 76-02CGE, 76-02CGE-12700017, 76-02CGE-12700017TA, 76-02CGEE, 76-02CGEE-12700018, 76-02CGEE-12700018TA, 92-04CE, 92-04CEPQ-12901201, 92-04FTE-12901130, 92-04FTEC-12901135, 92-04FTECR-12901137, 92-04FTE-12901132, 92-04TCE, 92-04TCE-12931201, 92-04TFTE-12931130, 92-04TFTEC-12931135, 92-04TFTECR-12931137, 92-04TFTE-12931132, 92-04TVTC-12931005, 92-04VTCL-12901030, 92-04VTCL-12901035, 92FE-1192220, 93FE-1192230, 94-04CE, 94-04CE-12901202, 94-04CEE, 94-04CEE-12901210, 94-04CEE-12901210BN...(Other models you can see in the webshop)		

¹with ground lug

connection terminals with screw connection

1



No.	550470	Ref. No.	500550
description	power terminal block 3-pole max. 40A max 400V connection M6/M6 temp.-resist. 150°C cross section 6mm²		
For models:	OLDS45, OLDS50, OLDS50-1081088, OLDS50D-1081089, OLDS50E-1081090, OLDS50ED-1081091, OLDS50-Neutra, OLDW020H, OLElectron1000, OLElectron400, OLELELECTRON1000-1081084, OLELELECTRON1000D-1081085, OLGastro450, OLG540, OLG545, OLG550, OLG550-1080705, OLG550D-1080706, OLG550E-1080730, OLG550ECO-1081014, OLG550ECOD-1081015, OLG550ED-1080731, OLG550-Neutra, OLLP155-1081087		

terminal boards

1



No.	550413	Ref. No.	6A046400 MA1229800
description	terminal board 3-pole thread M5 L 55mm W 36mm		
For models:	725KB-E-1000200, 725KBE-1000200, 725KB-E-1000200R, 725KB-EB-1000201, 725KBEB-1000201, 725KB-EB-1000201R, 725KBEM-000200, 725KBEM-1000210, 725KB-EM-1000210R, 725KB-EMB-1000211, 725KBEMB-1000211, 74-02KBEB, 74-02KBEB-12701110, 74-02KBEBI, 74-02KBEBI-12701115, 74-02KBEMB, 74-02KBEMB-12701120, 74-02KBEMBI, 74-02KBEMBI-12701125, 74-02KBEMBI-12701125HB, FR-E925N-1050730, FR-E950N-1050732, FT-E940-1050510, FT-E940-1050511, FT-E980-1050520, FT-E980-1050521, FT-E980R1-2-1050522		

rail-mounted terminals

rail-mounted terminal blocks

1



No.	550421 ¹	Ref. No.	R65220090 R65220091
description	rail-mounted terminal block 5-pole contacts 3P+N+E cross section 1.0-10mm²		
For models:	CCE042M, CCE051M, CCE071M, CKEP06, CKEP06B, CKET06, CKET06B		

¹with fused terminal block

			
1			
No.	550420	Ref. No.	R65220080 R65220081
description	rail-mounted terminal block 5-pole contacts 3P+N+E cross section 1.5-16mm²		
For models:	CCE101M, CKEP10, CKEP10B, CKET10, CKET10B		

			
1			
No.	550422	Ref. No.	R65220131
description	rail-mounted terminal block 9-pole		
For models:	CKEP40, CKEP40B, CKET40, CKET40B		

various

			
1			
No.	693955	Ref. No.	1878400 MA1878400
description	terminal grounding cable		
For models:	BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, BSEI40M, FOE30-1008310, FTE100B, FTE100BR, FTE100CRL, FTE40B, FTE40BR, FTE40C, FTE40D, FTE40DC, FTE60B, FTE60BR, FTE60C, FTE60D, FTE60DC, FTE60DR, FTE60DRCL, OBME41M, OBME-41M-12601150, OBME61M, OBME-61M-12601155, OBRE40, OBRE-40-12601110, OBRE-40-12601110MN, OBSEI40M, OBSEI-40M-12601700, OFTE-100C-12601136, OFTE-100C-12601136MN, OFTE100CRL, OFTE-100CRL-12601138, OFTE40B, OFTE-40B-12601130, OFTE-40B-12601130MN, OFTE40BR, OFTE-40BR-12601132, OFTE-40BR-12601132MN, OFTE40C, OFTE-40C-12601135, OFTE-40C-12601135MN, OFTE60B, OFTE-60B-12601140, OFTE-60B-12601140MN, OFTE60BR, OFTE-60BR-12601141...(Other models you can see in the webshop)		

gas taps

PEL

21S series

			
1			
No.	103329	Ref. No.	6A011490 BN6A011490
description	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper		
For models:	110-135CG, 110-135CG2P, 110-135CGE, 110-135CGE2P, 110-135CGEE, 110-135CGEE2P, 110-135CGEEP, 110-135CGEP, 110-135CGG, 110-135CGG2P, 110-135CGGE, 110-135CGGE2P, 110-135CGGEP, 110-135CGGP, 110-135CGP, 110-135TCG, 110-135TCG2P, 110-135TCGP, 110-45CG, 110-45CG1P, 110-45CGP, 110-45TCG, 110-45TCG1P, 110-45TCGP, 110-90CG, 110-90CG1P, 110-90CGE, 110-90CGE1P, 110-90CGEP, 110-90CGG, 110-90CGG1P, 110-90CGGP, 110-90CGP, 110-90CTG, 110-90CTGE, 110-90CTGG, 110-90TCG, 110-90TCG1P, 110-90TCGP, 110-90TCTG, 2FX+PCF, 4FX, 4FX+PCF, 55-45CPG, 55-90CPG, 72+2CTGG-12700013, 72-02CG, 72-02CG-12700001, 72-02CG-12700001TA, 72-02CPG...(Other models you can see in the webshop)		

			
1			
No.	101397	Ref. No.	826920040 BN41826920040
description	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
spare parts for	101397		
	No.	100408	Ref. No. —
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		
	No.	101060	Ref. No. —
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	No.	101206	Ref. No. —
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL21		
	No.	101231	Ref. No. —
	thermocouple nut T1: M9x1 T2: M18x1		
accessories for	101397		
	No.	100908	Ref. No. 673500 6A016110 6A017000 A016110 A017000 BN6A016110 BN6A017000 MA673500
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		

Table continues overleaf



accessories for 101397				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	673600 6A016120 A016120 MA673600
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	6A011480 86720 A011480 BN6A011480 MA86720
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	1326500 6A011485 A011485 BN6A011485
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				
	No.	110081	Ref. No.	—
knob ø 70mm shaft ø 8x6.5mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

				
1	No.	101693	Ref. No.	1031500200
description gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.7mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 6x4.6mm shaft L 35/28mm shaft flat right				
For models: CFG101, CFG70, OCFG101, OCFG-101-12600025, OCFG70, OCFG-70-12600000, OPCG41, OPCG-41-12600010, OPCG61				
spare parts for 101693				
	No.	100552	Ref. No.	1884200 BN6A023721
bypass nozzle type PEL20/21 bore ø 0.7mm thread M5x0.5				
	No.	101060	Ref. No.	—
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA				
	No.	101230	Ref. No.	—
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	No.	101877	Ref. No.	—
gas tap front part shaft ø 6x4.6mm type PEL21				

accessories for 101693				
	No.	100908	Ref. No.	673500 6A016110 6A017000 A016110 A017000 BN6A016110 BN6A017000 MA673500
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	673600 6A016120 A016120 MA673600
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	6A011480 86720 A011480 BN6A011480 MA86720
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	1326500 6A011485 A011485 BN6A011485
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				

				
1	No.	101913	Ref. No.	1031501300
description gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.9mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 6x4.6mm shaft L 35/28mm shaft flat right				
For models: CFG101, CFG70, OCFG101, OCFG-101-12600025, OCFG70, OCFG-70-12600000, OPCG-41-12600010, OPLG40, OPLG-40-12600850, OPLG80, OPLG-80-12600855, PLG40, PLG80				
spare parts for 101913				
	No.	100528	Ref. No.	1033720200 1889000
bypass nozzle type PEL20/21 bore ø 0.9mm thread M5x0.5				
	No.	101060	Ref. No.	—
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA				
	No.	101230	Ref. No.	—
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	No.	101877	Ref. No.	—
gas tap front part shaft ø 6x4.6mm type PEL21				

Table continues overleaf

accessories for 101913				
	No.	100908	Ref. No.	673500 6A016110 6A017000 A016110 A017000 BN6A016110 BN6A017000 MA673500
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	673600 6A016120 A016120 MA673600
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	6A011480 86720 A011480 BN6A011480 MA86720
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	1326500 6A011485 A011485 BN6A011485
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				
	No.	110078	Ref. No.	—
knob without symbol ø 70mm shaft ø 6x4.6mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

22S/O series



No.	101086	Ref. No.	6A011500 BN6A011500	
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower			
For models:	2FX+PCF, 31FOGV-1950001, 31FOGV-1950002, 31FOGVG-1000003, 31FOGVM-1000007, 32FOGV2-1000002, 32FOGVG-1000004, 32FOGVM-1000015, 4FX+PCF, 716CTG-000195, 716CTGV-000195, 72+2CTGG-12700013, 72-02CPG, 72-02CPG-12700900, 72-02PLG, 72-02PLG-12700850, 72-02PLG-12700850TA, 72-02TPLG, 72-02TPLG-12730850, 72-02TPLG-12730850TA, 729CAGV-000009, 729CAGV-1950009, 729CAGV-1950009R, 729TCGV-1959009, 729TCGV-1959009R, 72CAGV-000010, 74+2CTGGAN-12700025, 74-02+2CTGG, 74-02+2CTGG-12700030, 74-02CPG, 74-02CPG-12700905, 74-02CPG-12700905TA, 74-02CTG, 74-02CTG-12700170, 74-02CTG-12700170TA, 74-02CTGE, 74-02CTGE-12700190, 74-02CTGE-12700190TA, 74-02CTGG, 74-02CTGG-12700180, 74-02CTGG-12700180TA, 74-02PLG, 74-02PLG-12700855, 74-02PLG-12700855TA, 74-02TCTG, 74-02TCTG-12730170, 74-02TCTG-12730170TA, 74-02TPLG, 74-02TPLG-12730855, 74-02TPLG-12730855TA...(Other models you can see in the webshop)			
spare parts for	101086			
	No.	100259	Ref. No.	—
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No.	101058	Ref. No.	—
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	101201	Ref. No.	—
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22			
	No.	101231	Ref. No.	—
	thermocouple nut T1: M9x1 T2: M18x1			
	No.	101240	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			
	No.	101460	Ref. No.	—
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
accessories for	101086			
	No.	100908	Ref. No.	673500 6A016110 6A017000 A016110 A017000 BN6A016110 BN6A017000 MA673500
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101241	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101246	Ref. No.	673600 6A016120 A016120 MA673600
	olive for pipe ø 4mm Qty 1 pcs			



accessories for 101086				
	No.	101248	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	673400 6A011470 A011470 BN6A011470
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	6A011475 A011475 BN6A011475
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	6A016200 A016200 BN6A016200
union nut thread M20x1.5 for pipe ø 12mm				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

23S/O series



1

No.	101092	Ref. No.	6A013600 BN6A013600	
description	gas tap PEL type 23S/O gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm gas outlet M24x1.5 (tube ø 16mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper			
For models:	714CTGV-000190, 714CT-GV-1000170, 714CTGV-1000170, 714CT-GV-1000170R, 714CT-GVFE-1000180, 714CTGVFE-1000180, 714CT-GVFE-1000180R, 714TAGV-000190, 714TA-GV-1000190, 714TA-GV-1000190R, 716CTG-000195, 716CTGV-000195, 769CT-GV-1950194, 769CTGV-1950194, 769CT-GV-1950194R, 910PG-1191810, 910PG-191810, 910PGB-1191800, 910PGB-191800, 911PGB-1191805, 911RPGB-1391830, 914PCTGE-1103721, 914PCTGG-1103711, 914PTCTG-1103791, 915PG-1191815, 915PG-191815, 92-04CPG, 92-04CPG-12900900, 92-04CPG-12900900TA, 92-04PLG, 92-04PLG-12900850, 92-04PLG-12900850TA, 92-04TPLG, 92-04TPLG-12930850, 92-04TPLG-12930850TA, 94-04CPG, 94-04CPG-12900905, 94-04CPG-12900905TA, 94-04CTG-12900170TA, 94-04CTGE-12900190TA, 94-04CTGG-12900180TA, 94-04CTGSS, 94-04CTGSS, 94-04PLG, 94-04PLG-12900855, 94-04PLG-12900855TA, 94-04TCTG-12930170TA, 94-04TCTGSS, 94-04TPLG, 94-04TPLG-12930855...(Other models you can see in the webshop)			
spare parts for	101092			
	No.	100455	Ref. No.	—
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5				
	No.	101059	Ref. No.	—
magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1				
	No.	101204	Ref. No.	—
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL23S				

spare parts for 101092				
	No.	101244	Ref. No.	—
gas connection thread M24x1.5 tube ø 12/16mm horizontal for PEL gas taps				
	No.	101463	Ref. No.	—
screw suitable for PEL23S Qty 4 pcs				
	No.	528455	Ref. No.	—
O-ring Viton thickness 2.62mm ID ø 18.72mm Qty 1 pcs				
accessories for 101092				
	No.	100908	Ref. No.	673500 6A016110 6A017000 A016110 A017000 BN6A016110 BN6A017000 MA673500
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	673600 6A016120 A016120 MA673600
olive for pipe ø 4mm Qty 1 pcs				
	No.	101252	Ref. No.	—
union nut thread M24x1.5 for pipe ø 12mm				
	No.	101253	Ref. No.	—
union nut thread M24x1.5 PEL for pipe ø 16mm				
	No.	101254	Ref. No.	—
union nut thread M28x1.5 tube ø 20mm				
	No.	101255	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs				
	No.	101256	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101257	Ref. No.	—
olive for pipe ø 20mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

gas thermostats

SIT

630 Eurosit series

			
No.	107688	Ref. No.	CR0585671
description	gas thermostat 100-340°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm		

			
No.	101188	Ref. No.	2590083 8219900 MACM097000
description	gas thermostat type 630 Eurosit series t.max. 190°C 110-190°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 202mm capillary pipe 1050mm SIT		
For models:	40SGFR, 40SGFR-1826160, 40SGFR2S-1826160, 55-45FRG, 55-90FRG, 60SGFR, 60SGFR-1826170, 60SGFR2S-1826170, 72-02FRG, 72-02FRG-12700500, 72-02FRG17-12700505, 73-02FRG, 73-02FRG-12700550, 74-02FRG, 74-02FRG-12700600, 74-02FRG17-12700605, 7FRI-G415, 7FRI-G610, 7FRI-G815, 9122PFRG-1103930, 92-04FRG15L, 92-04FRG15L-12900510, 92-04FRG17L-12900515, 922FRG-1191930, 922RFRG-1391930, 93-04FRG, 93-04FRG-12900550, 93-04FRG-12900550H, 9FRI-G415, 9FRI-G610, 9FRI-G815		
accessories for	101188		
	No.	100904	1394700 6A011608 A011608 BN6A011608 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	6A011705 A011705 BN6A011705
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101273	417810 6A011625 A011625 MA417810
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	No.	101276	459300 6A011620 A011620
	union screw thread 3/8" tube ø 12mm Qty 1 pcs		

accessories for		101188		
	No.	101333	Ref. No.	1888200 8219951 MA1888200
	plug thread 3/8" with O-ring			

			
No.	103076	Ref. No.	CR0508680
description	gas thermostat type 630 Eurosit series t.max. 190°C 110-190°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 202mm capillary pipe 1050mm SIT		
For models:	FQG41, FQG61, OFQG41, OFQG-41-12600500, OFQG61, OFQG-61-12600600		



1


No.	101409	Ref. No.	1031504800
description	gas thermostat type 630 Eurosit series t.max. 280°C 40-280°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT		
For models:	OFTG40BLC, OFTG-40BLC-12600135, OFTG60BLC, OFTG-60BLC-12600145, OFTG80BLC, OFTG-80BLC-12600138		
spare parts for	101409		
	No.	101333	Ref. No.
	1888200 8219951 MA1888200		
plug thread 3/8" with O-ring			
accessories for	101409		
	No.	100904	Ref. No.
	1394700 6A011608 A011608 BN6A011608 MA1394700		
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No.
	6A011705 A011705 BN6A011705		
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101273	Ref. No.
	417810 6A011625 A011625 MA417810		
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No.
	459300 6A011620 A011620		
union screw thread 3/8" tube ø 12mm Qty 1 pcs			



1

No.	101915	Ref. No.	26920012 BN826920012
description	gas thermostat type 630 Eurosit series t.max. 320°C 80-320°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT		
accessories for	101915		
	No.	100825	Ref. No. —
gas tap spindle shaft ø 8x6.5mm shaft L 22/14mm suitable for EUROSIT			
	No.	100904	Ref. No. 1394700 6A011608 A011608 BN6A011608 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 6A011705 A011705 BN6A011705
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	100949	Ref. No. —
gasket suitable for 630 Eurosit series			
	No.	101273	Ref. No. 417810 6A011625 A011625 MA417810
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No. 459300 6A011620 A011620
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	101333	Ref. No. 1888200 8219951 MA1888200
plug thread 3/8" with O-ring			
	No.	101390	Ref. No. —
gas tap spindle shaft ø 6x4.6mm shaft L 32/15mm gas tap with ignition flame suitable for ZANUSSI, MARENO for gas thermostat EUROSIT			
	No.	101392	Ref. No. —
adapter suitable for 630 Eurosit series			
	No.	110357	Ref. No. —
gas tap spindle shaft ø 8x6.5mm shaft L 36/12mm suitable for 630 Eurosit series			
	No.	110358	Ref. No. —
adapter shaft ø 10x8mm shaft L 29/18mm suitable for 630 Eurosit series			



1

No.	101125	Ref. No.	1887600 8219950 MA1887600
description	gas thermostat type 630 Eurosit series t.max. 340°C 100-340°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT		
For models:	110-135CGG, 110-135CGG2P, 110-135CGGE, 110-135CGGE2P, 110-135CGGP, 110-135CGGP, 110-90CGG, 110-90CGG1P, 110-90CGGP, 110-90CTGG, 110-90FTTG, 110-90FTTG1-2R, 110-90FTTGC, 110-90FTTGC1-2R, 110-90FTTGCR, 110-90FTTGE, 110-90FTTGG, 110-90FTTGR, 110-90FTTGR, 110-90FTTGT, 110-90FTTGT1-2R, 110-90FTTGTG, 110-90FTTGTG1-2R, 110-90FTTGTGR, 110-90FTTGTGR, 2FX+PCF, 40SGFT, 40SGFT-1825020, 40SGFT, 40SGFT-1825025, 40SGFTR, 40SGFTR-1825021, 4FX+PCF, 60SGFT, 60SGFT1-2R-1825031, 60SGFT1-3R-1825030, 60SGFT-1825030, 60SGFTC, 60SGFTC-1825035, 60SGFTR-1825032, 72+2CTGG-12700013, 72-02FTG, 72-02FTG-12700130TA, 72-02FTG-12700300, 72-02FTG-12700300TA, 72-02FTGC-12700135, 72-02FTGC-12700135TA, 72-02FTGCVAL, 72-02FTGR, 72-02FTGR-12700132TA, 72-02FTGR-12700302... (Other models you can see in the webshop)		
accessories for	101125		
	No.	100825	Ref. No. —
gas tap spindle shaft ø 8x6.5mm shaft L 22/14mm suitable for EUROSIT			
	No.	100904	Ref. No. 1394700 6A011608 A011608 BN6A011608 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 6A011705 A011705 BN6A011705
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	100949	Ref. No. —
gasket suitable for 630 Eurosit series			
	No.	101273	Ref. No. 417810 6A011625 A011625 MA417810
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No. 459300 6A011620 A011620
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	101333	Ref. No. 1888200 8219951 MA1888200
plug thread 3/8" with O-ring			
	No.	101390	Ref. No. —
gas tap spindle shaft ø 6x4.6mm shaft L 32/15mm gas tap with ignition flame suitable for ZANUSSI, MARENO for gas thermostat EUROSIT			
	No.	101392	Ref. No. —
adapter suitable for 630 Eurosit series			

Table continues overleaf

accessories for 101125				
	No.	110357	Ref. No.	—
	gas tap spindle shaft ø 8x6.5mm shaft L 36/12mm suitable for 630 Eurosit series			
	No.	110358	Ref. No.	—
	adapter shaft ø 10x8mm shaft L 29/18mm suitable for 630 Eurosit series			

710 Minisit series



 				
No.	101135	Ref. No.	9000150 BN4185327020200 BN9000150 MA1393200	
description	gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type type A3 pressure controller no pressure regulatormbar gland nut			
For models:	710FRG-077300, 710FRG-1077300, 710FR-G-1077350, 710FR-G-1077350R, 712FRG-077500, 712FR-G-1077550, 712FRG-1077550R, 712FR-G-1077550R, 720FRG-077400, 720FRG-1077400, 720FR-G-1077450, 720FRG-1077450R, 720FR-G-1077450R, 720FR-G-1077650, 722FRG-077600, 722FRG-1077600, 722FR-G-1077650R, FR-G925N-1050731, FR-G950N-1050733			
spare parts for	101135			
	No.	101053	Ref. No.	—
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102118	Ref. No.	—
	probe 110-190°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 190°C fryer probe type type A3 suitable for MINISIT 710			
accessories for	101135			
	No.	100809	Ref. No.	1394000 6A011606 A011606 BN6A011606
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100820	Ref. No.	—
	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22			
	No.	100904	Ref. No.	1394700 6A011608 A011608 BN6A011608 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No.	6A011705 A011705 BN6A011705
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No.	—
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			

accessories for 101135				
	No.	101136	Ref. No.	6A011603 6A011610 A011603 A011610 BN6A011603
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No.	—
	cover cap without piezoelectric igniter			
	No.	101267	Ref. No.	—
	reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No.	—
	gas connection thread 3/8" angled with O-ring MINISIT 710			
	No.	101269	Ref. No.	1393900
	gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No.	—
	screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No.	—
	screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No.	417810 6A011625 A011625 MA417810
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101274	Ref. No.	—
	olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No.	459300 6A011620 A011620
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	110068	Ref. No.	6A011602 A011602 BN6A011602
	knob suitable for Minisit ø 37mm			



				
No.	101437	Ref. No.	1393300	
description	gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type type A3 pressure controller yes pressure regulator 3-18mbar gland nut			
For models:	FQG40, FQG60			
spare parts for	101437			
	No.	101053	Ref. No.	—
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	102118	Ref. No.	—
probe 110-190°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 190°C fryer probe type type A3 suitable for MINISIT 710				
accessories for	101437			
	No.	100809	Ref. No.	1394000 6A011606 A011606 BN6A011606
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs				
	No.	100820	Ref. No.	—
gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22				
	No.	100904	Ref. No.	1394700 6A011608 A011608 BN6A011608 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	6A011705 A011705 BN6A011705
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101054	Ref. No.	—
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	101136	Ref. No.	6A011603 6A011610 A011603 A011610 BN6A011603
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	No.	101137	Ref. No.	—
cover cap without piezoelectric igniter				
	No.	101267	Ref. No.	—
reducer IT 3/8" ET 1/2" L 21mm				
	No.	101268	Ref. No.	—
gas connection thread 3/8" angled with O-ring MINISIT 710				

accessories for	101437			
	No.	101269	Ref. No.	1393900
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	417810 6A011625 A011625 MA417810
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	459300 6A011620 A011620
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	110068	Ref. No.	6A011602 A011602 BN6A011602
knob suitable for Minisit ø 37mm				

				
				
				
No.	101132	Ref. No.	1011700 6A011700 6A011701 BN6A011701 MA1393100	
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulatorbar gland nut ignition gas no			
For models:	714CTGV-000190, 714CT-GV-1000170, 714CTGV-1000170, 714CT-GV-1000170R, 714TAGV-000190, 716CTG-000195, 716CTGV-000195, 749CGV-000039, 749CGV-1950039, 749CGV-1950039R, 74CGV-000040, 769CGV-000049, 769CGV-1950049, 769CGV-1950049R, 769CGVAC-1950079, 769CGVAC-1950079R, 769CGVFL-000069, 769CGVFL-1950069, 769CGVFL-1950069R, 769CT-GV-1950194, 769CTGV-1950194, 769CT-GV-1950194R, 76CGV-000050, 76CGVFL-000070, 914PCGG-1103214, 914PCTGG-1103711, 914PFTGG-1103413, 914PFTGG-1103415, 916PCGGAN-1103216, 916PCGGE-1103236, 918PCGG-1103218, 92FG-1191220, 941CTGG-1291710, 941FTGG-1291412, 941FTGG1-2R-1291512, 941FTGG1-2R-1291612, 941FTGG-1291414, 941FTGGC1-2R-1291415, 941FTG-GR-1291512, 94CGG-1191214, 94CGG-191214, 94CTGG-1191710, 94CTGG-191710, 96CGG-1191216, 96CGG-191216, 96CGG-191236, 96CGGAC-1191236, 96CGGE-1191236, 96CTGG-1191712, 96CTGG-191712...(Other models you can see in the webshop)			
spare parts for	101132			
	No.	101053	Ref. No.	—
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				

spare parts for 101132			
	No.	102102	Ref. No. 6A011709 A011709 BN6A011709
probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710			
accessories for 101132			
	No.	100809	Ref. No. 1394000 6A011606 A011606 BN6A011606
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100904	Ref. No. 1394700 6A011608 A011608 BN6A011608 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 6A011705 A011705 BN6A011705
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No. —
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No. 6A011603 6A011610 A011603 A011610 BN6A011603
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No. —
cover cap without piezoelectric igniter			
	No.	101267	Ref. No. —
reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No. —
gas connection thread 3/8" angled with O-ring MINISIT 710			
	No.	101269	Ref. No. 1393900
gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No. —
screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No. —
screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No. 417810 6A011625 A011625 MA417810
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101274	Ref. No. —
olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No. —
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No. 459300 6A011620 A011620
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	110068	Ref. No. 6A011602
knob suitable for Minisit ø 37mm			


			
No.	101438	Ref. No.	6A011601 SIR0100855
description gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller yes pressure regulator 3-18mbar gland nut			
For models: 96CGG-191236, C-GV904-1050110, C-GV906-1050120, C-GV908-1050130, CT-GV904-1050220, FT-G940-1050530, FT-G940-1050531, FT-G980-1050540, FT-G980-1050541, FT-G980R1-2-1050542			
spare parts for 101438			
	No.	101053	Ref. No. —
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102102	Ref. No. 6A011709 A011709 BN6A011709
probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710			
accessories for 101438			
	No.	100809	Ref. No. 1394000 6A011606 A011606 BN6A011606
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100904	Ref. No. 1394700 6A011608 A011608 BN6A011608 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 6A011705 A011705 BN6A011705
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No. —
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No. 6A011603 6A011610 A011603 A011610 BN6A011603
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No. —
cover cap without piezoelectric igniter			
	No.	101267	Ref. No. —
reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No. —
gas connection thread 3/8" angled with O-ring MINISIT 710			

Table continues overleaf



accessories for 101438				
	No.	101269	Ref. No.	1393900
	gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No.	—
	screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No.	—
	screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No.	417810 6A011625 A011625 MA417810
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101274	Ref. No.	—
	olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No.	459300 6A011620 A011620
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	110068	Ref. No.	6A011602 A011602 BN6A011602
	knob suitable for Minisit ø 37mm			

				
1 				
No.	101088	Ref. No.	6A012501 MA1031501100	
description	gas thermostat with pressure controller SIT type MINISIT 710 t.max. 100°C 30-100°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 125mm capillary pipe 1050mm probe type type A1 pressure controller yes pressure regulator 3-18mbar gland nut			
spare parts for	101088			
	No.	101053	Ref. No.	—
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102100	Ref. No.	—
	probe 30-100°C probe ø 5mm probe L 122mm capillary pipe 1050mm t.max. 100°C bain marie probe type type A1 suitable for MINISIT 710			
accessories for	101088			
	No.	100809	Ref. No.	1394000 6A011606 A011606 BN6A011606
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100820	Ref. No.	—
	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22			

accessories for 101088				
	No.	100904	Ref. No.	1394700 6A011608 A011608 BN6A011608 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No.	6A011705 A011705 BN6A011705
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No.	—
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No.	6A011603 6A011610 A011603 A011610 BN6A011603
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No.	—
	cover cap without piezoelectric igniter			
	No.	101267	Ref. No.	—
	reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No.	—
	gas connection thread 3/8" angled with O-ring MINISIT 710			
	No.	101269	Ref. No.	1393900
	gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No.	—
	screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No.	—
	screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No.	417810 6A011625 A011625 MA417810
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101274	Ref. No.	—
	olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No.	459300 6A011620 A011620
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	110680	Ref. No.	—
	knob graduated Min/Max ø 82mm shaft ø 6x4.6mm shaft flat upper black			

			
No.	101131	Ref. No.	1031500300
description	gas thermostat without cap, button and angle SIT type MINISIT 710 t.max. 190°C 50-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 98mm capillary pipe 1200mm probe type type A2 pressure controller no pressure regulator or bar gland nut		
For models:	OPCG41, OPCG61		
spare parts for	101131		
	No.	101053	Ref. No. —
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	No.	102103	Ref. No. 6A015201 A015201 BN6A015201
	probe 60-200°C probe ø 5mm probe L 98mm capillary pipe 1050mm t.max. 200°C fryer probe type type A2 suitable for MINISIT 710		
accessories for	101131		
	No.	100809	Ref. No. 1394000 6A011606 A011606 BN6A011606
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs		
	No.	100820	Ref. No. —
	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22		
	No.	100904	Ref. No. 1394700 6A011608 A011608 BN6A011608 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	Ref. No. 6A011705 A011705 BN6A011705
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101054	Ref. No. —
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	No.	101136	Ref. No. 6A011603 6A011610 A011603 A011610 BN6A011603
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8		
	No.	101137	Ref. No. —
	cover cap without piezoelectric igniter		
	No.	101267	Ref. No. —
	reducer IT 3/8" ET 1/2" L 21mm		
	No.	101268	Ref. No. —
	gas connection thread 3/8" angled with O-ring MINISIT 710		
	No.	101269	Ref. No. 1393900
	gas connection thread 1/2" angled with O-ring MINISIT 710		

accessories for	101131		
	No.	101270	Ref. No. —
	screw connection IT 3/8" ET 3/8" L 28mm		
	No.	101272	Ref. No. —
	screw connection IT 1/2" ET 3/8" L 57mm		
	No.	101273	Ref. No. 417810 6A011625 A011625 MA417810
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	No.	101274	Ref. No. —
	olive for pipe ø 16mm Qty 1 pcs		
	No.	101275	Ref. No. —
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs		
	No.	101276	Ref. No. 459300 6A011620 A011620
	union screw thread 3/8" tube ø 12mm Qty 1 pcs		
	No.	110068	Ref. No. 6A011602 A011602 BN6A011602
	knob suitable for Minisit ø 37mm		

accessories

probes

			
No.	102102	Ref. No.	6A011709 BN6A011709
description	probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710		

			
No.	102103	Ref. No.	6A015201 BN6A015201
description	probe 60-200°C probe ø 5mm probe L 98mm capillary pipe 1050mm t.max. 200°C fryer probe type type A2 suitable for MINISIT 710		



PEL

24ST series



1

No.	101076	Ref. No.	6A023700 BN6A023700
description	gas thermostat PEL type 24ST 120-320°C gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 10x8mm shaft L 27/17mm shaft flat upper		
For models:	74FTG-000130, 74FT-G-1000130, 74FTG-1000130, 74FT-G-1000130R, 74FT-G-1000131, 74FT-G-1000131R, 74FT-GC-1000135, 74FTGC-1000135, 74FT-GC-1000135R, 74FTGR-1000131, 74FTTG-1009130, 74FTTG-1009130R, 74FTTG1-1R-1009131, 74FTTG1-1R-1009131R, 74FTTG-1009135, 74FTTG-1009135R, 78FTG-000140, 78FT-G-1000140, 78FTG-1000140, 78FT-G-1000140R, 78FT-GR1-1-1000142, 78FT-GR1-1-1000142R, 78FT-GR1-2-1000141, 78FT-GR1-2-1000141R, 78FTTG-1009140, 78FTTG-1009140R, 78FTTG1-1R-1009142, 78FTTG1-2R-1009141, 78FTTG1-2R-1009141R, 912PTFTG-1103491, 912PTFTGR-1103591, 914PFTGE-1103423, 914PFTGEC-1103425, 914PFTGG-1103413, 914PFTTG-1103493, 914PFTTG1-2R-1103693, 914PFTTG-1103497, 914PFTTGR-1103593, 921FTG-1291401, 921FTG-1291401V, 921FTGC-1291403, 921FTGR-1291501, 921FTTG-1291491, 921FTTG-1291493, 921FTTG-1291591, 92FTG-191401, 941FTG-1291402, 941FTG1-2R-1291502, 941FTG1-2R-1291602, 941FTGC-1291404...(Other models you can see in the webshop)		
spare parts for	101076		
	No.	100455	Ref. No. —
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	No.	101058	Ref. No. —
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	106200	Ref. No. —
nut thread M9x1 suitable for PEL 24/255			
accessories for	101076		
	No.	100908	Ref. No. 673500 6A016110 6A017000 A016110 A017000 BN6A016110 BN6A017000 MA673500
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No. 673600 6A016120 A016120 MA673600
olive for pipe ø 4mm Qty 1 pcs			
	No.	101248	Ref. No. —
olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	No.	101249	Ref. No. 673400 6A011470 A011470 BN6A011470
olive for pipe ø 10mm Qty 1 pcs			

accessories for	101076		
	No.	101250	Ref. No. 6A011475 A011475 BN6A011475
union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No. 6A016200 A016200 BN6A016200
union nut thread M20x1.5 for pipe ø 12mm			
	No.	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			
	No.	110079	Ref. No. —
knob dial plate gas thermostat 1-8 silver			
	No.	110080	Ref. No. —
knob ø 70mm shaft ø 10x8mm shaft flat universal			

	1		
No.	101078	Ref. No.	6A023750 BN6A023750
description	gas thermostat PEL type 24ST 55-110°C gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 160mm shaft ø 10x8mm shaft L 27/17mm shaft flat upper		
For models:	74CBG-000150, 74CB-G-1000150, 74CBG-1000150, 74CB-G-1000150R, 78CBG-000160, 78CB-G-1000160, 78CBG-1000160, 78CB-G-1000160R, 78CB-GAC-1000165, 78CBGAC-1000165, 912PTCBG-1103391, 92CBG-1191301, 92CBG-191301, 92TCBG-1191391, 94CBG-1191302, 94CBG-191302, 94CBGAC-1191362, 94TCBG-1191392		
spare parts for	101078		
	No.	100455	Ref. No. —
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	No.	101058	Ref. No. —
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	106200	Ref. No. —
nut thread M9x1 suitable for PEL 24/255			
accessories for	101078		
	No.	100908	Ref. No. 673500 6A016110 6A017000 A016110 A017000 BN6A016110 BN6A017000 MA673500
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No. 673600 6A016120 A016120 MA673600
olive for pipe ø 4mm Qty 1 pcs			
	No.	101248	Ref. No. —
olive for pipe ø 12mm Qty 1 pcs suitable for PEL			

Table continues overleaf

accessories for 101078				
	No.	101249	Ref. No.	673400 6A011470 A011470 BN6A011470
	olive for pipe ø 10mm Qty 1 pcs			
	No.	101250	Ref. No.	6A011475 A011475 BN6A011475
	union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No.	6A016200 A016200 BN6A016200
	union nut thread M20x1.5 for pipe ø 12mm			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	No.	110079	Ref. No.	—
	knob dial plate gas thermostat 1-8 silver			
	No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			


25ST series

1



No.	101907	Ref. No.	1031503900	
description	gas thermostat PEL type 25ST up to 280°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 1mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 120mm shaft ø 6x4.6mm shaft L 36/20mm shaft flat lower			
	For models: FTG40B, FTG60B, FTG60BR, FTG80B, FTG80BR, OFTG40B, OFTG60B, OFTG60BR, OFTG80B, OFTG80BR			
spare parts for	101907			
	No.	100407	Ref. No.	—
	bypass nozzle type PEL22 bore ø 1mm thread M6x0.5			
	No.	101060	Ref. No.	—
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	106199	Ref. No.	—
	nut thread M8x1			
accessories for	101907			
	No.	100908	Ref. No.	673500 6A016110 6A017000 A016110 A017000 BN6A016110 BN6A017000 MA673500
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No.	673600 6A016120 A016120 MA673600
	olive for pipe ø 4mm Qty 1 pcs			

accessories for 101907				
	No.	101278	Ref. No.	6A011480 86720 A011480 BN6A011480 MA86720
	olive for pipe ø 10mm Qty 1 pcs			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	No.	101300	Ref. No.	1326500 6A011485 A011485 BN6A011485
	union nut thread M16x1.5 tube ø 10mm			
	No.	101450	Ref. No.	—
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			
	No.	101451	Ref. No.	—
	union nut thread M16x1.5 tube ø 8mm			
	No.	110078	Ref. No.	—
	knob without symbol ø 70mm shaft ø 6x4.6mm shaft flat universal			
	No.	110079	Ref. No.	—
	knob dial plate gas thermostat 1-8 silver			



No.	107459	Ref. No.	6A023752 BN6A023752
description	gas thermostat PEL type 25ST“V” up to 110°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 160mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper ignition gas M10x1		
For models:	110-45CBG, 110-45TCBG, 72-02CBG, 72-02CBG-12700150, 72-02TCBG, 72-02TCBG-12730150, 74-02CBG, 74-02CBG-12700155, 74-02TCBG, 74-02TCBG-12730155, 92-04CBG, 92-04CBG-12900150, 92-04TCBG, 92-04TCBG-12930150, 94-04CBG, 94-04CBG-12900155, 94-04TCBG, 94-04TCBG-12930155		



SABAF



1

No.	101173	Ref. No.	1699400
description	gas thermostat SABAF type SABAF t.max. 300°C gas inlet M13x1 ET (tube ø 8mm) bypass nozzle ø 0.8mm gas outlet 3/8" ET (tube ø 10mm) gas outlet 2 thermocouple connection M8x1 pilot connection capillary pipe 850mm probe ø 4mm probe L 140mm shaft ø 6x4.6mm shaft L 37/15mm shaft flat lower		
For models:	CFG101, CFG120, CFG70, OCFG101, OCFG-101-12600025, OCFG120, OCFG70, OCFG-70-12600000, OPGC-41-12600010		
spare parts for	101173		
	No.	101060	Ref. No. —
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
accessories for	101173		
	No.	101277	Ref. No. —
	olive ID ø 8mm Qty 1 pcs		
	No.	101278	Ref. No. 6A011480 86720 A011480 BN6A011480 MA86720
	olive for pipe ø 10mm Qty 1 pcs		
	No.	101474	Ref. No. —
	air mixing tube for pilot burner		
	No.	101476	Ref. No. 1665300
	union nut thread M13x1 for pipe ø 8mm		
	No.	101478	Ref. No. 1665200
	union nut thread 3/8" for pipe ø 10mm		
	No.	110361	Ref. No. 1036702900 1036703300
	knob without symbol ø 65mm shaft ø 6x4.6mm shaft flat lower black		
	No.	110603	Ref. No. —
	knob dial plate gas thermostat t.max. 300°C 90-300°C		

gas valves and ignition boxes

gas control valves

HONEYWELL



1

No.	106012	Ref. No.	R63020170
description	gas valve type VK4115V 220-240V 50/60Hz gas inlet flange 32x32mm gas outlet flange 32x32mm thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type HONEYWELL flange 32x32mm		
For models:	CCG051M, CCG071M, CCG101M, CCG102M, CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		
accessories for	106012		
	No.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	No.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		

SIT

ELETTROSIT



1

No.	101126	Ref. No.	9000201 BN9000201
description	gas valve SIT type ELETTROSIT 230V gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 bottom equiv. no. 0.810.136		
For models:	912PFRG-1103925, 914PFRG-1103950, 922FRE-1192930, 92FRG, 92FRG-1191925, 92RFRG-1391925, 94FRG, 94FRG-1191950, 94FRG-191950, 94RFRG-1391950		
spare parts for	101126		
	No.	101312	Ref. No. 6A050003 A050003 BN6A050003
	microswitch		
	No.	101352	Ref. No. —
	solenoid coil 230V 50Hz suitable for ELETTROSIT		

Table continues overleaf

accessories for 101126				
	No.	100006	Ref. No.	—
piezoelectric igniter suitable for ELETROSIT body plastic blowing connection ø2.4mm ø 14mm				
	No.	100904	Ref. No.	1394700 6A011608 A011608 BN6A011608 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	6A011705 A011705 BN6A011705
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101301	Ref. No.	—
gas connection thread 1/2" straight ELETROSIT screw with O-ring				
	No.	101303	Ref. No.	—
gas connection straight thread 3/4" ELETROSIT				
	No.	101309	Ref. No.	—
extension				

1

No.	101127	Ref. No.	6A050000 LAR63025030	
description	gas valve SIT type ELETROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 lateral equiv. no. 0.810.175			
For models:	725KB-G-1000110, 725KBG-1000110, 725KB-G-1000110R, 725KB-GB-1000111, 725KB-GB-1000111R, 725KBGM-000120, 725KB-GM-1000120, 725KB-GM-1000120R, 725KB-GMB-1000121, 725KB-GMB-1000121R, 94KBG-1191870, 94KBG-191870, 94KBGM-1191880, 94KBGM-191600, 94RKBG-1391870, 94RKBGM-1391880, KB-G970-1050450, KB-G970A-1050451			
spare parts for	101127			
	No.	101312	Ref. No.	6A050003 A050003 BN6A050003
	microswitch			
	No.	101352	Ref. No.	—
	solenoid coil 230V 50Hz suitable for ELETROSIT			
accessories for	101127			
	No.	100006	Ref. No.	—
	piezoelectric igniter suitable for ELETROSIT body plastic blowing connection ø2.4mm ø 14mm			
	No.	100904	Ref. No.	1394700 6A011608 A011608 BN6A011608 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			

accessories for 101127				
	No.	100905	Ref. No.	6A011705 A011705 BN6A011705
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101301	Ref. No.	—
gas connection thread 1/2" straight ELETROSIT screw with O-ring				
	No.	101303	Ref. No.	—
gas connection straight thread 3/4" ELETROSIT				
	No.	101309	Ref. No.	—
extension				

NOVASIT

				
1				
No.	101908	Ref. No.	6A050010 BN6A050010 MA1871200	
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressurebar pressure regulator connection blind equiv. no. 0.820.018 output pilot burner M10x1 input pressure max. 60bar setting range 3-30bar			
For models:	74-02KBGB, 74-02KBGB-12700110, 74-02KBGBI, 74-02KBGB-BI-12700115, 74-02KBGMB, 74-02KBGMB-12700120, 74-02KBGMBI, 74-02KBGMBI-12700125, 92-04FRG20L, 92-04FRG20L-12900500, 92-04FRG20L-12900500TA, 94-04FRG-12900600, 94-04FRG20L, 94-04FRG20L-12900600TA, 94-04FRG23L-12900605, 94-04KBG, 94-04KBG-12900115, 94-04KBG-12900115TA, 94-04KBG-12900118, 94-04KBG-12900118TA, 94-04KBGM, 94-04KBGM-12900125, 94-04KBGM-12900125TA, 94-04KBGM-12900128, 94-04KBGM-12900128TA, 9BR-G80, 9BR-G81, 9BR-GM80			
spare parts for	101908			
	No.	101065	Ref. No.	—
magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT				
	No.	101313	Ref. No.	—
solenoid coil 230V 50Hz				
accessories for	101908			
	No.	100006	Ref. No.	—
piezoelectric igniter suitable for ELETROSIT body plastic blowing connection ø2.4mm ø 14mm				
	No.	101305	Ref. No.	—
gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm				
	No.	101306	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				

Table continues overleaf



accessories for 101908				
	No.	101307	Ref. No.	—
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	No.	101308	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	No.	101312	Ref. No.	6A050003 A050003 BN6A050003
	microswitch			
	No.	101314	Ref. No.	—
	solenoid coil 24V 50Hz			
	No.	101317	Ref. No.	—
	plug with cable L 1000mm suitable for NOVASIT			
	No.	101318	Ref. No.	—
	cover cap for solenoid coil suitable for NOVASIT			

1

No.	106001	Ref. No.	3103650 BN3103650	
description	gas valve SIT series Novasit 826 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection closed ignition pressure 3-5mbar pressure range 2-50mbar pressure regulator connection standard equiv. no. 0.826.011 power supply for modulator 230VAC rectified			
For models:	CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140, CV21G-S, CV21GS-1312150, CV21G-S2, CV21GS2-1312190, CV6G, CV6G-1310000, CV6G-1310010, CV6G-2, CV6G2-1310040, CV6GB-1311000, CV6G-S, CV6GS-1310050, CV6G-S2, CV6GS2-1310090, CVM10G, CVM10G-1310400, CVM10G-1310410, CVM10G-1310430, CVM10G-1310450, CVM10G-2, CVM10G2-1310440, CVM10GP-1310400, CVM10G-S, CVM10GS-1310460, CVM10G-S2, CVM10GS2-1310490, CVM10GS2-1310495, CVM20G... (Other models you can see in the webshop)			
spare parts for	106001			
	No.	101542	Ref. No.	—
	solenoid coil 50Hz NOVA 822/826/827 suitable for NOVASIT 230V			
accessories for	106001			
	No.	101305	Ref. No.	—
	gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	No.	101306	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			

accessories for 106001				
	No.	101307	Ref. No.	—
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	No.	101308	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	No.	101859	Ref. No.	—
	panel-mounted inlet with cable L 1000mm for rectifier suitable for NOVASIT			

accessories



1

No.	101674	Ref. No.	6A050020 BN6A050020
description	knob extension L 57mm NOVA 822/826/827		
For models:	7BR-G100, 7BR-G105, 7BRS-G100, 7BRS-G105, 94-04KBG, 94-04KBG-12900115, 94-04KBG-12900115TA, 94-04KBG-12900118, 94-04KBG-12900118TA, 94-04KBGM, 94-04KBGM-12900125, 94-04KBGM-12900125TA, 94-04KBGM-12900128, 94-04KBGM-12900128TA, 96-04KBGC, 96-04KBGC-12900105, 96-04KBGC-12900105TA, 9BR-G100, 9BR-G105, 9BR-G125, 9BR-G80, 9BR-G81, 9BR-GM80		



1

	No.	100905	Ref. No.	6A011705 BN6A011705
description				
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
For models:				
7741C-GVGAS-1950266, 7742C-GV-1950267, 7961C-GVGAS-1950276 7962C-GV-1950277				

1



No.	101312	Ref. No.	6A050003 BN6A050003
description	microswitch		
For models:	725KB-G-1000110, 725KB-G-1000110R, 725KB-GB-1000111, 725KB-GB-1000111R, 725KB-GM-1000120, 725KB-GM-1000120R, 725KB-GMB-1000121, 725KB-GMB-1000121R, 74-02KBGB, 74-02KBGB-12700110, 74-02KBGBI, 74-02KBGBI-12700115, 74-02KBGMB, 74-02KBGMB-12700120, 74-02KBGMBI, 74-02KBGMBI-12700125, 912PFRG-1103925, 914PFRG-1103950, 92-04FRG20L, 92-04FRG20L-12900500, 92-04FRG20L-12900500TA, 922FRE-1192930, 92FRG-1191925, 94-04FRG-12900600, 94-04FRG20L, 94-04FRG20L-12900600TA, 94-04FRG23L-12900605, 94-04KBG, 94-04KBG-12900115, 94-04KBG-12900115TA, 94-04KBG-12900118, 94-04KBG-12900118TA, 94-04KBGM, 94-04KBGM-12900125, 94-04KBGM-12900125TA, 94-04KBGM-12900128, 94-04KBGM-12900128TA, 94FRG-1191950, 94KBG-1191870, 94KBGM-1191880, 94RFRG-1391950, 94RKBG-1391870, 94RKBGM-1391880, 9BR-G80, 9BR-G81, 9BR-GM80, KB-G970-1050450, KB-G970A-1050451		

ignition boxes

BRAHMA



1

No.	102337	Ref. No.	3103675 BN3103675
description	ignition box BRAHMA type CM11F electrodes 2 waiting time 1.5s safety time 5s 220-240V 7VA 50-60Hz		
For models:	CV10G, CV10G-1310100, CV10G-2, CV10G2-1310140, CV10GB-1311100, CV10G-S, CV10GS-1310150, CV10G-S2, CV10GS2-1310190, CV20G, CV20G-1310200, CV20G-2, CV20G2-1310240, CV20GB-1311200, CV20G-S, CV20GS-1310250, CV20G-S2, CV20GS2-1310290, CV21G, CV21G-1312100, CV21G-2, CV21G2-1312140, CV21G-S, CV21GS-1312150, CV21G-S2, CV21GS2-1312190, CV6G, CV6G-1310000, CV6G-1310010, CV6G-2, CV6G2-1310040, CV6GB-1311000, CV6G-S, CV6GS-1310050, CV6G-S2, CV6GS2-1310090, CVM10G-1310400, CVM10G-1310410, CVM10G-1310430, CVM10G-1310450, CVM10G2-1310440, CVM10GS-1310460, CVM10GS2-1310490, CVM10GS2-1310495, CVM20G-1310500, CVM20G2-1310540, CVM20GS-1310550, CVM20GS2-1310590, CVM21G, CVM21G-1312400...(Other models you can see in the webshop)		

HONEYWELL



1

No.	101184	Ref. No.	R63060140
description	ignition box HONEYWELL type S4565C 1033 equiv. no. S4565C 1033 electrodes 2 waiting times safety time 5s 220-240V 4VA 50/60Hz		
For models:	CCG051M, CCG071M, CCG101M, CCG102M		



1

No.	103109	Ref. No.	R63060160
description	ignition box HONEYWELL type S4565C 1116 electrodes 2 waiting times safety time 5s 220-240V 4VA 50/60Hz		
For models:	CKGP06, CKGP06B, CKGP10, CKGP10B, CKGP20, CKGP20B, CKGP21, CKGP21B, CKGP40, CKGP40B, CKGT06, CKGT06B, CKGT10B, CKGT20, CKGT20B, CKGT21, CKGT21B, CKGT40, CKGT40B		

ignition parts

pilot burners

SIT

100 series



1

No.	107103	Ref. No.	6A013100 BN6A013100
description	pilot burner SIT 1 flame nozzle ø 0.2mm gas connection 6mm		
spare parts for	107103		
	No.	100245	Ref. No. 1415100 6A013101 A013101 MA1415100
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	No.	100885	Ref. No. 6A013104 A013104 BN6A013104
	air mixing sleeve for pilot burner Qty 1 pcs		
	No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminium		
	No.	100918	Ref. No. —
	screw for pilot burner		
	No.	107160	Ref. No. —
	pilot burner cap SIT 1 flame Hmm Lmm Qty 1 pcs		
	No.	107166	Ref. No. —
	pilot burner head SIT 1 flame Hmm Lmm Qty 1 pcs		
	No.	107701	Ref. No. 2510359 BN2510359
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm		
accessories for	107103		
	No.	100246	Ref. No. —
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	No.	100904	Ref. No. 1394700 6A011608 A011608 BN6A011608 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100905	Ref. No. 6A011705 A011705 BN6A011705
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	102110	Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		

Table continues overleaf



accessories for 107103				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	—
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	No.	107702	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.35mm				



1

No.	106902	Ref. No.	6A0131015	
description	pilot burner SIT type 100 series 2 flames nozzle ø 0.2mm gas connection 6mm			
spare parts for	106902			
	No.	100245	Ref. No.	1415100 6A013101 A013101 MA1415100
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100842	Ref. No.	—
pilot burner cap 2 flames Qty 1 pcs				
	No.	100885	Ref. No.	6A013104 A013104 BN6A013104
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107161	Ref. No.	—
pilot burner cap SIT 2 flames Hmm Lmm Qty 1 pcs				
	No.	107701	Ref. No.	2510359 BN2510359
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				
accessories for	106902			
	No.	100246	Ref. No.	—
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	1394700 6A011608 A011608 BN6A011608 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				

accessories for 106902				
	No.	100905	Ref. No.	6A011705 A011705 BN6A011705
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	—
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	No.	107702	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.35mm				



1

No.	106906	Ref. No.	6A013200 BN6A013200 LAR63050020	
description		pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
For models:		720FRG-1077400, 720FR-G-1077450, 720FRG-1077450, 720FR-G-1077450R, 720FR-G-1077650, 722FRG-1077600, 722FR-G-1077650R, 725KB-G-1000110, 725KBG-1000110, 725KB-G-1000110R, 725KB-GB-1000111, 725KB-GB-1000111R, 725KBGM-000120, 725KB-GM-1000120, 725KB-GM-1000120R, 725KB-GMB-1000121, 725KB-GMB-1000121R, 912PFRG-1103925, 914PFRG-1103950, 922FRE-1192930, 92FRG-1191925, 92RFRG-1391925, 94FRG, 94FRG-1191950, 94RFRG-1391950, C-GV904-1050110, C-GV906-1050120, C-GV908-1050130, CT-GV904-1050220, FOGV50, FO-GV50-1959100, FOGV50-1959100, FO-GV51-1959150, FR-G925N-1050731, FR-G950N-1050733, FT-G940-1050530, FT-G940-1050531, FT-G980-1050540, FT-G980-1050541, FT-G980R1-2-1050542, KB-G970-1050450, KB-G970A-1050451, TA-GV904-1050210		
spare parts for		106906		
	No.	100245	Ref. No.	1415100 6A013101 A013101 MA1415100
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100855	Ref. No.	—
pilot burner bracket triple				
	No.	100885	Ref. No.	6A013104 A013104 BN6A013104
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				

Table continues overleaf

spare parts for 106906				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107162	Ref. No.	—
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs				
	No.	107701	Ref. No.	2510359 BN2510359
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				
accessories for 106906				
	No.	100245	Ref. No.	1415100 6A013101 A013101 MA1415100
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100246	Ref. No.	—
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	1394700 6A011608 A011608 BN6A011608 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	6A011705 A011705 BN6A011705
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	—
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	No.	107702	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.35mm				

accessories
pilot burner bottom parts


1

No.	107701	Ref. No.	2510359 BN2510359	
description	pilot burner bottom part SIT 100 series nozzle ø 0.2mm			
For models:	110-135CG, 110-135CG2P, 110-135CGE, 110-135CGE2P, 110-135CGEE, 110-135CGEE2P, 110-135CGEEP, 110-135CGEP, 110-135CGG, 110-135CGG2P, 110-135CGGE, 110-135CGGE2P, 110-135CGGEP, 110-135CGGP, 110-135CGP, 110-135TCG, 110-135TCG2P, 110-135TCGP, 110-45CG, 110-45CG1P, 110-45CGP, 110-45TCG, 110-45TCG1P, 110-45TCGP, 110-90CG, 110-90CG1P, 110-90CGE, 110-90CGE1P, 110-90CGEP, 110-90CGG, 110-90CGG1P, 110-90CGGP, 110-90CGP, 110-90TCG, 110-90TCG1P, 110-90TCGP, 31FOGV-1950001, 31FOGV-1950002, 31FOGVG-1000003, 31FOGVM-1000007, 32FOGV2-1000002, 32FOGVG-1000004, 32FOGVM-1000015, 4FX, 4FX+PCF, 72+2CTGG-12700013, 72-02CG, 72-02CG-12700001, 72-02CG-12700001TA, 72-02TCG...(Other models you can see in the webshop)			
spare parts for	107701			
	No.	100245	Ref. No.	1415100 6A013101 A013101 MA1415100
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
accessories for	107701			
	No.	100246	Ref. No.	—
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	1394700 6A011608 A011608 BN6A011608 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	6A011705 A011705 BN6A011705
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	102742	Ref. No.	—
pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs				




pilot burner nozzles




No.	100245	Ref. No.	1415100 6A013101 MA1415100
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
For models:	110-135CG, 110-135CG2P, 110-135CGE, 110-135CGE2P, 110-135CGEE, 110-135CGEE2P, 110-135CGEEP, 110-135CGG, 110-135CGG2P, 110-135CGGE, 110-135CGGE2P, 110-135CGGEP, 110-135CGGP, 110-135CGP, 110-135TCG, 110-135TCG2P, 110-135TCGP, 110-45CG, 110-45CG1P, 110-45CGP, 110-45TCG, 110-45TCG1P, 110-45TCGP, 110-90CG, 110-90CG1P, 110-90CGE, 110-90CGE1P, 110-90CGEP, 110-90CGG, 110-90CGG1P, 110-90CGGP, 110-90CGP, 110-90TCG, 110-90TCG1P, 110-90TCGP, 4FX, 4FX+PCF, 72-02CG, 72-02TCG, 722FRG-1077600, 74-02+2CTGG, 74-02+2CTGG-12700030, 74-02CG, 74-02CGE, 74-02CGG, 74-02TCG, 76-02CG, 76-02CGE, 76-02CGEE... (Other models you can see in the webshop)		

ignition electrodes



No.	100706	Ref. No.	636700 6A013300 MA224211
description	ignition electrode connection M4 Qty 1 pcs		
For models:	720FRG-1077400, 720FR-G-1077450, 720FRG-1077450, 720FR-G-1077450R, 720FR-G-1077650, 722FRG-1077600, 722FR-G-1077650R, 725KB-G-1000110, 725KB-G-1000110, 725KB-G-1000110R, 725KB-G-1000111, 725KB-G-1000111R, 725KBGM-000120, 725KB-GM-1000120, 725KB-GM-1000120R, 725KB-GMB-1000121, 725KB-GMB-1000121R, 76CGVFL-000070, 912PFRG-1103925, 914PFRG-1103950, 922FRE-1192930, 92FRG-1191925, 92RFRG-1391925, 94FRG, 94FRG-1191950, 94RFRG-1391950, CFG101, CFG120, CFG70, C-GV904-1050110, C-GV906-1050120, C-GV908-1050130, CT-GV904-1050220, FQG40, FQG60, FR-G925N-1050731, FR-G950N-1050733, FTG40B, FTG40BLC, FTG60B, FTG60BLC, FTG60BR, FTG80B, FTG80BR, FT-G940-1050530, FT-G940-1050531, FT-G980-1050540, FT-G980-1050541, FT-G980R1-2-1050542, KB-G970-1050450... (Other models you can see in the webshop)		



No.	100707	Ref. No.	6A013302 BN6A013302
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		
For models:	110-135CGG, 110-135CGG2P, 110-135CGGE, 110-135CGGE2P, 110-135CGGEP, 110-135CGGP, 110-45CBG, 110-45TCBG, 110-90CGG, 110-90CGG1P, 110-90CGGP, 110-90CTG, 110-90CTGE, 110-90CTGG, 110-90FTTG, 110-90FTTG1-2R, 110-90FTTGC, 110-90FTTGC1-2R, 110-90FTTGCR, 110-90FTTGE, 110-90FTTGG, 110-90FTTGR, 110-90CTG, 110-90FTTG, 110-90FTTG1-2R, 110-90FTTGC, 110-90FTTGC1-2R, 110-90FTTGCR, 110-90FTTGR, 2FX+PCF, 40SGFR-1826160, 40SGFR2S-1826160, 40SGFT-1825020, 40SGFTC-1825025, 40SGFTR-1825021, 4FX+PCF, 55-45CPG, 55-45FRG, 55-90CPG, 55-90FRG, 60SGFR-1826170, 60SGFR2S-1826170, 60SGFT1-2R-1825031, 60SGFT1-3R-1825030, 60SGFT-1825030, 60SGFTC-1825035, 60SGFTR-1825032, 710FRG-1077300, 710FR-G-1077350, 710FR-G-1077350R... (Other models you can see in the webshop)		

miscellaneous



No.	100885	Ref. No.	6A013104 BN6A013104
description	air mixing sleeve for pilot burner Qty 1 pcs		
For models:	110-135CG, 110-135CG2P, 110-135CGE, 110-135CGE2P, 110-135CGEE, 110-135CGEE2P, 110-135CGEEP, 110-135CGG, 110-135CGG2P, 110-135CGGE, 110-135CGGE2P, 110-135CGGEP, 110-135CGGP, 110-135CGP, 110-135TCG, 110-135TCG2P, 110-135TCGP, 110-45CG, 110-45CG1P, 110-45CGP, 110-45TCG, 110-45TCG1P, 110-45TCGP, 110-90CG, 110-90CG1P, 110-90CGE, 110-90CGE1P, 110-90CGEP, 110-90CGG, 110-90CGG1P, 110-90CGGP, 110-90CGP, 110-90TCG, 110-90TCG1P, 110-90TCGP, 31FOGV-1950001, 31FOGV-1950002, 31FOGVG-1000003, 31FOGVM-1000007, 32FOGV2-1000002, 32FOGVG-1000004, 32FOGVM-1000015, 72+2CTGG-12700013, 72-02CG-12700001, 72-02CG-12700001TA, 72-02TCG-12730001, 72-02TCG-12730001TA, 729CAGV-1950009, 729CAGV-1950009R... (Other models you can see in the webshop)		

140 - 145 -150 series



	No.	106943 ¹	Ref. No.	1887700
description	pilot burner SIT type 140 series 1 flame nozzle ømm gas connectionmm			
For models:	CFG120, OCFG120, OPLG40, OPLG-40-12600850, OPLG80, OPLG-80-12600855, PLG40, PLG80			
spare parts for	106943			
	No.	100907	Ref. No.	1891700
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			

¹incl. thermocouple fitting



1

No.	107114 ¹	Ref. No.	CM029000	
description	pilot burner SIT type 140 series 2 flames nozzle ømm gas connecti-onmm			
For models:	OFTG40B, OFTG-40B-12600130, OFTG40BLC, OFTG-40BLC-12600135, OFTG40BR, OFTG-40BR-12600132, OFTG60B, OFTG-60B-12600140, OFTG60BLC, OFTG-60BLC-12600145, OFTG60BR, OFTG-60BR-12600141, OFTG60BRR, OFTG-60BRR-12600142, OFTG80BLC, OFTG-80BLC-12600138			
spare parts for	107114			
	No.	100907	Ref. No.	1891700
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
accessories for	107114			
	No.	100204	Ref. No.	1888000 6A013109 A013109 MA1888000
	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	No.	100205	Ref. No.	1033722000 22140380 822140380 BN822140380
	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			
	No.	100206	Ref. No.	—
	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series			
	No.	100207	Ref. No.	1887800 6A013107 A013107 MA1887800
	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series			
	No.	100216	Ref. No.	—
	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series			
	No.	100701	Ref. No.	1888300 1949900 41826650010 826650010 BN41826650010 MA1888300 MA1949900
	ignition electrode connection M4 Qty 1 pcs			
	No.	100801	Ref. No.	—
	gasket for pilot burner Qty 1 pcs			
	No.	100897	Ref. No.	1881000 1888100 22450050 MA1888100
	olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	No.	100898	Ref. No.	41822450470 6A011706 A011706 BN41822450470 BN6A011706
	olive for pipe ø 6mm Qty 1 pcs for pilot burner			

¹incl. thermocouple fitting

accessories for	107114			
	No.	100906	Ref. No.	1888400 6A011707 A011707 MA1888400
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100908	Ref. No.	673500 6A016110 6A017000 A016110 A017000 BN6A016110 BN6A017000 MA673500
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			



1				
No.	107132	Ref. No.	6A013106 6A013206 BN6A013106	
description	pilot burner SIT type 140 series 2 flames nozzle ømm gas connecti- onmm			
For models:	7741CGV-1950226, 7741CGV-1950266, 7741C-GVGAS-1950266, 7742C-GV-1950267, 7742CGV-1950267, 7961CGV-1950276, 7961C-GVGAS-1950276, 7962C-GV-1950277, 7962CGV-1950277			
accessories for	107132			
	No.	100204	Ref. No.	1888000 6A013109 A013109 MA1888000
	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	No.	100205	Ref. No.	1033722000 22140380 822140380 BN822140380
	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			
	No.	100206	Ref. No.	—
	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series			
	No.	100207	Ref. No.	1887800 6A013107 A013107 MA1887800
	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series			
	No.	100216	Ref. No.	—
	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series			

Table continues overleaf



accessories for 107132				
	No.	100701	Ref. No.	1888300 1949900 41826650010 826650010 BN41826650010 MA1888300 MA1949900
ignition electrode connection M4 Qty 1 pcs				
	No.	100897	Ref. No.	1881000 1888100 22450050 MA1888100
olive for pipe ø 4mm Qty 1 pcs for pilot burner				
	No.	100898	Ref. No.	41822450470 6A011706 A011706 BN41822450470 BN6A011706
olive for pipe ø 6mm Qty 1 pcs for pilot burner				
	No.	100906	Ref. No.	1888400 6A011707 A011707 MA1888400
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	No.	100907	Ref. No.	1891700
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
	No.	100908	Ref. No.	673500 6A016110 6A017000 A016110 A017000 BN6A016110 BN6A017000 MA673500
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				

JUNKERS

CB 505 series

pilot burners



1

No.	100073	Ref. No.	509900
description	pilot burner JUNKERS type CB505018 3 flames natural gas nozzle no.9 gas connection 6mm with primary air		
For models:	FQG40, FQG60, FTG40B, FTG40BLC, FTG60B, FTG60BLC, FTG60BR, FTG80B, FTG80BR, OFTG40B, OFTG40BLC, OFTG60B, OFTG60BLC, OFTG60BR, OFTG80B, OFTG80BR		
spare parts for	100073		
	No.	100231	Ref. No.
	pilot burner nozzle natural gas gas pressure 25mbar code 4 Qty 1 pcs suitable for JUNKERS CB5050_		

spare parts for 100073				
	No.	100703	Ref. No.	—
ignition electrode D1 ø 9mm connection M4 D2 ø 11mm L1 8mm BL1 13mm BL2 4mm BL3 22mm to clip				
	No.	100907	Ref. No.	1891700
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
	No.	101282	Ref. No.	469000
olive for pipe ø 4mm L 7.4mm Qty 1 pcs				
	No.	101283	Ref. No.	468800
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	101292	Ref. No.	636600
union screw for igniter suitable for CB 502/505 Qty 1 pcs				
accessories for 100073				
	No.	100217	Ref. No.	—
pilot burner nozzle LPG gas pressure 30mbar code 3 Qty 1 pcs suitable for JUNKERS CB5050_				
	No.	100230	Ref. No.	932900
pilot burner nozzle LPG gas pressure 50mbar code 2 Qty 1 pcs suitable for JUNKERS CB5050_				
	No.	100232	Ref. No.	—
pilot burner nozzle natural gas gas pressure 25mbar code 9 Qty 1 pcs suitable for JUNKERS CB5050_				
	No.	100233	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 8 Qty 1 pcs suitable for JUNKERS CB5050_				
	No.	100234	Ref. No.	—
pilot burner nozzle natural gas gas pressure 20mbar code 14 Qty 1 pcs suitable for JUNKERS CB5050_				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101288	Ref. No.	—
olive for pipe ø 6mm L 6mm aluminium Qty 1 pcs ED ø 8.5mm				

POLIDORO
pilot burners


1

No.	100863	Ref. No.	2510389 BN2510389
description	pilot burner POLIDORO 2 flames code gas connection 6mm		
For models:	110-45CBG, 110-45TCBG, 40SGFT, 40SGFT-1825020, 40SGFTC, 40SGFTC-1825025, 40SGFTR, 40SGFTR-1825021, 60SGFT, 60SGFT-1825031, 60SGFT-3R-1825030, 60SGFT-1825030, 60SGFTC, 60SGFTC-1825035, 60SGFTR-1825032, 710FRG-1077300, 710FR-G-1077350, 710FR-G-1077350R, 712FR-G-1077550, 712FRG-1077550, 712FR-G-1077550R, 72-02CBG, 72-02CBG-12700150, 72-02TCBG, 72-02TCBG-12730150, 74-02CBG, 74-02CBG-12700155, 74-02TCBG, 74-02TCBG-12730155, 74CP-G-1000955, 74CPG-1000955, 74CP-G-1000955R, 78CP-G-1000960, 78CPG-1000960, 78CP-G-1000960R, 80SGFTC-1825038, 910PG-1191810, 910PG-191810, 910PGB-1191800, 910PGB-191800, 911PGB-1191805, 911RPG-1391830, 912PCCPG-1104855, 912PTCBG-1103391, 914PCCPG-1104860, 914PFTGE-1103423, 914PFTGEC-1103425, 914PFTGG-1103413, 914PFTGGC-1103415, 914PTFTG-1103493...(Other models you can see in the webshop)		
spare parts for	100863		
	No.	100906	Ref. No. 1888400 6A011707 A011707 MA1888400
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100907	Ref. No. 1891700
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
accessories for	100863		
	No.	100000	Ref. No. —
pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs			
	No.	100208	Ref. No. —
pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs			
	No.	100209	Ref. No. —
pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs			
	No.	100701	Ref. No. 1888300 1949900 41826650010 826650010 BN41826650010 MA1888300 MA1949900
ignition electrode connection M4 Qty 1 pcs			
	No.	100906	Ref. No. 1888400 6A011707 A011707 MA1888400
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100907	Ref. No. 1891700
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			

accessories for	100863		
	No.	100908	Ref. No. 673500 6A016110 6A017000 A016110 A017000 BN6A016110 BN6A017000 MA673500
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	102699	Ref. No. —
pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores			
	No.	102795	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	No.	102797	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs			
	No.	106703	Ref. No. 6A013230 A013230 BN6A013230
pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs			
	No.	106704	Ref. No. 6A013240 A013240 BN6A013240
pilot burner nozzle POLIDORO LPG code 16.2 bore ø 2x0.16mm Qty 1 pcs			
	No.	106763	Ref. No. —
pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs			
	No.	106859	Ref. No. —
pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs			