

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS




TOOLS


Spare parts suitable for


PALUX

heating elements

heating elements for ovens

			
No.	416448	Ref. No.	637742
description	heating element 1275W 230V L 325mm W 202mm flange length 225mm flange width 20mm hole distance 219mm tube ø 8.5mm heating circuits 1 hole ø 5.5mm connection M4 mounting pos. lower rectangular flange dry heating element oven		
For models:	541869, 638625		


			
No.	415787	Ref. No.	290718
description	heating element 1450W 400V heating circuits 1 L 502mm W 455mm L1 75mm L2 427mm W1 357mm W2 98mm mounting distance 90mm thread M14x1.5 tube ø 8.5mm connection M4 mounting pos. lower-outer 2 hole fixing		
For models:	Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850		

			
No.	415570	Ref. No.	731811
description	heating element 1500W 230V L 470mm W 200mm flange length 225mm flange width 20mm hole distance 214mm tube ø 8.3mm heating circuits 1 hole ø 6mm connection M4 mounting pos. lower rectangular flange dry heating element oven		
For models:	730416		


1

No.	415786	Ref. No.	290696
description	heating element 1500W 380V heating circuits 1 L 432mm W 392mm L1 135mm L2 302mm W1 322mm W2 70mm mounting distance 61mm thread M14x1.5 tube ø 8.6mm connection M4 mounting pos. upper inner dry heating element oven 2 hole fixing		
For models:	Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850		
accessories for	415786		
	No.	510417	Ref. No.
	—		
flat gasket fibre ED ø 20mm ID ø 14mm tl			


accessories for 415786			
			
No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
			
No.	520230	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			
			
No.	521101	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
			
No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			



No.	415785	Ref. No.	290688	
description	heating element 1500W 380V heating circuits 1 L 505mm W 463mm L1 75mm L2 430mm W1 357mm W2 98mm mounting distance 90mm thread M14x1.5 tube ø 8.5mm connection M4 mounting pos. upper outer dry heating element 2 hole fixing			
For models:	Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850			
spare parts for	415785			
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
accessories for	415785			
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	520230	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs				
	No.	521101	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

			
No.	415995	Ref. No.	150673
description	heating element 1500W 400V heating circuits 1 L 460mm W 484mm L1 107mm L2 360mm W1 211mm W2 62mm flange length 104mm flange width 32mm hole distance 96/39mm hole ø 4mm tube ø 6.4mm connection male faston 6.3mm connection length 51mm tilt flange dry heating element		
For models:	00068x, 00099x, 00121x, 00149x, 00183x, 001864, 002046, 002682, 003131, 00314x, 750026, 750034, 750042, 750050, 750069, 750077, 750085, 750093, 750107, 750115		

			
No.	415810	Ref. No.	290750
description	heating element 1500W 400V heating circuits 1 L 495mm W 635mm L1 75mm L2 420mm W1 515mm W2 120mm mounting distance 100mm thread M14x1.5 tube ø 8.5mm connection M4 mounting pos. upper outer 2 hole fixing		
For models:	Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850		

			
No.	415788	Ref. No.	290726
description	heating element 1700W 380V heating circuits 1 L 475mm W 386mm L1 140mm L2 295mm L3 40mm W1 320mm W2 66mm mounting distance 58mm thread M14x1.5 tube ø 8.5mm connection M4 mounting pos. lower-inner dry heating element 2 hole fixing		
For models:	Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850		
accessories for	415788		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	520230	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs		
	No.	521101	Ref. No. —
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			

accessories for	415788		
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

			
No.	415812	Ref. No.	290777
description	heating element 1700W 400V heating circuits 1 L 495mm W 635mm L1 75mm L2 420mm W1 515mm W2 120mm mounting distance 110mm thread M14x1.5 tube ø 8.5mm connection M4 mounting pos. lower-outer dry heating element 2 hole fixing		
For models:	Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850		
accessories for	415812		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	520230	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs		
	No.	521101	Ref. No. —
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		


			
No.	415811	Ref. No.	290769
description	heating element 1700W 400V L 447mm W 540mm L1 137mm L2 310mm W1 474mm W2 66mm mounting distance 58mm thread M14x1.5 tube ø 8.5mm connection M4 mounting pos. upper inner 2 hole fixing		
For models:	Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850		
accessories for	415811		
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			

Table continues overleaf

accessories for 415811				
	No.	520230	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			
	No.	521101	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

accessories for 416447				
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	521101	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

1

No.	415813	Ref. No.	290785
description	heating element 1950W 400V heating circuits 1 L 467mm W 520mm L1 140mm L2 290mm L3 37mm W1 465mm W2 55mm mounting distance 45mm thread M14x1.5 tube ø 8.5mm connection M4 mounting pos. lower-inner dry heating element 2 hole fixing		
For models:	Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850		
accessories for	415813		
	No.	510417	Ref. No.
	—		
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No.
	—		
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	521101	Ref. No.
	—		
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs		
	No.	550262	Ref. No.
	—		
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		



1

No.	416447	Ref. No.	637734
description	heating element 2450W 230V heating circuits 1 L 495mm W 510mm L1 65mm L2 430mm W1 440mm W2 70mm mounting distance 62mm thread M14x1.5 tube ø 8.5mm connection M4 mounting pos. upper dry heating element 2 hole fixing		
For models:	541869, 638625		
accessories for	416447		
	No.	510417	Ref. No.
	—		
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			

heating elements for bain maries

1



No.	415420	Ref. No.	290653	
description	heating element 1500W 220V heating circuits 1 L 443mm W 114mm connection M4 tube ø 8.5mm 2 hole fixing thread M14x1.5 H 22mm mounting distance 105mm			
For models:	Maxima-Elektro-Bain-Marie-700-850, Maxima-Elektro-Bain-Marie-850			
accessories for	415420			
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	520230	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs				
	No.	521101	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

1

				
No.	415421	Ref. No.	290661	
description	heating element 1500W 220V heating circuits 1 L 445mm W 135mm connection M4 tube ø 8.5mm 2 hole fixing thread M14x1.5 immersion heater L1 20mm L2 50mm L3 380mm W1 20mm W2 117mm mounting distance 129mm			
For models:	Maxima-Elektro-Bain-Marie-700-850, Maxima-Elektro-Bain-Marie-850			
spare parts for	415421			
	No.	510407	Ref. No.	—
	flat gasket fibre ED ø 78mm ID ø 60mm thickness 2mm for heating element for thread 2" Qty 1 pcs			
accessories for	415421			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			

Table continues overleaf



accessories for	415421			
	No.	520230	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs				
	No.	521101	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				



1

No.	415434	Ref. No.	056928	
description	heating element 1500W 230V heating circuits 1 L 342mm W 79mm connection length 14mm connection male faston 6.3mm tube ø 8.5mm 2 hole fixing thread M14x1.5 immersion heater H 29mm mounting distance 72mm			
For models:	614009, 614106, 614404, 624004, 624101, 627100, Bain-Marie-614, Bain-Marie-624, Bain-Marie-626			
accessories for	415434			
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	520230	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs				
	No.	521101	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

heating elements for frying pans

No.	416898	Ref. No.	501808
description	heating element 1600W 230V L 435mm W 110mm connection male faston 6.3mm tube ø 6.3mm H 93mm connection distance 104mm		
For models:	502650, 688290, Vario-Braeter-400		

			
1			
No.	417650	Ref. No.	501816
description	heating element 3500W 230V heating circuits 1 L 430mm W 245mm connection male faston 6.3mm tube ø 6.3mm 2. generation		
For models:	502707, 686328, Vario-Braeter-600		

1


No.	416899	Ref. No.	501816 old
description	heating element 3500W 230V heating circuits 1 L 430mm W 245mm connection male faston 6.3mm tube ø 8.5mm 1. generation		

				
1				
No.	416902	Ref. No.	516392	
description	heating element 4500W 230V			
For models:	516678, 639087, 699063, Vario-Braeter-plus			


heating elements for fryers

side connection

with thread




No.	416909	Ref. No.	100056 257001	
description	heating element 6000W 230/400V heating circuits 3 L 300mm W 185mm H 22mm flange length 20mm flange length 1 9mm flange length 2 11mm flange ø1 51mm flange ø2 36mm thermostat sleeves ø 4mm length thermostat sleeves 280/300mm number of thermostat sleeves 2 L1 15mm L2 285mm W1 162mm W2 23mm thread M36x1.5 windings 5 cable length 650mm rotation flange immersion heater for fryer/pasta cooker			
For models:	502200, 502308, 601004, 601209, 601403, 602000, 602205, 602280, 603201, 649554, 649562, 650943, 650951, 686336, 688339, 688347, 688355, 721468, 722588, Fritteuse-365, Topline-Friteuse			
accessories for	416909			
	No.	521004	Ref. No.	264849
	hexagonal nut thread M36x1.5 WS 46 H 14mm brass			
	No.	550673	Ref. No.	262153
	flat gasket PTFE D1 ø 46mm D2 ø 36/38.2mm thickness 5mm Qty 1 pcs mounting pos. outer			
	No.	550674	Ref. No.	261033
	flat gasket PTFE ED ø 46mm ID ø 36mm thickness 4mm Qty 1 pcs mounting pos. inner			
	No.	692060	Ref. No.	262161
	retaining ring brass H 10mm ID ø 36mm ED ø 50mm			




No.	416906	Ref. No.	542326 618411 852716	
description	heating element 7000W 230/400V heating circuits 3 mounting pos. left L 458mm W 178mm H 22mm flange length 20mm flange length 1 9.8mm flange length 2 9.7mm flange ø1 51mm flange ø2 36mm thermostat sleeves ø 5.5mm length thermostat sleeves 180/270mm number of thermostat sleeves 2 L1 43mm L2 415mm W1 155mm W2 23mm thread M36x1.5 windings 4 cable length 650mm rotation flange immersion heater for fryer/pasta cooker connection length 75mm			
For models:	503010, 503150, 517887, 637564, 657735, 686298, 688428, 700673, 702560			
accessories for	416906			
	No.	521004	Ref. No.	264849
	hexagonal nut thread M36x1.5 WS 46 H 14mm brass			
	No.	550673	Ref. No.	262153
	flat gasket PTFE D1 ø 46mm D2 ø 36/38.2mm thickness 5mm Qty 1 pcs mounting pos. outer			
	No.	550674	Ref. No.	261033
	flat gasket PTFE ED ø 46mm ID ø 36mm thickness 4mm Qty 1 pcs mounting pos. inner			

accessories for		416906		
	No.	692060	Ref. No.	262161
	retaining ring brass H 10mm ID ø 36mm ED ø 50mm			




No.	416910	Ref. No.	602051	
description	heating element 8000W 230/400V heating circuits 3 L 300mm W 185mm H 22mm flange length 20mm flange length 1 9mm flange length 2 11mm flange ø1 51mm flange ø2 36mm thermostat sleeves ø 4mm length thermostat sleeves 280/300mm number of thermostat sleeves 2 L1 15mm L2 285mm W1 162mm W2 23mm thread M36x1.5 windings 5 cable length 650mm rotation flange immersion heater pasta cooker			
For models:	502200, 502308, 601004, 601209, 601403, 602000, 602205, 602280, 649554, 649562, 650943, 650951, 686336, 688339, 688347, 688355, 699047, 699055, 750255, Fritteuse-365, Topline-Friteuse			
accessories for	416910			
	No.	521004	Ref. No.	264849
	hexagonal nut thread M36x1.5 WS 46 H 14mm brass			
	No.	550673	Ref. No.	262153
	flat gasket PTFE D1 ø 46mm D2 ø 36/38.2mm thickness 5mm Qty 1 pcs mounting pos. outer			
	No.	550674	Ref. No.	261033
	flat gasket PTFE ED ø 46mm ID ø 36mm thickness 4mm Qty 1 pcs mounting pos. inner			
	No.	692060	Ref. No.	262161
	retaining ring brass H 10mm ID ø 36mm ED ø 50mm			




No.	415444	Ref. No.	008591
description	heating element 6000W 230/400V L 272mm W 206mm H 220mm rectangular flange connection cable heating circuits 3 immersion heater L1 20mm L2 252mm hole distance 54mm hole ø 4.5mm flange length 168mm flange width 24mm		
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603		

2 hole fixing




No.	415443	Ref. No.	N/A
description	heating element 2000W 230V heating circuits 1 L 324mm W 62mm H 200mm thread M14x1.5 tube ø 8.5mm windings 2 mounting distance 58mm connection male faston 6.3mm 2 hole fixing fryer heaters		

accessories for	415443	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14	No.	520228	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs	No.	520230	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs	No.	521101	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm	No.	550262	Ref. No.	—




No.	415591	Ref. No.	150711	
description	heating element 2000W 230V heating circuits 1 L 285mm W 40mm H 240mm H1 200mm H2 40mm mounting pos. 20 thread M14x1.5 tube ø 8.5mm mounting distance 20mm windings 3 2 hole fixing connection male faston 6.3mm immersion heater			
For models:	750255, 750263, 750271, 750298			
spare parts for	415591			
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
accessories for	415591			
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	520230	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs				
	No.	521101	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs				

accessories for	415591	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				




No.	415978		Ref. No.	155268	
description	heating element 3000W 230V heating circuits 1 L 288mm W 48mm H 243mm H1 205mm H2 38mm thread M14x1.5 tube ø 8.5mm windings 3 2 hole fixing connection male faston 6.3mm				
For models:	750255, 750263, 750271, 750298				
spare parts for	415978				
	No.	510417	Ref. No.	—	
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
accessories for	415978				
	No.	510417	Ref. No.	—	
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—	
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	520230	Ref. No.	—	
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs				
	No.	521101	Ref. No.	—	
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs				
	No.	550262	Ref. No.	—	
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				



No.	415474	Ref. No.	N/A	
description	heating element 1660W 230V heating circuits 1 L 288mm W 66mm H 242mm L1 25mm L2 263mm thread M14x1.5 mounting distance 55mm tube ø 8.5mm windings 2 2 hole fixing connection male faston 6.3mm connection length 18mm immersion heater			
accessories for	415474			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			

Table continues overleaf

accessories for 415474				
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			



No.	415441	Ref. No.	N/A	
description	heating element 3000W 230V heating circuits 1 L 294mm W 150mm H 242mm L1 29mm L2 265mm thread M14x1.5 mounting distance 142mm tube ø 8.5mm windings 3 2 hole fixing connection male faston 6.3mm fryer heaters			
accessories for	415441			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	520230	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			
	No.	521101	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

heating elements for griddles



1

No.	415435	Ref. No.	083577	
description	heating element 1500W 220V heating circuits 1 L 425mm W 100mm H 28mm tube ø 9mm 2 hole fixing connection M4 thread M14x1.5 mounting distance 91mm grill dry heating element			
For models:	610003, 610038, 610402, 611018, 611050, 612006, 612057, 613002, 613088, 615005, 615013, 615056, 620009, 621005, 621056, 622001, 622052, 62510, 62520, 62530, Brater-611, Brater-621, Elektro-Waermeschrank, Frittenwanne-615, Griddle-Platte-612, Griddleplatte-622, OEWs1245-einseitig-400x1200mm, OEWs1246-einseitig-mit-Rueckwandverkleidung, sudpfanne-613, UDWE1225L, UDWE1225L-doppelseitig-Eck-640x1200mm, UDWE1225R, UDWE1225R-doppelseitig-Eck-640x1200mm, UDWF0825, UDWF0825D-doppelseitig-640x800mm, UDWs1225, UDWs1225-doppelseitig-640x1200mm, UEWF0825, UEWF0825D-einseitig-640x800mm, UEWs06-schubladenblock-640x600mm, UEWs1225, UEWs1225-doppelseitig-640x1200mm, UEWs1225-einseitig-640x1200mm, UGWF0835, UGWF0835D-Fluegeltuer-710x800mm, UGWs1235, UGWs1235-schiebetuer-710x1200mm, Wurstgrill-610, Wurstgrill-620			
spare parts for	415435			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for	415435			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	520230	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			
	No.	521101	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

1

				
No.	415434	Ref. No.	056928	
description	heating element 1500W 230V heating circuits 1 L 342mm W 79mm connection length 14mm connection male faston 6.3mm tube ø 8.5mm 2 hole fixing thread M14x1.5 immersion heater H 29mm mounting distance 72mm			
For models:	614009, 614106, 614404, 624004, 624101, 627100, Bain-Marie-614, Bain-Marie-624, Bain-Marie-626			
accessories for	415434			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	520230	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			

Table continues overleaf

accessories for 415434				
	No.	521101	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			



1				
No.	415442	Ref. No.	N/A	
description	heating element 1500W 230V heating circuits 1 L 400mm W 50mm H 54mm tube ø 8.5mm connection male faston 6.3mm connection length 15mm grill connection distance 42mm dry heating element			



No.	418218	Ref. No.	148040
description	heating element 1600W 230V L 433mm W 108mm H 56mm tube ø 6.3mm L1 75mm W1 15mm W2 74mm cable length 1100mm connection distance 68mm dry heating element		
For models:	626104, 626112, 626201, 626228, 626309, 626317		

1

No.	416896	Ref. No.	147990
description	heating element 3500W 230V heating circuits 1 L 435mm W 240mm H 45mm tube ø 6.3mm L1 50mm W1 33mm W2 175mm dry heating element		
For models:	626104, 626112, 626201, 626228, 626309, 626317, 721476, 721484, 722596, 722618		

heating elements for large hobs

1

No.	416894	Ref. No.	602523
description	heating element 3500W 230V heating circuits 1 L 265mm W 260mm H 98mm tube ø 6.25mm mounting pos. connection length 25mm connection M4 connection distance 254mm windings 8 dry heating element		
For models:	505900, 505935, 687200, 690600, Vario-Herd		

heating elements for chicken rotisseries

1 			
No.	415532	Ref. No.	103691
description	heating element 1000W 230V L 700mm W 64mm Hmm heating circuits 1 connection male faston 6.3mm dry heating element tube ø 6.3mm connection distance 59mm		
For models:	574961, Grill-680		

1 


No.	415531	Ref. No.	103640
description	heating element 1000W 230V L 725mm W 50mm Hmm heating circuits 1 connection male faston 6.3mm dry heating element tube ø 6.3mm connection distance 46mm		
For models:	Grill-681		

1



No.	415533	Ref. No.	101575
description	heating element 1100W 230V L 727mm W 50mm Hmm heating circuits 1 connection M4 dry heating element tube ø 8.6mm connection length 19mm		
For models:	Grill-682, Grill-683		


heating elements for hot counters




1

No.	416510	Ref. No.	371955	
description	heating element 1200W 230V heating circuits 1 L 260mm W 284mm connection length 46mm tube ø 8.5mm cable length 480mm dry heating element hot bar 2 hole fixing thread M14x1.5 mounting distance 275mm			
	For models: Heisse-Theke-HT-50-85-und-120-3			
spare parts for	416510			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
accessories for	416510			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	520230	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			
	No.	521101	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			

			
No.	416429	Ref. No.	647918
description	heating element 1600W 230V heating circuits 1 L 300mm W 205mm W1 5mm W2 195mm tube ø 8.5mm connection male faston 6.3mm dry heating element hot bar L1 50mm L2 20mm L3 230mm 2 hole fixing thread M14x1.5 mounting distance 202mm		
For models:	361429, HTP1		

			
No.	416430	Ref. No.	647926
description	heating element 2000W 230V L 215mm W 415mm tube ø 8.5mm connection male faston 6.3mm dry heating element hot bar 2 hole fixing thread M14x1.5 mounting distance 409mm		
For models:	361437, HTP2		

			
No.	416512	Ref. No.	371939
description	heating element 2700W 230V heating circuits 1 L 822mm W 300mm connection length 55mm tube ø 8.6mm cable length 440mm dry heating element hot bar 2 hole fixing thread M14x1.5 mounting distance 291mm		
For models:	Heisse-Theke-HT-50-85-und-120-3		
accessories for	416512		
	No.	510417	Ref. No.
		—	
	No.	520228	Ref. No.
		—	
	No.	520230	Ref. No.
		—	
	No.	521101	Ref. No.
		—	
	No.	550262	Ref. No.
		—	

heating elements for coffee machine

			
No.	415436	Ref. No.	381268
description	heating element 1600W 220V L 240mm W 33mm H 30mm L1 65mm L2 175mm mounting distance 25mm thread M12x1 stainless steel connection M4 tube ø 8.5mm 2 hole fixing immersion heater		
For models:	810002, 813303		
accessories for	415436		
	No.	510413	Ref. No.
		—	
	No.	510901	Ref. No.
		—	
	No.	520229	Ref. No.
		—	
	No.	521103	Ref. No.
		—	
	No.	521104	Ref. No.
		—	
	No.	521110	Ref. No.
		—	
	No.	521131	Ref. No.
		—	
	No.	560111	Ref. No.
		—	
	No.	560131	Ref. No.
		—	

			
No.	415439	Ref. No.	378577
description	heating element 2000W 230V heating circuits 1 L 342mm W 33mm H 26mm mounting distance 25mm thread M12x1 connection M4 tube ø 8.5mm 2 hole fixing immersion heater		
For models:	340022, 340030, 340049, 340057, 340073, 340xxx, 354392, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, 810002, 813303, 890529, 890561, 890588, Geschirrspuelautomat-700, GsP-350, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluft-daempfer-5x1-1		
spare parts for	415439		
	No.	532009	Ref. No.
		—	
accessories for	415439		
	No.	520228	Ref. No.
		—	
	No.	520229	Ref. No.
		—	

Table continues overleaf

accessories for 415439				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

1



No.	415437	Ref. No.	017299 378585	
description	heating element 3000W 220V heating circuits 1 L 350mm W 33mm H 32mm L1 10mm L2 30mm mounting distance 25mm thread M12x1 connection M4 tube ø 8.6mm 2 hole fixing immersion heater L3 303mm connection length 20mm			
For models:	353167, 354457, 810002, 813303, 890529, 890561, 890588			
accessories for	415437			
	No.	510413	Ref. No.	—
flat gasket L 43mm W 19mm hole ø 12mm hole distance 24mm copper thickness 2.3mm for heating element				
	No.	510901	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 13mm Qty 1 pcs				
	No.	520229	Ref. No.	—
nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	521110	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs				
	No.	521131	Ref. No.	—
nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				



1

No.	415440	Ref. No.	372749	
description	heating element 3300W 220V heating circuits 1 L 255mm W 67mm H 20mm L1 20mm L2 25mm L3 210mm W1 16mm W2 33mm mounting distance 25mm thread M12x1 stainless steel connection cable tube ø 8.5mm 2 hole fixing immersion heater cable length 365mm			
For models:	805149, 805300, 805408, 805459, 805556, 805xxx, Aromacarina, Aromacarina-Dampf, Aromacarina-EsA, Aromacarina-ETA, Aromacarina-ETA-EsA			
accessories for	415440			
	No.	520229	Ref. No.	—
nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs				
	No.	521110	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs				
	No.	521131	Ref. No.	—
nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs				
	No.	528110	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs				


1



No.	415438	Ref. No.	187003 381233	
description heating element 4000W 220V L 430mm W 30mm H 37mm mounting distance 22mm thread M12x1 connection M4 tube ø 8.5mm 2 hole fixing immersion heater				
For models: 674524, 674532, 674605, 810002, 813303, 890529, 890561, 890588, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1				
accessories for 415438				
	No.	510413	Ref. No.	—
flat gasket L 43mm W 19mm hole ø 12mm hole distance 24mm copper thickness 2.3mm for heating element				
	No.	520229	Ref. No.	—
nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	521110	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs				
	No.	521131	Ref. No.	—
nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs				
	No.	528110	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

heating elements for tilting bratt pan


			
No.	415475	Ref. No.	290734
description	heating element 1670W 230V L 110mm W 430mm H 45mm connection M4 dry heating element heating circuits 1 tube ø 8.5mm W1 200mm W2 30mm mounting pos. inner connection distance 22mm		
For models:	Maxima-Elektro-Kippbratpfanne-700-850		

			
No.	415476	Ref. No.	290742
description	heating element 1670W 230V L 650mm W 470mm H 35mm connection M4 dry heating element heating circuits 1 tube ø 8.5mm W2 45mm mounting pos. outer connection distance 37mm		
For models:	Maxima-Elektro-Kippbratpfanne-700-850		

			
No.	415477	Ref. No.	194700
description	heating element 1670W 230V L 95mm W 465mm H 45mm connection M4 dry heating element heating circuits 1 tube ø 8.5mm W1 220mm W2 25mm connection distance 16mm		
For models:	Maxima-Elektro-Kippbratpfanne-700-850		

heating elements for pasta cookers

			
No.	416909	Ref. No.	100056 257001
description	heating element 6000W 230/400V heating circuits 3 L 300mm W 185mm H 22mm flange length 20mm flange length 1 9mm flange length 2 11mm flange ø1 51mm flange ø2 36mm thermostat sleeves ø 4mm length thermostat sleeves 280/300mm number of thermostat sleeves 2 L1 15mm L2 285mm W1 162mm W2 23mm thread M36x1.5 windings 5 cable length 650mm rotation flange immersion heater for fryer/pasta cooker		
For models:	502200, 502308, 601004, 601209, 601403, 602000, 602205, 602280, 603201, 649554, 649562, 650943, 650951, 686336, 688339, 688347, 688355, 721468, 722588, Fritteuse-365, Topline-Fritteuse		
accessories for	416909		
		No. 521004	Ref. No. 264849
	hexagonal nut thread M36x1.5 WS 46 H 14mm brass		
		No. 550673	Ref. No. 262153
	flat gasket PTFE D1 ø 46mm D2 ø 36/38.2mm thickness 5mm Qty 1 pcs mounting pos. outer		
		No. 550674	Ref. No. 261033
	flat gasket PTFE ED ø 46mm ID ø 36mm thickness 4mm Qty 1 pcs mounting pos. inner		
		No. 692060	Ref. No. 262161
	retaining ring brass H 10mm ID ø 36mm ED ø 50mm		

			
No.	416906	Ref. No.	542326 618411 852716
description	heating element 7000W 230/400V heating circuits 3 mounting pos. left L 458mm W 178mm H 22mm flange length 20mm flange length 1 9.8mm flange length 2 9.7mm flange ø1 51mm flange ø2 36mm thermostat sleeves ø 5.5mm length thermostat sleeves 180/270mm number of thermostat sleeves 2 L1 43mm L2 415mm W1 155mm W2 23mm thread M36x1.5 windings 4 cable length 650mm rotation flange immersion heater for fryer/pasta cooker connection length 75mm		
For models:	503010, 503150, 517887, 637564, 657735, 686298, 688428, 700673, 702560		
accessories for	416906		
		No. 521004	Ref. No. 264849
	hexagonal nut thread M36x1.5 WS 46 H 14mm brass		
		No. 550673	Ref. No. 262153
	flat gasket PTFE D1 ø 46mm D2 ø 36/38.2mm thickness 5mm Qty 1 pcs mounting pos. outer		
		No. 550674	Ref. No. 261033
	flat gasket PTFE ED ø 46mm ID ø 36mm thickness 4mm Qty 1 pcs mounting pos. inner		
		No. 692060	Ref. No. 262161
	retaining ring brass H 10mm ID ø 36mm ED ø 50mm		



No.	416910	Ref. No.	602051
description	heating element 8000W 230/400V heating circuits 3 L 300mm W 185mm H 22mm flange length 20mm flange length 1 9mm flange length 2 11mm flange ø1 51mm flange ø2 36mm thermostat sleeves ø4mm length thermostat sleeves 280/300mm number of thermostat sleeves 2 L1 15mm L2 285mm W1 162mm W2 23mm thread M36x1.5 windings 5 cable length 650mm rotation flange immersion heater pasta cooker		
For models:	502200, 502308, 601004, 601209, 601403, 602000, 602205, 602280, 649554, 649562, 650943, 650951, 686336, 688339, 688347, 688355, 699047, 699055, 750255, Fritteuse-365, Topline-Friteuse		

accessories for	416910
	No. 521004 Ref. No. 264849
hexagonal nut thread M36x1.5 WS 46 H 14mm brass	
	No. 550673 Ref. No. 262153
flat gasket PTFE D1 ø 46mm D2 ø 36/38.2mm thickness 5mm Qty 1 pcs mounting pos. outer	
	No. 550674 Ref. No. 261033
flat gasket PTFE ED ø 46mm ID ø 36mm thickness 4mm Qty 1 pcs mounting pos. inner	
	No. 692060 Ref. No. 262161
retaining ring brass H 10mm ID ø 36mm ED ø 50mm	

heating elements for pizza ovens



No.	415524	Ref. No.	126551
description	heating element 1100W 230V L 720mm W 200mm thread M14x1.5 mounting distance 210mm connection length 40mm tube ø 8.5mm cable length 1000mm heating circuits 1 dry heating element 2 hole fixing		
For models:	Pizza-Ofen-ELP, Pizza-Ofen-P500, Pizza-Ofen-P501, Pizza-Ofen-P502		

accessories for	415524
	No. 361182 Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs	
	No. 510417 Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs	
	No. 520228 Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14	
	No. 550262 Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm	



No.	415525	Ref. No.	368512
description	heating element 1100W 380V L 716mm W 205mm thread M15x1 mounting distance 197mm connection length 40mm tube ø 8mm cable length 980mm heating circuits 1 dry heating element 2 hole fixing		
For models:	Pizza-Ofen-P501		



No.	415527	Ref. No.	368539
description	heating element 1500W 220V L 720mm W 260mm thread M14x1.5 mounting distance 252mm tube ø 8.5mm cable length 1000mm heating circuits 1 dry heating element 2 hole fixing		
For models:	Pizza-Ofen-P500, Pizza-Ofen-P501, Pizza-Ofen-P502		



No.	415526	Ref. No.	368520
description	heating element 1500W 380V L 720mm W 260mm thread M14x1.5 mounting distance 290mm connection cable tube ø 8.5mm cable length 1000mm heating circuits 1 dry heating element 2 hole fixing		
For models:	Pizza-Ofen-P502		



No.	415528	Ref. No.	126578
description	heating element 2000W 230V L 465mm W 450mm thread M14x1.5 mounting distance 441mm connection length 36mm tube ø 8.5mm cable length 430mm heating circuits 1 dry heating element 2 hole fixing		
For models:	Pizza-Ofen-ELP		

spare parts for	415528
	No. 510417 Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs	
accessories for	415528
	No. 361182 Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs	
	No. 520228 Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14	
	No. 550262 Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm	

heating elements for chargrills


			
No.	415398	Ref. No.	244600
description	heating element 1280W 230V heating circuits 1 L 440mm W 112mm H 28mm windings 4 tube ømm cable length 1200/1600mm dry heating element bracket mounting connection length 45mm		
For models:	620408		

			
No.	418771	Ref. No.	649473
description	heating element 1280W 230V heating circuits 1 L 441mm W 110mm windings 4 cable length 900mm dry heating element bracket mounting		
For models:	620424		

			
No.	415399	Ref. No.	244619 649481
description	heating element 1600W 230V heating circuits 1 L 440mm W 145mm H 28mm windings 5 tube ømm cable length 900mm dry heating element bracket mounting		
For models:	610402, 610429		

			
No.	417649	Ref. No.	868507
description	heating element 2500W 230V heating circuits 1 L 450mm W 240mm H 14mm cable length 860mm mounting pos. left		

			
No.	417648	Ref. No.	868523
description	heating element 2500W 230V heating circuits 1 L 450mm W 240mm H 14mm cable length 860mm mounting pos. right		




1

No.	415358	Ref. No.	N/A
description	heating element 2250W 230V L 485mm W 135mm L1 35mm L2 60mm L3 390mm W1 20mm W2 115mm 2 hole fixing thread M14x1.5 mounting distance 170mm connection M3 dry heating element tube ø 8.5mm windings 3 heating circuits 1 H 8.5mm		
accessories for	415358		
	No.	560110	Ref. No. —
plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3			


1

No.	415359	Ref. No.	N/A	
description	heating element 3000W 230V L 473mm W 170mm L1 15mm L2 50mm L3 410mm W1 15mm W2 160mm 2 hole fixing thread M14x1.5 mounting distance 140mm connection M3 dry heating element tube ø 8.5mm windings 4 heating circuits 1 connection length 19mm H 8.5mm			
accessories for	415359			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	527169	Ref. No.	—
hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				
	No.	560110	Ref. No.	—
plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3				
	No.	560130	Ref. No.	—
hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

heating elements for salamanders/toast-



No.	416653	Ref. No.	371718
description	heating element 2000W 230V L 225mm W 283mm L1 15mm L2 210mm W1 110mm W2 63mm hole distance 96mm connection M4 tube ø 8.5mm flange length 106mm flange width 32mm heating circuits 1 hole ø 5mm tilt flange dry heating element H 8.5mm		
For models:	686026, 686034		



No.	416654	Ref. No.	371726
description	heating element 2000W 230V L 230mm W 230mm L1 22mm L2 208mm W1 83mm W2 63mm hole distance 96mm tube ø 8.5mm flange length 106mm flange width 32mm heating circuits 1 hole ø 5mm tilt flange dry heating element H 8.5mm		
For models:	686026, 686034		




No.	415539	Ref. No.	127132
description	heating element 2100W 220V heating circuits 1 L 470mm W 207mm connection male faston 6.3mm connection distance 201mm tube ø 6.3mm dry heating element H 6.3mm		
For models:	686018		



No.	415538	Ref. No.	102644
description	heating element 2200W 230V heating circuits 1 L 365mm W 178mm connection male faston 6.3mm connection distance 172mm tube ø 6.3mm dry heating element H 6.3mm		
For models:	574961, 685003		

heating elements for heated cabinets



No.	415435	Ref. No.	083577
description	heating element 1500W 220V heating circuits 1 L 425mm W 100mm H 28mm tube ø 9mm 2 hole fixing connection M4 thread M14x1.5 mounting distance 91mm grill dry heating element		
For models:	610003, 610038, 610402, 611018, 611050, 612006, 612057, 613002, 613088, 615005, 615013, 615056, 620009, 621005, 621056, 622001, 622052, 62510, 62520, 62530, Brater-611, Brater-621, Elektro-Waer-meschrack, Frittenwanne-615, Griddle-Platte-612, Griddleplatte-622, OEWs1245-einseitig-400x1200mm, OEWs1246-einseitig-mit-Rueckwandverkleidung, sudpfanne-613, UDWE1225L, UDWE1225L-doppelseitig-Eck-640x1200mm, UDWE1225R, UDWE1225R-doppelseitig-Eck-640x1200mm, UDWF0825, UDWF0825D-doppelseitig-640x800mm, UDWs1225, UDWs1225-doppelseitig-640x1200mm, UEWF0825, UEWF0825D-einseitig-640x800mm, UEWs06-schubladenblock-640x600mm, UEWs1225, UEWs1225-doppelseitig-640x1200mm, UEWs1225-einseitig-640x1200mm, UGWF0835, UGWF0835D-Fluegeltuer-710x800mm, UGWs1235, UGWs1235-schiebetuer-710x1200mm, Wurstgrill-610, Wurstgrill-620		

	415435			
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	415435			
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	520230	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			
	No.	521101	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

pilot heating elements



No.	415607	Ref. No.	702188	
description	heating element 500W 230V heating circuits 1 thread 3/4" L 295mm W 20mm H 19mm length thermostat sleeves 235mm thermostat sleeves ø 6mm number of thermostat sleeves 1 thermostat sleeve clinging tube ø 6.5mm immersion heater flange with thread connection length 50mm pilot heating element			
	For models: 00443x, 00457x, 136581, 690570			
spare parts for	415607			
	No.	510403	Ref. No.	—
	flat gasket fibre ED ø 36.5mm ID ø 27mm thickness 2mm Qty 1 pcs			
accessories for	415607			
	No.	510421	Ref. No.	—
	gasket copper ED ø 31.8mm ID ø 26.4mm thickness 2.2mm for thread 3/4"			

Table continues overleaf


accessories for	415607			
	No.	520234	Ref. No.	—
	nut thread 3/4" H 5mm brass WS 30 Qty 1 pcs			

immersion heating elements


2 hole flange 74mm

1

No.	415191	Ref. No.	208639	
description	heating element 2300W 220V heating circuits 1 mounting ø 42mm L 240mm W 29mm H 27mm L1 35mm L2 35mm L3 170mm tube ø 8.5mm hole distance 74mm hole ø 8mm connection M4 immersion heater 2 hole flange H1 8mm H2 23mm flange length 94mm flange width 58mm			
For models:	Glaeserspuelautomat-310, Glaeserspuelautomat-311, Glaeserspuelautomat-320, Glaeserspuelautomat-321			
accessories for	415191			
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

 			
1			
No.	415192	Ref. No.	090050
description	heating element 3000W 220V heating circuits 1 mounting ø 42mm L 225mm W 29mm H 39mm L1 20mm L2 35mm L3 170mm hole distance 74mm hole ø 9mm connection male faston 6.3mm immersion heater 2 hole flange		
For models:	Glaeserspuelautomat-310, Glaeserspuelautomat-311, Glaeserspuelautomat-320, Glaeserspuelautomat-321		

3 hole flange ø47.5mm

1  				
No.	415668	Ref. No.	349801	
description	heating element 2625W 230V mounting ø 47.5mm heating circuits 1 L 190mm W 41mm H 54mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 170mm thermostat sleeve eccentric, non clinging tube ø 6.3mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater			
For models:	665843, 665851, Glaeserspuelautomat-325			
accessories for	415668			
	No.	510562	Ref. No.	—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs				

1

No.

415002

Ref. No.

386839

description

heating element 3000W 230V mounting $\varnothing$ 47.5mm heating circuits 1 L 198mm W 35mm H 44mm number of thermostat sleeves 1 thermostat sleeves $\varnothing$ 7mm length thermostat sleeves 175mm thermostat sleeve not clinging tube $\varnothing$ 6.3mm hole distance 64mm hole $\varnothing$ 8mm connection M4 3 hole flange immersion heater

For models:

Glaeserspuelautomat-328

accessories for

415002

No.

510408

Ref. No.

349232

O-ring EPDM thickness 5.34mm ID $\varnothing$ 47mm Qty 1 pcs

No.

510562

Ref. No.

—

O-ring silicone thickness 5.34mm ID $\varnothing$ 47mm Qty 1 pcs

No.

521103

Ref. No.

—

nut thread M4 H 3mm WS 7 brass Qty 20 pcs

No.

521104

Ref. No.

—

washer ID $\varnothing$ 4.3mm ED $\varnothing$ 8mm thickness 0.5mm brass Qty 20 pcs for thread M4

No.

560111

Ref. No.

—

plain washer ID $\varnothing$ 4.3mm ED $\varnothing$ 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4

No.


560131

Ref. No.

—

hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs

with compression flange 50 x 26mm



No.	415396	Ref. No.	172847
description	heating element 2500W 230V heating circuits 1 flange 50x26mm L 190mm W 290mm H 47mm compression flange connection male faston 6.3mm tube ø 8.5mm immersion heater		
For models:	271500, 337xxx, Geschirrspuelautomat-335, Geschirrspuelautomat-336, GsP-500, GsP-600		
accessories for	415396		
	No.	510387	Ref. No.
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm		
	No.	510388	Ref. No.
	counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm		



No.	420464	Ref. No.	73069
description	heating element 2500W 230V heating circuits 1 screw flange 50x26mm L 170mm W 120mm H 30mm L1 50mm L2 120mm tube ø 8.5mm warewashing		
spare parts for	420464		
	No.	510387	Ref. No.
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm		
	No.	510388	Ref. No.
	counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm		

with expansion flange 70 x 18mm



No.	415225	Ref. No.	350184
description	heating element 2000W 230V heating circuits 1 flange 70x18mm L 395mm W 57mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange		
For models:	361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, Geschirrspuelautomat-335, Geschirrspuelautomat-336, GsP-350		
accessories for	415225		
	No.	510415	Ref. No.
	gasket L 75mm W 23mm hole distance 50mm 4 holes for heating element type DB 70 code L with thermostat sensor hole		
	No.	520238	Ref. No.
	flange L 80mm W 28mm hole distance 13mm 5 holes type DB 70 code L		



No.	415431	Ref. No.	350214
description	heating element 2500W 230V heating circuits 1 flange 70x18mm L 368mm W 60mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange connection length 13mm TD ø 6mm		
For models:	353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, Geschirrspuelautomat-335, Geschirrspuelautomat-336, GsP-350		
accessories for	415431		
	No.	510415	Ref. No.
	gasket L 75mm W 23mm hole distance 50mm 4 holes for heating element type DB 70 code L with thermostat sensor hole		
	No.	520238	Ref. No.
	flange L 80mm W 28mm hole distance 13mm 5 holes type DB 70 code L		



No.	415432	Ref. No.	350206
description	heating element 3000W 230V heating circuits 1 flange 70x18mm L 370mm W 58mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange connection length 17mm TD ø 6mm		
For models:	271500, 337xxx, 353167, 354392, 354457, GsP-500, GsP-600		
accessories for	415432		
	No.	510415	Ref. No.
	gasket L 75mm W 23mm hole distance 50mm 4 holes for heating element type DB 70 code L with thermostat sensor hole		
	No.	520238	Ref. No.
	flange L 80mm W 28mm hole distance 13mm 5 holes type DB 70 code L		



No.	415429	Ref. No.	350176
description	heating element 4000W 230V heating circuits 2 flange 70x18mm L 370mm W 60mm H 55mm L1 20mm L2 60mm L3 290mm H1 55mm connection male faston 6.3mm immersion heater expansion flange 70x18		
For models:	353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, Geschirrspuelautomat-335, Geschirrspuelautomat-336, GsP-350		
accessories for	415429		
	No.	510412	Ref. No.
	gasket L 77mm W 24mm hole distance 50mm 5 holes for heating element type DB 70		
	No.	520238	Ref. No.
	flange L 80mm W 28mm hole distance 13mm 5 holes type DB 70 code L		

			
1			
No.	415433	Ref. No.	350192
description	heating element 6000W 230V heating circuits 2 flange 70x18mm L 372mm W 58mm H 54mm L1 28mm L2 70mm L3 274mm connection male faston 6.3mm immersion heater connection length 24mm expansion flange		
For models:	271500, 337xxx, 353167, 354392, 354457, GsP-500, GsP-600		
accessories for	415433		
 	No.	510412	Ref. No. —
	gasket L 77mm W 24mm hole distance 50mm 5 holes for heating element type DB 70		
 	No.	520238	Ref. No. —
	flange L 80mm W 28mm hole distance 13mm 5 holes type DB 70 code L		

with round flange ø47.5mm

			
1			
No.	415604	Ref. No.	702196
description	heating element 3000W 230/400V heating circuits 3 L 160mm W 36mm H 25mm connection male faston 6.3mm immersion heater round flange mounting ø 47.5mm		
For models:	690570		
accessories for	415604		
 	No.	510408	Ref. No. 349232
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
 	No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
 	No.	520235	Ref. No. —
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
 	No.	520236	Ref. No. —
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
 	No.	550002	Ref. No. —
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
 	No.	550362	Ref. No. —
	blind flange ø 64mm mounting ø 47.5mm		

			
1			
No.	415405	Ref. No.	826677
description	heating element 6000W 230V heating circuits 3 L 465mm W 38mm H 24mm tube ø 6.3mm connection male faston 6.3mm immersion heater round flange mounting ø 47.5mm		
For models:	00443x, 00457x, 136581		
spare parts for	415405		
 	No.	504148	Ref. No. —
	boiler		

accessories for	415405		
 	No.	520235	Ref. No. —
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
 	No.	520236	Ref. No. —
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
 	No.	521012	Ref. No. —
	gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs		
 	No.	550002	Ref. No. —
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
 	No.	550362	Ref. No. —
	blind flange ø 64mm mounting ø 47.5mm		

1"

			
1			
No.	415195	Ref. No.	209538
description	heating element 2500W 230V heating circuits 1 thread 1" L 200mm W 20mm H 20mm tube ø 8.5mm connection male faston 6.3mm immersion heater flange with thread		
For models:	Glaeserspuelautomat-310, Glaeserspuelautomat-311, Glaeserspuelautomat-320, Glaeserspuelautomat-321		
accessories for	415195		
 	No.	510404	Ref. No. —
	flat gasket fibre ED ø 44mm ID ø 34mm thickness 2mm Qty 1 pcs		
 	No.	510422	Ref. No. —
	gasket copper ED ø 37.7mm ID ø 32.5mm thickness 2.7mm for thread 1"		
 	No.	520233	Ref. No. —
	nut thread 1" H 6mm brass WS 47 Qty 1 pcs		

1½"

			
1			
No.	415402	Ref. No.	103268 290645
description	heating element 6000W 400/230V heating circuits 3 thread 1½" L 425mm W 35mm H 35mm thermostat sleeves ø 7mm length thermostat sleeves 330mm thermostat sleeve centre not clinging tube ø 8.5mm connection M4 immersion heater flange with thread WS 60 no original spare part number of thermostat sleeves 1		
For models:	Maxima-Elektro-Kochkessel-100, Maxima-Elektro-Kochkessel-700-850, Maxima-Elektro-Kochkessel-80		
spare parts for	415402		
 	No.	510406	Ref. No. —
	flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1½" Qty 1 pcs		
accessories for	415402		
 	No.	510424	Ref. No. —
	gasket copper ED ø 55mm ID ø 48mm thickness 2.2mm Centellen for thread 1½"		
 	No.	520211	Ref. No. —
	reducer thread 2" ET - 1½" IT brass		

accessories for 415402				
	No.	520212	Ref. No.	—
	hexagonal nut thread 1½" brass WS 60 H 8mm			
	No.	550361	Ref. No.	—
	blind flange ø 58mm thread 1½"			



1

No.	415010	Ref. No.	349577	
description	heating element 2000W 230V heating circuits 1 L 260mm W 125mm H 20mm L1 110mm L2 150mm W1 42mm W2 83mm thread M10x1 mounting distance 70mm tube ø 6.5mm connection M4 immersion heater 2 hole fixing			
For models:	665843, 665851, Glaeserspuelautomat-325, Glaeserspuelautomat-328			
spare parts for	415010			
	No.	510416	Ref. No.	—
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs				
accessories for	415010			
	No.	504306	Ref. No.	—
gasket fibre ED ø 16mm ID ø 10mm thickness 2mm Qty 1 pcs				
	No.	510893	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs				
	No.	520231	Ref. No.	—
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	521129	Ref. No.	—
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

				
1				
No.	415397	Ref. No.	233978	
description	heating element 2500W 230V heating circuits 1 L 273mm W 85mm thread M14x1.5 mounting distance 77mm tube ø 8.5mm connection length 15mm 2 hole fixing immersion heater connection male faston 6.3mm			
For models:	353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, Geschirrspuelautomat-330, GsP-350			
spare parts for	415397			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			

accessories for 415397				
	No.	361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

1

				
No.	415438	Ref. No.	187003 381233	
description	heating element 4000W 220V L 430mm W 30mm H 37mm mounting distance 22mm thread M12x1 connection M4 tube ø 8.5mm 2 hole fixing immersion heater			
For models:	674524, 674532, 674605, 810002, 813303, 890529, 890561, 890588, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1			
accessories for	415438			
	No.	510413	Ref. No.	—
flat gasket L 43mm W 19mm hole ø 12mm hole distance 24mm copper thickness 2.3mm for heating element				
	No.	520229	Ref. No.	—
nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	521110	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs				
	No.	521131	Ref. No.	—
nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs				
	No.	528110	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

heating elements for convection



1

No.	418739	Ref. No.	742414
description	heating element 10500W 230V heating circuits 3 ID ø 411mm ED ø 428mm L 480mm H 110mm L1 52mm W1 99mm H1 18mm H2 92mm flange length 130mm flange width 54mm hole distance 55mm connection M5 connection length 96mm tube ø 8.5mm convection heating element mounting thread M6 rectangular flange with thread bolt		
For models:	754595, 754609, 754676, 754681, 754692, 754706, 754749, 757365, 757373, 757381, 757403, 758736, 759201, 759678, 759686, 759694		
accessories for	418739		
	No.	551240	Ref. No.
	 gasket L 129mm W 87mm D1 ø 12mm D2 ø 7mm 12 holes graphite thickness 1mm		

1

No.	418766	Ref. No.	101125	
description	heating element 4500W 230V heating circuits 1 ID ø 380mm ED ø 405mm L 530mm L1 100mm H 17mm thread M14x1.5 connection M4 tube ø 8.5mm			
For models:	674524, 674532, 674559, 674605, 674680, 674699, 674710, Heissluft-daempfer-10x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-6x1-1, Heissluftdaempfer-Varioplus-20x1-1, Heissluftgeraet-10x1-1, Heissluftgeraet-5x1-1			
spare parts for	418766			
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
accessories for	418766			
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	520230	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs				
	No.	521101	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

			
No.	415805	Ref. No.	693383
description	heating element 5700W 230V heating circuits 3 ID ø 206mm ED ø 245mm L 290mm H 42mm L1 45mm W1 97mm H1 2mm H2 40mm flange length 110mm flange width 20mm hole distance 35mm connection male faston 6.3mm connection length 58mm tube ø 6.3mm convection heating element hole ø 6.5mm rectangular flange		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198		

1

				
No.	415133	Ref. No.	399329	
description	heating element 1430W 230V heating circuits 1 L 85mm W 395mm connection male faston 6.3mm tube ø 6.3mm thread M10x1 2 hole fixing dry heating element mounting distance 389mm			
For models:	390003, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 399019, 399027, 399035, 399043, 399051, 399078, 399086, 399094, 399108, 399116, 609544, 609552, 609560, 645893, 645907, 645915, 645923, 645931, 645958, 645966, 645974, 645982, 645990, 646024, 646032, 674710, 674788, 674818, HLD-2011			
accessories for	415133			
	No.	520231	Ref. No.	—
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs				
	No.	521129	Ref. No.	—
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439				
	No.	528433	Ref. No.	097071
flat gasket copper ED ø 14mm ID ø 10mm thickness 1mm				



1

No.	415221	Ref. No.	332429	
description	heating element 1430W 230V heating circuits 1 L 90mm W 390mm connection male faston 6.3mm tube ø 6.3mm thread M10x1 2 hole fixing dry heating element mounting distance 376mm			
For models:	674664, 674672, Heissluftdaempfer-10x1-1, Heissluftdaempfer-6x1-1			
spare parts for	415221			
	No.	510416	Ref. No.	—
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs			
accessories for	415221			
	No.	510893	Ref. No.	—
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			

Table continues overleaf

accessories for 415221				
	No.	520231	Ref. No.	—
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs			
	No.	521129	Ref. No.	—
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439			
	No.	528433	Ref. No.	097071
	flat gasket copper ED ø 14mm ID ø 10mm thickness 1mm			

			
1			
No.	418970	Ref. No.	585726
description heating element 1450W 230V heating circuits 1 L 90mm W 315mm			
For models: 390003, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 606316, 606324, 606332, 606340, 606359, 606367, 645893, 645907, 645915, 645923, 645931, 645958, 645966, 645974, 645982, 645990, 646024, 646032, 646040, 646059, 646067, 646768, 646776, 646784, 646792, 646806...(Other models you can see in the webshop)			

radiation heaters

square

1

No.	490159	Ref. No.	830127
description	radiation heater L 300mm W 300mm 3500W 230V connections 3 square without pan detection EGO		
spare parts for	490159		
	No.	499157	Ref. No.
	—		
protection pipe for temperature probe ceramic L 297mm ED ø 7mm ID ø 5mm			

			
1			
No.	416911	Ref. No.	826715
description radiation heater rectangular 3200W 400V L 420mm W 278mm			
For models: 004081, 105872			

			
1			
No.	416907	Ref. No.	171646
description radiation heater rectangular 3500W 400V L 415mm W 275mm H 46mm heating circuits 2 connections 2			
For models: 750204, 750212, 750220, 750239			

			
1			
No.	416897	Ref. No.	186406
description radiation heater rectangular 3500W 400V L 415mm W 275mm H 46mm heating circuits 2 connections 2x 2			
For models: 750336, 750352, 750360			

			
1			
No.	416895	Ref. No.	159832
description radiation heater rectangular 5200W 230V L 530mm W 300mm heating circuits 2			
For models: 750077, 750085, 750093, 750107, 750115			

1-circuit

			
1			
No.	490131	Ref. No.	689181
description radiation heater ø 250mm 2500W 400V heating circuits 1 energy regulation with temperature signalization with ribbon heater connections 2+2 connection type male faston 6.3mm EGO			
For models: 672300, 706272			

2-circuit



1

No.	490028	Ref. No.	155276
description	radiation heater ø 230mm 2100W 230V heating circuits 2 energy regulation with temperature signalization partial power 650W with heating coil connections 3+2 connection type male faston 6.3mm EGO		
For models:	750077, 750085, 750093, 750107, 750115		

hot plates

square & rectangular

with radiused edge



1

No.	490067	Ref. No.	290599
description	hot plate dimensions 220x220mm 2000W 400V with spill ring connection 4 screw clamps protector no square		
For models:	Maxima-Elektro-Herd-700-850, Maxima-Elektro-Herd-850		
accessories for	490067		
	No.	693464	Ref. No.
	—		
	sealing cord ø 10mm Qty supplied by meter		



1

No.	490066 ¹	Ref. No.	081922
description	hot plate dimensions 220x220mm 2600W 230V with spill ring connection 4 screw clamps protector yes square		
For models:	616001, 616109, 623008, 623105, Elektroherd-4-Platten-623, Elektroherd-616		

¹incl. protector



1

No.	490068 ¹	Ref. No.	290610
description	hot plate dimensions 220x220mm 2600W 400V with spill ring connection 4 screw clamps protector yes square		
For models:	Maxima-Elektro-Herd-700-850, Maxima-Elektro-Herd-850		

¹incl. protector



1

No.	490128 ¹	Ref. No.	290629
description	hot plate dimensions 300x300mm 2500W 400V with spill ring connection 4 screw clamps protector yes square		
For models:	Maxima-Elektro-Herd-700-850, Maxima-Elektro-Herd-850		

¹incl. protector



1

No.	490074 ¹	Ref. No.	290637
description	hot plate dimensions 300x300mm 4000W 400V with spill ring connection 4 screw clamps protector yes square		
For models:	Maxima-Elektro-Herd-700-850, Maxima-Elektro-Herd-850		

¹incl. protector

round

with radiused edge

for domestic and commercial kitchens



1

No.	490015	Ref. No.	290572
description	hot plate ø 180mm 1500W 400V connection 4 screw clamps with 8mm spill ring		
For models:	Maxima-Elektro-Herd-700-850, Maxima-Elektro-Herd-850		



1

No.	490017	Ref. No.	290602
description	hot plate ø 180mm 2000W 400V connection 4 screw clamps with 8mm spill ring		
For models:	Maxima-Elektro-Herd-700-850, Maxima-Elektro-Herd-850		



1

No.	490019	Ref. No.	290580
description	hot plate ø 220mm 2000W 400V connection 4 screw clamps with 8mm spill ring		
For models:	Maxima-Elektro-Herd-700-850, Maxima-Elektro-Herd-850		

energy regulators

EGO

1-circuit



1

No.	380016	Ref. No.	201006
description	energy regulator 230V 12A dual circuit turn direction right with operation switch 1-pole		
For models:	750077, 750085, 750093, 750107, 750115		



1

No.	380015	Ref. No.	314544
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		
For models:	503010, 503150, 517887, 574961, 610038, 61030x, 610402, 610429, 620203, 620300, 620408, 620424, 637564, 657735, 659002, 685003, 686018, 686026, 686034, 686298, 688428, 700673, 702560, 706000, FOEM-Kippbratpfanne-Elektro, ODWB-1040-Waermebruecken, ODWB-1240-Waermebruecken, ODWB-1440-Waermebruecken, ODWB-1640-Waermebruecken, ODWB-1840-Waermebruecken, ODWB-2040-Waermebruecken, OEWB-1040-Wand-Waermeborde, OEWB-1240-Wand-Waermeborde, OEWB-1440-Wand-Waermeborde, OEWB-1640-Wand-Waermeborde, OEWB-1840-Wand-Waermeborde, OEWB-2040-Wand-Waermeborde, steakgrill-61030, steakgrill-62030		



1

No.	380013	Ref. No.	689394
description	energy regulator 400V 7A single-circuit turn direction right shaft ø 6x4.6mm mounting thread M4 no. 50.57031.010		
For models:	672300, 706272		

accessories

knobs



1

No.	110235	Ref. No.	341894
description	knob energy regulator 1-3 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		
For models:	610038, 610429, 620203, 620424		

thermostats

bi-metal thermostats

bi-metal thermostats



1

No.	390123	Ref. No.	679194
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 50°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing		



1

No.	390319	Ref. No.	676551
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 80°C 1NC 1-pole 16A connection F6.3 2 hole fixing		
For models:	505900, 505935, 663263, 663395, 670618, 670626, 686409, 687200, 688096, 688118, 688363, 690600, 703095, 703109, 703117, 703125, 709816, 709824, 709832, 709840, 733105, 733113, 736422, 736430		

control and safety thermostats


EGO

control thermostats

55.10/19_ series



No.	375070	Ref. No.	091634
description	thermostat t.max. 250°C temperature range 55-250°C 1-pole 1CO 16A probe ø 3.1mm probe L 226mm capillary pipe 1170mm capillary pipe isolated 1100mm gland nut M9x1 shaft L 23mm shaft position upper rotation 270°		
For models:	140902, 367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977...(Other models you can see in the webshop)		



No.	390307	Ref. No.	376035
description	thermostat t.max. 86°C temperature range 30-82°C 1-pole 1CO 16A probe ø 3mm probe L 156mm capillary pipe 600mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 8.5mm shaft position left rotation 180° outer switch eccentric 1/2"-3/4" contacts 1CO		
For models:	Glaeserspielautomat-328		




No.	375135	Ref. No.	337609
description	thermostat t.max. 91°C temperature range 25-90°C 1-pole 1CO 16A probe ø 6mm probe L 174mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° probe material SS		
For models:	271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, 614106, 615080, 624101, Bain-Marie-626, Frittenwanne-615, Geschirrspuelautomat-330, Geschirrspuelautomat-335, Geschirrspuelautomat-336, Geschirrspuelautomat-700, GsP-350, GsP-500, GsP-600		

55.13_ series



No.	375179	Ref. No.	371017
description	thermostat t.max. 131°C temperature range 80-131°C 1-pole 1NO 16A probe ø 6mm probe L 98mm capillary pipe 1730mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	361429, 361437, Heisse-Theke-HT-50-85-und-120-3, HTP1, HTP2		



No.	375193	Ref. No.	637718
description	thermostat t.max. 300°C temperature range 50-300°C 1-pole 1NO 16A probe ø 4mm probe L 91mm capillary pipe 1130mm capillary pipe isolated 1100mm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	541869, 638625		



No.	375505	Ref. No.	202029
description	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	750204, 750212, 750220, 750239, 750336, 750352, 750360		

E-G-O



No.	375006	Ref. No.	349313
description	thermostat t.max. 85°C temperature range 30-85°C 1-pole 1CO 16A probe ø 6mm probe L 92mm capillary pipe 3150mm capillary pipe isolated 300mm gland nut shaft L 23mm shaft position upper rotation 270° probe material SS		
For models:	Glaeserspuelautomat-325		

55.14_series


E-G-O



No.	390001	Ref. No.	349305	
description	thermostat t.max. 58°C temperature range fixed 58°C 1-pole 1NC 16A probe ø 11mm probe L 35mm capillary pipe 580mm capillary pipe isolated 580mm gland nut shaft Lmm shaft position° shaft position screw-in probe probe thread M14x1			
For models:	Glaeserspuelautomat-325, Glaeserspuelautomat-328			
accessories for	390001			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	550261	Ref. No.	—
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs			

55.34_series

E-G-O



No.	375021	Ref. No.	291706
description	thermostat t.max. 110°C temperature range 32-110°C 3-pole 3CO 16A probe ø 6mm probe L 138mm capillary pipe 2980mm capillary pipe isolated 2200mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	Maxima-Elektro-Kochkessel-100, Maxima-Elektro-Kochkessel-700-850, Maxima-Elektro-Kochkessel-80		

E-G-O




No.	375143	Ref. No.	290319
description	thermostat t.max. 110°C temperature range 32-110°C 3-pole 3NO 16A probe ø 6mm probe L 138mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	140902, 667412, 684848, 688436, 689335, 689343, 689351, 689378, 718793, Maxima-Elektro-Bain-Marie-700-850, Maxima-Elektro-Bain-Marie-850		

E-G-O



	No.	375697	Ref. No.	136840
description	thermostat t.max. 120°C temperature range fixed 120°C 2-pole 2CO 16A probe ø 3.1mm probe L 305mm capillary pipe 720mm capillary pipe isolated 600mm gland nut shaft Lmm			
For models:	502200, 502308, 601004, 601209, 601403, 602000, 602205, 602280, 603201, 649554, 649562, 650943, 650951, 686336, 688339, 688347, 688355, 699047, 699055, 721468, 722588, 750255, Fritteuse-365, Topline-Fritteuse			
accessories for	375697			
	No.	550039	Ref. No.	—
probe clip for pipe ø 8.5mm for probe ø 3.1mm Qty 1 pcs				

E-G-O



	No.	375058	Ref. No.	178144
description	thermostat t.max. 185°C temperature range 95-185°C 3-pole 3NO 16A probe ø 6mm probe L 117mm capillary pipe 1480mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°			
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603			
accessories for	375058			
	No.	550148	Ref. No.	—
gland duct ET M12x0.75 IT M9x1 probe ø max. 6.5mm WS 17 silicone				

accessories for		375058	
	No.	550982	Ref. No.
	—		
	gasket graphite ø 7.5mm L 7mm Qty 1 pcs for gland nut		

			
No.	375390	Ref. No.	723231
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 4mm probe L 292mm capillary pipe 880mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper		
For models:	541869, 638625, 730416		

			
No.	375057	Ref. No.	224081
description	thermostat t.max. 300°C temperature range 60-300°C 3-pole 3NO 16A probe ø 4mm probe L 128mm capillary pipe 880mm capillary pipe isolated 800mm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	502650, 502707, 610003, 610038, 610402, 611018, 611050, 611220, 612006, 612057, 620009, 621005, 621056, 621110, 622001, 622052, 629006, 629022, 686328, 688290, Backofen-629, Brater-611, Brater-621, Griddle-Platte-612, Griddleplatte-622, Vario-Braeter-400, Vario-Braeter-600, Wurstgrill-610, Wurstgrill-620		

			
No.	390282	Ref. No.	283878
description	thermostat t.max. 300°C temperature range 95-300°C 3-pole 3CO 16A probe ø 6mm probe L 177mm capillary pipe 880mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	62510, 62520, 62530, 626104, 626112, 626201, 626228, 626309, 626317, 721476, 721484, 722596, 722618		

			
No.	375026	Ref. No.	290300 291730
description	thermostat t.max. 350°C temperature range 100-350°C 3-pole 3NO 16A probe ø 6mm probe L 77mm capillary pipe 2430mm capillary pipe isolated 1100mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850, Maxima-Elektro-Kippbratpfanne-700-850		

			
No.	375101	Ref. No.	126543
description	thermostat t.max. 360°C temperature range 140-360°C 3-pole 3NO 16A probe ø 4mm probe L 292mm capillary pipe 990mm capillary pipe isolated 500mm gland nut shaft L 23mm shaft position upper rotation 318°		
For models:	Pizza-Ofen-ELP		

			
No.	375018	Ref. No.	277096
description	thermostat t.max. 90°C temperature range fixed 55/90°C 2-pole 2CO 16A probe ø 6mm probe L 175mm capillary pipe 360mm capillary pipe isolated 210mm gland nut shaft Lmm probe material copper		
For models:	361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, Geschirrspuelautomat-330, GsP-350		


E·G·O



No.	375174	Ref. No.	006955
description	thermostat t.max. 93°C temperature range 30-93°C 3-pole 3CO 16A probe ø 6mm probe L 235mm capillary pipe 880mm capillary pipe isolated 700mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	340022, 340030, 340049, 340057, 340073, 614009, 614404, 615005, 615013, 615056, 615080, 624004, 627100, Bain-Marie-614, Bain-Marie-624, Elektro-Waermeschrank, OEWS1245-einseitig-400x1200mm, OEWS1246-einseitig-mit-Rueckwandverkleidung, UDWE1225L, UDWE1225L-doppelseitig-Eck-640x1200mm, UDWE1225R, UDWE1225R-doppelseitig-Eck-640x1200mm, UDWF0825, UDWF0825D-doppelseitig-640x800mm, UDWs1225, UDWs1225-doppelseitig-640x1200mm, UEWF0825, UEWF0825D-einseitig-640x800mm, UEWS06-schubladenblock-640x600mm, UEWS1225, UEWS1225-doppelseitig-640x1200mm, UEWS1225-einseitig-640x1200mm, UGWF0835, UGWF0835D-Fluegeltuer-710x800mm, UGWs1235, UGWs1235-schiebetuer-710x1200mm		

55.40_ series

E·G·O




No.	375658	Ref. No.	634980
description	thermostat t.max. 300°C temperature range 60-204°C/135-300°C 4-pole 2NO/2NO 16A probe ø 4mm probe L 128mm capillary pipe 880mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 310°		
For models:	503010, 503150, 517887, 637564, 657735, 686298, 688428, 700673, 702560, 705993		

safety thermostats

55.11_ series

E·G·O



No.	375093	Ref. No.	242746
description	safety thermostat switch-off temp. 318°C 1-pole 12A probe ø 4mm probe L 111mm capillary pipe 530mm capillary pipe isolated 450mm gland nut M9x1 probe SS		


55.31_ series

E·G·O



No.	375175	Ref. No.	294020
description	safety thermostat switch-off temp. 115°C 3-pole 20A probe ø 6mm probe L 173mm capillary pipe 830mm capillary pipe isolated 770mm gland nut probe SS		
For models:	340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, Elektro-Waermeschrank, Geschirrspuelautomat-700, OEWS1245-einseitig-400x1200mm, OEWS1246-einseitig-mit-Rueckwandverkleidung, UDWE1225L, UDWE1225L-doppelseitig-Eck-640x1200mm, UDWE1225R, UDWE1225R-doppelseitig-Eck-640x1200mm, UDWF0825, UDWF0825D-doppelseitig-640x800mm, UDWs1225, UDWs1225-doppelseitig-640x1200mm, UEWF0825, UEWF0825D-einseitig-640x800mm, UEWS06-schubladenblock-640x600mm, UEWS1225, UEWS1225-doppelseitig-640x1200mm, UEWS1225-einseitig-640x1200mm, UGWF0835, UGWF0835D-Fluegeltuer-710x800mm, UGWs1235, UGWs1235-schiebetuer-710x1200mm		

E·G·O



No.	375524	Ref. No.	291749
description	safety thermostat switch-off temp. 135°C 3-pole 20A probe ø 6mm probe L 173mm capillary pipe 1430mm capillary pipe isolated 800mm gland nut M9x1 probe SS		
For models:	Maxima-Elektro-Kochkessel-100, Maxima-Elektro-Kochkessel-700-850, Maxima-Elektro-Kochkessel-80		



No.	375072	Ref. No.	041254
description	safety thermostat switch-off temp. 170°C 3-pole 20A probe ø 3.1mm probe L 524mm capillary pipe 350mm capillary pipe isolated 350mm gland nut probe SS		
For models:	674524, 674532, 674605, 805149, 805300, 805408, 805459, 805556, 805xxx, 810002, 813303, 890529, 890561, 890588, Aromacarina, Aromacarina-Dampf, Aromacarina-EsA, Aromacarina-ETA, Aromacarina-ETA-EsA, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, standkaffeemaschine-solomatic-2, standkaffeemaschine-solomatic-4		



No.	375059	Ref. No.	027332
description	safety thermostat switch-off temp. 255°C 3-pole 20A probe ø 3.1mm probe L 307mm capillary pipe 730mm capillary pipe isolated 700mm gland nut probe SS		
For models:	601004, 601209, 601403, 602000, 602205, 602280, 603201, 721468, 722588, Fritteuse-365, Topline-Friteuse		



No.	390066	Ref. No.	088552 088562
description	safety thermostat switch-off temp. 220°C 3-pole 20A probe ø 14mm probe L 105mm capillary pipe 820mm capillary pipe isolated 660mm gland nut probe with half round bulb		
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603		




No.	375680	Ref. No.	502537
description	safety thermostat switch-off temp. 365°C 3-pole 20A probe ø 4mm probe L 100mm capillary pipe 1190mm capillary pipe isolated 400mm gland nut probe SS		
For models:	144819, 502650, 502707, 516678, 626104, 626112, 626201, 626228, 626309, 626317, 639087, 686328, 688290, 699063, 716626, 725315, 730718, 811084, Vario-Braeter-400, Vario-Braeter-600, Vario-Braeter-plus		

55.32_series




No.	375258	Ref. No.	961809
description	safety thermostat switch-off temp. 232°C 3-pole 20A probe ø 6mm probe L 94mm capillary pipe 900mm capillary pipe isolated 670mm gland nut M10x1 probe SS		



No.	375627	Ref. No.	603589
description	safety thermostat switch-off temp. 480°C 3-pole 20A probe ø 4mm probe L 230mm capillary pipe 890mm capillary pipe isolatedmm gland nut probe probe material SS		
For models:	503010, 503150, 515892, 515906, 517887, 637564, 657735, 686298, 688428, 689696, 700673, 702560, 705993, Vario-Griller		

E·G·O



1

No.	375681	Ref. No.	619221
description	safety thermostat switch-off temp. 520°C 3-pole 20A probe ø 3.9mm probe L 228mm capillary pipe 890mm capillary pipe isolated 400mm gland nut		
For models:	505900, 505935, 611220, 621110, 687200, 690600, Vario-Herd		

55.33_ series


E·G·O



1

No.	375698	Ref. No.	686832
description	safety thermostat switch-off temp. 250°C 3-pole 20A probe ø 3.1mm probe L 307mm capillary pipe 710mm capillary pipe isolated 700mm gland nut probe SS		
For models:	502200, 502308, 601004, 601209, 601403, 602000, 602205, 602280, 603201, 649554, 649562, 650943, 650951, 686336, 688339, 688347, 688355, 699047, 699055, 750255, Fritteuse-365		

E·G·O



1

No.	375516	Ref. No.	637726
description	safety thermostat switch-off temp. 250°C 3-pole 20A probe ø 6mm probe L 107mm capillary pipe 1470mm capillary pipe isolated 1100mm gland nut M9x1 probe SS		
For models:	541869, 638625, 730416		

E·G·O




1

No.	375118	Ref. No.	580457
description	safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 15mm probe L 8mm capillary pipe 1150mm capillary pipe isolated 1100mm gland nut probe with knob probe		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671762, 671770, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851, 671878, 671886, 671894, 671908, 671916, 671975, 671983, 671991, 680583, 680591		

56._ series

E·G·O




1

No.	375889	Ref. No.	504602	
description	safety thermostat switch-off temp. 360°C 1-pole 16A probe ø 15mm probe L 6.5mm capillary pipe 1140mm capillary pipe isolated 1100mm gland nut probe			
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 754595, 754609, 754617, 754668, 754676, 754681, 754692, 754706, 754714, 754722, 754730, 754749, 754757, 754773, 754781, 757292, 757314, 757365, 757373, 757381, 757403, 757411, 757438, 757446, 757454, 757462, 757470, 758736, 758752, 758760, 758833, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198, 759201....(Other models you can see in the webshop)			
accessories for	375889			
	No.	518669	Ref. No.	—
	gasket PTFE ED ø 21mm ID ø 15mm thickness 3.5mm			

control thermostats with operation switch

55.13_ series




No.	375073	Ref. No.	201928
description	thermostat t.max. 320°C temperature range 50-320°C 1-pole capillary pipe isolatedmm gland nut		
For models:	00068x, 00099x, 00121x, 00149x, 00183x, 001864, 002046, 002682, 00300x, 003131, 00314x, 00376x, 004081, 105716, 105759, 105872, 750026, 750034, 750042, 750050, 750069, 750077, 750085, 750093, 750107, 750115, 750336, 750352, 750360		


55.34_ series



No.	375592	Ref. No.	700509
description	thermostat t.max. 110°C temperature range 32-110°C 3-pole 3NO 16A probe ø 6mm probe L 138mm capillary pipe 1180mm capillary pipe isolated 1100mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO/2NO		
For models:	140902, 667412, 684848, 688436, 689335, 689343, 689351, 689378, 699020, 699039, 707503, 718793		




No.	375023	Ref. No.	026611
description	thermostat t.max. 180°C temperature range 103-175/108-180°C 3-pole 2NO/2NO 16A probe ø 3.1mm probe L 305mm capillary pipe 720mm capillary pipe isolated 700mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO/2NO		
For models:	502200, 502308, 601004, 601209, 601403, 602000, 602205, 602280, 603201, 649554, 649562, 650943, 650951, 686336, 688339, 688347, 688355, 699047, 699055, 721468, 722588, 750255, Fritteuse-365, Topline-Friteuse		



No.	390266	Ref. No.	631981
description	thermostat t.max. 255°C temperature range 70-255°C 3-pole 3NO 16A probe ø 4mm probe L 128mm capillary pipe 880mm capillary pipe isolated 880mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 270° outer switch 2NO/2NO		
For models:	502650, 502707, 626104, 626112, 626201, 626228, 626309, 626317, 686328, 688290, 716626, 725315, 730718, 811084		



No.	390530	Ref. No.	606227
description	thermostat t.max. 300°C temperature range 77-300°C 3-pole 3NO 16A probe ø 4mm probe L 128mm capillary pipe 880mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 33mm shaft position upper° rotation 270° outer switch 2NO/2NO		
For models:	503010, 503150, 517887, 637564, 657735, 686298, 688428, 700673, 702560		



No.	375691	Ref. No.	619248
description	thermostat t.max. 390°C temperature range 60-390°C 3-pole 3NO 16A probe ø 3.9mm probe L 228mm capillary pipe 1110mm capillary pipe isolated 600/700mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO/2NO		
For models:	505900, 505935, 515892, 515906, 686409, 687200, 688363, 689696, 690600, 703095, 703109, 709816, 709824, Vario-Griller, Vario-Herd		




1

No.	375140	Ref. No.	661635
description	thermostat t.max. 650°C temperature range 50°C/50-600°C/70-650°C 3-pole 3NO 16A probe ø 4mm probe L 228mm capillary pipe 1200mm capillary pipe isolated 1200mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position left rotation 318° outer switch 2NO		
For models:	663263, 663395, 670618, 670626, 688096, 688118, 703117, 703125, 709832, 709840, 733105, 733113, 736422, 736430		

IMIT / TEMPOMATIC / ARTHERMO

control thermostats



1

No.	390186	Ref. No.	208442
description	thermostat t.max. 52°C temperature range fixed 52°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1000mm capillary pipe isolated 1000mm gland nut shaft Lmm contacts 1CO		
For models:	Glaeserspuelautomat-310, Glaeserspuelautomat-311, Glaeserspuelautomat-320, Glaeserspuelautomat-321		



1

No.	390006	Ref. No.	208418
description	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 19mm rotation 270°		
For models:	Glaeserspuelautomat-310, Glaeserspuelautomat-311, Glaeserspue-lautomat-320, Glaeserspuelautomat-321		
accessories for	390006		
	No.	110100	Ref. No. —
knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black			
	No.	110105	Ref. No. —
rosette knob ø 42mm ø 56mm zero mark			

control thermostats with actual value



1

No.	379034	Ref. No.	368814
description	thermostat t.max. 450°C temperature range 50-450°C 1-pole 1CO 5A probe ø 6mm probe L 30mm capillary pipe 1150mm capillary pipe isolatedmm gland nut mounting ø 80mm mounting measurements 96x96mm		
For models:	Pizza-Ofen-P501, Pizza-Ofen-P502		

accessories

protective pipes for capillary pipes



1

No.	550146	Ref. No.	088404
description	protective pipe for capillaries thread M10x1 H1 210mm H2mm L1 25mm L2 30mm		
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603		

connecting bows



1

No.	550059	Ref. No.	086223
description	connecting bow short for switch Qty 1 pcs		

miscellaneous



1

No.	551115	Ref. No.	502987
description	protective plate for probe hole ø 4.4mm L 300mm W 9mm thickness 0.8mm		
For models:	502650, 502707, 686328, 688290, 716626, 811084, Vario-Braeter-400, Vario-Braeter-600		

switches and momentary switches

rocker/momentary rocker switches

30x22mm



1

No.	301003	Ref. No.	053295	
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65			
For models:	271500, 643807, 707007, 805556, 825263, Geschirrspuelautomat-330, GsP-350, GsP-500, schokomat-C			
accessories for	301003			
	No.	301036	Ref. No.	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

push/momentary push switches

30x22mm



1

No.	345863	Ref. No.	336912
description	momentary push switch mounting measurements 30x22mm clear 1NO/1NC 250V 16A illuminated connection male faston 4.8mm/6.3mm ambient temperature max. 85°C protection IP40		
For models:	361763, 367788, 378933, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 397210, 397431, 440078, 440086, 440094, 440140, 440655, 450111, 606294		



1

No.	301044	Ref. No.	308064
description	momentary push switch mounting measurements 30x22mm green 2NO 250V 16A illuminated		
For models:	680583, 680591, Glaeserspuelautomat-325		



1

No.	345865	Ref. No.	336939
description	momentary push switch mounting measurements 30x22mm yellow 1NO 250V 16A illuminated, indicator light 24V connection F4.8/F2.8 (lamp) ambient temperature max. 85°C protection IP40 1-pole		
For models:	361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, GsP-350		



1

No.	301043 ¹	Ref. No.	308161
description	momentary push switch mounting measurements 30x22mm yellow 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	Glaeserspuelautomat-325, Glaeserspuelautomat-328		

¹illuminated



1

No.	301040 ¹	Ref. No.	266108 336904
description	push switch mounting measurements 30x22mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	340022, 340030, 340049, 340057, 340073, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, 643807, 668001, 669008, 707007, 825263, Glaeserspuelautomat-325, Glaeserspuelautomat-328, ODWB-1040-Waermebruecken, ODWB-1240-Waermebruecken, ODWB-1440-Waermebruecken, ODWB-1640-Waermebruecken, ODWB-1840-Waermebruecken, ODWB-2040-Waermebruecken, OEWB-1040-Wand-Waermeborde, OEWB-1240-Wand-Waermeborde, OEWB-1440-Wand-Waermeborde, OEWB-1640-Wand-Waermeborde, OEWB-1840-Wand-Waermeborde, OEWB-2040-Wand-Waermeborde, OEWs1245-einseitig-400x1200mm, OEWs1246-einseitig-mit-Rueckwandverkleidung, UDWE1225L, UDWE1225L-doppelseitig-Eck-640x1200mm, UDWE1225R, UDWE1225R-doppelseitig-Eck-640x1200mm, UDWF0825, UDWF0825D-doppelseitig-640x800mm, UDWs1225, UDWs1225-doppelseitig-640x1200mm, UEWF0825, UEWF0825D-einseitig-640x800mm, UEWs06-schubladenblock-640x600mm, UEWs1225, UEWs1225-doppelseitig-640x1200mm...(Other models you can see in the webshop)		

¹illuminated



1

No.	301041 ¹	Ref. No.	308072
description	push switch mounting measurements 30x22mm yellow 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	Glaeserspuelautomat-325		

¹illuminated



1

No.	345864 ¹	Ref. No.	336947
description	push switch mounting measurements 30x22mm yellow 2NO 250V 16A illuminated, indicator light 24V connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	340022, 340030, 340049, 340057, 340073, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111		

¹indicator light 24V



ø12mm



1

No.	346594	Ref. No.	835358
description	momentary push switch mounting ø 12mm black 1NO 250V 4A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	824321, 824348		

microswitches

lever actuated



1

No.	345773	Ref. No.	144894 680907
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 60mm ambient temperature max. 125°C mounting distance 22mm actuating force: 65g lever length 51mm		
For models:	144819, 502200, 502308, 503010, 503150, 515892, 515906, 516678, 517887, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, 637564, 639087, 649554, 649562, 650943, 650951, 657735, 686298, 686336, 688339, 688347, 688355, 688428, 689696, 699047, 699055, 699063, 700673, 702560, 721468, 722588, 750255, Fritteuse-365, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603, schokomat-C, Topline-Fritteuse, Vario-Braeter-plus, Vario-Griller		

roller-lever actuated

heavy duty version



1

No.	345045	Ref. No.	163236 271551
description	microswitch with handle with a switch 250V 16A 1CO connection soldering connection L 49mm L1 55mm ambient temperature max. 85°C mounting distance 24mm type C36ZP actuating force: 95g lever length 66mm		
For models:	271500, Geschirrspuelautomat-335, Geschirrspuelautomat-336, GsP-500		

pin-plunger actuated



1

No.	345060	Ref. No.	242039
description	microswitch with plunger 250V 16A 1NO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 22mm type BS1010 actuating force: 350g red stroke 9mm		
For models:	750255, 750263, 750271, 750298		

SWITCHES AND MOMENTARY SWITCHES PALUX



1

No.	345247	Ref. No.	218.002
description	microswitch with plunger 250V 6A 2NO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 22mm type 3SE4305 actuating force: 350g black		

M10



1

No.	345032	Ref. No.	208477
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		
For models:	Glaeserspuelautomat-310, Glaeserspuelautomat-311, Glaeserspuelautomat-320, Glaeserspuelautomat-321		

M16



1

No.	345046	Ref. No.	092444
description	microswitch with plunger thread M16x1 thread L 25mm 250V 5A 1NC/1NO connection male faston 6.3mm stroke 6mm ambient temperature max. 85°C actuating force: 400g		
For models:	389595, 389609, 398950, 398969, 398977, 609188, 609196, 637599, 674524, 674532, 674605, 674648, 674656, 674664, 674672, 674680, 674699, 674885, Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftdaempfer-6x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-5x2-3		

accessories




1

No.	347013	Ref. No.	587141
description	lever for microswitch		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198		

cam switches

on/off



1

No.	300020	Ref. No.	291757
description	cam switch 4 operating positions 2NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	Maxima-Elektro-Kippbratpfanne-700-850, Maxima-Gas-Kippbratpfanne-neue-Ausführung-700-850		
accessories for	300020		
	No.	110135	Ref. No. —
	rosette knob up to ø 52mm		
	No.	110231	Ref. No. —
	knob switch 0-1-0-1 t.max.°C°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		



1


No.	300021	Ref. No.	290343
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	541869, 574961, 638625, 663263, 663395, 670618, 670626, 688096, 688118, 703117, 703125, 709832, 709840, 733105, 733113, 736422, 736430, Maxima-Elektro-Kochkessel-100, Maxima-Elektro-Kochkessel-700-850, Maxima-Elektro-Kochkessel-80		



1

No.	300102	Ref. No.	291722
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	144819, 516678, 639087, 699063, Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850, Maxima-Elektro-Bain-Marie-700-850, Maxima-Elektro-Bain-Marie-850, Vario-Braeter-plus		

4-position



1

No.	300016	Ref. No.	104248
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	685003, Grill-681		



1


No.	300103	Ref. No.	226491
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	541869, 638625, 730416, FOEM-Elektro-Kochplatten		



1

No.	300104	Ref. No.	126608
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	Grill-682, Grill-683		

5-position



1

No.	300172	Ref. No.	193224
description	cam switch 5 operating positions 1NO/2CO sequence 0-1-2-3-4 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 5-position		
For models:	750026, 750034, 750042, 750050, 750069, 750077, 750085, 750093, 750107, 750115, AEH618		



7-position

E-G-O



1

No.	300004	Ref. No.	010170 201820
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position ceramic		
For models:	616001, 616109, 623008, 623105, 750077, 750085, 750093, 750107, 750115, Elektroherd-4-Platten-623, Elektroherd-616		


E-G-O



1


No.	300025	Ref. No.	290335
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
For models:	Maxima-Elektro-Herd-700-850, Maxima-Elektro-Herd-850		
accessories for	300025		
	No.	112172	Ref. No. —
	knob universal ø 70mm black without adaptor/dial plate		
	No.	112213	Ref. No. —
	knob dial plate silver switch 7-position t.max.°C ED ø 63mm ID ø 45.5mm		
	No.	112311	Ref. No. —
	knob adapter shaft ø 6x4.6mm L 0mm with spring		

4 operating positions



1

No.	300033	Ref. No.	103680 370983
description	cam switch 4 operating positions 4NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	Heisse-Theke-HT-50-85-und-120-3		



1

No.	300057	Ref. No.	292664
description	cam switch 4 operating positions 6NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 6CH/141 plastic		
For models:	Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3		



1

No.	300034	Ref. No.	103772
description	cam switch 4 operating positions selector switch sequence 0-1-2-3 16A shaft ø 6x4.6mm connection male faston 6.3mm 4-pole		
For models:	Grill-680		

5 operating positions

E-G-O



1


No.	345199	Ref. No.	720534
description	cam switch 5 operating positions 2NO/1CO sequence 0-1-2-3-4 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm		
For models:	354716, 354724		

operation switches



1

No.	300027	Ref. No.	086312
description	cam switch 2 operating positions 3NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw/F6.3 operation switch ceramic		
For models:	140902, 502650, 502707, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, 610003, 610038, 61030x, 610402, 611018, 611050, 612006, 612057, 613002, 613088, 614009, 614106, 614404, 615005, 615013, 615056, 615080, 620009, 620300, 621005, 621056, 622001, 622052, 624004, 624101, 62510, 62520, 62530, 626104, 626112, 626201, 626228, 626309, 626317, 627100, 629006, 629022, 667412...(Other models you can see in the webshop)		



2

No.	300215	Ref. No.	010162
description	cam switch 2 operating positions sequence 0-1 3-pole ambient temperature max. 318°C		
For models:	600008, 600067, Fritteuse-600		



1

No.	300173	Ref. No.	634999 685380
description	cam switch 3 operating positions 4NO 16A sequence 0-1-2 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic 4-pole		
For models:	503010, 503150, 517887, 637564, 657735, 686298, 688428, 700673, 702560		



1

No.	300067	Ref. No.	N/A
description	cam switch 3 operating positions 4NO 16A sequence 0-1-2 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		



1


No.	345321	Ref. No.	647967
description	operation switch 4 operating positions 5NO 16A sequence 0-1-2-3 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic 3-pole ambient temperature max. 300°C		

magnetic switches

36x13mm



1



No.	345118 ¹	Ref. No.	376094
description	magnetic switch L 36mm W 13mm 1NO 250V 1A P max. 50W connection cable length 980mm		
For models:	665843, 665851, Glaeserspuelautomat-328		
accessories for	345118		
	No.	345399	Ref. No.
			—
	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		

¹with coded connector

control equipment

SCHLEGEL

push buttons



1

No.	359183	Ref. No.	323527
description	momentary switch unit mounting measurements ø16/24x24mm type momentary anthracite/transparent square		
For models:	Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673		



1

No.	346188	Ref. No.	580341
description	momentary switch unit mounting measurements ø16/24x24mm type momentary black/white square		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851		

switch blocks



1

No.	359756	Ref. No.	580384
description	contact block latching 1NO/1NC connection male faston 2.8mm illuminable socket T5.5K type BFL5		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851		
accessories for	359756		
	No.	359593	Ref. No. 323519
	light bulb socket T5.5K 60V 0.02A		



1

No.	359187	Ref. No.	323543
description	contact block latching 2NO/2NC connection male faston 2.8mm illuminable socket T5.5K type AFL2		
For models:	Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673		



1

No.	359184	Ref. No.	323535
description	contact block momentary 1NC/1NO connection male faston 2.8mm socket type AT		
For models:	389595, 389609, 398950, 398969, 398977, 609188, 609196, 637599, 674648, 674656, 674664, 674680, 674885, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftdaempfer-6x1-1, Heissluftdaempfer-Varioplus-20x1-1, Heissluftdaempfer-Varioplus-20x2-1, Heissluftgeraet-672, Heissluftgeraet-673		

lamps



1

No.	359593	Ref. No.	323519
description	light bulb socket T5.5K 60V 0.02A		
For models:	Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673		

encoders and potentiometers



1

No.	402979	Ref. No.	689416
description	potentiometer rotation 360° shaft ø 6x4.6mm shaft L 23mm		
For models:	672319, 672327, 672335, 706280, 706299, 706515, 829811, 829838, 829846, 829862, 829870, 829897		

lamps

indicator lights

indicator lights 3-piece (housing, lens and bulb)

ø16.2mm



1

No.	359060	Ref. No.	101818
description	lamp socket mounting measurements ø16.2mm socket E10 connection screw		
For models:	685003, 686018, Grill-680, Grill-681, Grill-682, Grill-683, Heissluftgeraet-10x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310		

lamps

light bulbs



1

No.	359593	Ref. No.	323519
description	light bulb socket T5.5K 60V 0.02A		
For models:	Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673		

neon light bulbs

			
1			
No.	359600	Ref. No.	035378
description	neon light bulb socket E10 220V 0.35W clear ø 10mm L 28mm		
For models:	685003, 686018, Grill-680, Grill-681, Grill-682, Grill-683, Heissluftgeraet-10x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310, Wandkaffeemaschine-001		
accessories for	359600		
	No.	359060	Ref. No. 101818
	lamp socket mounting measurements ø16.2mm socket E10 connection screw		
	No.	359063	Ref. No. —
	lamp socket mounting measurements ø19.2mm socket E14 connection screw		
	No.	359064	Ref. No. —
	lamp socket mounting measurements ø22.3mm socket E14 connection screw 250/380V ambient temperature at 1W 100°C ambient temperature at 2W 85°C		
	No.	359685	Ref. No. —
	lamp socket mounting measurements ø16.2mm socket E10		
	No.	359832	Ref. No. —
	lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm		
	No.	359853	Ref. No. —
	lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm		
	No.	359988	Ref. No. —
	lamp socket mounting measurements ø30.5mm 250V connection F6.3 temp.-resist. 55°C E14		

			
1			
No.	359602	Ref. No.	006718
description	neon light bulb socket E14 230V clear ø 14mm L 30mm		
For models:	721468, 721476, 721484, 722588, 722596, 722618, Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850, Maxima-Elektro-Bain-Marie-700-850, Maxima-Elektro-Bain-Marie-850, Maxima-Elektro-Herd-700-850, Maxima-Elektro-Herd-850, Maxima-Elektro-Kippbratpfanne-700-850		

indicator lights (complete)

ø10mm

with plug-in socket

			
1			
No.	359230	Ref. No.	370991
description	indicator light ø 10mm green 230V connection male faston 2.8mm Qty 1 pcs		
For models:	Heisse-Theke-HT-50-85-und-120-3		

			
1			
No.	359140	Ref. No.	091642
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		

ø16mm

with screw socket

			
1			
No.	359835	Ref. No.	694339
description	indicator light ø 16mm 230V green connection male faston 6.3mm		
For models:	00068x, 00099x, 00121x, 00149x, 00183x, 001864, 002046, 002682, 00300x, 003131, 00314x, 00376x, 004081, 00443x, 00457x, 105716, 105759, 105872, 136581, 140902, 667412, 684848, 688436, 689335, 689343, 689351, 689378, 699020, 699039, 699047, 699055, 705993, 706000, 707503, 718793, 750026, 750034, 750042, 750050, 750069, 750077, 750085, 750093, 750107, 750115, 750204, 750212, 750220, 750239, 750247...(Other models you can see in the webshop)		
accessories for	359835		
	No.	550559	Ref. No. —
	nut thread M16x1 H 5.5mm WS 19		

			
1			
No.	359834	Ref. No.	N/A
description	indicator light ø 16mm 230V yellow connection male faston 6.3mm temp.-resist. 120°C		
accessories for	359834		
	No.	550559	Ref. No. —
	nut thread M16x1 H 5.5mm WS 19		

with plug-in socket

			
1			
No.	359828	Ref. No.	688991
description	indicator light ø 16mm 400V green cable length 200mm cable material silicone wire		
For models:	672122, 672157, 672300, 706221, 706248, 706272		

			
1			
No.	359167	Ref. No.	699012
description	indicator light ø 16mm 230V yellow		
For models:	699020, 699039, 699047, 699055, 705993, 706000, 707503, 750255		



			
1			
No.	359169	Ref. No.	249955 694320
description	indicator light ø 16mm 400V yellow		
For models:	00068x, 00099x, 00121x, 00149x, 00183x, 001864, 002046, 002682, 00300x, 003131, 00314x, 00376x, 004081, 00443x, 00457x, 105716, 105759, 105872, 136581, 140902, 667412, 684848, 688436, 689335, 689343, 689351, 689378, 699020, 699039, 699047, 699055, 707503, 718793, 750026, 750034, 750042, 750050, 750069, 750077, 750085, 750093, 750107, 750115, 750204, 750212, 750220, 750239, 750247, 750255, 750263...(Other models you can see in the webshop)		

ø22mm			
			
1			
No.	359208	Ref. No.	340820
description	indicator light ø 22mm 400V clear connection screw		
For models:	721468, 721476, 721484, 722588, 722596, 722618		

22x10mm			
			
1			
No.	359215	Ref. No.	080837 325708
description	indicator light mounting measurements 22x10mm 230V clear connection male faston 6.3mm		
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, 610003, 610038, 61030x, 610402, 610429, 611018, 611050, 611220, 612006, 612057, 613002, 613088, 614009, 614106, 614404, 615005, 615013, 615056, 615080, 616001, 616109, 620009, 620203, 620300, 620408, 620424, 621005, 621056, 621110, 622001, 622052, 623008, 623105, 624004, 624101, 62510, 62520, 62530, 626104...(Other models you can see in the webshop)		

30x22mm			
			
1			
No.	359156	Ref. No.	053317
description	indicator light mounting measurements 30x22mm 230V yellow connection male faston 6.3mm temp.-resist. 125/55°C type RL2		
For models:	271500, 805556, Geschirrspuelautomat-330, GsP-350, GsP-500		

miscellaneous			
			
1			
No.	359429	Ref. No.	395056
description	indicator light 230V connection male faston 6.3mm mounting ø 18mm		
For models:	140902, 354643, 354651, 354678, 354686, 354694, 354708, 502200, 502308, 502650, 502707, 503010, 503150, 505900, 505935, 515892, 515906, 517887, 541869, 627984, 628018, 628026, 637564, 638625, 649554, 649562, 650129, 650137, 650145, 650153, 650943, 650951, 657735, 659002, 663263, 663395, 667412, 670618, 670626, 684848, 686247, 686298, 686328, 686336, 686409, 687200, 687960, 688096, 688118, 688290...(Other models you can see in the webshop)		

screw-on/push-on fit

neon light bulbs



1

No.	359600	Ref. No.	035378
description	neon light bulb socket E10 220V 0.35W clear ø 10mm L 28mm		
For models:	685003, 686018, Grill-680, Grill-681, Grill-682, Grill-683, Heissluftgeraet-10x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310, Wandkaffeemaschine-001		
accessories for	359600		
	No.	359060	Ref. No. 101818
	lamp socket mounting measurements ø16.2mm socket E10 connection screw		
	No.	359063	Ref. No. —
	lamp socket mounting measurements ø19.2mm socket E14 connection screw		
	No.	359064	Ref. No. —
	lamp socket mounting measurements ø22.3mm socket E14 connection screw 250/380V ambient temperature at 1W 100°C ambient temperature at 2W 85°C		
	No.	359685	Ref. No. —
	lamp socket mounting measurements ø16.2mm socket E10		
	No.	359832	Ref. No. —
	lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm		
	No.	359853	Ref. No. —
	lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm		
	No.	359988	Ref. No. —
	lamp socket mounting measurements ø30.5mm 250V connection F6.3 temp.-resist. 55°C E14		

			
1			
No.	359602	Ref. No.	006718
description	neon light bulb socket E14 230V clear ø 14mm L 30mm		
For models:	721468, 721476, 721484, 722588, 722596, 722618, Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850, Maxima-Elektro-Bain-Marie-700-850, Maxima-Elektro-Bain-Marie-850, Maxima-Elektro-Herd-700-850, Maxima-Elektro-Herd-850, Maxima-Elektro-Kippbratpfanne-700-850		

light bulbs

for ovens

			
1			
No.	359610	Ref. No.	047635
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
For models:	685003, 805xxx, 890502, 890510, 890529, 890553, 890561, 890588, 890596, 890618, 890626, Aromacarina, Aromacarina-Dampf, Aromacarina-EsA, Aromacarina-ETA, Aromacarina-ETA-EsA, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftgeraet-10x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310		

			
1			
No.	359612	Ref. No.	354252
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977, 399019...(Other models you can see in the webshop)		

for indicator lights

			
1			
No.	359593	Ref. No.	323519
description	light bulb socket T5.5K 60V 0.02A		
For models:	Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673		

miscellaneous

			
1			
No.	362023	Ref. No.	581488
description	light bulb socket T5.5K 48V 1.2W 0.025A		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851, 671894, 671908, 671916, 671975, 671983, 671991, 754595, 754617, 754676, 754714, 758736, 758752, 758760, 758833, 759015, 759023, 759031, 759058, 759201, 759651		

linear lamps

infrared lamps

with base type R7s

			
1			
No.	359628	Ref. No.	164941
description	infrared lamp socket R7s L 117.6mm 240V 300W IMPORT unjacketed		
For models:	Heisse-Theke-HT-50-85-und-120-3		

			
1			
No.	359627	Ref. No.	971464
description	infrared lamp socket R7s L 220mm 230V 500W IMPORT		

with base type X lug

			
1			
No.	359617	Ref. No.	104566
description	infrared lamp 1000W 220V L 365mm lens L 340mm total length 480mm with mounting strap		
For models:	Grill-681, Grill-682, Grill-683		

sockets for linear lamps

R7s

			
1			
No.	359717	Ref. No.	153982
description	lamp socket socket R7s 250V ø 18mm Lmm H 31mm connection cable 320mm mounting distance 28mm holder length 37mm cable material PTFE		
For models:	Heisse-Theke-HT-50-85-und-120-3		



X lug



1

No.	359710	Ref. No.	104574
description	lamp socket L 70mm W 70mm H 49mm mounting distance 50mm bracket mounting		
For models:	Grill-681, Grill-682, Grill-683		

fluorescent lamps

accessories

sockets



1

No.	381156	Ref. No.	314015
description	lamp socket socket 2G11 hole distance 24mm t.max. 140°C for fluorescent lamps		

oven lamps

universal oven lamps

mounting diameter 35.5mm



1

No.	359701	Ref. No.	100838
description	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
For models:	398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 609501, 609528, 609536, 674559, 674648, 674656, 674664, 674672, 674680, 674699, 674834, 674893, 685003, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftdaempfer-6x1-1, Heissluftgeraet-10x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310		
accessories for	359701		
	No.	359705	Ref. No. 092339
oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C			
	No.	359709	Ref. No. —
oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C			
	No.	359721	Ref. No. 316296
gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs			

accessories for 359701



No.	359942	Ref. No.	—
oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C			



1

No.	359705	Ref. No.	092339
description	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3		
accessories for	359705		
	No.	359610	Ref. No. 047635
light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips			
	No.	359700	Ref. No. —
gasket for pizza oven fibre glass ID ø 32.5mm ED ø 55mm thickness 5mm			
	No.	359721	Ref. No. 316296
gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs			
	No.	359837	Ref. No. —
gasket ID ø 33mm ED ø 46mm thickness 1mm graphite			
	No.	359838	Ref. No. —
gasket ID ø 33mm ED ø 45mm			



1

No.	359721	Ref. No.	316296
description	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		
For models:	Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3		

producer-specific oven lamps

PALUX



1

No.	359068	Ref. No.	314019
description	lamp socket with 2 hole fixing socket E14 ø 25mm		

lamps

light bulbs

			
1			
No.	359610	Ref. No.	047635
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
For models:	685003, 805xxx, 890502, 890510, 890529, 890553, 890561, 890588, 890596, 890618, 890626, Aromacarina, Aromacarina-Dampf, Aromacarina-EsA, Aromacarina-ETA, Aromacarina-ETA-EsA, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftgeraet-10x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310		

			
1			
No.	359612	Ref. No.	354252
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977, 399019...(Other models you can see in the webshop)		

sockets

G4 / G5,3 / G6,35


			
1			
No.	359646	Ref. No.	577294
description	lamp socket socket G4/G5.3/G6.35 24V ø 17mm H 15mm connection cable 130mm mounting distance 26mm for halogen lamp holder length 31mm cable length 130mm		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671762, 671770, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851, 671878, 671886, 671894, 671908, 671916, 671975, 671983, 671991, 680583, 680591, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198		

residual heat indicators

			
1			
No.	359429	Ref. No.	395056
description	indicator light 230V connection male faston 6.3mm mounting ø 18mm		
For models:	140902, 354643, 354651, 354678, 354686, 354694, 354708, 502200, 502308, 502650, 502707, 503010, 503150, 505900, 505935, 515892, 515906, 517887, 541869, 627984, 628018, 628026, 637564, 638625, 649554, 649562, 650129, 650137, 650145, 650153, 650943, 650951, 657735, 659002, 663263, 663395, 667412, 670618, 670626, 684848, 686247, 686298, 686328, 686336, 686409, 687200, 687960, 688096, 688118, 688290...(Other models you can see in the webshop)		

timers

programme timers

			
1			
No.	360005	Ref. No.	359300
description	timer BIGATTI D94 engines 1 chambers 1 operation time 20min 230V shaft ømm shaft Lmm manuf. no. WE006 motor type 82354021L		
For models:	Glaeserspuelautomat-325		

1

No.	360349	Ref. No.	359297
description	timer CDC 11803 engines 1 chambers 3 operation time 150s 230V shaft ømm shaft Lmm manuf. no. 11803F1BEE000.0010 motor type M48R ATS type 11803F1 / 238046		
For models:	Glaeserspuelautomat-325		

spare parts for

360349

No.	360673	Ref. No.	—
-----	--------	----------	---

motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder

				
1				
No.	360040	Ref. No.	256617	
description	timer CDC 9003F engines 1 chambers 3 operation time 6min 230V shaft ø 6x4.6mm shaft L 21mm manuf. no. 9003F3 / PRCIH5 motor type M48R ATS			
For models:	Glaeserspuelautomat-320, Glaeserspuelautomat-321			
spare parts for	360040			
	No.	360118	Ref. No.	—
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			
accessories for	360040			
	No.	110197	Ref. No.	—
	knob switch zero mark ø 42mm shaft ø 6x4.6mm shaft flat adjustable black			



electric timers



1

No.	350001	Ref. No.	157988
description	timer 2CO at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm connection rear 2-pole operation time 120min		
For models:	389595, 389609, 398950, 398969, 398977, 609188, 609196, 637599, 674524, 674532, 674605, 674648, 674656, 674664, 674680, 674885, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftdaempfer-6x1-1, Heissluftdaempfer-Varioplus-20x1-1, Heissluftdaempfer-Varioplus-20x2-1, Heissluftgeraet-10x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-5x2-3		

audible timers



1

No.	350014	Ref. No.	018511 720585 836117
description	audible timer operation time 15min ø 56mm shaft ø 6x4.6mm shaft L 24mm mounting distance 28mm		
For models:	354716, 354724, 502200, 502308, 600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, 649554, 649562, 650943, 650951, 686336, 688339, 688347, 688355, Fritteuse-365, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603, Topline-Fritteuse		

alarm devices

buzzers



1

No.	350051	Ref. No.	091472
description	buzzer 230VAC connection male faston 6.3mm screw thread M4 buzzer 62dB		
For models:	367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 397210, 397431, 398950, 398969, 398977, 505900, 505935, 606294, 606308, 609188, 609196, 637599, 663263, 663395, 670618, 670626, 674648, 674656, 674664, 674680, 674885, 680583, 680591, 686409, 687200, 688096, 688118, 688363, 690570, 690600, 703095, 703109, 703117, 703125, 709816, 709824, 709832, 709840, 733105, 733113...(Other models you can see in the webshop)		

TIMERS/ALARM DEVICES/CONTACTORS PALUX

contactors


ABB

power contactors



1

No.	380104	Ref. No.	324001 523909
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type A9-30-10		
For models:	754730, 754749, 757292, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198, 759678, 759686, 759694, 759708, 759716		



1

No.	380112	Ref. No.	523895
description	power contactor resistive load 45A 230VAC (AC3/400V) 26A/11kW main contacts 3NO auxiliary contacts 1NO connection screw connection type A26-30-10		
For models:	754595, 754609, 754617, 754668, 754676, 754681, 754692, 754706, 754714, 754722, 754730, 754749, 754757, 754773, 754781, 757292, 757314, 757365, 757373, 757381, 757403, 757411, 757438, 757446, 757454, 757462, 757470, 758736, 758833, 759201, 759651, 759678, 759686, 759694, 759708, 759716		
accessories for	380112		
No.	381031	Ref. No.	—
description	auxiliary contact contacts 1NO/1NC AC1 16A AC15 3A connection screw connection for contactors B6/B7/VB7		

GENERAL ELECTRIC (AEG)

power contactors



1

No.	380231	Ref. No.	307491
description	power contactor resistive load 16A 230VAC (AC3/400V) 6A/3kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS0701A		

ISKRA (FANAL)

power contactors



1

No.	380423	Ref. No.	181498
description	power contactor resistive load 35A 230VAC (AC3/400V) 25A/11kW main contacts 3NO auxiliary contacts connection screw connection type Fanal DSL22 type ISKRA KNL22		
For models:	340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 690570, 810002, 813303, 890502, 890510, 890529, 890553, 890561, 890588, 890596, 890618, 890626, Geschirrspuelautomat-700, Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x1-1		

solid state relays

CRYDOM



1

No.	402052	Ref. No.	752665
description	solid state relay CRYDOM 1 phase 90A 600V 4-32VDC L 58.6mm W 45mm screw type H12WD4890PG		

relays

power relays

with flange mounting



1

No.	380131	Ref. No.	359289
description	power relays Italiana Relè 230VAC 16A 3CO connection male faston 6.3mm screw mounting manuf. no. B2-3-230AC		
For models:	Glaeserspuelautomat-325		



1

No.	380130	Ref. No.	376078
description	power relays Italiana Relè 230VAC 16A 3NO connection male faston 6.3mm screw mounting manuf. no. B1-3-230AC		
For models:	665843, 665851, Glaeserspuelautomat-328		

with bracket mounting



1

No.	380687	Ref. No.	849618
description	power relays FINDER 230VAC 30A 2NO connection F6.3 bracket mounting manuf. no. 66.82.8.230.0300		

level relays

miscellaneous



1

No.	380346	Ref. No.	210153
description	level relay 1CO 230V voltage AC		
For models:	750204, 750212, 750220, 750239		

time relays

time relays



1

No.	380288	Ref. No.	332615
description	time relay ELEKTRON VZE 806 time range 60s 24-250 AC/DC 5A connection cable mounting measurements DIN railmm		
For models:	389595, 389609, 398950, 398969, 398977, 609188, 609196, 637599, 674648, 674656, 674664, 674885, 680583, 680591, Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x2-3, Heissluftdaempfer-6x1-1		

transformers

encapsulated transformers

multiple connections



1

No.	402051	Ref. No.	742775
description	transformer primary 230VAC secondary 16.5VAC 2x15VA connection male faston 50/60Hz		
For models:	754595, 754609, 754617, 754668, 754676, 754681, 754692, 754706, 754714, 754722, 754730, 754749, 754757, 754773, 754781, 757292, 757314, 757365, 757373, 757381, 757403, 757411, 757438, 757446, 757454, 757462, 757470, 758736, 758833, 759201, 759651, 759678, 759686, 759694, 759708, 759716		

PMA



1

No.	379054	Ref. No.	368849
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	Pizza-Ofen-P501, Pizza-Ofen-P502		

electronic controllers

SHANGFANG

accessories



1

No.	379054	Ref. No.	368849
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	Pizza-Ofen-P501, Pizza-Ofen-P502		

TECNOLOGIC

electronic thermometers

built-in version



1

No.	379203	Ref. No.	368830
description	thermometer TECNOLOGIC K38VFC-----E----- mounting measurements 70x28mm built-in depth 64mm 12V voltage AC/DC Pt100/TC (J,K) -200 up to +1760°C display 3½ digits 1 RoomTempIN Pt100/TC (J,K) defr. funct. no front measurements 35x78.5mm		
For models:	Pizza-Ofen-P500, Pizza-Ofen-P501, Pizza-Ofen-P502		
accessories for	379203		
	No.	379050	Ref. No.
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire		
	No.	379054	Ref. No.
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		

miscellaneous

universal controllers



1

No.	400206	Ref. No.	332143
description	electronic controller 230V TempIn1 thermocouple K (NiCr-Ni) temperature controller		
For models:	389595, 389609, 398950, 398969, 398977, 609188, 609196, 637599, 674648, 674656, 674664, 674680, 674885, Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x2-3, Heissluftdaempfer-6x1-1, Heissluftdaempfer-Varioplus-20x1-1, Heissluftdaempfer-Varioplus-20x2-1		



1

No.	400114	Ref. No.	702110
description	electronic controller type Pt100		
For models:	690570		
accessories for	400114		
	No.	400119	Ref. No.
	keypad foil tilting bratt pan NEP203/303/603 NER080/150/250/300		

probes

producer-specific probes

probes



No.	379399	Ref. No.	702285
description	temperature probe Pt100 cable PVC probe -50 up to +200°C cable -10 up to 100°C connection 2-wire thread M10x1 probe ø10x10mm cable length 1.55m		
For models:	690570		

core probes



No.	379592 ¹	Ref. No.	752363
description	core temperature probe 3 point probe cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 5-wire probe ø4x100mm thread cable length 4.5m handle ø 12mm handle length 85mm		
For models:	754595, 754609, 754617, 754668, 754676, 754681, 754692, 754706, 754714, 754722, 754730, 754749, 754757, 754773, 754781, 757292, 757314, 757365, 757373, 757381, 757403, 757411, 757438, 757446, 757454, 757462, 757470, 758736, 758833, 759201, 759651, 759678, 759686, 759694, 759708, 759716		

¹ multipoint probe



No.	379116	Ref. No.	32664
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x82mm thread 1/4" cable length 3m handle ø 12mm handle length 90mm		

electronics

PCBs



No.	400013	Ref. No.	214582
description	PCB combi-steamer 6x1/1 5x2/3 level control		
For models:	674524, 674532, 674605, 805556, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3		



No.	361366	Ref. No.	376116 651079
description	PCB dishwasher 11F suitable for DB2 type DB2/EV1/EKP-M		
For models:	Glaeserspuelautomat-328		



No.	400027	Ref. No.	317225
description	relay PCB vario cooker 516678 with relay output		
For models:	516678, 610038, 610402, 610429, 620203, 620408, 620424, 639087, 699063, Vario-Braeter-plus		

solenoid valves

solenoid valves (water)

MÜLLER

medium temperature: 90°C
duty cycle: 100%



1

No.	370004	Ref. No.	173266 297313	
description	solenoid valve double straight 230VAC inlet 3/4" outlet 14.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER			
For models:	144819, 271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, 516678, 639087, 699063, Geschirrspuelautomat-330, Geschirrspuelautomat-335, Geschirrspuelautomat-336, Geschirrspuelautomat-700, GsP-350, GsP-500, GsP-600, Vario-Braeter-plus			
spare parts for	370004			
	No.	370129	Ref. No.	—
solenoid valve body double straight inlet 3/4" outlet 14.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER 230V				
	No.	371002	Ref. No.	—
solenoid valve holder MÜLLER flange support				
	No.	371009	Ref. No.	—
compression spring for solenoid coil				
	No.	371011	Ref. No.	—
spare parts kit membrane with long star star hight 8mm MÜLLER				

spare parts for 370004				
	No.	371017	Ref. No.	—
solenoid coil MÜLLER 230VAC connection male faston 6.3mm				
	No.	371122	Ref. No.	—
solenoid valve filter ø 19mm H 10mm suitable for MÜLLER				
	No.	501161	Ref. No.	—
tap head for solenoid valve holder for solenoid coils				
accessories for 370004				
	No.	371010	Ref. No.	—
solenoid coil 230VAC connection with cable cable length 2000mm				
	No.	371037	Ref. No.	—
solenoid coil 24VAC 50/60Hz connection male faston 6.3mm				
	No.	371038	Ref. No.	—
solenoid coil 230VAC connection appliance plug				



1

No.	370002	Ref. No.	334944	
description	solenoid valve single straight 230VAC inlet 3/4" outlet 14.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER			
For models:	144819, 340022, 340030, 340049, 340057, 340073, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111			
spare parts for	370002			
	No.	370127	Ref. No.	—
solenoid valve body single straight inlet 3/4" outlet 14.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER 230V				
	No.	371002	Ref. No.	—
solenoid valve holder MÜLLER flange support				
	No.	371009	Ref. No.	—
compression spring for solenoid coil				
	No.	371011	Ref. No.	—
spare parts kit membrane with long star star hight 8mm MÜLLER				
	No.	371017	Ref. No.	—
solenoid coil MÜLLER 230VAC connection male faston 6.3mm				
	No.	371122	Ref. No.	—
solenoid valve filter ø 19mm H 10mm suitable for MÜLLER				
	No.	501161	Ref. No.	—
tap head for solenoid valve holder for solenoid coils				
accessories for 370002				
	No.	371010	Ref. No.	—
solenoid coil 230VAC connection with cable cable length 2000mm				
	No.	371037	Ref. No.	—
solenoid coil 24VAC 50/60Hz connection male faston 6.3mm				

accessories for 370002				
	No.	371038	Ref. No.	—
solenoid coil 230VAC connection appliance plug				

TP


componenti per elettrodomestici



1

No.	370017	Ref. No.	987017	
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar			
spare parts for	370017			
	No.	371013	Ref. No.	—
solenoid coil TP 230VAC 50/60Hz				
accessories for	370017			
	No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				
	No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				
	No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance ±25%				
	No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				
	No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				

accessories for	370017			
	No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				
	No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance ±25%				
	No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance ±25%				
	No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance ±20%				

metal

MÜLLER

2-way



1

No.	370069 ¹	Ref. No.	374806 586935
description	solenoid valve 2-ways 230VAC inlet 1/8" IT outlet 1/8" IT L 30mm water MÜLLER DN10		
For models:	367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977, 399019...(Other models you can see in the webshop)		

¹with adjusting screw



1

No.	370037 ¹	Ref. No.	079561
description	solenoid valve 2-ways 230VAC inlet 1/8" IT outlet M16x1 outer steam MÜLLER		
For models:	805149, 805300, 805408, 805459, 805xxx, 890502, 890510, 890529, 890553, 890561, 890588, 890596, 890618, 890626, Aromacarina, Aromacarina-Dampf, Aromacarina-EsA, Aromacarina-ETA, Aromacarina-ETA-EsA, Heissluftdaempfer-5x2-3		

¹with adjusting screw

pressure switches

for warewashing

ø 45mm with male faston 6.3mm

with connection horizontal



1

No.	541014	Ref. No.	234125
description	pressure control pressure range 55/35mbar connection 6mm ø 45mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	Geschirrspuelautomat-330		

ø 58mm with male faston 6.3mm

with connection horizontal



1

No.	541003	Ref. No.	349399
description	pressure control pressure range 55/35mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	665843, 665851, Glaeserspuelautomat-325, Glaeserspuelautomat-328		

for coffee machines

ø 45mm



1

No.	541015	Ref. No.	030422 301523
description	pressure control ø 45mm pressure range 400/360mbar pressure range 0.4/0.36bar p max 1.02bar pressure connection vertical coffee machine parts connection 1/4" 1CO suitable for Palux, Bremer pressure connection 1/4"		
For models:	674524, 674532, 674605, 805149, 805300, 805408, 805459, 805556, 805xxx, 810002, 813303, 890502, 890510, 890529, 890553, 890561, 890588, 890596, 890618, 890626, Aromacarina, Aromacarina-Dampf, Aromacarina-EsA, Aromacarina-ETA, Aromacarina-ETA-EsA, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, standkaffeemaschine-solomatic-2, standkaffeemaschine-solomatic-4, Wandkaffeemaschine-800		



for steam control



1

No.	541015	Ref. No.	030422 301523
description	pressure control ø 45mm pressure range 400/360mbar pressure range 0.4/0.36bar p max 1.02bar pressure connection vertical coffee machine parts connection 1/4" 1CO suitable for Palux, Bremer pressure connection 1/4"		
For models:	674524, 674532, 674605, 805149, 805300, 805408, 805459, 805556, 805xxx, 810002, 813303, 890502, 890510, 890529, 890553, 890561, 890588, 890596, 890618, 890626, Aromacarina, Aromacarina-Dampf, Aromacarina-EsA, Aromacarina-ETA, Aromacarina-ETA-EsA, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, standkaffeemaschine-solomatic-2, standkaffeemaschine-solomatic-4, Wandkaffeemaschine-800		



1

No.	541016	Ref. No.	702129
description	pressure control ø 45mm pressure range 480/430mbar pressure connection vertical steam control pressure range 0.48/0.43bar connection 1/4" pressure connection 1/4"		
For models:	00443x, 00457x, 136581, 690570		



1

No.	541342	Ref. No.	702153
description	pressure control ø 45mm reset pressure reclosing lockbar pressure connection vertical steam control pressure range 0.6/0.54bar connection 1/4" pressure connection 1/4"		
For models:	690570		



1

No.	541022	Ref. No.	127515
description	pressure control steam control pressure connection vertical pressure range adjustable 0.25-4.5bar connection 1/4" pressure connection 1/4" IT		
For models:	Maxima-Elektro-Kochkessel-100, Maxima-Elektro-Kochkessel-700-850, Maxima-Elektro-Kochkessel-80		

electrodes



1

No.	400697	Ref. No.	203858	
description	level electrode PG16 total length 26mm probe L 20mm insulated probe length 5mm connection M5 ø 29mm			
For models:	750204, 750212, 750220, 750239			
spare parts for	400697			
	No.	550577	Ref. No.	—
	nut thread PG16 H 3mm WS 26 nickel-plated brass Qty 1 pcs mounting ømm cable ømm			

flow meters and flow sensors

flow meters

GICAR



1

No.	400642	Ref. No.	027790
description	flow meter thread 1/4" plastic plug-in connection approval NSF		
For models:	805149, 805408, 805459, 805xxx, 890502, 890510, 890529, 890553, 890561, 890588, 890596, 890618, 890626, Aromacarina-EsA, Aromacarina-ETA-EsA		

fans

axial fans

import



No.	601080 ¹	Ref. No.	693456
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198		
accessories for	601080		
	No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No.	692519	Ref. No. —
	guard L 120mm W 120mm plastic		

¹with ball bearings

cross flow fans

ebm-papst



No.	601505	Ref. No.	679178
description	cross flow fan QLN65/2400A17-3030L roller ø 65mm roller length 240mm laminated core thickness 29mm motor position right 230V/50Hz 22W refrigeration bearing silicone connection F 6.3 0 up to +60°C 230V throughput 200m³/h 50Hz		
For models:	354643, 354651, 354678, 354686, 354694, 354708, 505900, 505935, 650129, 650137, 650145, 650153, 663263, 663395, 670618, 670626, 686409, 687200, 688096, 688118, 688363, 690600, 696498, 703095, 703109, 703117, 703125, 709816, 709824, 709832, 709840, 716294, 716847, 733105, 733113, 733121, 733148, 733156, 733164, 736422, 736430, 736449, 736457, 736465, 736473		


COPREL

with moulded coils




No.	601456	Ref. No.	202428
description	cross flow fan roller ø 45mm roller length 180mm laminated core thickness 15mm motor position right 230V/50Hz 26W universal bearing silicone connection male faston 6.3mm -30 up to +100°C 230V 50/60Hz		
For models:	750026, 750034, 750042, 750050, 750069		

hot air motors



No.	500102	Ref. No.	332410
description	fan motor 230-240V 1 phase 50Hz 0.09kW 1390rpm speeds 1 L1 150mm L2 32mm L3 27mm ø 125mm M10R IT 1.1A suitable capacitor 4µF/400V power input 200W at 50Hz 1390rpm type L7yzw4B-207 no. X5 D1 ø 17mm D2 ø 14mm		
For models:	385018, 385026, 385034, 385042, 385050, 385514, 390003, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 399019, 399027, 399035, 399043, 399051, 399078, 399086, 399094, 399108, 399116, 606294, 606316, 606324, 606332, 606340, 606359, 606367, 609544, 609552, 609560...(Other models you can see in the webshop)		



No.	601474	Ref. No.	693286
description	fan motor 230V 1 phase 50/60Hz 0.03kW 3600rpm speeds 1 L1 115mm L2 20mm L3 32mm ø 12mm shaft flat length 23mm 7.5/8 0.35/0.56A suitable capacitor 3µF400V power input 75/125W at 50Hz 3600rpm type L5ow2B-317 no. W9		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198		
accessories for	601474		
	No.	602166	Ref. No. —
	fan wheel blades 9 D1 ø 175mm D2 ø 8mm D3 ø 8mm H1 30mm H2 28mm ED 6-23		




1

No.	601871	Ref. No.	302821
description	fan motor 230V 1 phase 50Hz 85kW 2400rpm speeds 1 L1 85mm L2 40mm L3 33mm L4 133.5mm fan wheel ø 180mm at 50Hz 230V at 60Hz 230V at 50Hz 2600rpm at 60Hz 2850rpm type R2E180-AU01-09		
For models:	389595, 389609, 398950, 398969, 398977, 609188, 609196, 637599, 674648, 674656, 674885, Heissluftdaempfer-5x2-3, Heissluft-geraet-5x2-3		



1




No.	500170	Ref. No.	580287
description	fan motor 3 phase		
For models:	671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671762, 671770, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851, 671878, 671886, 671894, 671908, 671916, 671975, 671983, 671991, 680583, 680591		

hot air fans

ebm-papst




1



No.	601059	Ref. No.	647896
description	hot air fan 220-230V 36W 0.26A L1 60mm L2 10mm L3 20mm L4 87mm fan wheel ø 150mm type R2K150-AN27-17 ebm-papst		
For models:	361429, 361437, HTP1, HTP2		



1



No.	601013	Ref. No.	232572
description	hot air fan 230V 43W 0.25A L1 60mm L2 20mm L3 25mm L4 155mm fan wheel ø 150mm type R2S150-AA08-29 ebm-papst 2200rpm		
For models:	Elektro-Waermeschrank, OEWS1245-einseitig-400x1200mm, OEWS1246-einseitig-mit-Rueckwandverkleidung, UDWE1225L, UDWE1225L-doppelseitig-Eck-640x1200mm, UDWE1225R, UDWE1225R-doppelseitig-Eck-640x1200mm, UDWF0825, UDWF0825D-doppelseitig-640x800mm, UDWs1225, UDWs1225-doppelseitig-640x1200mm, UEWF0825, UEWF0825D-einseitig-640x800mm, UEWs06-schubladenblock-640x600mm, UEWs1225, UEWs1225-doppelseitig-640x1200mm, UEWs1225-einseitig-640x1200mm, UGWF0835, UGWF0835D-Fluegeltuer-710x800mm, UGWs1235, UGWs1235-schiebetuer-710x1200mm		

radial fans

miscellaneous



1

No.	601475	Ref. No.	752525
description	radial fan 230V voltage AC 50/60Hz 20W H1 180mm L1 180mm D1 ø 86mm W1 40mm W2 34mm H2 122mm W3 40mm H3 172mm		
For models:	754668, 757314, 757462, 757470		

pumps

wash and rinse pumps

FIR


pumps



1

No.	500560	Ref. No.	299200 645486
description	pump inlet ø 50mm outlet ø 37mm type B250.1500 230V 50Hz 1 phase 0.9kW 1.2HP L 265mm rotation direction left capacitor 12.5µF FIR		
For models:	271500, 337xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, Geschirrspuelautomat-330, Geschirrspuelautomat-335, Geschirrspuelautomat-336, GsP-350, GsP-500, GsP-600		
spare parts for	500560		
	No.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	No.	510693	Ref. No. 359416 441002
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521273	Ref. No. 728853
	impellor ø 103mm H 27mm rotation direction left thread M7R shaft ø 12mm shaft length 10mm blades 6		
	No.	521567	Ref. No. 679623
	pump cover FIR inlet ø 50mm outlet ø 37mm ø 150mm ID ø 118mm inner height 25mm		
	No.	521702	Ref. No. —
	pump cover gasket thickness 3.5x4.5mm Qty 1 pcs		

LGB



1

No.	501486	Ref. No.	73048
description	pump inlet ø 42mm outlet ø 37mm type LA50 AP 230V 50Hz 1 phase 0.7kW L 220mm rotation direction right capacitor 14µF auxiliary pressure connection 8mm LGB		
spare parts for	501486		
	No.	365020	Ref. No. —
	operating capacitor capacity 14µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm protection		
	No.	510702	Ref. No. —
	mechanical shaft seal height counter ring 5.5mm ID ø 12mm		
	No.	521024	Ref. No. —
	impellor ø 88mm H 30mm rotation direction right thread M7L shaft ø 12mm blades 6		
	No.	698767	Ref. No. —
	fan blade ø 110mm H 18mm shaft intake ø 12mm plastic blades 6		
	No.	698768	Ref. No. —
	pump cover LGB inlet ø 42mm pump type LA50 AP ø 115mm ID ø 36mm		
	No.	698793	Ref. No. —
	pump cover outlet ø 24/36mm pump type LGB		
	No.	698810	Ref. No. —
	O-ring EPDM thickness 3.56mm ID ø 112mm Qty 1 pcs		
	No.	698827	Ref. No. —
	threaded ring LGB pump type LA50 ø 120mm ID ø 70mm		



OLYMPIA

pumps



1

No.	500003	Ref. No.	359270
description	pump inlet ø 45mm outlet ø 32mm type T30 230V 50Hz 1 phase 0.29kW 0.39HP L 190mm rotation direction right capacitor 8µF OLYMPIA		
For models:	665843, 665851, Glaeserspuelautomat-325, Glaeserspuelautomat-328		
spare parts for	500003		
	No.	365013	Ref. No. —
operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection			
	No.	510512	Ref. No. —
pump cover OLYMPIA inlet ø 45mm outlet ø 31mm outlet 2 ø 24 turn direction right ø 130mm ID ø 124mm inner height 20mm			
	No.	510554	Ref. No. —
O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs			
	No.	510615	Ref. No. —
impeller ø 90mm H 22mm rotation direction right thread M10L blades 4			
	No.	510693	Ref. No. 359416 441002
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			

booster pumps I



1

No.	500193	Ref. No.	958719
description	pump inlet ø 3/8" IT outlet ø 3/8" IT type C.1510 230V 50Hz 0.43kW ø 100mm L 170mm rotation direction left capacitor 10µF ALBA PUMPS (C&A)		
spare parts for	500193		
	No.	550331	Ref. No. —
protective covering 1-pole size 6.3mm straight nylon t.max. 120°C Qty 20 pcs			

accessories for	500193		
	No.	365015	Ref. No. —
operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection			
	No.	511279	Ref. No. —
hose connector brass straight thread 3/8" hose ø 12mm Qty 1 pcs			
	No.	520202	Ref. No. —
hose connector nickel-plated brass straight thread 3/8" hose ø 12mm Qty 1 pcs			
	No.	520204	Ref. No. —
hose connector nickel-plated brass straight thread 3/8" hose ø 17mm Qty 1 pcs			

electric accessories

terminals

porcelain clamps



1

No.	550125	Ref. No.	151491
description	rail-mounted porcelain terminal 1-pole 10mm ² max. 57A max 400V L 25mm W 15mm H 25mm mounting distance mm Qty 1 pcs		
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 610003, 610038, 61030x, 610402, 611018, 611050, 612006, 612057, 616001, 620009, 620300, 621005, 621056, 622001, 622052, 623008, 624004, 627100, 629006, 629022, Backofen-629, Bain-Marie-624, Bain-Marie-626, Brater-611, Brater-621, Elektroherd-4-Platten-623, Elektroherd-616, Fritteuse-600, Fritteuse-601, Fritteuse-602, Geschirrspuelautomat-335, Geschirrspuelautomat-336, Griddle-Platte-612, Griddleplatte-622, steakgrill-61030, steakgrill-62030, Wurstgrill-610, Wurstgrill-620		

connection terminals with screw/faston connections



1

No.	550762	Ref. No.	070858
description	connection terminal 2-pole max. 16A max 400V connection ø 2.5mm ² / F6.3 temp.-resist. 150°C		
For models:	140902, 144819, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, 502200, 502308, 502650, 502707, 503010, 503150, 505900, 505935, 515892, 515906, 516678, 517887, 541869, 626104, 626112, 626201, 626228, 626309, 626317, 637564, 638625, 639087, 649554, 649562, 650943, 650951, 657735, 663263, 663395, 667412, 670618, 670626, 684848, 686298, 686328, 686336, 686409, 687200, 688096, 688118...(Other models you can see in the webshop)		

			
1			
No.	550110	Ref. No.	002186
description	power terminal block 5-pole max. 40A max 250V connection M6/ male faston 6.3mm temp.-resist. 130°C		
For models:	140902, 144819, 353167, 354392, 354457, 354643, 354651, 354678, 354686, 354694, 354708, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, 502200, 502308, 502650, 502707, 503010, 503150, 505900, 505935, 515892, 515906, 516678, 517887, 541869, 601004, 601209, 601403, 602000, 602205, 602280, 603201, 610038, 610429, 611220, 614106, 615080, 616109, 620203, 620424, 621110, 623105, 624101...(Other models you can see in the webshop)		

gas taps

PEL

21S series

			
1			
No.	101671	Ref. No.	252859 259934 697451
description	gas tap PEL type 21S gas inlet pipe flange ø21mm bypass nozzle ø 0.35mm gas outlet M17x1 (tube ø 10mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 6x4.6mm shaft L 30/23mm shaft flat upper		
For models:	399701, 399728, 541419, 541427, 750123, 750131, 750158, 750166, 750174, 750182, 750190, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		
spare parts for	101671		
	No.	100408	Ref. No. 834076
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		
	No.	100908	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	101060	Ref. No. 296864
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	No.	101230	Ref. No. —
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
	No.	101246	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs		
	No.	101803	Ref. No. —
	gas tap front part shaft ø 6x4.6mm shaft L 30/23mm shaft flat upper/lower suitable for PEL21		
accessories for	101671		
	No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		

accessories for	101671		
	No.	101278	Ref. No. —
	olive for pipe ø 10mm Qty 1 pcs		
	No.	101286	Ref. No. —
	olive ID ø 6mm Qty 1 pcs		
	No.	101300	Ref. No. —
	union nut thread M16x1.5 tube ø 10mm		
	No.	101450	Ref. No. —
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		
	No.	101451	Ref. No. —
	union nut thread M16x1.5 tube ø 8mm		
	No.	110078	Ref. No. —
	knob without symbol ø 70mm shaft ø 6x4.6mm shaft flat universal		
	No.	112206	Ref. No. —
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm		

			
1			
No.	101611	Ref. No.	831611
description	gas tap PEL type 21S/V gas inlet pipe flange ø21mm bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 6x4.6mm shaft L 30/17.5mm shaft flat upper		
spare parts for	101611		
	No.	100408	Ref. No. 834076
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		
	No.	101060	Ref. No. 296864
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	No.	101230	Ref. No. —
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
	No.	101804	Ref. No. —
	gas tap front part shaft ø 6x4.6mm shaft L 30/12.5mm shaft flat upper/lower suitable for PEL21		
accessories for	101611		
	No.	100908	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101246	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs		
	No.	101278	Ref. No. —
	olive for pipe ø 10mm Qty 1 pcs		



accessories for 101611				
	No.	101286	Ref. No.	—
olive ID 6mm Qty 1 pcs				
	No.	101300	Ref. No.	—
union nut thread M16x1.5 tube 10mm				
	No.	101450	Ref. No.	—
olive for pipe 8mm L 12.7mm Qty 1 pcs ED 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube 8mm				

22S/V series



1

No.	101087	Ref. No.	321397	
description	gas tap PEL type 22S/V gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper			
	For models: 910007, 910015, 910023, 910058, 910066, 910449, 910457, 910465			
spare parts for	101087			
	No.	100259	Ref. No.	—
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No.	101058	Ref. No.	296872
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	101201	Ref. No.	—
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22			
	No.	101231	Ref. No.	—
	thermocouple nut T1: M9x1 T2: M18x1			
	No.	101241	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101460	Ref. No.	—
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No.	—
	screw kit suitable for PEL22 Qty 4 pcs			
accessories for	101087			
	No.	100908	Ref. No.	—
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101240	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			

accessories for 101087				
	No.	101246	Ref. No.	—
olive for pipe 4mm Qty 1 pcs				
	No.	101248	Ref. No.	—
olive for pipe 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	—
olive for pipe 10mm Qty 1 pcs				
	No.	101250	Ref. No.	—
union nut thread M20x1.5 for pipe 10mm				
	No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe 12mm				
	No.	101286	Ref. No.	—
olive ID 6mm Qty 1 pcs				
	No.	110080	Ref. No.	—
knob 70mm shaft 10x8mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED 63mm ID 45.5mm				

23S/V series



1

No.	101630	Ref. No.	092415
description	gas tap PEL type 23S/V gas inlet 1/2" IT bypass nozzle ø 0.35mm gas outlet 1/2" MT (tube ø 14mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10mm shaft L 25mm shaft flat		
spare parts for	101630		
	 No.	100455	Ref. No. —
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	No.	101059	Ref. No. —
	magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1		
	No.	102767	Ref. No. —
	gas tap front part shaft ø 10mm shaft L 26.5mm shaft flat suitable for PEL23S		
accessories for	101630		
	 No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	100945	Ref. No. —
	roll pin ø 3.2mm L 10mm		

Table continues overleaf

accessories for 101630				
	No.	101218	Ref. No.	—
shaft extension JUNKERS				
	No.	101219	Ref. No.	—
shaft extension L 25mm JUNKERS				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110064	Ref. No.	—
knob				
	No.	110066	Ref. No.	—
knob screw				
	No.	550396	Ref. No.	—
shaft extension L 25mm JUNKERS				

alternatives to EGA

GPEL20 series

with pipe outlet



1

No.	101603	Ref. No.	001163
description			
gas tap alternatives to EGA type GPEL20R with pipe outlet without ignition flame connection gas inlet M15x1 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M17x1 (tube ø 10mm) thermocouple connection M8x1 shaft ø 6x4.6mm shaft L 31/23mm shaft flat upper			
For models:			
645005, Gasherd-645, Gasherd-64502, Gasherd-646			
spare parts for 101603			
	No.	100408	Ref. No. 834076
bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5			
	No.	101060	Ref. No. 296864
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101230	Ref. No. —
thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	No.	101801	Ref. No. —
gas tap front part shaft ø 6x4.6mm shaft L 31/23mm shaft flat upper/lower suitable for PEL20			
accessories for 101603			
	No.	100926	Ref. No. —
centring piece thread M17x1			
	No.	100942	Ref. No. —
union nut thread M15x1 for pipe ø 10mm			

accessories for 101603				
	No.	100943	Ref. No.	—
union nut thread M17x1 tube ø 10mm				
	No.	101278	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	110078	Ref. No.	—
knob without symbol ø 70mm shaft ø 6x4.6mm shaft flat universal				
	No.	110083	Ref. No.	—
knob dial plate gas tap without ignition flame silver				

GPEL21 series

with pipe outlet



1

No.	101612	Ref. No.	831743 Alternative für 540889 Alternative für 540897
description			
gas tap alternatives to EGA type GPEL21R with pipe outlet gas inlet M15x1 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M17x1 (tube ø 10mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 6x4.6mm shaft L 22/15mm shaft flat lower			
For models:			
399604, 399612, 399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295			
spare parts for 101612			
	No.	100408	Ref. No. 834076
bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5			
	No.	101060	Ref. No. 296864
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101230	Ref. No. —
thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	No.	101805	Ref. No. —
gas tap front part shaft ø 6x4.6mm shaft L 38/15mm shaft flat upper/lower suitable for PEL21			
accessories for 101612			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	100926	Ref. No. —
centring piece thread M17x1			
	No.	100942	Ref. No. —
union nut thread M15x1 for pipe ø 10mm			
	No.	100943	Ref. No. —
union nut thread M17x1 tube ø 10mm			



accessories for 101612				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110078	Ref. No.	—
knob without symbol ø 70mm shaft ø 6x4.6mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				



1

No.	101605	Ref. No.	N/A	
description	gas tap alternatives to EGA type GPEL21R with pipe outlet gas inlet M15x1 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M17x1 (tube ø 10mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 6x4.6mm shaft L 30/23mm shaft flat upper			
spare parts for	101605			
	No.	100408	Ref. No.	834076
bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5				
	No.	101060	Ref. No.	296864
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA				
	No.	101230	Ref. No.	—
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	No.	101803	Ref. No.	—
gas tap front part shaft ø 6x4.6mm shaft L 30/23mm shaft flat upper/lower suitable for PEL21				
accessories for	101605			
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	100926	Ref. No.	—
centring piece thread M17x1				
	No.	100942	Ref. No.	—
union nut thread M15x1 for pipe ø 10mm				
	No.	100943	Ref. No.	—
union nut thread M17x1 tube ø 10mm				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				

accessories for 101605				
	No.	101278	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110078	Ref. No.	—
knob without symbol ø 70mm shaft ø 6x4.6mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

GPEL22 series

with nozzle outlet



1

No.	101622	Ref. No.	290866	
description	gas tap alternatives to EGA type PEL22S with nozzle outlet (without nozzle) gas inlet M18x1.5 (tube ø 12mm) external nozzle ømm internal nozzle ømm bypass nozzle ø 0.35mm mixing pipe connection M22x1 thermocouple connection M8x1 pilot connection M10x1 shaft ø 6x4.6mm shaft L 35/21mm shaft flat upper			
For models:	Maxima-Gasheer-700, Maxima-Gasheer-850			
spare parts for	101622			
	No.	100259	Ref. No.	—
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5				
	No.	100927	Ref. No.	—
torsion spring L 2.8-8.0mm for internal nozzle ø 3mm bore ømm				
	No.	101058	Ref. No.	296872
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard				
	No.	101230	Ref. No.	—
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	No.	101460	Ref. No.	—
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				
	No.	101527	Ref. No.	—
O-ring Viton thickness 1.78mm ID ø 6.75mm Qty 1 pcs				
	No.	101594	Ref. No.	—
adjusting screw for internal nozzle thread M10x0.75				
	No.	101823	Ref. No.	—
gas tap front part shaft ø 6x4.6mm shaft L 35/21mm shaft flat upper/ lower suitable for PEL22				
accessories for	101622			
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				

accessories for 101622				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	100944	Ref. No.	—
union nut thread M18x1.5 for pipe ø 12mm				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101273	Ref. No.	959715
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110078	Ref. No.	—
knob without symbol ø 70mm shaft ø 6x4.6mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

alternatives to JUNKERS



1

No.	101630	Ref. No.	092415	
description	gas tap PEL type 23S/V gas inlet 1/2" IT bypass nozzle ø 0.35mm gas outlet 1/2" MT (tube ø 14mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10mm shaft L 25mm shaft flat			
spare parts for	101630			
	No.	100455	Ref. No.	—
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5				
	No.	101059	Ref. No.	—
magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1				
	No.	102767	Ref. No.	—
gas tap front part shaft ø 10mm shaft L 26.5mm shaft flat suitable for PEL23S				
accessories for	101630			
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	100945	Ref. No.	—
roll pin ø 3.2mm L 10mm				
	No.	101218	Ref. No.	—
shaft extension JUNKERS				
	No.	101219	Ref. No.	—
shaft extension L 25mm JUNKERS				

accessories for 101630				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110064	Ref. No.	—
knob				
	No.	110066	Ref. No.	—
knob screw				
	No.	550396	Ref. No.	—
shaft extension L 25mm JUNKERS				

EGA

24197 series

gas taps



1

No.	101149	Ref. No.	290874	
description	gas tap EGA type 24197 series			
For models:	Maxima-Gasherd-700, Maxima-Gasherd-850			
spare parts for	101149			
	No.	101058	Ref. No.	296872
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard			
	No.	101230	Ref. No.	—
	thermocouple nut T1: M8x1 T2: M18x1 aluminium			
accessories for	101149			
	No.	100944	Ref. No.	—
	union nut thread M18x1.5 for pipe ø 12mm			
	No.	101273	Ref. No.	959715
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101284	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs			
	No.	101285	Ref. No.	—
	union screw thread M8x1 for pipe ø 4mm Qty 1 pcs JUNKERS			



26400 series

gas taps



1

No.	106319	Ref. No.	169498
description	gas tap EGA type 26400 series gas inlet 8mm pipe thermocouple connection M8 shaft ø 6x4.6mm external nozzle ø 270mm internal nozzle ø 130mm bypass nozzle ø 65mm shaft L 25mm shaft length knob 17mm shaft flat upper		
For models:	640018, 642053, Gas-Brater-641, Gas-Griddleplatte-642, Gas-sudpfanne-643, Gas-Wurstgrill-640		
spare parts for	106319		
	No.	100295	Ref. No. 169595
gas injector thread M12x1 WS 14 bore ø 2.70mm			
	No.	100361	Ref. No. —
bypass nozzle EGA type 31248 series bore ø 0.65mm			
	No.	101060	Ref. No. 296864
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101230	Ref. No. —
thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	No.	106510	Ref. No. —
internal nozzle bore ø 1.30mm suitable for EGA26400/26440			
accessories for	106319		
	No.	100941	Ref. No. —
union nut thread M15x1 for pipe ø 8mm			
	No.	101277	Ref. No. —
olive ID ø 8mm Qty 1 pcs			

26440 series


gas taps



1

No.	101142	Ref. No.	081167 081426
description	gas tap EGA type 26440 series		
For models:	Maxima-Gasherd-700-850, Maxima-Gasherd-mit-Gasbackofen, Maxima-Gasherd-neue-Ausfuehrung-700-850		
spare parts for	101142		
	No.	101060	Ref. No. 296864
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101230	Ref. No. —
thermocouple nut T1: M8x1 T2: M18x1 aluminium			

accessories for	101142		
	No.	100926	Ref. No. —
centring piece thread M17x1			
	No.	100942	Ref. No. —
union nut thread M15x1 for pipe ø 10mm			
	No.	101278	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	No.	101284	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	No.	101285	Ref. No. —
union screw thread M8x1 for pipe ø 4mm Qty 1 pcs JUNKERS			
	No.	101394	Ref. No. —
nut thread M17x1 H 3mm WS 19 brass Qty 1 pcs			



1

No.	101145	Ref. No.	540889 540897
description	gas tap EGA type 26440 series		
spare parts for	101145		
	No.	101060	Ref. No. 296864
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101233	Ref. No. —
union nut thread M10x1 JUNKERS			
accessories for	101145		
	No.	100926	Ref. No. —
centring piece thread M17x1			
	No.	100942	Ref. No. —
union nut thread M15x1 for pipe ø 10mm			
	No.	101278	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	No.	101284	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	No.	101285	Ref. No. —
union screw thread M8x1 for pipe ø 4mm Qty 1 pcs JUNKERS			
	No.	101394	Ref. No. —
nut thread M17x1 H 3mm WS 19 brass Qty 1 pcs			

ignition parts

pilot burners

SIT

100 series



1

No.	107137	Ref. No.	321354	
description	pilot burner SIT type 100 series 1 flame LPG nozzle ø 0.18mm gas connectionmm			
spare parts for	107137			
	No.	100246	Ref. No.	—
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
accessories for	107137			
	No.	100246	Ref. No.	—
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	—
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				




1

No.	106907	Ref. No.	321400 321699	
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm			
For models:	710024, 710040, 710059, 710067, 910023, 910047, 910058, 910066, 910082, 910090, 910104, 910112, 910139, 910147, 910155, 910163, 910457, 910473, FOEM-Gas-Backofen			
spare parts for	106907			
	No.	100246	Ref. No.	—
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100855	Ref. No.	—
pilot burner bracket triple				
	No.	100885	Ref. No.	—
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107162	Ref. No.	—
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs				
accessories for	106907			
	No.	100245	Ref. No.	—
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	—
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	No.	107701	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				



accessories

ignition electrodes



No.	100706	Ref. No.	321419
description	ignition electrode connection M4 Qty 1 pcs		
For models:	710059, 710067, 710083, 910023, 910047, 910058, 910066, 910082, 910090, 910104, 910112, 910139, 910147, 910155, 910163, 910457, 910473		

JUNKERS

CB 502 series

pilot burners

1

No.	100125	Ref. No.	374520 606197
description	pilot burner JUNKERS type CB502024		
For models:	399604, 399612, 750301, 750328, 750379, 750387		

spare parts for 100125



No.	100228	Ref. No.	—
pilot burner nozzle town gas gas pressure 8mbar code 4 Qty 1 pcs suitable for JUNKERS CB50203_			



No.	100719	Ref. No.	097292
ignition electrode D1 7mm D2 9mm connection M4 L1 12mm L2 17mm BL1 18mm BL2 3mm BL3 23mm			



No.	100906	Ref. No.	835803
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			



No.	100907	Ref. No.	—
screw connection thread M10x1 Qty 1 pcs type SEF 1 0mm for thermocouple			



No.	101281	Ref. No.	—
olive for pipe 4mm L 8.7mm Qty 1 pcs suitable for CB 502/503			



No.	101283	Ref. No.	—
union screw thread M10x1 for pipe 4mm Qty 1 pcs			

accessories for 100125



No.	100220	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 2 Qty 1 pcs suitable for JUNKERS CB503_			



No.	100221	Ref. No.	—
pilot burner nozzle LPG gas pressure 30mbar code 29 Qty 1 pcs suitable for JUNKERS CB50203_			

accessories for 100125



No.	100222	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 5 Qty 1 pcs suitable for JUNKERS CB50203_			



No.	100223	Ref. No.	—
pilot burner nozzle natural gas gas pressure 20mbar code 3 Qty 1 pcs suitable for JUNKERS CB503_			



No.	100224	Ref. No.	—
pilot burner nozzle natural gas gas pressure 25mbar code 26 Qty 1 pcs suitable for JUNKERS CB503_			



No.	100225	Ref. No.	—
pilot burner nozzle LPG gas pressure 30mbar code 39 Qty 1 pcs suitable for JUNKERS CB503_			



No.	100226	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 15 suitable for JUNKERS			



No.	100227	Ref. No.	—
pilot burner nozzle natural gas gas pressure 25mbar code 6 Qty 1 pcs suitable for JUNKERS CB50203_			



No.	100909	Ref. No.	—
union screw thread M10x1 for pipe 6mm Qty 1 pcs			



No.	101287	Ref. No.	—
olive for pipe 6mm Qty 1 pcs			

CB 503 series

pilot burners



1

No.	100101	Ref. No.	225894
description	pilot burner JUNKERS type CB503003 LPG nozzle no.2 gas connection 4mm with primary air		
For models:	FOEM-Offenen-Brennstellen, Maxima-Gasherdd-700, Maxima-Gasherdd-850		

spare parts for 100101



No.	100224	Ref. No.	—
pilot burner nozzle natural gas gas pressure 25mbar code 26 Qty 1 pcs suitable for JUNKERS CB503_			



No.	101281	Ref. No.	—
olive for pipe 4mm L 8.7mm Qty 1 pcs suitable for CB 502/503			



No.	101283	Ref. No.	—
union screw thread M10x1 for pipe 4mm Qty 1 pcs			

accessories for 100101



No.	100220	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 2 Qty 1 pcs suitable for JUNKERS CB503_			



No.	100221	Ref. No.	—
pilot burner nozzle LPG gas pressure 30mbar code 29 Qty 1 pcs suitable for JUNKERS CB50203_			



No.	100222	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 5 Qty 1 pcs suitable for JUNKERS CB50203_			



accessories for 100101				
	No.	100223	Ref. No.	—
pilot burner nozzle natural gas gas pressure 20mbar code 3 Qty 1 pcs suitable for JUNKERS CB503_				
	No.	100226	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 15 suitable for JUNKERS				
	No.	100227	Ref. No.	—
pilot burner nozzle natural gas gas pressure 25mbar code 6 Qty 1 pcs suitable for JUNKERS CB50203_				
	No.	100228	Ref. No.	—
pilot burner nozzle town gas gas pressure 8mbar code 4 Qty 1 pcs suitable for JUNKERS CB50203_				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101287	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				

POLIDORO

pilot burners



1

No.	100079	Ref. No.	834610 835838
description pilot burner POLIDORO 3 flames code gas connectionmm			
accessories for 100079			
	No.	100000	Ref. No. —
pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs			
	No.	100208	Ref. No. —
pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs			
	No.	100209	Ref. No. —
pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs			
	No.	100701	Ref. No. —
ignition electrode connection M4 Qty 1 pcs			
	No.	100906	Ref. No. 835803
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm			

accessories for 100079				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	102699	Ref. No.	835765
pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores				
	No.	102795	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	102797	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	No.	106703	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs				
	No.	106704	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 16.2 bore ø 2x0.16mm Qty 1 pcs				
	No.	106763	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs				
	No.	106859	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs				

producer-specific pilot burners

PALUX

Compact series



1

No.	102956	Ref. No.	N/A
description pilot burner type C without nozzle			



1

No.	102957	Ref. No.	N/A
description pilot burner type D without nozzle			



No.	102958	Ref. No.	N/A
description	pilot burner type E without nozzle		

Practica series



No.	107137	Ref. No.	321354
description	pilot burner SIT type 100 series 1 flame LPG nozzle $\varnothing$ 0.18mm gas connectionmm		
spare parts for	107137		
	No.	100246	Ref. No. —
pilot burner nozzle natural gas bore $\varnothing$ 0.35mm Qty 1 pcs thread M8x0.75			
	No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			
	No.	100918	Ref. No. —
screw for pilot burner			
accessories for	107137		
	No.	100246	Ref. No. —
pilot burner nozzle natural gas bore $\varnothing$ 0.35mm Qty 1 pcs thread M8x0.75			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe $\varnothing$ 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe $\varnothing$ 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe $\varnothing$ 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe $\varnothing$ 6mm thickness 1mm L 3000mm			
	No.	107171	Ref. No. —
pilot burner nozzle SIT natural/liquid gas bore $\varnothing$ 0.25mm Qty 1 pcs			

Topline series (version 1)



No.	100088	Ref. No.	541346
description	pilot burner EGA type B		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		
spare parts for	100088		
	No.	100961	Ref. No. 081515 360139
pilot burner head thread M7x0.75mm thread L 5mm ED $\varnothing$ 6mm ID $\varnothing$ 4.4mm total length 30mm L 20mm WS 8			
	No.	101345	Ref. No. —
nut thread M15x1 H 3mm WS 19 brass Qty 1 pcs			
accessories for	100088		
	No.	100270	Ref. No. 086339
pilot burner nozzle LPG bore $\varnothing$ 0.2mm thread M8x0.75 T1: M8x1			
	No.	100271	Ref. No. —
pilot burner nozzle natural gas bore $\varnothing$ 0.3mm			
	No.	100960	Ref. No. 082759
cover for pilot burner			
	No.	101228	Ref. No. —
knurled nut thread M8x0.75 $\varnothing$ 14mm H 4mm mounting pos. outer brass			
	No.	101259	Ref. No. —
union nut thread M8x1 for pipe $\varnothing$ 4mm			
	No.	101284	Ref. No. —
olive for pipe $\varnothing$ 4mm Qty 1 pcs			

electrodes



No.	100706	Ref. No.	321419
description	ignition electrode connection M4 Qty 1 pcs		
For models:	710059, 710067, 710083, 910023, 910047, 910058, 910066, 910082, 910090, 910104, 910112, 910139, 910147, 910155, 910163, 910457, 910473		



No.	100719	Ref. No.	097292
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 12mm L2 17mm BL1 18mm BL2 3mm BL3 23mm		
For models:	640018, 642053, Gas-Brater-641, Gas-Griddleplatte-642, Gas-sudpfanne-643, Gas-Wurstgrill-640		

No.	100741	Ref. No.	090069
description	ignition electrode D1 ø 9mm L1 8mm connection M4 PG9		
For models:	Maxima-Gas-Kippbratpfanne-neue-Ausfuehrung-700-850		

No.	100906	Ref. No.	835803
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

No.	100005	Ref. No.	858528
description	piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm SIT		

miscellaneous			
No.	nla ¹	Ref. No.	089354 311723
description	piezoelectric igniter body metal connection F6.3x0.8 2 hole fixing ø 22mm		
For models:	640018, 642053, 645005, 710059, 710067, 710083, 750301, 750328, 750379, 750387, Gas-Brater-641, Gas-Griddleplatte-642, Gas-herd-645, Gas-herd-646, Gas-sudpfanne-643, Gas-Wurstgrill-640, Maxima-Gas-Bain-Marie-700-850, Maxima-Gas-Bain-Marie-850, Maxima-Gas-Kippbratpfanne-neue-Ausfuehrung-700-850		

¹no longer available

No.	nla ¹	Ref. No.	833291
description	piezoelectric igniter suitable for Minisit connection F6.3x0.8 ømm		

¹no longer available

piezoelectric igniters

mounting diameter 22mm



1

No.	100039	Ref. No.	269174	
description	piezoelectric igniter body plastic blowing mounting ø 22mm connection F6.3x0.8 cable lengthmm			
For models:	Gas-Bain-Marie-644, Maxima-Gas-herd-mit-Gasbackofen			
accessories for	100039			
	No.	100115	Ref. No.	—
	union nut ID ø M22x1mm			

thermocouples

plug-in thermocouples

plug-in thermocouples standard


with barrel socket ø5mm - type Junkers with aluminised tip

				
No.	102205	Ref. No.	697443	
description	thermocouple M8x1 L 750mm plug connection ø5.0mm			
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295			
accessories for	102205			
	No.	101260	Ref. No.	—
thermocouple fitting thread M8x1 Qty 1 pcs				




with barrel socket ø6mm


type Junkers with aluminised tip



No.	102218	Ref. No.	384267
description	thermocouple M8x1 L 320mm plug connection ø6.0mm		
For models:	750123, 750131, 750158, 750166, 750174, 750182, 750190, 750379, 750387		




No.	102220	Ref. No.	384275
description	thermocouple M8x1 L 600mm plug connection ø6.0mm		
For models:	750123, 750131, 750158, 750166, 750174, 750182, 750190		



No.	102221	Ref. No.	225908
description	thermocouple M8x1 L 750mm plug connection ø6.0mm		
For models:	FOEM-Offenen-Brennstellen		

with barrel socket ø6(6.5)mm

thermocouples SIT



No.	107609	Ref. No.	321702
description	thermocouple SIT M9x1 L 600mm plug connection ø6.0(6.5)mm		
For models:	710059, 710067, 910104, 910112, 910139		

plug-in thermocouples with cable link




No.	102131	Ref. No.	384968
description	thermocouple with two-conductors L 1000mm plug connection ø5.0mm M8x1		
For models:	750301, 750328		

threaded thermocouples


threaded thermocouples standard

with socket with thread M8x1


SIT




No.	107645	Ref. No.	086363
description	thermocouple SIT M10x1 L 1500mm M8x1		
For models:	Maxima-Gasherd-mit-Gasbackofen		
accessories for	107645		
	No.	102067	Ref. No. 054240
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			



No.	107632	Ref. No.	001198
description	thermocouple SIT M8x1 L 1000mm M8x1		
For models:	Gasherd-64502		
accessories for	107632		
	No.	102067	Ref. No. 054240
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			




No.	107633	Ref. No.	229644
description	thermocouple SIT M8x1 L 1200mm M8x1		
For models:	Gasherd-64502, Maxima-Gasherd-700, Maxima-Gasherd-850		
accessories for	107633		
	No.	102067	Ref. No. 054240
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			



No.	107629	Ref. No.	00118*
description	thermocouple SIT M8x1 L 450mm M8x1		
accessories for	107629		
	No.	102067	Ref. No. 054240
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			



type Junkers with aluminised tip



No.	102233	Ref. No.	001201
description	thermocouple M8x1 L 750mm M8x1		
For models:	399701, 399728, 541419, 541427, 640018, 642053, 645005, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Gas-Brater-641, Gas-Griddleplatte-642, Gasherd-645, Gasherd-646, Gas-Wurstgrill-640, Maxima-Gas-Bain-Marie-700-850, Maxima-Gas-Bain-Marie-850, Maxima-Gasherd-700, Maxima-Gasherd-700-850, Maxima-Gasherd-850, Maxima-Gasherd-neue-Ausfuehrung-700-850		
accessories for	102233		
	No.	102067	Ref. No.
			054240
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

accessories

nuts



No.	102067	Ref. No.	054240
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
For models:	399701, 399728, 541419, 541427, 640018, 642053, 645005, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Gas-Brater-641, Gas-Griddleplatte-642, Gasherd-645, Gasherd-64502, Gasherd-646, Gas-sudpfanne-643, Gas-Wurstgrill-640, Maxima-Gasherd-700-850, Maxima-Gasherd-neue-Ausfuehrung-700-850		



No.	100965	Ref. No.	054520 082953
description	thermocouple nut thread M8x1 H 15mm WS 11 brass Qty 1 pcs		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Maxima-Gasherd-700-850, Maxima-Gasherd-neue-Ausfuehrung-700-850		

gas burners

hob burners

producer-specific hob burners

PALUX

Topline series (version 1)



No.	104214	Ref. No.	540730
description	air mixing tube ID ø 12mm C		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		



No.	104215	Ref. No.	540749
description	air mixing tube ID ø 14mm D		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		



No.	103090	Ref. No.	290971
description	burner cap C ø 78mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Maxima-Gasherd-700, Maxima-Gasherd-700-850, Maxima-Gasherd-850, Maxima-Gasherd-neue-Ausfuehrung-700-850		



No.	103092	Ref. No.	540684
description	burner cap D ø 87mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Maxima-Gasherd-700-850, Maxima-Gasherd-neue-Ausfuehrung-700-850		



No.	103091	Ref. No.	290998
description	burner cap D ø 94mm with central hole		
For models:	Maxima-Gasherd-700, Maxima-Gasherd-850		



1



No.	104207	Ref. No.	081574
description	burner head C for burner cap ø 78mm H 34mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

1



No.	104208	Ref. No.	540668
description	burner head D for burner cap ø 87mm H 34mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

accessories for	104208		
	No.	103092	Ref. No.
			540684
burner cap D ø 87mm			

1



No.	104098	Ref. No.	081639
description	burner lower part		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Maxima-Gas-herd-700, Maxima-Gas-herd-700-850, Maxima-Gas-herd-850, Maxima-Gas-herd-neue-Ausfuehrung-700-850		

1



No.	104205	Ref. No.	084899
description	gasket C for burner head		

1



No.	104206	Ref. No.	081582
description	gasket D for burner head		
For models:	Maxima-Gas-herd-700-850, Maxima-Gas-herd-neue-Ausfuehrung-700-850		

1



No.	104212	Ref. No.	081612
description	O-ring Viton thickness 3mm ID ø 32.5mm Qty 1 pcs		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Maxima-Gas-herd-700-850, Maxima-Gas-herd-neue-Ausfuehrung-700-850		

1



No.	104213	Ref. No.	540722
description	venturi C/D		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

Topline series (version 2)

1



No.	104520	Ref. No.	N/A
description	air mixing tube C ø 16mm		

1



No.	104501	Ref. No.	370312
description	burner cap C/2.3mm ø 83mm		
For models:	750123, 750131, 750158, 750166, 750174, 750182, 750190		

1



No.	104530	Ref. No.	838373
description	burner cap C/2.6mm ø 83mm		



			
1			
No.	104506	Ref. No.	697397
description	burner cap D ø 95mm with central hole		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

			
1			
No.	104508	Ref. No.	697400
description	burner cap E ø 115mm with central hole		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

			
1			
No.	105597	Ref. No.	001511
description	burner head		
For models:	645005, Gasherd-645, Gasherd-646		

			
1			
No.	104500	Ref. No.	370320
description	burner head C for burner cap ø 85mm		

			
1			
No.	104505	Ref. No.	370614
description	burner head D for burner cap ø 95mm		
For models:	399701, 399728, 541419, 541427, 750123, 750131, 750158, 750166, 750174, 750182, 750190, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

			
1			
No.	104507	Ref. No.	728721 N/A
description	burner head E for burner cap ø 115mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

			
1			
No.	105595	Ref. No.	00152*
description	burner lower part		

			
1			
No.	104550	Ref. No.	N/A
description	burner lower part D ID ø 16.5mm		

			
1			
No.	104711	Ref. No.	728748 N/A
description	burner lower part D ID ø 16.5mm for burner cap ø 95mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

			
1			
No.	104551	Ref. No.	N/A
description	burner lower part E ID ø 18mm		

			
1			
No.	104511	Ref. No.	371076
description	gasket ø 72mm ID ø 45mm for burner head H 1.2mm perforation ø 5mm		
For models:	399701, 399728, 541419, 541427, 750123, 750131, 750158, 750166, 750174, 750182, 750190, 750379, 750387, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

			
1			
No.	104503	Ref. No.	380148
description	nozzle holder ID ø 8mm		
For models:	399701, 399728, 541419, 541427, 750123, 750131, 750158, 750166, 750174, 750182, 750190, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		




reducers for pan supports



No.	210015	Ref. No.	248215
description	reducer for pan support L 250mm W 250mm chrome-plated steel suitable for MKN		
For models:	Maxima-Gasherd-700, Maxima-Gasherd-850		

accessories

reducers for pan supports



No.	210015	Ref. No.	248215
description	reducer for pan support L 250mm W 250mm chrome-plated steel suitable for MKN		
For models:	Maxima-Gasherd-700, Maxima-Gasherd-850		

air mixers



No.	104214	Ref. No.	540730
description	air mixing tube ID ø 12mm C		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		



No.	104215	Ref. No.	540749
description	air mixing tube ID ø 14mm D		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

bar burners

bar burners

No.	105603	Ref. No.	092819
description	bar burner 6 row tilting bratt pan		
For models:	Maxima-Gas-Kippbratpfanne-neue-Ausfuehrung-700-850		

accessories

nozzle holders



No.	104522	Ref. No.	N/A
description	nozzle holder ID ø 10mm ET M17x1		



No.	104503	Ref. No.	380148
description	nozzle holder ID ø 8mm		
For models:	399701, 399728, 541419, 541427, 750123, 750131, 750158, 750166, 750174, 750182, 750190, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		



No.	101152	Ref. No.	169668
description	nozzle holder without internal nozzle, without external nozzle		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Gas-Bain-Marie-644, Gasherd-646		

gas nozzles

main nozzles

gas nozzles M12x1



No.	100608	Ref. No.	Bohrung nach Maß
description	gas injector thread M12x1 bore custom-made		



			
1			
No.	100974	Ref. No.	869899
description	gas injector thread M12x1 WS 14 bore ø 0.80mm		

			
1			
No.	100282	Ref. No.	697842
description	gas injector thread M12x1 WS 14 bore ø 0.95mm		
For models:	399701, 399728, 541419, 541427, 750123, 750131, 750158, 750166, 750174, 750182, 750190, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

			
1			
No.	100285	Ref. No.	697834
description	gas injector thread M12x1 WS 14 bore ø 1.10mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

			
1			
No.	100243	Ref. No.	854409
description	gas injector thread M12x1 WS 14 bore ø 1.12mm		

			
1			
No.	100663	Ref. No.	697877
description	gas injector thread M12x1 WS 14 bore ø 1.15mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

			
1			
No.	100286	Ref. No.	854395
description	gas injector thread M12x1 WS 14 bore ø 1.30mm		

			
1			
No.	100300	Ref. No.	697869
description	gas injector thread M12x1 WS 14 bore ø 1.35mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

			
1			
No.	100700	Ref. No.	869880
description	gas injector thread M12x1 WS 14 bore ø 1.50mm		

			
1			
No.	100301	Ref. No.	540765
description	gas injector thread M12x1 WS 14 bore ø 1.55mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

			
1			
No.	100239	Ref. No.	697826
description	gas injector thread M12x1 WS 14 bore ø 1.65mm		
For models:	399701, 399728, 541419, 541427, 750123, 750131, 750158, 750166, 750174, 750182, 750190, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

			
1			
No.	100289	Ref. No.	698997
description	gas injector thread M12x1 WS 14 bore ø 1.80mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

			
1			
No.	100302	Ref. No.	854387
description	gas injector thread M12x1 WS 14 bore ø 1.85mm		



1

No.	100291	Ref. No.	697850
description	gas injector thread M12x1 WS 14 bore ø 2.00mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		



1

No.	100303	Ref. No.	542857
description	gas injector thread M12x1 WS 14 bore ø 2.05mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		



1

No.	100293	Ref. No.	699004
description	gas injector thread M12x1 WS 14 bore ø 2.20mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		



1

No.	100295	Ref. No.	169595
description	gas injector thread M12x1 WS 14 bore ø 2.70mm		
For models:	640018, 642053, Gas-Brater-641, Gas-Griddleplatte-642, Gas-Wurst-grill-640		

gas nozzles M13x1



1

No.	103276	Ref. No.	881792
description	gas injector bore ø 2.5mm WS 13		



1

No.	102787	Ref. No.	881825
description	gas injector thread M13x1 bore ø 1.05mm WS 13		



1

No.	102780	Ref. No.	884360
description	gas injector thread M13x1 bore ø 1.15mm WS 13		



1

No.	107338	Ref. No.	880826
description	gas injector thread M13x1 bore ø 1.25mm WS 13		



1

No.	102786	Ref. No.	881826
description	gas injector thread M13x1 bore ø 1.2mm WS 13		



1

No.	102823	Ref. No.	881170
description	gas injector thread M13x1 bore ø 1.35mm WS 13		



1

No.	102782	Ref. No.	881711
description	gas injector thread M13x1 bore ø 1.45mm WS 13		



1

No.	102784	Ref. No.	881828
description	gas injector thread M13x1 bore ø 1.55mm WS 13		



1

No.	107462	Ref. No.	881976
description	gas injector thread M13x1 bore ø 1.5mm WS 13		



			
1			
No.	102825	Ref. No.	881788
description	gas injector thread M13x1 bore ø 1.65mm WS 13		

			
1			
No.	107339	Ref. No.	881712
description	gas injector thread M13x1 bore ø 2.05mm WS 13		

			
1			
No.	100108	Ref. No.	881829
description	gas injector thread M13x1 bore ø 1.6mm WS 13		

			
1			
No.	100417	Ref. No.	880827
description	gas injector thread M13x1 bore ø 2.15mm WS 13		

			
1			
No.	102788	Ref. No.	881787
description	gas injector thread M13x1 bore ø 1.75mm WS 13		

			
1			
No.	107476	Ref. No.	881838
description	gas injector thread M13x1 bore ø 2.25mm WS 13 code 225		

			
1			
No.	107684	Ref. No.	881830
description	gas injector thread M13x1 bore ø 1.7mm WS 13 code 170		

			
1			
No.	109108	Ref. No.	881714
description	gas injector thread M13x1 bore ø 2.2mm WS 13		

			
1			
No.	107475	Ref. No.	881834
description	gas injector thread M13x1 bore ø 1.85mm WS 13 code 185		

			
1			
No.	102471	Ref. No.	881715
description	gas injector thread M13x1 bore ø 2.3mm WS 13		

			
1			
No.	102783	Ref. No.	881831
description	gas injector thread M13x1 bore ø 1.8mm WS 13		

			
1			
No.	103270	Ref. No.	881713
description	gas injector thread M13x1 bore ø 2.4mm WS 13		

			
1			
No.	100389	Ref. No.	881835
description	gas injector thread M13x1 bore ø 1.9mm WS 13		

			
1			
No.	102790	Ref. No.	881839
description	gas injector thread M13x1 bore ø 2.55mm WS 13		



1

No.	107463	Ref. No.	881795
description	gas injector thread M13x1 bore ø 2.6mm WS 13		



1

No.	107477	Ref. No.	881796
description	gas injector thread M13x1 bore ø 2.7mm WS 13 code 270		



1

No.	100710	Ref. No.	881841
description	gas injector thread M13x1 bore ø 2.85mm WS 13		



1

No.	100722	Ref. No.	881843
description	gas injector thread M13x1 bore ø 2.95mm WS 13		



1

No.	102470	Ref. No.	881836
description	gas injector thread M13x1 bore ø 2mm WS 13		



1

No.	107478	Ref. No.	881846
description	gas injector thread M13x1 bore ø 3.25mm WS 13 code 325		



1

No.	107570	Ref. No.	882797
description	gas injector thread M13x1 bore ø 3.2mm WS 13		



1

No.	103200	Ref. No.	882798
description	gas injector thread M13x1 bore ø 3.3mm WS 13		



1

No.	100923	Ref. No.	881847
description	gas injector thread M13x1 bore ø 3.4mm WS 13		



1

No.	106272	Ref. No.	883143
description	gas injector thread M13x1 bore ø 3.55mm WS 13		



1

No.	106274	Ref. No.	883144
description	gas injector thread M13x1 bore ø 3.75mm WS 13		



1

No.	106273	Ref. No.	881851
description	gas injector thread M13x1 bore ø 3.7mm WS 13		



1

No.	106275	Ref. No.	881852
description	gas injector thread M13x1 bore ø 3.8mm WS 13		



1

No.	107569	Ref. No.	882796
description	gas injector thread M13x1 bore ø 3mm WS 13		



pilot burner nozzles

pilot burner nozzles EGA



1

No.	101589	Ref. No.	697893
description	pilot burner nozzle LPG bore ø 0.18mm code 18 gas pressure 50mbar thread M5x0.8 WS 5.5		
For models:	399701, 399728, 541419, 541427, 750123, 750131, 750158, 750166, 750174, 750182, 750190, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		



1

No.	101588	Ref. No.	737038
description	pilot burner nozzle natural gas bore ø 0.32mm code 32 gas pressure 20mbar thread M5x0.8		
For models:	800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		

pilot burner nozzles POLIDORO



1

No.	102699	Ref. No.	835765
description	pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores		

pilot burner nozzles (other)

MKN



1

No.	100270	Ref. No.	086339
description	pilot burner nozzle LPG bore ø 0.2mm thread M8x0.75 T1: M8x1		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Maxima-Gasheer-700-850, Maxima-Gasheer-neue-Ausfuehrung-700-850		



1

No.	100272	Ref. No.	086053
description	pilot burner nozzle natural gas bore ø 0.35mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Maxima-Gasheer-700-850, Maxima-Gasheer-neue-Ausfuehrung-700-850		

bypass nozzles

bypass nozzles PEL20/21



1

No.	100408	Ref. No.	834076
description	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		
For models:	399604, 399612, 399701, 399728, 541419, 541427		



1

No.	100554	Ref. No.	833037
description	bypass nozzle type PEL20/21 bore ø 0.45mm thread M5x0.5		
For models:	800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		



1

No.	100553	Ref. No.	869910
description	bypass nozzle type PEL20/21 bore ø 0.4mm thread M5x0.5		



1

No.	100550	Ref. No.	833045
description	bypass nozzle type PEL20/21 bore ø 0.55mm thread M5x0.5		
For models:	800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		



1

No.	100526	Ref. No.	834084
description	bypass nozzle type PEL20/21 bore ø 0.5mm thread M5x0.5		
For models:	399604, 399612, 399701, 399728, 541419, 541427		



1

No.	100548	Ref. No.	833061
description	bypass nozzle type PEL20/21 bore ø 0.65mm thread M5x0.5		
For models:	800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		



1

No.	100551	Ref. No.	833053
description	bypass nozzle type PEL20/21 bore ø 0.6mm thread M5x0.5		
For models:	800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		



1

No.	100278	Ref. No.	869902
description	bypass nozzle type PEL20/21 bore ø 0.75mm thread M5x0.5		



1

No.	100527	Ref. No.	833088
description	bypass nozzle type PEL20/21 bore ø 0.85mm thread M5x0.5		
For models:	800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		



1

No.	100557	Ref. No.	833096
description	bypass nozzle type PEL20/21 bore ø 1.05mm thread M5x0.5		
For models:	800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		



1

No.	100532	Ref. No.	881857
description	bypass nozzle type PEL20/21 bore ø 1.2mm thread M5x0.5		



1

No.	100533	Ref. No.	937711
description	bypass nozzle type PEL20/21 bore ø 1.3mm thread M5x0.5		



1

No.	100529	Ref. No.	881486
description	bypass nozzle type PEL20/21 bore ø 1mm thread M5x0.5		



1

No.	106871	Ref. No.	881487
description	bypass nozzle type PEL20/21 bore ø 2.2mm thread M5x0.5		



1

No.	107524	Ref. No.	881859
description	bypass nozzle type PEL20/21 bore ø 2.5mm thread M5x0.5		

internal nozzles

internal nozzles for EGA gas taps/nozzle holders

EGA 26400/26440/23268



1

No.	100311	Ref. No.	085529
description	internal nozzle bore ø 0.80mm suitable for EGA26400/26440		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Maxima-Gasherd-700-850, Maxima-Gasherd-neue-Ausfuehrung-700-850		

GAS NOZZLES/AUXILIARY GAS PARTS PALUX



1

No.	100238	Ref. No.	085499
description	internal nozzle bore ø 1.35mm suitable for EGA 23268,26400,26440		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Maxima-Gasherd-700-850, Maxima-Gasherd-neue-Ausfuehrung-700-850		



1

No.	100244	Ref. No.	085707
description	internal nozzle bore ø 1.85mm suitable for EGA 23268,26400,26440		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Maxima-Gasherd-700-850, Maxima-Gasherd-neue-Ausfuehrung-700-850		

auxiliary gas parts

screw connections

olives



1

No.	101273	Ref. No.	959715
description	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
accessories for	101273		
	No.	100944	Ref. No.
	—		
	No.	101276	Ref. No.
	—		

union screws



1

No.	100906	Ref. No.	835803
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

equipment-specific units

for bain marie

spare parts and accessories



1

No.	514155	Ref. No.	085618
description	gasket L 52mm W 52mm H 24mm silicone		
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, 614009, 614404, 624004, 627100, Bain-Marie-614, Bain-Marie-624, Bain-Marie-626, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603, Fritteuse-604, Gas-Bain-Marie-644		



1

No.	514157	Ref. No.	083186
description	lid W 50mm H 65mm SS for outlet		
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, 614009, 614404, 624004, 627100, Bain-Marie-614, Bain-Marie-624, Bain-Marie-626, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603, Fritteuse-604, Gas-Bain-Marie-644		

housing and bezels



1

No.	514156	Ref. No.	081493
description	bezel L 72mm W 55mm H 55mm plastic		
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, 614009, 614404, 624004, 627100, Bain-Marie-614, Bain-Marie-624, Bain-Marie-626, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603, Fritteuse-604, Gas-Bain-Marie-644		

for deep fryers

spare parts and accessories



1

No.	514155	Ref. No.	085618
description	gasket L 52mm W 52mm H 24mm silicone		
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, 614009, 614404, 624004, 627100, Bain-Marie-614, Bain-Marie-624, Bain-Marie-626, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603, Fritteuse-604, Gas-Bain-Marie-644		



1

No.	514157	Ref. No.	083186
description	lid W 50mm H 65mm SS for outlet		
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, 614009, 614404, 624004, 627100, Bain-Marie-614, Bain-Marie-624, Bain-Marie-626, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603, Fritteuse-604, Gas-Bain-Marie-644		

housing and bezels



1

No.	514156	Ref. No.	081493
description	bezel L 72mm W 55mm H 55mm plastic		
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, 614009, 614404, 624004, 627100, Bain-Marie-614, Bain-Marie-624, Bain-Marie-626, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603, Fritteuse-604, Gas-Bain-Marie-644		

for convection ovens/combi-steamers

miscellaneous



1

No.	692306	Ref. No.	213519
description	pipe long D1 ø 10mm D2 ø 6mm L 134mm WS 19 thread 3/8"		
For models:	389595, 389609, 390003, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977, 399019, 399027, 399035, 399043, 399051, 399078, 399086, 399094, 399108, 399116, 606316...(Other models you can see in the webshop)		

for pizza ovens

firebricks



1

No.	850022	Ref. No.	368938
description	bottom plate L 495mm W 495mm H 16mm pizza oven for ELP500		
For models:	Pizza-Ofen-ELP, Pizza-Ofen-P501		

for dishwashers

air traps

air traps



1

No.	510103	Ref. No.	382078
description	air trap L 85mm W 20mm H 80mm hose ø 6mm plastic		
For models:	665843, 665851, Glaeserspuelautomat-328		
spare parts for	510103		
	No.	505045	Ref. No. —
O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs			
	No.	505094	Ref. No. —
air trap			
	No.	510016	Ref. No. —
eye bolt for rinse aid container connection			
	No.	510105	Ref. No. —
hose connector for air trap			

backflow preventers

backflow preventers



1

No.	698704	Ref. No.	144993
description	air valve for drain hose D1 ø 21mm D2 ø 10.5mm		

EQUIPMENT-SPECIFIC UNITS/KNOBS PALUX

washing and rinsing systems



1

No.	510682	Ref. No.	173304
description	rinse jet ø 13mm H 11.5mm		
For models:	271500, 337xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440655, 450111, Geschirrspuelautomat-335, GsP-500, GsP-600		



1

No.	518079	Ref. No.	858196
description	wash arm bearing with nut		
spare parts for	518079		
	No.	510634	Ref. No. —
wash arm bearing ø 22mm H 39mm			
	No.	510637	Ref. No. —
nut for wash arm support			




1

No.	698718	Ref. No.	69017
description	wash pipe mounting pos. upper ø 72x120mm L 310mm plastic thread M6		

knobs

universal knobs



1

No.	110235	Ref. No.	341894
description	knob energy regulator 1-3 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		
For models:	610038, 610429, 620203, 620424		

			
1			
No.	110250	Ref. No.	093823
description	knob gas tap without ignition flame t.max. °C ø 50mm shaft ø 6x4.6mm shaft flat upper black		
For models:	640018, 642053, 645005, Gas-Brater-641, Gas-Griddleplatte-642, Gasherd-645, Gasherd-64502, Gasherd-646, Gas-sudpfanne-643, Gas-Wurstgrill-640		

			
1			
No.	110232	Ref. No.	086517
description	knob switch 4-position t.max. °C ø 50mm shaft ø 6x4.6mm shaft flat upper black		

			
1			
No.	110241	Ref. No.	086533
description	knob thermostat t.max. 110°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C		
For models:	340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, 613002, 613088, 614009, 614106, 614404, 615005, 615013, 615056, 615080, 624004, 624101, 627100, Bain-Marie-614, Bain-Marie-624, Bain-Marie-626, Frittenwanne-615, Geschirrspuelautomat-700, sudpfanne-613		

			
1			
No.	110242	Ref. No.	088013
description	knob thermostat t.max. 180°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 100-180°C		
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603		

			
1			
No.	110244	Ref. No.	649058
description	knob thermostat t.max. 250°C ø 50mm shaft ø 6x4.6mm shaft flat upper/lower black temperature range 30-250°C rotation 270°		
For models:	626104, 626112, 626201, 626228, 626309, 626317		


			
1			
No.	110245	Ref. No.	087432 279862
description	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C		
For models:	610003, 610038, 610402, 611018, 611050, 611220, 612006, 612057, 620009, 621005, 621056, 621110, 622001, 622052, 62510, 62520, 62530, 626104, 626112, 626201, 626228, 626309, 626317, 629006, 629022, Backofen-629, Brater-611, Brater-621, Griddle-Platte-612, Griddleplatte-622, Grill-680, Grill-681, Grill-682, Grill-683, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310, Wurstgrill-610, Wurstgrill-620		

producer-specific knobs

PALUX

			
1			
No.	110235	Ref. No.	341894
description	knob energy regulator 1-3 t.max. °C ø 50mm shaft ø 6x4.6mm shaft flat upper black		
For models:	610038, 610429, 620203, 620424		

			
1			
No.	110250	Ref. No.	093823
description	knob gas tap without ignition flame t.max. °C ø 50mm shaft ø 6x4.6mm shaft flat upper black		
For models:	640018, 642053, 645005, Gas-Brater-641, Gas-Griddleplatte-642, Gasherd-645, Gasherd-64502, Gasherd-646, Gas-sudpfanne-643, Gas-Wurstgrill-640		




1

No.	110232	Ref. No.	086517
description	knob switch 4-position t.max. °C ø 50mm shaft ø 6x4.6mm shaft flat upper black		




1

No.	111554	Ref. No.	393819
description	knob t.max. °C		
For models:	399604, 399612, 399701, 399728, 505900, 505935, 515892, 515906, 541419, 541427, 541869, 638625, 663263, 663395, 670618, 670626, 686409, 687200, 688096, 688118, 688363, 689696, 690570, 690600, 703095, 703109, 703117, 703125, 709816, 709824, 709832, 709840, 730416, 733105, 733113, 736422, 736430, Vario-Griller, Vario-Herd		



1

No.	110241	Ref. No.	086533
description	knob thermostat t.max. 110°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C		
For models:	340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, 613002, 613088, 614009, 614106, 614404, 615005, 615013, 615056, 615080, 624004, 624101, 627100, Bain-Marie-614, Bain-Marie-624, Bain-Marie-626, Frittenwanne-615, Geschirrspuelautomat-700, sudpfanne-613		



1

No.	110242	Ref. No.	088013
description	knob thermostat t.max. 180°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 100-180°C		
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603		



1

No.	110244	Ref. No.	649058
description	knob thermostat t.max. 250°C ø 50mm shaft ø 6x4.6mm shaft flat upper/lower black temperature range 30-250°C rotation 270°		
For models:	626104, 626112, 626201, 626228, 626309, 626317		



1

No.	110245	Ref. No.	087432 279862
description	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C		
For models:	610003, 610038, 610402, 611018, 611050, 611220, 612006, 612057, 620009, 621005, 621056, 621110, 622001, 622052, 62510, 62520, 62530, 626104, 626112, 626201, 626228, 626309, 626317, 629006, 629022, Backofen-629, Brater-611, Brater-621, Griddle-Platte-612, Griddleplatte-622, Grill-680, Grill-681, Grill-682, Grill-683, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310, Wurstgrill-610, Wurstgrill-620		

miscellaneous



1

No.	110205	Ref. No.	301086
description	knob ø 27mm shaft ø 5x5mm		
For models:	340022, 340030, 340049, 340057, 340073, 340xxx, 640018, 642053, 645005, 649007, 650005, 685003, Gas-Brater-641, Gas-Gluehstein-gril-649, Gas-Griddleplatte-642, Gasherd-645, Gasherd-64502, Gasherd-646, Gas-sudpfanne-643, Gas-Wurstgrill-640, Geschirrspuelautomat-700, Glaeserspuelautomat-310, Glaeserspuelautomat-311, Glaeserspuelautomat-320, Glaeserspuelautomat-321, Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftgeraet-10x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310, Pizza-Ofen-P500, Pizza-Ofen-P501, Pizza-Ofen-P502		

accessories

covers



1

No.	111510	Ref. No.	748781
description	lid t.max.°C°C ø 37mm shaft ømm shaft flat silver for knob ELOMA		
For models:	754595, 754609, 754617, 754668, 754676, 754681, 754692, 754706, 754714, 754722, 754730, 754749, 754757, 754773, 754781, 757292, 757314, 757365, 757373, 757381, 757403, 757411, 757438, 757446, 757454, 757462, 757470, 758736, 758833, 759201, 759651, 759678, 759686, 759694, 759708, 759716		
accessories for	111510		
	No.	111498	Ref. No.
			—
	knob t.max.°C°C ø 48mm shaft ø 6.5mm shaft flat blue		

handles and hand wheels

cone handles



1

No.	540795	Ref. No.	034665
description	cylindrical handle thread M8x1.25 ø 25mm plastic L 105mm black thread L 12mm		
For models:	057436, 600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, 614009, 614404, 624004, 627100, Bain-Marie-614, Bain-Marie-624, Bain-Marie-626, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603, Fritteuse-604, Gas-Bain-Marie-644, Wandkaffeemaschine-001, Wandkaffeemaschine-010, Wandkaffeemaschine-013		

locks

handle latches

producer-specific

PALUX



1

No.	692744	Ref. No.	758388
description	door handle hinged at left blue		
For models:	754595, 754609, 754617, 754676, 754681, 754692, 754706, 754714, 754722, 754730, 754749, 754757, 754773, 754781, 757292, 757365, 757373, 757381, 757403, 757411, 757438, 757446, 757454, 758736, 758833, 759201, 759651, 759678, 759686, 759694, 759708, 759716		



1

No.	691990	Ref. No.	748765
description	door handle hinged at right L 155mm W 60mm H 58mm spring length 53mm blue mounting distance 40mm mounting thread M4		
For models:	754595, 754609, 754617, 754668, 754676, 754681, 754692, 754706, 754714, 754722, 754730, 754749, 754757, 754773, 754781, 757292, 757314, 757365, 757373, 757381, 757403, 757411, 757438, 757446, 757454, 757462, 757470, 758736, 758833, 759201, 759651, 759678, 759686, 759694, 759708, 759716		
spare parts for	691990		
	No.	514450	Ref. No.
			—
	spring for door handle ø 6mm L 61mm W 27.5mm		
accessories for	691990		
	No.	111510	Ref. No.
			748781
	lid t.max.°C°C ø 37mm shaft ømm shaft flat silver for knob ELOMA		



1

No.	691988	Ref. No.	749532
description	door handle L 155mm W 60mm H 58mm spring length 53mm blue mounting distance 40mm spring thickness 3mm		
accessories for	691988		
	No.	111510	Ref. No.
			748781
	lid t.max.°C°C ø 37mm shaft ømm shaft flat silver for knob ELOMA		



pullouts

rollers

rollers

accessories




1

No.	560133	Ref. No.	251887
description	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
For models:	140902, 144819, 271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 354643, 354651, 354678, 354686, 354694, 354708, 361429, 361437, 361763, 367788, 378933, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784...(Other models you can see in the webshop)		

fittings for catering equipment

outlet taps

universal



1

No.	541540	Ref. No.	688916
description	outlet tap stainless steel W 38mm H 40mm thread 3/4" IT		
For models:	672343, 672351, 672378, 672386, 706523, 706531, 706558, 706566, 829854, 829900		
spare parts for	541540		
	No.	697834	Ref. No.
	—		
	cone handle thread M6x1 ø 13mm plastic L 53mm black thread L 6mm		

equipment feet and end caps

bolting feet



1

No.	697868	Ref. No.	080500
description	equipment foot ømm L 72mm W 28mm H 23mm bore ø 4.4mm mounting distance 48mm Qty 1 pcs		
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, 610003, 610038, 61030x, 610402, 610429, 611018, 611050, 612006, 612057, 613002, 613088, 614009, 614404, 615005, 615013, 615056, 615080, 616001, 616109, 620009, 620203, 620300, 620408, 620424, 621005, 621056, 622001, 622052, 623105, 624004, 62510, 62520, 62530, 626104, 626112, 626201, 626228, 626309, 626317...(Other models you can see in the webshop)		

baskets

fryer baskets

PALUX



1

No.	970153	Ref. No.	271586
description	fryer basket L1 295mm W1 200mm H1 120mm L2 440mm H2 225mm		
For models:	502200, 502308, 601004, 601209, 601403, 602000, 602205, 602280, 603201, 649554, 649562, 650943, 650951, 686336, 688339, 688347, 688355, 699047, 699055, 721468, 722588, 750255, Fritteuse-365		



1

No.	970155	Ref. No.	146080
description	fryer basket L1 300mm W1 200mm H1 120mm		
For models:	601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, Fritteuse-601, Fritteuse-602, Fritteuse-603		



1

No.	970154	Ref. No.	006483
description	fryer basket L1 315mm W1 185mm H1 115mm		

gaskets

gaskets for heated units

door seals

1

No.	900392	Ref. No.	724025
description	door seal		
For models:	541869, 638625, 730416		

No.	900101	Ref. No.	382310
description	door seal profile 2070 W 645mm L 700mm external size Qty 1 10 x 1/1		
For models:	367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 606294, 606308, 646768, 646776, 646784, 646792, 646806, 646814, 646822, 646830, 646849, 646857, 646865, 646873, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851, 671878, 671886, 680583, 680591		

No.	900865	Ref. No.	742368
description	door seal profile 2449 W 490mm L 520mm Qty 1		
For models:	754595, 754609, 754676, 754681, 754692, 754706, 754749, 757365, 757373, 757381, 757403, 758736, 759201, 759678, 759686, 759694		

No.	900497	Ref. No.	742376
description	door seal profile 2449 W 520mm L 775mm Qty 1		
For models:	754617, 754714, 754722, 754730, 754757, 754773, 754781, 757292, 757411, 757438, 757446, 757454, 758833, 759651, 759708, 759716		

door seals with fixing hook


No.	900390	Ref. No.	202223
description	door seal L 380mm Wmm with 5 mounting clips		
For models:	00068x, 00099x, 00121x, 00149x, 00183x, 001864, 002046, 002682, 003131, 00314x, 750026, 750034, 750042, 750050, 750069, 750077, 750085, 750093, 750107, 750115, 750166, 750190		

No.	900391	Ref. No.	202290
description	door seal L 585mm Wmm with 9 mounting clips		
For models:	00068x, 00099x, 00121x, 00149x, 00183x, 001864, 002046, 002682, 003131, 00314x, 750026, 750034, 750042, 750050, 750069, 750077, 750085, 750093, 750107, 750115, 750166, 750190		


O-rings

EPDM


No.	504512	Ref. No.	378674
description	O-ring EPDM thickness 1.78mm ID ø 14mm Qty 1 pcs		
For models:	340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, 671894, 671908, 671916, 671975, 671983, 671991, 674524, 674532, 674605, 805149, 805300, 805408, 805459, 805556, 805xxx, 810002, 813303, 890529, 890561, 890588, Aromacarina, Aromacarina-Dampf, Aromacarina-EsA, Aromacarina-ETA, Aromacarina-ETA-EsA, Geschirrspuelautomat-700, GsP-350, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, schokomat-C, Wandkaffeemaschine-800		


			
No.	528485	Ref. No.	255823
description	O-ring EPDM thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
For models:	271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, Geschirrspuelautomat-330, Geschirrspuelautomat-335, Geschirrspuelautomat-336, Geschirrspuelautomat-700, GsP-350, GsP-500, GsP-600		


			
No.	510177	Ref. No.	131946
description	O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs		
For models:	337xxx, 340xxx, 665843, 665851, Geschirrspuelautomat-700, Glaeserspuelautomat-325, Glaeserspuelautomat-328, GsP-350, GsP-600		


			
No.	504574	Ref. No.	013471
description	O-ring EPDM thickness 1.78mm ID ø 9.25mm Qty 1 pcs		
For models:	140902, 367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977...(Other models you can see in the webshop)		

			
No.	504561	Ref. No.	399434
description	O-ring EPDM thickness 2.62mm ID ø 29.82mm Qty 1 pcs		
For models:	144819, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977, 399019, 399027, 399035, 399043...(Other models you can see in the webshop)		


			
No.	532067	Ref. No.	297259
description	O-ring EPDM thickness 2.62mm ID ø 37.77mm Qty 10 pcs		
For models:	271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, Geschirrspuelautomat-335, Geschirrspuelautomat-336, Geschirrspuelautomat-700, GsP-500, GsP-600		


			
No.	501000	Ref. No.	166952
description	O-ring EPDM thickness 4mm ID ø 145mm Qty 1 pcs		
For models:	271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, Geschirrspuelautomat-330, Geschirrspuelautomat-335, Geschirrspuelautomat-336, Geschirrspuelautomat-700, GsP-350, GsP-500, GsP-600		

			
No.	510408	Ref. No.	349232
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	665843, 665851, Glaeserspuelautomat-325, Glaeserspuelautomat-328		

			
No.	532601	Ref. No.	335770
description	O-ring EPDM thickness 7mm ID ø 135.89mm Qty 1 pcs		

Viton

			
No.	532624	Ref. No.	272825
description	O-ring Viton thickness 1.78mm ID ø 28.3mm Qty 1 pcs		

			
No.	104212	Ref. No.	081612
description	O-ring Viton thickness 3mm ID ø 32.5mm Qty 1 pcs		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Maxima-Gasherd-700-850, Maxima-Gasherd-neue-Ausfuehrung-700-850		

sealing washers

copper gaskets

DIN-7603-A



1

No.	528433	Ref. No.	097071
description	flat gasket copper ED ø 14mm ID ø 10mm thickness 1mm		
For models:	390003, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 399019, 399027, 399035, 399043, 399051, 399078, 399086, 399094, 399108, 399116, 606316, 606324, 606332, 606340, 606359, 606367...(Other models you can see in the webshop)		

PTFE gaskets



1

No.	550674	Ref. No.	261033
description	flat gasket PTFE ED ø 46mm ID ø 36mm thickness 4mm Qty 1 pcs mounting pos. inner		
For models:	502200, 502308, 503010, 503150, 515892, 515906, 517887, 601004, 601209, 601403, 602000, 602205, 602280, 603201, 637564, 649554, 649562, 650943, 650951, 657735, 686298, 686336, 688339, 688347, 688355, 688428, 689696, 699047, 699055, 700673, 702560, 705993, 721468, 722588, 750255, Fritteuse-365, Topline-Friteuse, Vario-Griller		

silicone gaskets



1

No.	359721	Ref. No.	316296
description	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		
For models:	Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3		

springs

torsion springs

1			
No.	700188	Ref. No.	290564
description	torsion spring		
For models:	541869, 638625, 730416, Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850, Maxima-Gasherd-mit-Gasbackofen		

miscellaneous

1

No.	700187	Ref. No.	202347
description	spring for door		
For models:	00068x, 00099x, 00121x, 00149x, 00183x, 001864, 002046, 002682, 003131, 00314x, 750026, 750034, 750042, 750050, 750069, 750077, 750085, 750093, 750107, 750115, 750166, 750190		

tension springs



1

No.	517395	Ref. No.	019267
description	tension spring kit ø 33mm wire gauge ø 4.5mm L1 230mm		
For models:	271500, 337xxx, 353167, 354392, 354457, GsP-500, GsP-600		



1

No.	700030	Ref. No.	G0195
description	tension spring ø 12.9mm total length 187mm wire gauge ø 2.1mm		



1

No.	700031	Ref. No.	G0197
description	tension spring ø 15mm total length 290mm wire gauge ø 2.3mm		



1

No.	700032	Ref. No.	G0199
description	tension spring ø 24.8mm total length 220mm wire gauge ø 3.2mm		



1

No.	700033	Ref. No.	G0201
description	tension spring ø 30mm total length 300mm wire gauge ø 4.1mm		

hose reels and spray guns

spray guns



1

No.	540301	Ref. No.	587583
description	spray gun for appliances 1/2" ET L 128mm		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671762, 671770, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851, 671878, 671886, 671894, 671908, 671916, 671975, 671983, 671991, 680583, 680591, 754595, 754609, 754617, 754668, 754676, 754681, 754692, 754706, 754714, 754722, 754730, 754749, 754757, 754773...(Other models you can see in the webshop)		
accessories for	540301		
	No.	530922	Ref. No.
	shower hose connections 1/2" L 800mm SS for combi-steamer		

dosing pumps

peristaltic dosing pumps

ASF/THOMAS

built-in version

without control



1

No.	361272	Ref. No.	384615
description	dosing pump ASF/THOMAS without control 12l/h 230VAC detergent hose ø 4x7mm hose silicone type SR25 dimensions 63x124x101mm		
For models:	337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, Geschirrspuelautomat-700, GsP-350, GsP-600		
spare parts for	361272		
	No.	361333	Ref. No.
	pump hose SR25 detergent hose ø 4x1.5mm hose type silicone		
	No.	361335	Ref. No.
	hose guide SR25 for detergent hose type hose ø 6mm plastic 1-way/h		
	No.	361336	Ref. No.
	closing clamp type SR25		
	No.	361470	Ref. No.
	roller assembly type SR25 12l/h		

SEKO

built-in version

without control



1

No.	361867	Ref. No.	849537
description	dosing pump SEKO without control 0.4l/h 230VAC rinse aid hose ø 4x6mm hose type D hose Sekobril suction level 1.5m type NPG 0.4 8W cable length 45mm built-in version counter pressure 1bar		
spare parts for	361867		
	No.	361135	Ref. No.
	pump hose SEKO rinse aid hose ø 3x8mm hose ø 4x6mm hose type D hose Sekobril		

spare parts



1

No.	361135	Ref. No.	850942
description	pump hose SEKO rinse aid hose ø 3x8mm hose ø 4x6mm hose type D hose Sekobril		
spare parts for	361135		
	No.	361866	Ref. No.
	union nut for hose connector ø 17mm		

piston pumps

with solenoid coil



1

No.	361026	Ref. No.	376108
description	dosing pump inlet 5mm outlet 5mm 230V detergent duty cycle 30% type EV1		
For models:	Glaeserspuelautomat-328		
spare parts for	361026		
	No.	361365	Ref. No.
	solenoid coil 230VAC for type EV1		
	No.	510298	Ref. No.
	lip valve dosing pump suitable for DB2/DS5		

spare parts



1

No.	361113	Ref. No.	359386
description	solenoid coil 230VAC for type DB2		
For models:	665843, 665851, Glaeserspuelautomat-325, Glaeserspuelautomat-328		



1

No.	361365	Ref. No.	607185
description	solenoid coil 230VAC for type EV1		
For models:	Glaeserspuelautomat-328		



1

No.	510298	Ref. No.	376167
description	lip valve dosing pump suitable for DB2/DS5		
For models:	Glaeserspuelautomat-328		



1

No.	361366	Ref. No.	376116 651079
description	PCB dishwasher 11F suitable for DB2 type DB2/EV1/EKP-M		
For models:	Glaeserspuelautomat-328		

membrane dosing pumps

self-priming

various

spare parts



1

No.	510298	Ref. No.	376167
description	lip valve dosing pump suitable for DB2/DS5		
For models:	Glaeserspuelautomat-328		

self-priming with supporting pressure

ELETTROBAR



1

No.	510298	Ref. No.	376167
description	lip valve dosing pump suitable for DB2/DS5		
For models:	Glaeserspuelautomat-328		

GERMAC

spare parts



1

No.	510298	Ref. No.	376167
description	lip valve dosing pump suitable for DB2/DS5		
For models:	Glaeserspuelautomat-328		

LANG

dosing pumps



1

No.	361012	Ref. No.	312320
description	dosing pump type N83 detergent pressure connection ø 8mm suction connection ø 8mm auxiliary pressure connection 8mm LANG		
For models:	271500, 337xxx, 340xxx, Geschirrspuelautomat-330, Geschirrspuelautomat-335, Geschirrspuelautomat-336, Geschirrspuelautomat-700, GsP-350, GsP-500, GsP-600		

spare parts for	361012		
	No.	361137	Ref. No. —
	membrane		
	No.	361139	Ref. No. 194549
	hose connector complete suction connection type N83		

spare parts



1

No.	361139	Ref. No.	194549
description	hose connector complete suction connection type N83		
For models:	271500, 337xxx, 340xxx, Geschirrspuelautomat-330, Geschirrspuelautomat-335, Geschirrspuelautomat-336, Geschirrspuelautomat-700, GsP-350, GsP-500, GsP-600		



fittings, hose and pipe connectors

fittings

reducers



1

No.	520963	Ref. No.	249696
description	reducer thread 3/4" ET - 3/8" IT nickel-plated brass total length 26.5mm WS 27 Qty 1 pcs		
For models:	367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977, 399019...(Other models you can see in the webshop)		

hose connectors

brass



1

No.	513253	Ref. No.	607169
description	hose connector brass angled thread 1/4" hose ø 12mm Qty 1 pcs		
For models:	665843, 665851, Glaeserspuelautomat-328		

water cycle components

pressure reduction valves

pressure reduction valves

producer-specific



1

No.	520502	Ref. No.	384437 577316
description	pressure reduction valve Norgren series R91 connection 1/8" default settingbar setting range 0.1-3bar p max 10bar t.max. 50°C brass		
For models:	367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977, 399019...(Other models you can see in the webshop)		

ancillary products

clamps

security hose clamps

SS/brass



1

No.	520071	Ref. No.	276642
description	hose clamp SS/brass ø 17-22mm width 11mm Qty 5 pcs		
For models:	340022, 340030, 340049, 340057, 340073, 353167, 354392, 354457, 361763, 378933, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 440078, 440086, 440094, 440140, 440655, 450111, 609501, 609528, 609536, 671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671762, 671770, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851, 671878, 671886, 671894...(Other models you can see in the webshop)		

tools

cleaning tools

scrapers



1

No.	705000	Ref. No.	051144
description	scraper for 415398		
For models:	61030x, 620300, steakgrill-61030, steakgrill-62030		

fastening material

screws

sheet metal screws



1

No.	560096	Ref. No.	011754
description	sheet metal screws ø 2.9mm L 13mm SS Qty 20 pcs DIN 7981/ISO 7049 head ø 5.6mm oval head		

			
1			
No.	560100	Ref. No.	186465
description	sheet metal screws ø 3.5mm L 19mm SS Qty 20 pcs DIN 7981/ISO 7049 head ø 6.9mm oval head		
For models:	600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, Fritteuse-365, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603, Fritteuse-604		

grub screws			
DIN 916/ISO 4029			
			
1			
No.	560173	Ref. No.	588512
description	grub screw thread M4 L 10mm SS DIN 916/ISO 4029 intake internal hexagon WS 2 Qty 20 pcs		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198		

nuts			
hexagonal nuts			
DIN 934 / ISO 4032/8673			
			
1			
No.	560133	Ref. No.	251887
description	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
For models:	140902, 144819, 271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 354643, 354651, 354678, 354686, 354694, 354708, 361429, 361437, 361763, 367788, 378933, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784...(Other models you can see in the webshop)		

hexagonal nuts metric (without norm)			
			
1			
No.	102067	Ref. No.	054240
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
For models:	399701, 399728, 541419, 541427, 640018, 642053, 645005, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Gas-Brater-641, Gas-Griddleplatte-642, Gasherd-645, Gasherd-64502, Gasherd-646, Gas-sudpfanne-643, Gas-Wurstgrill-640, Maxima-Gasherd-700-850, Maxima-Gasherd-neue-Ausfuehrung-700-850		

washers			
washers			
DIN 9021			
			
1			
No.	560117	Ref. No.	000582
description	plain washer ID ø 6.4mm ED ø 18mm thickness 1.5mm SS Qty 20 pcs DIN 9021 for thread M6		
For models:	271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 367788, 378933, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063...(Other models you can see in the webshop)		

tooth lock washers			
DIN 6798A			
			
1			
No.	560127	Ref. No.	006777
description	tooth lock washer ID ø 6.2mm ED ø 11mm SS DIN/ISO DIN 6798A Qty 20 pcs for thread M6		
For models:	140902, 144819, 271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 367788, 378933, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865...(Other models you can see in the webshop)		

fasteners			
clamps			
security hose clamps			
SS/brass			
			
1			
No.	520071	Ref. No.	276642
description	hose clamp SS/brass ø 17-22mm width 11mm Qty 5 pcs		
For models:	340022, 340030, 340049, 340057, 340073, 353167, 354392, 354457, 361763, 378933, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 440078, 440086, 440094, 440140, 440655, 450111, 609501, 609528, 609536, 671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671762, 671770, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851, 671878, 671886, 671894...(Other models you can see in the webshop)		