

# Professionall

Solutii profesionale pentru echipamente profesionale



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

# PARRY

## energy regulators

### EGO

#### 1-circuit



1

| No.         | 380019                                                                                                                                              | Ref. No. | SATT37071 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| description | energy regulator 240V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57071.010 |          |           |

## thermostats

### control and safety thermostats

#### EGO

#### control thermostats

#### 55.13\_ series



1

| No.         | 375484                                                                                                                                                                                                               | Ref. No. | N/A |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----|
| description | thermostat t.max. 260°C temperature range 48-260°C 1-pole NO 16A probe ø 3mm probe L 160mm capillary pipe 1580mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |          |     |

#### 55.18\_ series



1

| No.         | 375989                                                                                                                                                                                      | Ref. No. | TMST18032 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| description | thermostat t.max. 190°C temperature range 130-190°C 1-pole 1NO 16A probe ø 6mm probe L 118mm capillary pipe 890mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |          |           |

#### EGO



1

| No.         | 375483                                                                                                                                                                                                              | Ref. No. | N/A |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----|
| description | thermostat t.max. 320°C temperature range 50-320°C 1-pole NO 16A probe ø 3mm probe L 158mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |          |     |

#### 55.34\_ series

#### EGO



1

| No.         | 375396                                                                                                                                                                                           | Ref. No. | N/A<br>TMST34034 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------|
| description | thermostat t.max. 190°C temperature range 95-190°C 3-pole 3NO 16A probe ø 6mm probe L 133mm capillary pipe 1480mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 270° |          |                  |

#### safety thermostats

#### 55.13\_ series

#### EGO



1

| No.         | 390911                                                                                                                                                                | Ref. No. | TMST07000 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| description | safety thermostat switch-off temp. 230°C 1-pole 16A probe ø 6mm probe L 77mm capillary pipe 670mm capillary pipe isolated 180mm gland nut probe screw connection M8x1 |          |           |



## 55.32\_ series



|                    |                                                                                                                                       |                 |     |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----|
| <b>No.</b>         | 375600                                                                                                                                | <b>Ref. No.</b> | N/A |
| <b>description</b> | safety thermostat switch-off temp. 230°C 3-pole 20A probe ø 6mm probe L 87mm capillary pipe 890mm capillary pipe isolatedmm gland nut |                 |     |

## gas thermostats

## ROBERTSHAW



|                    |                                                                                                                                                                                                                                       |                 |     |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----|
| <b>No.</b>         | 580064                                                                                                                                                                                                                                | <b>Ref. No.</b> | N/A |
| <b>description</b> | gas thermostat type RGIST 2x160 t.max. 190°C 90-190°C gas inlet 3/4" gas outlet 3/4" thermocouple connection ASA 11/32 capillary pipe 1200mm probe ø 6mm probe L 160mm gland nut 3/8" ROBERTSHAW pipe input ø 3/4" pipe output ø 3/4" |                 |     |

## spare parts for



|                    |                                                                                                                                                                                                                               |                 |   |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---|
| <b>No.</b>         | 580067                                                                                                                                                                                                                        | <b>Ref. No.</b> | — |
| <b>description</b> | thermostat type RG6A11Y 90-190°C gas inlet ø3mm gas outlet ø3mm thermocouple connection pilot connection capillary pipe 1200mm probe ø 6mm probe L 170mm gland nut 3/8" BSP shaft ø 6.4x4.8mm shaft L 31/31mm shaft flat left |                 |   |



|                    |                                               |                 |   |
|--------------------|-----------------------------------------------|-----------------|---|
| <b>No.</b>         | 580068                                        | <b>Ref. No.</b> | — |
| <b>description</b> | piezoelectric igniter suitable for ROBERTSHAW |                 |   |

## ignition parts

## pilot burners

## ROBERTSHAW

## pilot burners

## universal series with electrodes



|                    |                                                                                       |                 |             |
|--------------------|---------------------------------------------------------------------------------------|-----------------|-------------|
| <b>No.</b>         | 106094                                                                                | <b>Ref. No.</b> | RMPILOT7000 |
| <b>description</b> | pilot burner ROBERTSHAW type 6S14-2R 3 flames natural gas code 26 for pipe ø 1/4" CCT |                 |             |



|                    |                                                                                       |                 |           |
|--------------------|---------------------------------------------------------------------------------------|-----------------|-----------|
| <b>No.</b>         | 106097                                                                                | <b>Ref. No.</b> | PILOT3WAY |
| <b>description</b> | pilot burner ROBERTSHAW type 6SH24-6 3 flames natural gas code 26 for pipe ø 1/4" CCT |                 |           |

## thermocouples

## accessories

## interrupters



|                    |                                         |                 |     |
|--------------------|-----------------------------------------|-----------------|-----|
| <b>No.</b>         | 580046                                  | <b>Ref. No.</b> | N/A |
| <b>description</b> | extension for interruptor L 18" - 455mm |                 |     |