
Professionale pentru echipamente profesionale



heating elements

heating elements for coffee machine





1				
No.	417045	Ref. No.	1	N/A
description	W 36mm H 39mr	1800W 230V hea n tube ø 8.5mm co r flange with threa	onnection male fa	
accessories for	417045			
	No.	510405	Ref. No.	_
O	flat gasket fibre I 1¼" Qty 1 pcs	ED ø 56mm ID ø 4:	2mm thickness 2r	nm for thread
	No.	528021	Ref. No.	_
0	•	ED ø 53mm ID ø 4 /02286 suitable fo		


No.	A17382 Ref. No. 2310003001 331160 heating element 2870/3130W 230/240V heating circuits 3 mounting ø 40mm hole distance 51mm L 235mm W 32mm H 33mm hole ø 9mm length thermostat sleeves 140mm thermostat sleeves ø 6.5mm number of thermostat sleeves 1 thermostat sleeve centre not clinging tube ø 8mm connection male faston 6.3mm immersion heater 3 hole flange copper				
description					
accessories for					
	No. 519179 Ref. No. 465016				
\bigcirc	O-ring EPDM thickness 3.53mm ID ø 41.28mm Qty 1 pcs				

1	- 1	n e		
No.	417062	Ref. No.	ı	N/A
description	L 238mm W 32i	nt 3000W 230/400V mm H 26mm tube ø ion heater flange w	8mm connection	
accessories for	417062			
_	No.	510405	Ref. No.	_
O	flat gasket fibre	e ED ø 56mm ID ø 4	2mm thickness 2r	nm for thread

accessories for	417062			
	No.	528021	Ref. No.	_
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega			





















accessories





flange gaskets			
No.	528340	Ref. No.	361000
description	gasket ID ø 40.5mm fibre thickness 3mm hole ø 10mm hole distance 52mm for heating element coffee machine parts		


thermostats


bi-metal thermostats

safety bi-metal thermostats



No.	390711	Ref. No.	436040
	bi-metal safety thermostat hole distancemm switch-off temp. 127°C 1NC 1-pole 16A connection F6.3 1 hole fixing		







control and safety thermostats

EGO

safety thermostats

55.11 series



No.	375515	Ref. No.	436048
description	,	oillary pipe 880mm	50°C 1-pole 1NC probe ø 6mm capillary pipe isolated 840mm

switches and momentary switches

rocker/momentary rocker switches

30x22mm



1				
No.	301003	Ref. No.		435061
description	16A illuminat	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
accessories for	301003	301003		
1	No.	301036	Ref. No.	_
	protective co		30x22mm for rock	er switch mounting

1				
No.	301002	Ref. No.	43	5014
description)-l connection ma	nents 30x22mm o le faston 6.3mm a 5	
accessories for	301002			
_	No.	301036	Ref. No.	_
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

1			
No.	301060	Ref. No.	5350002
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		



ı	No.	3012/6	Ref. No.	5350009
	description	,	connection male f	measurements 30x22mm black aston 6.3mm ambient tempera



No.	346111	Ref. No.	5350008
description		p warmer connect	nts 30x22mm red 2NO 250V ion male faston 6.3mm ambient



1			
No.	301269	Ref. No.	5350005 5350007
description	illuminated heatin		nts 30x22mm red 2NO 250V 16A male faston 6.3mm ambient n IP40



No.	301268	Ref. No.	5350006
escription		g small connection	nts 30x22mm red 2NO 250V 16A male faston 6.3mm ambient n IP40


with symbo



1				
No.	301264	Ref. No.	43	5076
description	16A illuminated	cup warmer conne	nents 30x22mm g ection male fastor IP65 with cover ca	6.3mm ambient
spare parts for	301264			
1	No.	301036	Ref. No.	_
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			
accessories for	301264			
	No.	301036	Ref. No.	_
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			







1					
No.	301266	Ref. No.			435073
description	16A illuminat	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated heating connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap			
spare parts for	301266				
	No.	301036	Ref.	No.	_
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm				
accessories for	301266	301266			
1	No.	301036	Ref.	No.	_
	protective cover internal size 30x22mm for rocker switch mo measurementsmm				switch mounting

1 No. 346074 Ref. No. N/A rocker switch mounting measurements 37x21mm black 2NO/ indicator light 250V 10A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40

lamps

indicator lights

indicator lights (complete)

ø12mm

with screw socket



NO.	359048	Ket. No.	B/63361/
description	indicator light ø 1	2mm 230V yellow o	connection male faston 6.3mm

contactors

miscellaneou

power contactors 1 No. 380919 Ref. No. 435102 power contactor 230V resistive load 30A (AC3/400V) 4kW main contacts 3NO auxiliary contacts 1NO connection screw type GH15BN

relays

level relays

GICAR



No.	402103	Ref. No.	438050
description	level controller 23 NRL30/1E-2C/F	0/240V voltage AC	50/60Hz connection F6.3 type

electronics

central units









central unit 3-group 230V voltage AC

keypads

description

membrane keypads



keypad units



solenoid valves


solenoid	d valves	(water)	
metal			
PARKER			
3-way			
VE-128 ser	ies		
1	and the same of th		
No.	370587	Ref. No.	451276

solenoid valve 3-ways 230VAC connection 1/8" inner cone DN 1.20mm slide-on receptacle DIN -20° up to 140°C PARKER type series VE 128R coil type ZB09 membranes ruby p max 10bar brass EPDM

pressure switches


description

for coffee machines



coffee machine parts flange 32x32mm

electrodes







pumps

booster pumps II

pump heads

FLUID-O-TECH



No.	500064	Ref. No.	N/A
description			22mm 200I/h connection 3/8" n for coffee machine shaft ø

accessories for 500064




No. 520126 Ref. No.

clamp for pump/motor

vibration pumps



No.	500173	Ref. No.	0DMC006
description	vibration pump ty ULKA outlet flat pl		50Hz inlet ø 6 outlet ø 1/8" IT





equipment-specific units

for espresso machines

filter holders

filter holders standard

filter holder without spout



No.	525987	Ref. No.	N/A
escription		mm wedge hight 1	out outlet mounting ø 80.5mm 4mm wedge position diagonal




No.	525708	Ref. No.	3111164
description	M12x1.75 wedge h		ot 3/8" ID ø 54.1mm handle oosition horizontal number of od brass



No.	529034	Ref. No.	31109241 31109244
lescription		night 14mm wedge	elet 3/8" ID ø 61mm handle position diagonal number of ed brass

31109241





with bore				
1				
No.	529105	Ref. No.	N/A	
description	handle ø hex	handle ø hexagon 34mm aperture 12x12mm L 115mm black		

spouts					
with threa	with thread 3/8"				
1					
No.	529008	Ref. No.	3111174		
description	filter holder spout thread 3/8" 2-way curved outlet distance 33mm				

for 1 cup No. 525710 Ref. No. 327054 327057 description of coffeeg





filter holder springs					
1					
No.	525711	Ref. No.	311437		
description		filter holder spring L 62mm W 56.5mm wire gauge ø 1mm for espresso filter holder			
















No. 525740 Ref. No. 361028 465301 description filter holder gasket D1 Ø 60mm D2 Ø 50mm H 5.5mm edition from 1998 on

brewing units with solenoid valve gaskets No. 525743 Ref. No. 362058 description flat gasket PTFE ED ø 16.5mm ID ø 13mm thickness 2mm Qty 1 pcs



gaskets			
No.	525745	Ref. No.	362069
description	flat gasket PTFE ED ø 26mm ID ø 22.5mm thickness 1mm Qty 1 pcs		


gaskets			
No.	525742	Ref. No.	362077
description	flat gasket PTFE El	O ø 9.8mm ID ø 6.1ı	mm thickness 1mm Qty 1 pcs
	<u> </u>		


Ref. No.


gasket rubber ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs

miscellaneous					
1					
No.	525718	Ref. No.	314133		
description	bolt brass thread M4 ø 4.5mm L 35mm				


1			
No.	525716	Ref. No.	312224
description	bolt square brass thread M3 L 11.8mm W 6mm H 6mm thread L 11.5mm		














362027

1

No.

description

528494





1				
No.	526007	Ref. No.	395228	
description	valve group supply L 52.8mm ED ø 16mm shaft triangular			


brewing units with lever drain valves gaskets No. 525729 Ref. No. 362055 description gasket for drain assembly D1 ø 15mm D2 ø 6mm thickness 6mm





























safety valves metric thread No. 529330 Ref. No. N/A description safety valve connection M22x1.25 triggering pressure 1.8bar


expansion valves					
1					
No.	529691	Ref. No.	N/A		
description	expansion va	expansion valve T1: 1/8" ET T2: 1/8" ET			






















compone	nts		
bushes			
1			
No.	525728	Ref. No.	313118
description	bush for stea 6mm brass	m-/water-tap D1 ø 12mi	m D2 ø 8.5mm ID ø 6.5mm H


gaskets			
1			
No.	525727	Ref. No.	361023
description	gasket D1 ø 12.4mm D2 ø 7mm thickness 5mm rubber		







washers			
No.	525734	Ref. No.	3130204
description	plain washer D1 ø 27mm D2 ø 21.2mm thickness 2mm SS for steam-/ water-tap		















nozzles for water pipes nozzles for water pipes No. 525702 Ref. No. 3141497 description nozzle D1 ø 18mm D2 ø 12.5mm H 30mm thread 1/8" for water pipe stainless steel approval NSF

1 No. 525704 Ref. No. 314132 3141327 32413277 description nozzle D1 ø 21mm D2 ø 10mm H 20mm for water pipe chrome-plated brass

bushes No. 529736 Ref. No. 313109 description bush

gaskets			
10			
No.	525738	Ref. No.	466013
description	slide ring PTFE D1 pipe	ø 12.3mm D2 ø 10	4mm thickness 2mm for water

tube handles				
1				
No.	525152	Ref. No.	371081	
description	handle for pipe ø 10mm L 40mm rubber			

union nuts	5		
No.	525705	Ref. No.	3133147
description	union nut thread 3/8" L 30mm hole ø 12mm SS for steam/water pipes		

gaskets					
flat gask	flat gaskets				
fibre gask	fibre gaskets				
No.	525739	Ref. No.	362019		
description	gasket D1 ø 9	gasket D1 ø 93mm D2 ø 80mm thickness 1.6mm			


rubber g	rubber gaskets				
No.	698834	Ref. No.	362068		
description	description group gasket D1 ø 53mm D2 ø 41.5mm thickness 7mm				

No.	698833	Ref. No.	361008	
description	group gasket	group gasket D1 ø 73mm D2 ø 57mm thickness 8mm		


PTFE gaskets				
10				
No.	525745	Ref. No.	362069	
description	flat gasket PTFE	flat gasket PTFE ED ø 26mm ID ø 22.5mm thickness 1mm Qty 1 pcs		

piston seals				
10	•			
No.	525741	Ref. No.	361005	
description	piston gaske	piston gasket D1 ø 43.5mm D2 ø 31.5mm thickness 5.5mm		


fine filt	fine filters				
fine filte	ers				
1					
No.	528317	Ref. No.	327150		
		fine filter fabric ø 14mm H 12.5mm			









intake va	ılves		
accessorie	es		
push butto	ons		
pus 1	sh		
No.	111015	Ref. No.	475019
description	knob PUSH ø 36mm shaft ø 6mm for PAVONI		






level glasses				
gaskets				
1				
No.	525730	Ref. No.	362020	
description	gasket D1 ø 14.6mm D2 ø 8.6mm thickness 5mm silicone for level glass pipe			

1			
No.	526678	Ref. No.	361002
description	gasket D1 ø 16.5mm D2 ø 12mm H 11mm		







pipes			
reduction	washers		
1			
No.	525722	Ref. No.	314109
description	reducing was	her for pipe ø 10mm h	ole ø 2.5mm ø 12mm W 5mm



1			
No.	529692	Ref. No.	N/A
description	non-return valve T1: 1/8" T2: 1/8"		





for coffee grinders

adjustment mechanism

lockable adjustment



pressure pin for setting ring L 36mm W 20mm shaft ø 5mm shaft length 30mm

0BEB06

setting rings



No.	527413	Ref. No.	0BEB053
description	setting ring suitab	le for Obel for EB e	quiv. no. EB053

coffee beans containers

container lids



No.	527333	Ref. No.	OBEB01
description	lid for coffee bear	ıs container ø 182m	m

coffee beans containers



527333

lid for coffee beans container ø 182mm

Ref. No.

spare parts for	527334				
	No.	527567	Ref. No.	_	
	protection cap with magnet				



for cup coffee machines

miscellaneous



No.	650242	Ref. No.	371101
description	equipment foot ø 9.5mm rubber Qty		unting ø 10mm overall height

1 No. 650243 Ref. No. 0P144650300 description water filter ø 6mm L 60mm

for dishwashers

door mechanics

miscellaneous



No.	528224	Ref. No.	361007
description	gasket PTFE gaske	et	



OBEB01

spare parts for

527334

No.

0

knobs

steam/water taps

steam/water taps



No.	531193	Ref. No.	3710559
description	turning handle ø	16mm black for PAV	ONI for tap


1			
No.	525630	Ref. No.	371055
description	turning handle ø 46mm grey for PAVONI for tap		

1			
No.	525631	Ref. No.	2711014
INO.	525031	Ket. No.	371020
description	turning handle ø 50mm thread Tr18x4 black for steam-/water-tap		

knob dial plates




No.	525737	Ref. No.	313021
description	plain washer with	turning handle ø 2	0mm ID ø 6.4mm thickness




1			
No.	525634	Ref. No.	37102101
			37102102
description	symbol steam for	steam tap ø 50mm	grey for PAVONI

No.	525633	Ref. No.	37102122
description	symbol water for water tap ø 50mm grey for PAVONI		



accessories				
~				
No.	525732	Ref. No.	311429	
description	retainer clip L 14mm wire gauge ø 1.5mm SS Qty 1 pcs			



handles and hand wheels

cylindrical handles





cone handles








Star handles No. 525706 Ref. No. 475010 description star handle bore Ø 6mm Ø 40mm L1 21.5mm L2 7mm transverse bore Ø 4.3mm

accessories miscellaneous No. 525640 Ref. No. 3123547 description threaded rod L 45mm SS M12x1.75


equipment feet and end caps


equipment feet with stem





gaskets


O-rings



































































No.	526014	Ref. No.	362026
description	flat gasket PTFE ED ø 35mm ID ø 30mm thickness 2mm Qty 1 pcs		




No.	525742	Ref. No.	362077	
description	flat gasket PTFE ED ø 9.8mm ID ø 6.1mm thickness 1mm Qty 1 pcs			

special gaskets

group gaskets




No.	525726	Ref. No.	361012
description	2 1 2	.5mm W 70.5mm th	nickness 2mm aperture



	3		
No.	528164	Ref. No.	361016
description	group gasket L 72mm W 60mm thickness 1mm hole distance 55mm fibre suitable for PAVONI		









springs

torsion springs





compression springs

















coffee accessories


coffee grounds drawers







manometers




























dosing pumps

accessories

non-return valves



No.	361488	Ref. No.	RACA0006
description	non-return valve i	nlet 4x6mm outlet	1/8" L 40mm Qty 1 pcs

fastening material

screws

countersunk screws



No.	560370	Ref. No.	312317
description		v thread M5 L 16mi ake Phillips head ø	m stainless steel DIN 965/ISO 9mm

cylinder head bolts


DIN 912/ISO 4762



No.	560373	Ref. No.	403203
description	cylinder head bolt intake internal hex		L 12mm WS 3 SS Qty 1 pcs 4762

threaded rods

description



No.	No. 525721 Ref. No. 404013				
description	threaded rod	threaded rod thread M8 L 22mm intake slotted			

3123547



