

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS




TOOLS

Spare parts suitable for

PITCO


heating elements

heating elements for fryers



1


No.	420421	Ref. No.	B5307203-C
description	heating element 7000W 240V heating circuits 3 L 280mm W 158mm H 285mm flange with thread connection cable fryer hole distance 87mm hole ø 6.3mm flange length 101.5mm flange width 36mm cable length 1000mm		



1


No.	420428	Ref. No.	50006614
description	heating element 8500W 230V heating circuits 3 L 355mm W 115mm H 280mm flange connection plug flange length 163mm flange width 45mm tube ø 8mm		

2 hole fixing




1

No.	420423	Ref. No.	P5046916
description	heating element 7000W 240V heating circuits 1 L 280mm W 87mm H 295mm thread 5/8"-18UNF tube ø 11mm windings 5 fryer		




1

No.	420427	Ref. No.	PP10904
description	heating element 8500W 230V heating circuits 3 L 260mm W 90mm H 260mm thread 3/4"-16UNF windings 4 fryer		



1


No.	420425	Ref. No.	P5046921
description	heating element 5500W 240V heating circuits 1 L 265mm W 97mm H 290mm H1 220mm H2 70mm thread 5/8"-18UNF tube ø 11mm		



1


No.	420424	Ref. No.	P5046902
description	heating element 6000W 240V heating circuits 1 L 365mm W 105mm H 295mm thread 5/8"-18UNF tube ø 11mm windings 4		

heating elements for pasta cookers




1

No.	420426	Ref. No.	B5309305
description	heating element 2500W 230V heating circuits 1 L 310mm W 75mm H 75mm		



1

No.	420422	Ref. No.	P5046968
description	heating element 6000W 240V heating circuits 1 L 345mm W 218mm H 25.4mm 5/8"-18UNF		



1

No.	420429	Ref. No.	PP11210
description	heating element 8500W 230V heating circuits 1 L 420mm W 275mm H 31.8mm		



thermostats

bi-metal thermostats

bi-metal thermostats



No.	390969	Ref. No.	PP10739
description	bi-metal thermostat hole distance 23.5mm switch-off temp. 57.2°C 1NC 1-poleAV connection F6.3 2 hole fixing		

control and safety thermostats

INVENSYS / ROBERTSHAW

control thermostats



No.	390971	Ref. No.	60125402
description	thermostat t.max. 190.6°C temperature range 93-190°C 1-pole 1NO 0.67A probe ø 9.5mm probe L 120mm capillary pipe 870mm capillary pipe isolatedmm gland nut 3/8" NPT shaft L 23mm shaft position lower 200-375°F		



No.	390636	Ref. No.	60125401
description	thermostat t.max. 204°C temperature range 93-204°C 1-pole 1NO 0.67A probe ø 9.5mm probe L 123mm capillary pipe 915mm capillary pipe isolatedmm gland nut 1/4" NPT shaft ø 6x4.6mm shaft L 21mm shaft position lower rotation 315° probe material nickel-plated probe thread 1/4" US		



No.	580040	Ref. No.	P5047587
description	thermostat t.max. 205°C temperature range 94-205°C 1-pole 1NOA probe ø 9.5mm probe L 123mm capillary pipe 885mm capillary pipe isolatedmm gland nut 3/8" NPT shaft Lmm with knob		


safety thermostats

BRANCO


No.	390966	Ref. No.	60070701
description	safety thermostat switch-off temp. 121°C temperature range°C 1-poleA probe ø 6.4mm probe L 136mm capillary pipe 610mm capillary pipe isolatedmm gland nut 1/4" NPT shaft ømm probe SS		




No.	390967	Ref. No.	PP11010
description	safety thermostat switch-off temp. 224°C temperature range fixed 224°C 1-pole 1COA probe ø 6.4mm probe L 118mm capillary pipe 790mm capillary pipe isolatedmm gland nut shaft ømm probe SS		




No.	580045	Ref. No.	PP10084
description	safety thermostat switch-off temp. 232°C 1-pole 1COA probe ø 6.4mm probe L 120mm capillary pipe 760mm capillary pipe isolatedmm gland nut 3/8" NPT shaft ømm probe SS screw connection 1/4" 450°F		


			
1			
No.	580047	Ref. No.	P5047210 PP10271
description	safety thermostat switch-off temp. 232°C 1-pole probe ø 6.4mm probe L 120mm capillary pipe 600mm 450°F		

			
1			
No.	390965	Ref. No.	P5047216
description	safety thermostat switch-off temp. 232°C 1-poleA probe ø 7.93mm probe L 77mm capillary pipe 760mm capillary pipe isolatedmm gland nut shaft ømm probe SS		


switches and momentary switches

rocker/momentary rocker switches

37x21mm			
			
1			
No.	348059	Ref. No.	6717337 PP10093
description	rocker switch mounting measurements 37x21mm white 1CO 250V 6A connection male faston 6.3mm ambient temperature max. 85/100°C protection IP44		


			
1			
No.	348062	Ref. No.	PP11284
description	rocker switch mounting measurements 37x21mm white/black 2NO 250V 15A 0-1 connection male faston 6.3mm ambient temperature max. 125°C protection IP40		


miscellaneous


			
1			
No.	348054	Ref. No.	PP10735
description	rocker switch mounting measurements 37x21mm white/black 2CO 250V 10A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP44		

toggle switches

M12x0.75

			
1			
No.	348060	Ref. No.	PP11175
description	momentary toggle switch thread M12 2NO 250V 10A ON-OFF male faston 6.3mm momentary		


			
1			
No.	348055	Ref. No.	P5047165
description	toggle switch thread M12x0.75 2CO 250V 15A ON-ON screw		

			
1			
No.	348058	Ref. No.	PP10821
description	toggle switch thread M12x0.75 3CO 250V 12A ON-OFF-ON male faston 6.3mm with neutral position		

microswitches

pin-plunger actuated

M12

			
1			
No.	348061	Ref. No.	P5047170
description	microswitch with plunger mounting distance 20mm thread M12x1 thread L 14mm 250V 10A 1CO connection screw stroke 10mm L 50mm L1 50mm L2 20mm ambient temperature max. 125°C actuating force: 560g		


float switches

			
1			
No.	403494	Ref. No.	P5047217
description	float switch thread 1/4" NPT 1NO ø 52mm L 90mm mounting ø 14mm 240V 0.4A cable cable length 910mm		




magnetic switches


29x19mm



No.	348050 ¹	Ref. No.	B5305001
description	magnetic switch L 29mm W 19mm 1NO 250V 0.5A P max. 10W connection plug cable length 290mm		
For models:	ME2, MEII		

¹with coded connector


No.	348049	Ref. No.	PP11164
description	magnetic switch L 29mm W 19mm 1NO 250V 1.5A P max. 50W cable length 600mm		



No.	348051	Ref. No.	B5305002
description	magnetic switch with insulation L 29mm W 19mm 1NO 250V 0.5A P max. 10W connection plug cable length 290mm		

accessories

magnets



No.	345700	Ref. No.	PP10263
description	magnet \varnothing mm L 29mm H 6.5mm W 19mm hole distance 16mm M3 hole \varnothing 3.5mm		
For models:	ME2, MEII		

lamps

indicator lights

indicator lights (complete)

27x12mm



No.	348056	Ref. No.	P5045040
description	indicator light mounting measurements 27x12mm red 28V connection male faston 6.3mm temp.-resist. 125°C		



No.	348057	Ref. No.	P5045043
description	indicator light mounting measurements 27x12mm white 28V connection male faston 6.3mm temp.-resist. 125°C		

miscellaneous



1

No.	360619	Ref. No.	PP10736
description	indicator light green 125/250V connection male faston 6.3mm		

contactors

HARTLAND

power contactors



1

No.	381278	Ref. No.	P5045352
description	power contactor resistive load 40A 120VAC 30A/10HP (AC3/240V) 30A/7.46kW main contacts 3NO auxiliary contacts connection screw clamp/male faston 6.3mm type HCCY3XT02CY		



1

No.	381277	Ref. No.	P60157202 PP10560
description	power contactor resistive load 50A 24VAC 40A/10HP (AC3/240V) 40A/7.46kW main contacts 3NO auxiliary contacts connection screw clamp/male faston 6.3mm type HCCY3XQ04CG		
For models:	ME2, MEII		

SPRECHER+SCHUH

power contactors



1

No.	381279	Ref. No.	60139201
description	power contactor resistive load 65A 24VAC (AC3/400V) 60A/18.5kW main contacts 3NO auxiliary contacts connection screw connection type CA7-37-00		
For models:	ME2, MEII		

solid state relays

CRYDOM



1

No.	381280	Ref. No.	PP11011
description	solid state relay CRYDOM 1 phase 50A 480V 18-36 VAC L 57mm W 45mm screw type HA4850E		

relays

power relays

with bracket mounting



1

No.	381290	Ref. No.	PP11058
description	power relays OMRON 24VAC 25A 1NO connection F6.3 bracket mounting at 250V 30A manuf. no. G7L-1A-TUBJ-CB 24VAC		
For models:	ME2, MEII		



1

No.	381291	Ref. No.	60104701
description	power relays OMRON 24VAC 25A 2NO connection F6.3 bracket mounting at 250V 25A manuf. no. G7L-2A-TUBJ-CB 24VAC		
For models:	ME2, MEII		



1

No.	381292	Ref. No.	PP11036
description	power relays OMRON 24VDC 25A 2NO connection F6.3 bracket mounting at 250V 25A manuf. no. G7L-2A-TUBJ-CB 24VDC		



1

No.	381295	Ref. No.	P5046687
description	relay OMRON 24VAC 10A 2CO connection F4.8 bracket mounting manuf. no. LY2 24VAC		



1

No.	381296	Ref. No.	60126001
description	relay OMRON 24VAC 10A 3CO connection F4.8 bracket mounting manuf. no. LY3F AC24		
For models:	ME2, MEII		



1

No.	381294	Ref. No.	PP11068
description	relay OMRON 24VDC 10A 2CO connection F4.8 bracket mounting manuf. no. LY2F 24DC		



1

No.	381293	Ref. No.	PP11124
description	relay OMRON 24VDC 15A 1CO connection F4.8 bracket mounting manuf. no. LY1F DC24		

miscellaneous




1

No.	403495	Ref. No.	60143301
description	relay reset		

probes

producer-specific probes

probes



1

No.	403491	Ref. No.	B6700601-C
description	temperature probe thermocouple K (NiCr-Ni) cable glass fibre probe -50 up to +750°C cable -50 up to +350°C connection 2-wire thread 1/4" NPT probe ø4.7x280mm cable length 0.315m handle ømm handle lengthmm		

core probes

No.	403489	Ref. No.	60055003-C
description	temperature probe NTC 100kOhm cable PTFE probe -40 up to +120°C cable -40 up to +250°C connection 2-wire probe Ø4.7x70mm thread M9 cable length 1.12m handle Ømm handle lengthmm L2 65mm		

No.	403493	Ref. No.	60139801
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire probe Ø4.7x270mm thread M12x1.25 cable length 0.4m handle Ømm handle lengthmm		

No.	403492	Ref. No.	P5044882
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire probe Ø4.7x270mm thread M12x1.25 cable length 0.8m handle Ømm handle lengthmm		

No.	403487	Ref. No.	B3316801-C
description	temperature probe thermocouple K (NiCr-Ni) cable glass fibre probe -50 up to +750°C cable -50 up to +350°C connection 2-wire probe Ø4.7x140mm thread M9 cable length 0.27m handle Ømm handle lengthmm		

No.	403490	Ref. No.	B6700602-C
description	temperature probe thermocouple K (NiCr-Ni) cable glass fibre probe -50 up to +750°C cable -50 up to +350°C connection 2-wire probe Ø4.7x270mm thread cable length 0.35m handle Ømm handle lengthmm		

No.	403488	Ref. No.	PP10915
description	temperature probe thermocouple K (NiCr-Ni) cable glass fibre probe -50 up to +750°C cable -50 up to +350°C connection 2-wire probe Ø4.7x280mm thread cable length 0.32m handle Ømm handle lengthmm		

accessories

fasteners


No.	692860	Ref. No.	A3342802 PITA3342802
description	bracket for fryer mounting pos. probes L 30mm W 45mm H 22mm stainless steel hole Ø 14mm mounting distance 31mm		
For models:	ME2, MEII		


electronics


PCBs


No.	698535	Ref. No.	60134001
description	PCB fryer L 130mm W 90mm 24V H 55mm PITCO Qty 1 pcs		


No.	698539	Ref. No.	PP11012
description	PCB fryer L 380mm W 150mm 24V H 60mm mounting pos. front PITCO Qty 1 pcs		


			
1			
No.	698534	Ref. No.	60126601
description	PCB fryer L 380mm W 155mm 24V H 40mm 1.67A mounting pos. front PITCO Qty 1 pcs		


			
1			
No.	698540	Ref. No.	PP11306
description	PCB fryer L 380mm W 160mm 24V H 55mm 1.67A mounting pos. front PITCO Qty 1 pcs		


			
1			
No.	698541	Ref. No.	PP11372
description	PCB fryer L 385mm W 160mm 24V H 60mm 1.67A mounting pos. front PITCO Qty 1 pcs		


			
1			
No.	698542	Ref. No.	PP11370
description	PCB fryer L 390mm W 155mm 24V H 55mm 1.67A mounting pos. front PITCO Qty 1 pcs		

			
1			
No.	698536	Ref. No.	60137701-C
description	PCB fryer L 390mm W 160mm 24V H 60mm 1.67A mounting pos. front PITCO Qty 1 pcs		


			
1			
No.	698532	Ref. No.	60149501-CL
description	PCB fryer L 400mm W 220mm 24V H 80mm 1.2A mounting pos. front PITCO Qty 1 pcs		

			
1			
No.	698537	Ref. No.	60127301
description	PCB fryer L 99mm W 69mm 24V H 20mm PITCO Qty 1 pcs		
For models:	ME2, MEII		

			
1			
No.	698533	Ref. No.	60144002-C
description	PCB L 115mm W 70mm 24V H 20mm PITCO Qty 1 pcs		



			
1			
No.	698538	Ref. No.	PP10939
description	PCB L 240mm W 160mm 24V H 50mm 1.67A PITCO Qty 1 pcs		

pressure switches for deep fryers

			
1			
No.	698529	Ref. No.	PP11137
description	pressure control ø 90mm 1CO connection 7/16" UNF (1/4" SAE) pressure connection 7/16" UNF (1/4" SAE)		

fans


radial fans

 			
1	No.	601971	Ref. No. PP11129
description radial fan 220-240V voltage AC 50Hz H1 260mm L1 220mm D1 ø 170mm W1 240mm W2 60mm H2 90mm W3 95mm H3 120mm			

motors

gear motors

miscellaneous


			
1	No.	601970	Ref. No. PP10930
description gear motor PITCO type ZEM-6006-25 230V 50/60Hz shaft ø 8/9mm L 120mm W 70mm H 155mm			


motors


			
1	No.	504785	Ref. No. 60130804
description pump motor 240V 50Hz 1425rpm capacitorµF for oil/grease H 160mm PITCO L 240mm W 160mm 248W			
For models: ME2, MEII			

pumps

oil pumps


			
1	No.	501475	Ref. No. PP10171
description oil pump PITCO type M4C14DH4G 246W 240V 50Hz inlet ø 23mm outlet ø 21mm L 285mm			


			
1	No.	501474	Ref. No. 60130802
description oil pump PITCO type M4S14DH3B 248W 240V 50Hz inlet ø 23mm outlet ø 23mm L 330mm 1817l/h capacitorµF			


			
1	No.	501473	Ref. No. 60143508
description oil pump PITCO type SG-0510-G00WVHz inlet ø 15mm outlet ø 15mm 910l/h			

fuses


fine fuses


			
1	No.	358840	Ref. No. PP10122
description fuse size ø6.3x32mm 1A slow-acting rated 250V Qty 1 pcs			

			
1	No.	358839	Ref. No. 60132703
description fuse size ø6.3x32mm 2.5A slow-acting rated 250V Qty 1 pcs			


			
1			
No.	358841	Ref. No.	P5045717
description	fuse size ø6.3x32mm 2A slow-acting rated 250V Qty 1 pcs		

fine fuse holders

			
1			
No.	551283	Ref. No.	P5045794
description	fuse holder suitable fuse ø6.3x32mm ø 12.5mm mounting ø 13mm 20A rated 300V connection F4.8		

			
1			
No.	551282	Ref. No.	PP10765
description	fuse holder suitable fuse ø5x20mm ø 12.5mm 30A rated 32V L 57mm connection 8x5 cross section 2.5mm ²		

overload switches


			
1			
No.	358179	Ref. No.	PP10470
description	overload switch 2-pole drop-away current 4A rated 250V nominal 4A connection male faston		




gas thermostats

ROBERTSHAW

			
1			
No.	580041 ¹	Ref. No.	P5047588
description	gas thermostat type GSA60301800 93-204°C 200-400°F gas inlet 1/4" CCT (tube ø 1/4") bypass nozzle ømm gas outlet 1/4" CCT (tube ø 1/4") thermocouple connection pilot connection capillary pipe 30" - 760mm probe ø 3/8" - 9.5mm probe L 5 3/8" - 135mm gland nut 1/4" NPT shaft ø 6.4x4.8mm shaft L 21/21mm shaft flat upper ROBERTSHAW		
accessories for	580041		
 olive for pipe ø 1/4" CCT Qty 1 pcs	No.	101481	Ref. No. —
	No.	106109	Ref. No. —
locking screw thread 7/16"-24 UNS for pipe ø 1/4" L 16mm brass Qty 1 pcs WS 7/16" (11.113mm) hole ø 6.4mm			

¹with gland nut 1/4" NPT

accessories for	580041		
 union screw tube ø 1/4"mm	No.	106110	Ref. No. —
	No.	580039	Ref. No. —
knob 200-400°F ø 57mm shaft ø 6x4.6mm shaft flat lower t.max. 400°F rotation 270°			

			
1			
No.	580052 ¹	Ref. No.	P5047590
description	gas thermostat type GSH30240000 t.max. 190°C 93-190°C 200-375°F gas inlet 1/4" CCT (tube ø 1/4") bypass nozzle ømm gas outlet 1/4" CCT (tube ø 1/4") thermocouple connection pilot connection capillary pipe 24" - 610mm probe ø 3/8" - 9.5mm probe L 5 3/8" - 135mm gland nut 3/8" NPT shaft ø 6.4x4.8mm shaft L 21/21mm shaft flat lower ROBERTSHAW		
accessories for	580052		
 olive for pipe ø 1/4" CCT Qty 1 pcs	No.	101481	Ref. No. —
	No.	106109	Ref. No. —
locking screw thread 7/16"-24 UNS for pipe ø 1/4" L 16mm brass Qty 1 pcs WS 7/16" (11.113mm) hole ø 6.4mm			
 union screw tube ø 1/4"mm	No.	106110	Ref. No. —

¹with gland box 3/8" NPT

gas valves and ignition boxes

gas control valves

HONEYWELL





			
1			
No.	107668	Ref. No.	60113503-C
description	gas valve type VR8204A natural gas 24V 50/60Hz gas inlet 1/2" NPT gas outlet 1/2" NPT thermocouple connection pilot connection 1/4" CCT pressure range 7.5-12.5mbar operator type pressure controller type automatic HONEYWELL		



ROBERTSHAW

electric controlled valves



No.	101429	Ref. No.	P5045657
description	gas valve 120V 50/60Hz gas inlet 3/4" gas outlet 3/4" thermo-couple connection 3/8" NEF pilot connection 1/4" pipe US type 7000BMSER-120 pressure controller natural gas 3.5" W.C. suitable for ROBERTSHAW		
spare parts for	101429		
	No.	101047	Ref. No. P6071301 P6071303
	magnet unit T1: ASA 11/32 T2: M24x1 L 59mm ø 4mm suitable for ROBERTSHAW		
	No.	101389	Ref. No. —
	pressure controller natural gas suitable for ROBERTSHAW		
	No.	580033	Ref. No. P6071170 P6071267
	knob suitable for ROBERTSHAW		
accessories for	101429		
	No.	580035	Ref. No. P5047541 P5047542
	thermopile L 36" - 915mm probe ø 9mm probe L 38mm 250-750mV screw connection 7/16" connection 3/8" NEF		



No.	107670	Ref. No.	PP10720
description	gas valve supply 24VAC supply 12VDC gas inlet 1/2" NPT gas outlet 1/2" NPT thermocouple connection 11/32" pilot connection 1/4" CCT type 7000 BER-LP pressure controller LPG 10" W.C. suitable for PITCO		




No.	107672	Ref. No.	PP10770
description	gas valve supply 24VAC supplyVDC gas inlet 1/2" NPT gas outlet 1/2" NPT thermocouple connection pilot connection type 7000B DER pressure controller natural gas 3.0" W.C. suitable for PITCO		



No.	107671	Ref. No.	PP11142
description	gas valve supply 24VAC supplyVDC gas inlet 1/2" NPT gas outlet 1/2" NPT thermocouple connection pilot connection type U7010DER-S7B pressure controller natural gas 3.5" W.C. suitable for PITCO		

gas controlled valves










No.	580032	Ref. No.	P5045638
description	gas valve 50/60Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection 3/8" NEF pilot connection 1/4" pipe US type 7000BMSER pressure controller natural gas 3.5" W.C. suitable for ROBERTSHAW supply 24VAC supply 12VDC		
spare parts for	580032		
	No.	101047	Ref. No. P6071301 P6071303
	magnet unit T1: ASA 11/32 T2: M24x1 L 59mm ø 4mm suitable for ROBERTSHAW		
	No.	101389	Ref. No. —
	pressure controller natural gas suitable for ROBERTSHAW		
	No.	101403	Ref. No. —
	operator 24V voltage AC natural gas suitable for ROBERTSHAW		


Table continues overleaf









spare parts for 580032				
	No.	580033	Ref. No.	P6071170 P6071267
knob suitable for ROBERTSHAW				
accessories for 580032				
	No.	580035	Ref. No.	P5047541 P5047542
thermopile L 36" - 915mm probe ø 9mm probe L 38mm 250-750mV screw connection 7/16" connection 3/8" NEF				

				
1	No.	106923	Ref. No.	PP10593
description		gas valve 60Hz type 7000BDER-S7A supply 24VAC		


				
1	No.	107675	Ref. No.	B8002702
description		gas valve supply Operator gas inlet 1/4" CCT outlet 1/4" CCT gas inlet 1/2" NPT gas outlet 1/2" NPT thermocouple connection 11/32" pilot connection 1/4" CCT type 7000BGOR-LP pressure controller LPG 10"W.C.		

				
1	No.	107673	Ref. No.	PP10956
description		gas valve supply Operator gas inlet 1/4" CCT outlet 1/4" CCT gas inlet 1/2" NPT gas outlet 1/2" NPT thermocouple connection 11/32" pilot connection 1/4" CCT type U7000 LP pressure controller LPG		





				
1	No.	580043	Ref. No.	P5045642 P5045659
description		gas valve supply Operator gas inlet 1/4" CCT outlet 1/4" CCT gas inlet 3/4" NPT gas outlet 3/4" NPT thermocouple connection 3/8" NEF pilot connection 1/4" CCT type 7000BMSGOR pressure controller natural gas 3.5" W.C. suitable for ROBERTSHAW		
spare parts for 580043				
	No.	101042	Ref. No.	—
magnet unit T1: 3/8" NEF suitable for ROBERTSHAW for gas operator				
	No.	101481	Ref. No.	—
olive for pipe ø 1/4" CCT Qty 1 pcs				
	No.	106109	Ref. No.	—
locking screw thread 7/16"-24 UNS for pipe ø 1/4" L 16mm brass Qty 1 pcs WS 7/16" (11.113mm) hole ø 6.4mm				
	No.	580033	Ref. No.	P6071170 P6071267
knob suitable for ROBERTSHAW				
accessories for 580043				
	No.	580035	Ref. No.	P5047541 P5047542
thermopile L 36" - 915mm probe ø 9mm probe L 38mm 250-750mV screw connection 7/16" connection 3/8" NEF				

millivolt controlled valves

				
1	No.	107674	Ref. No.	60132902
description		gas valve supply Operator millivolt gas inlet 1/2" NPT gas outlet 1/2" NPT thermocouple connection 11/32" pilot connection 1/4" CCT type U7000MVRL pressure controller LPG 10"W.C. suitable for PITCO		

			
1			
No.	107669	Ref. No.	60132901
description	gas valve supply Operator millivolt gas inlet 1/2" NPT gas outlet 1/2" NPT thermocouple connection 11/32" pilot connection 1/4" CCT type U7000MVR pressure controller natural gas 4.0" W.C. suitable for PITCO		
For models:	ME2, MEII		

1

No.	580031	Ref. No.	N/A	
description	gas valve supply Operator millivolt gas inlet 3/4" NPT gas outlet 3/4" NPT thermocouple connection pilot connection 1/4" CCT type 7000BMVR pressure controller natural gas 3.5" W.C. suitable for ROBERTSHAW			
spare parts for	580031			
	No.	101422	Ref. No.	—
	operator natural gas supply Operator millivolt			
	No.	106109	Ref. No.	—
	locking screw thread 7/16"-24 UNS for pipe ø 1/4" L 16mm brass Qty 1 pcs WS 7/16" (11.113mm) hole ø 6.4mm			
	No.	106121	Ref. No.	P6071551
	pressure controller natural gas 3.5" W.C.			
	No.	580033	Ref. No.	P6071170 P6071267
	knob suitable for ROBERTSHAW			


ignition boxes

miscellaneous

			
1			
No.	107658	Ref. No.	PP11145
description	ignition box GASLITER type MARK10DX-24-716-2 suitable for PITCO electrodes 1 waiting time 1s safety time 10s 24V 50/60Hz		

safety valves

miscellaneous

			
1			
No.	107667	Ref. No.	P6071776
description	safety valve BASO type G96HGA-1 pressure range 34.5mbar gas inlet 1/2" NPT gas outlet 1/2" NPT thermocouple connection natural gas 3.5" W.C.		


ignition parts

pilot burners

ROBERTSHAW

pilot burners

universal series - type 4

			
1			
No.	580050	Ref. No.	P6071451 P6071458
description	pilot burner ROBERTSHAW type 4CH-6 3 flames LPG code 16 for pipe ø 1/4" CCT		



universal series - type 6

Width of caps:

6CH10 = 1" (25,4mm)

6CH14 = 1½" (38,1mm)

6CH24 = 2½" (63,5mm)

6CH30 = 3" (76,2mm)



1

No.	107677	Ref. No.	6071449
description	pilot burner ROBERTSHAW type 6CH14-6 3 flames LPG code 16 for pipe ø 1/4" CCT		



1

No.	107676	Ref. No.	6071450
description	pilot burner ROBERTSHAW type 6CH14-6 3 flames natural gas code 22 for pipe ø 1/4" CCT		

accessories for 107676



No.	106108	Ref. No.	P6071666
pilot burner nozzle natural gas code 22 suitable for ROBERTSHAW			



1

No.	107396	Ref. No.	P6071452 P6071457
description	pilot burner ROBERTSHAW type 6CH24-6 3 flames natural/liquid gas code 16/26 for pipe ø 1/4" CCT		

spare parts for 107396



No.	100277	Ref. No.	—
pilot burner nozzle natural gas code 26 suitable for ROBERTSHAW			



No.	106105	Ref. No.	P6071665
pilot burner nozzle LPG code 16 suitable for ROBERTSHAW			

universal series with electrodes



1

No.	107661	Ref. No.	60130902
description	pilot burner ROBERTSHAW type 6SW14-21E 3 flames LPG code 16 for pipe ø 1/4" CCT		

spare parts for 107661



No.	100275	Ref. No.	—
pilot burner nozzle LPG code 10 bore ø 0.1mm suitable for ROBERTSHAW			



No.	100276	Ref. No.	—
pilot burner nozzle natural gas code 18 suitable for ROBERTSHAW			



No.	100277	Ref. No.	—
pilot burner nozzle natural gas code 26 suitable for ROBERTSHAW			



No.	106105	Ref. No.	P6071665
pilot burner nozzle LPG code 16 suitable for ROBERTSHAW			



No.	106106	Ref. No.	—
pilot burner nozzle LPG code 14 suitable for ROBERTSHAW			



No.	106107	Ref. No.	—
pilot burner nozzle LPG code 11 suitable for ROBERTSHAW			



No.	106108	Ref. No.	P6071666
pilot burner nozzle natural gas code 22 suitable for ROBERTSHAW			



No.	106115	Ref. No.	—
pilot burner nozzle town gas suitable for ROBERTSHAW			



1

No.	107395	Ref. No.	60130901 60130902
description	pilot burner ROBERTSHAW type 6SW14-21E 3 flames natural/liquid gas code 22/16 for pipe ø 1/4" CCT		


spare parts for 107395



No.	106105	Ref. No.	P6071665
pilot burner nozzle LPG code 16 suitable for ROBERTSHAW			












No.	106108	Ref. No.	P6071666
pilot burner nozzle natural gas code 22 suitable for ROBERTSHAW			










			
1			
No.	107678	Ref. No.	PP11296
description	pilot burner ROBERTSHAW type W1350 3 flames code for pipe ø		


producer-specific pilot burners



PITCO



pilot burners

			
1			
No.	107662	Ref. No.	B8032104-C
description	pilot burner ROBERTSHAW type 6CH14-21 3 flames LPG nozzle 16 1/4" complete		
spare parts for	107662		
	No.	100275	Ref. No. —
pilot burner nozzle LPG code 10 bore ø 0.1mm suitable for ROBERTSHAW			
	No.	100276	Ref. No. —
pilot burner nozzle natural gas code 18 suitable for ROBERTSHAW			
	No.	100277	Ref. No. —
pilot burner nozzle natural gas code 26 suitable for ROBERTSHAW			
	No.	106105	Ref. No. P6071665
pilot burner nozzle LPG code 16 suitable for ROBERTSHAW			
	No.	106106	Ref. No. —
pilot burner nozzle LPG code 14 suitable for ROBERTSHAW			
	No.	106107	Ref. No. —
pilot burner nozzle LPG code 11 suitable for ROBERTSHAW			
	No.	106108	Ref. No. P6071666
pilot burner nozzle natural gas code 22 suitable for ROBERTSHAW			
	No.	106115	Ref. No. —
pilot burner nozzle town gas suitable for ROBERTSHAW			

			
1			
No.	107663	Ref. No.	B8032103-C
description	pilot burner ROBERTSHAW type 6CH14-21 3 flames natural gas nozzle 22 1/4" complete		
spare parts for	107663		
	No.	100275	Ref. No. —
pilot burner nozzle LPG code 10 bore ø 0.1mm suitable for ROBERTSHAW			
	No.	100276	Ref. No. —
pilot burner nozzle natural gas code 18 suitable for ROBERTSHAW			
	No.	100277	Ref. No. —
pilot burner nozzle natural gas code 26 suitable for ROBERTSHAW			
	No.	106105	Ref. No. P6071665
pilot burner nozzle LPG code 16 suitable for ROBERTSHAW			
	No.	106106	Ref. No. —
pilot burner nozzle LPG code 14 suitable for ROBERTSHAW			
	No.	106107	Ref. No. —
pilot burner nozzle LPG code 11 suitable for ROBERTSHAW			
	No.	106108	Ref. No. P6071666
pilot burner nozzle natural gas code 22 suitable for ROBERTSHAW			
	No.	106115	Ref. No. —
pilot burner nozzle town gas suitable for ROBERTSHAW			

			
1			
No.	107660	Ref. No.	B8039520-C
description	pilot burner ROBERTSHAW type 6SW1421E 3 flames natural/liquid gas nozzle 22/16 1/4" complete		

			
1			
No.	107666	Ref. No.	60130906 B8039518-C
description	pilot burner ROBERTSHAW type 6SW30-21E 3 flames LPG nozzle 16 for pipe ø 1/4" CCT 1/4" complete		
spare parts for	107666		
	No.	100275	Ref. No. —
pilot burner nozzle LPG code 10 bore ø 0.1mm suitable for ROBERTSHAW			

spare parts for 107665				
	No.	106108	Ref. No.	P6071666
	pilot burner nozzle natural gas code 22 suitable for ROBERTSHAW			
	No.	106115	Ref. No.	—
	pilot burner nozzle town gas suitable for ROBERTSHAW			

ignition cables

pre-assembled cables



No.	103223	Ref. No.	60126101
description ignition cable cable length 455mm connection F6.3mm / ø6.5mm 7mm² silicone			


various



No.	107654	Ref. No.	PP11128
description ignition cable cable length 340mm ED ø 7mm insulation silicone black			

thermocouples

thermocouple sets universal



No.	107706	Ref. No.	P5047540
description thermocouple ROBERTSHAW 5-piece L 24" - 610mm ASA 11/32			




No.	102281	Ref. No.	P5047540
description thermocouple set ROBERTSHAW 5-piece L 24" - 610mm			

plug-in thermocouples


plug-in thermocouples standard

ROBERTSHAW




No.	102276	Ref. No.	P5047540
description thermocouple ROBERTSHAW ASA 11/32 L 24" - 610mm 7/16"			

thermopiles



No.	580035	Ref. No.	P5047541 P5047542
description thermopile L 36" - 915mm probe ø 9mm probe L 38mm 250-750mV screw connection 7/16" connection 3/8" NEF			

White Rodgers



No.	103243	Ref. No.	60125501
description thermopile with PG9 adapter WHITE RODGERS L 36" - 915mm probe ø 9mm probe L 40mm 250-750mV screw connection 7/16" connection on spate terminals			

accessories

interrupters



No.	580046	Ref. No.	B6779850 P6071805 P6779850 P9087601
description extension for interrupter L 18" - 455mm			



gas burners

bar burners

bar burners



1

No.	201100	Ref. No.	PP10927
description	bar burner L 310mm W 85mm ø 60mm Hmm fryer		

tube burners



1

No.	109191	Ref. No.	B8037302-C B8046101
description	tubular burner L 277mm W 57mm H 100mm fryer oval		



1

No.	109190	Ref. No.	PP10853
description	tubular burner L 360mm W 67mm H 56mm fryer oval		

gas nozzles

main nozzles

gas nozzles (other)



1

No.	109192	Ref. No.	PP10984
description	gas injector thread 1/4" NPT WS 17 bore ø 1.15mm Qty 1 pcs		



1

No.	109193	Ref. No.	PP10857
description	gas injector thread 5/16" UNEF WS 9.5 bore ø 2.44mm Qty 1 pcs		

pilot burner nozzles

pilot burner nozzles ROBERTSHAW



1

No.	106105	Ref. No.	P6071665
description	pilot burner nozzle LPG code 16 suitable for ROBERTSHAW		



1

No.	106108	Ref. No.	P6071666
description	pilot burner nozzle natural gas code 22 suitable for ROBERTSHAW		

pilot burner nozzles (other)

miscellaneous



1

No.	103222	Ref. No.	PP10861
description	gas injector LPG bore ø 1.4mm brass		

auxiliary gas parts

screw connections

adapters



1

No.	107656	Ref. No.	60127501
description	adapter thread 1/2" for gas burner brass		



gas ball valves

miscellaneous



1

No.	520909	Ref. No.	60128101
description	ball valve straight t-handle inlet 1/2" IT outlet 1/2" IT DN15 L 65mm brass operating p. 0.03bar		

gas lines

main gas lines

producer-specific



1

No.	107659	Ref. No.	PP11257
description	gas line tube ø 19mm L 480mm W 50mm H 50mm connection 1/2"NPT-3/4"NPT		

gas hoses

miscellaneous



1

No.	250081	Ref. No.	B6602403-C
description	gas hose T1: 3/8" NPSF L 260mm nominal-ø 10.5mm connection ø 14.5mm		

equipment-specific units

for deep fryers

spare parts and accessories



1

No.	701428	Ref. No.	P0093300
description	nut fryer PITCO SS Qty 1 pcs		



1

No.	701429	Ref. No.	P0091100
description	nut fryer PITCO SS Qty 1 pcs		



1

No.	701426	Ref. No.	PP10686
description	screw fryer PITCO SS Qty 1 pcs		



1

No.	701427	Ref. No.	PP10697
description	screw fryer PITCO SS Qty 1 pcs		



1

No.	701424	Ref. No.	PP10687
description	screw fryer suitable for PITCO Qty 1 pcs thread 6-32x5/16		



1

No.	701425	Ref. No.	P5045661
description	screw Unitrol fryer PITCO SS Qty 1 pcs		

miscellaneous



1

No.	694727	Ref. No.	A8030407
description	adapter PITCO for oil drain steel L 50mm W 60mm H 60mm thread 1 1/2" mounting pos. lower		



1

No.	694726	Ref. No.	PP11005
description	ball valve for oil drain steel L 250mm W 80mm H 150mm thread 1 1/2" mounting pos. lower		



1

No.	694724	Ref. No.	60131007
description	ball valve for oil drain steel L 260mm W 130mm H 80mm thread 1 1/4" mounting pos. lower		



1

No.	694722	Ref. No.	60131801 6717300
description	ball valve for oil tap steel L 100mm W 90mm H 55mm thread 1/2"		
For models:	ME2, MEII		



1

No.	694725	Ref. No.	PITPP10962
description	ball valve PITCO for oil drain steel L 230mm W 65mm H 90mm thread 1 1/4" mounting pos. lower		










1

No.	694728	Ref. No.	60144401
description	ball valve PITCO for oil drain steel L 95mm W 80mm H 120mm thread 1 1/4" mounting pos. lower		



1

No.	694723	Ref. No.	B4004404-C
description	ball valve with sensor for oil drain steel L 270mm W 90mm H 85mm thread 1 1/2" mounting pos. lower		



for ovens

housing and bezels




1

No.	698530	Ref. No.	P6071215
description	cover L 67mm W 93mm H 0.67mm rubber		

knobs

producer-specific knobs

PITCO



1

No.	111803	Ref. No.	PP10537
description	knob 100-200 shaft flat lower black shaft 6x4.6 H 22mm L 58mm Qty 1 pcs		



1

No.	112142	Ref. No.	PP10782
description	knob D1 31mm shaft 3mm		



1

No.	112732	Ref. No.	PP10539
description	knob thermostat shaft 6.4x4.8mm temperature range 100-200°C shaft flat lower black external size 58mm H 22mm Qty 1 pcs		

handles and hand wheels

bracket handles



1

No.	694718	Ref. No.	PP11332
description	pull handle for fryer L 120mm SS		

levers

with handle



1

No.	111802	Ref. No.	B4000707
description	lever outlet tap steel for fryer		



1

No.	111801	Ref. No.	B4003001-C
description	lever outlet tap steel for fryer operation with latch		

hinges

door bearing



1

No.	694719	Ref. No.	B3801802
description	hinge L 24mm W 42mm H 64mm mounting pos. bottom left bolt 17mm bolt 6.3mm with bolt for fryer suitable for PITCO		



equipment feet and end caps

equipment feet

with fixing plate



1

No.	701419	Ref. No.	60132401
description	equipment foot tube ø 41mm plate size 83x83mm hole distance 65x65mm H 220-250mm SS Qty 1 pcs for fryer suitable for PITCO		

miscellaneous

with fixing plate

ø75mm



1

No.	701420	Ref. No.	PP10808
description	swivel castor ø 75mm plates fixing 82x82mm housing zinc-plated sheet steel plate size 82x82mm hole distance 66x66mm capacity 100kg bearing slide bearing wheel body polyamide tread 32 H 145-165mm wheel width 33mm Qty 1 pcs		

baskets

fryer baskets

US producers



1

No.	970134	Ref. No.	P6072125
description	fryer basket L1 280mm W1 140mm H1 105mm		



1

No.	970184	Ref. No.	P6072143
description	fryer basket L1 330mm W1 315mm H1 135mm		



1

No.	970182	Ref. No.	P6072145
description	fryer basket L1 340mm W1 165mm H1 150mm L2 620mm H2 280mm		

shelves and shelf rails

grates

universal

without upstand



1

No.	970865	Ref. No.	PP10434
description	grate W 292mm D 343mm H 9mm chrome-plated steel for fryer PITCO		



1

No.	970864	Ref. No.	A4500601
description	grate W 345mm D 345mm H 10mm stainless steel crossing wires 1		
For models:	ME2, MEII		

gaskets

O-rings

Viton



1

No.	532693	Ref. No.	PP10111
description	O-ring Viton thickness 2.62mm ID ø 13mm Qty 1 pcs suitable for PITCO		

special gaskets

sealing discs



1

No.	109189	Ref. No.	PP11181
description	gasket ø 55mm rubber Qty 1 pcs		

consumables

fuses

fine fuses

ø6.3x32mm 250V



1

No.	358840	Ref. No.	PP10122
description	fuse size ø6.3x32mm 1A slow-acting rated 250V Qty 1 pcs		



1

No.	358839	Ref. No.	60132703
description	fuse size ø6.3x32mm 2.5A slow-acting rated 250V Qty 1 pcs		



1

No.	358841	Ref. No.	P5045717
description	fuse size ø6.3x32mm 2A slow-acting rated 250V Qty 1 pcs		