

Professionale pentru echipamente profesionale



heating elements

heating elements for coffee machine






No.	417108	Ref. No.	08148002			
description	hole distance 74m L3 275mm H1 25r stat sleeves ø 7mr	nm L 380mm W 30m mm H2 25mm hole on length thermosta g number of thermo	g circuits 2 mounting ø 42mm nm H 50mm L1 25mm L2 70mm ø 10mm tube ø 8.5mm thermo- t sleeves 190mm thermostat ostat sleeves 1 connection M4			


thermostat sleeves 1 connection M4 immersion heater 2 hole flange

1		#	
No.	417105	Ref. No.	02212538
description	hole distance 7 L3 400mm H1 stat sleeves Ø 7 sleeve eccentr	74mm L 530mm W 28m 25mm H2 25mm hole of 7.5mm length thermost ic, non clinging numbe	g circuits 2 mounting ø 42mm m H 50mm L1 30mm L2 75mm ø 9mm tube ø 8.4mm thermo- iat sleeves 185mm thermostat r of thermostat sleeves 1 con- flange suitable for FAEMA

No.	417289	Ref. No.	08335100		
description	hole distance 74m L3 505mm H1 30r stat sleeves ø 7mr	nm L 565mm W 34m nm H2 40mm hole on length thermosta hber of thermostat s	g circuits 2 mounting ø 42mm im H 70mm L1 20mm L2 40mm ø 10mm tube ø 8.3mm thermo- t sleeves 210mm thermostat leeves 1 connection M4 immer-		


accessories





thermostats

bi-metal thermostats



1NC 1-pole 16A connection F6.3 2 hole fixing

control and safety thermostats

EGO safety thermostats







375501 08324600 No. Ref. No. safety thermostat switch-off temp. 172°C 1-pole 16A probe ø 3mm probe L 135mm capillary pipe 88mm capillary pipe isolated 80mm description

switches and momentary switches

rocker/momentary rocker switches

gland nut probe SS

measurementsmm


30x22mm


07967010 301002 Ref. No. No. 07967020 rocker switch mounting measurements 30x22mm orange 2NO 250V description 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 85/125°C protection IP65 301002 accessories for 301036 Ref. No. No. protective cover internal size 30x22mm for rocker switch mounting


1					
No.	301001	Ref. No.	079	67000	
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65				
accessories for	301001				
1	No.	301036	Ref. No.	_	
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm				

300125	Ref. No.		01140 00209
rocker switch mounting measurements 30x22mm green 2NO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap			
300125			
No.	301036	Ref. No.	_
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			
	rocker switch mo 16A 0-I connection 125/55°C protect 300125 No.	rocker switch mounting measuren 16A 0-I connection male faston 6.3 125/55°C protection IP65 with cove 300125 No. 301036 protective cover internal size 30x2	rocker switch mounting measurements 30x22mm g 16A 0-I connection male faston 6.3mm ambient tem 125/55°C protection IP65 with cover cap 300125 No. 301036 Ref. No. protective cover internal size 30x22mm for rocker see

microswitches roller-lever actuated microswitches 1 04001130 Ref. No. No. 345250 09000208 microswitch with handle with a switch 250V 16A 1CO connection male faston 6.3mm L 27mm L1 36mm ambient temperature max. description 125°C mounting distance 22mm type RL6-1-FGE-P12-5-L actuating









rotary switches GOTTAK



No.	345148	Ref. No.	07847908
description	,		6 type 4RH 400V 10A shaft ø nnection male faston 6.3mm

accessories

symbol labels



No.	34/266	Ref. No.	08283301
description	symbol label 0-1 g	60mm bore ø 7mr	n mounting distance 28mm



No.	347265	Ref. No.	08283202 08336200
description	symbol label 0-1-h distance 28mm	neating off ø 53mm	bore ø 7mm mounting

lamps

indicator lights

indicator lights (complete)

ø 9mm		
1		
No	359491	R

NO.	339491	rei. No.	06436900
description	indicator light ø 9r	mm clear connectio	on plug cable length 33mm

ø10mm


with screw socket





No.	346881	Ref. No.	08329800
description	indicator light ø 1	0mm 230V red con	nection male faston 6.3mm

with plug-in socket No. 359486 Ref. No. 08478100 description indicator light \(\phi \) 10mm 250V red connection male faston 6.3mm cable length 400mm

ø12mm				
with plug-	in socket			
1	0			
No.	359043	Ref. No.	07847800	
description	indicator light ø 12mm red 230V connection male faston 6.3mm tempresist. 120°C Qty 1 pcs			







indicator lamps

LED

mulcator lamps



1			
No.	359487	Ref. No.	08477800
description	indicator light LEC 1W) mounting ø 10mn	n 250 red connection with plug



contactors

LOVATO

power contactors



No.	380964	Ref. No.	0651/060119
description			30VAC (AC3/400V) 9A/4kW main ection screw connection type

solid state relays

miscellaneous



'			
No.	403941	Ref. No.	08371300
description	,	ARLO GAVAZZI 2 ph ale faston 6.3mm ty	ase 40A 24-280V 5-15VDC L ype RA2A23D40C

relays

level relays



transformers

open transformers


No. 402441 Ref. No. 04300660 09000222 transformer primary 230V secondary 7.5/15V 40VA secondary 0.6/2.4A connection male faston 6.3mm 50/60Hz


toroidal core transformers



probes

producer-specific probes








No. 379467 Ref. No. 08417900

temperature probe set PTC probe L 26mm probe ø 5mm 2-group



electronics

EPROMS

description



PCBs











central units

























keypads


front foils

























membrane keypads





| 1 | No. | 400440 | Ref. No. | 08272205 + 08274409

description

keypad unit











































solenoid valves

solenoid valves (water)

No.

33mm W 34mm D 43mm

metal PARKER E-146 series No. Ref. No. solenoid valve 2-ways 230VAC connection 1/4" L 40mm DN 3mm description slide-on receptacle DIN -20° up to 130°C PARKER type series VE-146 coil type ZB09 membranes FKM (water) p max 7bar 370067 spare parts for

371029

Ref. No.

solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H

accessories for	370067				
SECooled	No.	371090	Ref. No.	_	
	power socket plug type DIN 43650A screw				

compressors

CUBIGEL

accessories



	1			
	No.	380913	Ref. No.	07985500
	description	start relay MTRP3920 743 250V 8A		
-				

motors


motors

for coffee grinders


complete



No.	525529	Ref. No.	091	01132 12400 222200	
description	motor with belt pulley 24V 1 phase shaft ø 2mm type WRS- 365SH-14134 ø 28mm L 32mm				
accessories for	525529				
	No.	525531	Ref. No.	09000302 09710320	
	round belt for co	offee arinder thick	ness 2 68mm ø 50	47mm	







condensators & interference suppression filters

starting capacitors


starting capacitors



1					
No.	365129	Ref. No.	07273006		
description		12.80.2360 ø 46mm	60Hz duty cycle 3s with L 85mm plastic connection		

operating capacitors

Plastic No. 365127 Ref. No. 03203950 09000125 description operating capacitor capacity 70μF 250V tolerance 5% 50Hz ambient temperature max. -25 to +85°C φ 45mm L 120mm M8 plastic connection male faston 6.3mm 16.18.39 protection



equipment-specific units

for espresso machines

filter holders

filter holders standard

filter holders (complete)



No.	531173	Ref. No.	08485800
description	filter holder 1-way wedges 2	suitable for FUTUF	RMAT complete number of



















handles	handles					
with bore	with bore					
1						
No.	526745	Ref. No.	08412010			
description	description handle ø 32mm L 123mm black L1 50mm					


















0

EQUIPMENT-SPECIFIC UNITS QUALITYESPRESSO-FUTURMAT



































brewing units manual components drain units drain pipes No. 526786 Ref. No. 02010809 drain pipe thread M30x1.5 T1: 1/2" L 72mm chrome-plated brass WS 36


























EQUIPMENT-SPECIFIC UNITS QUALITYESPRESSO-FUTURMAT




description	bolt square brass thread M3 L 12mm W 6mm H 6mm thread L 10mm				
1					
No.	528535	Ref. No.	02326007		
bolt square brass thread M3 L 6mm W 6mm H 6mm					




0			
No.	528529	Ref. No.	04732202
description	plain washer ID ø pcs	3.5mm ED ø 6.6mm	n thickness 0.5mm brass Qty 1









springs					
1 1//////	₁				
No. 528526 Ref. No. 02318400					
description compression spring ø 12.9mm L 41mm wire gauge ø 1.2mm					













1			
No.	526734	Ref. No.	02023000
description	valve L 58.2m	ım ED ø 16mm brass	


1				
No.	526735	Ref. No.	02022903	
description	valve L 59.4mm triangle ED ø 16mm brass			

No. 527802 Ref. No. 01878909 description screw connection thread 1/2" int. Ø 1 11mm int. Ø 2 15mm L 9mm WS 24 chrome-plated brass




1	J			
No.	526726	Ref. No.	01770601	
description	stop bolt thread M6 ø 6.5mm total length 13mm SS			


compone	ents			
nozzles				
with threa	d			
1				
No.	528486	Ref. No.	02446706	
description	nozzle bore ø 0.7mm thread M6x0.75 L 9mm WS 7			



screws			
1			
No.	560373	Ref. No.	05194402
description		thread M4 thread agon DIN 912/ISO	L 12mm WS 3 SS Qty 1 pcs 4762

















































heat exchangers						
injector tu	ubes					
1						
No.	526739	Ref. No.	08489500			
description	injector T1: 1	1/4"				





steam/w	ater taps				
steam/wa	iter taps				
steam/wat	er taps				
1					
No.	528427	Ref. No.	082	.04802	
description	steam/water tap	inlet 1/4" outlet 3	3/8" brass		
accessories for	528427				
	No.	510893	Ref. No.	07763204	
\circ	O-ring EPDM thi	ckness 2.62mm ID	ø 9.92mm Qty 1	pcs	
	No.	528184	Ref. No.	08165300	
MMM	compression spring ø 10.8mm L 25mm wire gauge ø 1.8mm				
	No.	528401	Ref. No.	_	
O	flat gasket fibre ED ø 22mm ID ø 16mm thickness 2mm Qty 1 pcs				
	No.	528653	Ref. No.	08165508	
	plain washer D1	ø 7mm D2 ø 14.5i	mm thickness 2m	m hrace	

accessories for	528427	528427				
	No.	528654	Ref. No.	08165201		
	bush D1 ø 15	mm D2 ø 11mm	H 7.7mm nylon ID	ø 7mm		
	No.	529587	Ref. No.			
	steam pipe					
	No.	529588	Ref. No.	_		
	steam pipe S	S				
	No.	529589	Ref. No.	_		
	water pipe					






















bushes				
10				
No.	526010	Ref. No.	030	01500
description	bush steam/water tap D1 ø 10.5mm D2 ø 9mm ID ø 6.3mm H 4.6mm brass			
accessories for	526010			
	No.	526005	Ref. No.	_
7	shaft steam tap o	ð 14.8mm L 92.5m	m thread M6 bras	SS










































EQUIPMENT-SPECIFIC UNITS QUALITYESPRESSO-FUTURMAT




nozzles for	nozzles for steam pipes					
1						
No.	526765	Ref. No.	08391900			
description	nozzle thread M10	0x1 ø 15mm L 22mi	m 4 holes bore ø 1.25mm SS			



nozzles for water nines

11022163 101	water pipes			
tap aerato	rs			
1				
No.	529608	Ref. No.	09000325	
description	tap aerator D1 ø 23mm H 15mm thread M22x1			





gaskets				
10				
No.	510893	Ref. No.	07763204	
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			

springs					
1 M MM	1 MMM				
No.	528184	Ref. No.	08165300		
description	compression spring ø 10.8mm L 25mm wire gauge ø 1.8mm				

tube handles				
1				
No.	526743	Ref. No.	09000586	
description	tube handle for pipe ø 10mm ø 15mm L 28mm silicone			

1				
No.	526742	Ref. No.	08339100 08339100P	
description	tube handle for pi	tube handle for pipe ø 10mm ø 15mm L 50mm rubber		

1	9			
No.	526741	Ref. No.	08339000	
description	tube handle fo	tube handle for pipe ø 8mm ø 12.5mm L 50mm rubber		


union nuts				
No.	526766	Ref. No.	08165110 08165130+0847990	
description	union nut thr	union nut thread 3/8" L 34mm hole ø 12mm		

fine filte	ers			
1				
No.	528326	Ref. No.	N/A	
description fine filter flat ø 11.2mm				









intake valves intake valves No. 529524 Ref. No. 07466006 description intake valve water inlet 1/4" outlet 1/4" 3/8"


accessories				
gaskets				
1				
No.	528596	Ref. No.	02932200	
description	gasket ED ø 12mm ID ø 4mm overall height 4mm conical			







level glasses					
level gla	sses				
gaskets					
1					
No.	526696	Ref. No.	08367000		
description	gasket D1 ø 1	gasket D1 ø 11mm D2 ø 8mm H 10mm			













EQUIPMENT-SPECIFIC UNITS QUALITYESPRESSO-FUTURMAT



TITAN			
No.	523039	Ref. No.	09000298 09710020
description			ction left D1 ø 64mm ID ø nole ømm bore ø 8.5mm

screws				
1 🥟				
No.	525562	Ref. No.	04148219	
description	screw thread	screw thread M4 thread L 8mm head ø 5.5mm head thickness 3mm		
1 📂				
No.	525561	Ref. No.	04148110	
description	screw thread	screw thread M5 thread L 8mm head ø 7mm head thickness 3.5mm		



miscellaneous					
1					
No.	525543	Ref. No.	09000548 11025331		
description	bezel L 142mm plastic				

1				
No.	525558	Ref. No.	2600/010133	
description	equipment foot ø 29mm L 12mm rubber for coffee grinder			


1	>		
No.	525546	Ref. No.	09103400
description	flap left plast	ic	

1	•		
No.	525545	Ref. No.	09103300
description	flap right pla	stic	


1			
No.	111286	Ref. No.	09000299 09710030
description	knob spring L	. 20.3mm W 9.5mm H 12	2.5mm

1			
No.	525539	Ref. No.	09000421 10012690
description	pin for stop	ø 4mm L 15mm	

1			
No.	525541	Ref. No.	09000547
NO.	525541	Ket. No.	11025321
description	protector L 58mm plastic		




1				
N.	525542	Ref. No.	09000739	
No.	525542	Ket. No.	19019650	
description	retainer clip L 42mm			









dosing co	dosing containers					
dosing co	dosing container lids					
1						
No.	525557	Ref. No.	00882506			
description	lid for dosing container mounting ø 114mm ø 124mm plastic					


springs				
group 1				
1	P			
No.	525560	Ref. No.	00883603	
description	tension spring for lever L1 12mm L2 17mm L3 12mm ø 14mm wire gauge ø 1.3mm			

levers				
levers				
1	•			
No.	525559	Ref. No.	07147804	
description	lever for dosing container hole ø 20mm L 130mm metal			


coffee pre	esses			
componer	nts			
holders				
1				
No.	09000562 09000564 11025461 11025464			
description	bracket for coffee	press aluminium	L 80mm	
accessories for	525534			
	No.	525535	Ref. No.	09000948 41105851
	coffee press ø 571	mm H 16mm thre	ad M4 plastic	
	No.	525536	Ref. No.	09000053
	screw for coffee p	oress thread M4 L	20mm	


accessories for	525534			
	No.	525537	Ref. No.	09001136 42923051
	coffee press ø 52	2mm H 19mm thr	ead M4 plastic	

pressers		Т	
No.	525537	Ref. No.	09001136 42923051
description	coffee press ø 52n	nm H 19mm thread	M4 plastic



screws				
1				
No.	525536	Ref. No.	09000053	
description	screw for coffee press thread M4 L 20mm			























knobs

steam/water taps









08185911

knob ø 50mm black

description

1				
No.	111020	Ref. No.	07678709 08225401	
description	knob zero mark white ø 38mm shaft ø 6x5mm shaft flat on both sides black			

1			
No.	530623	Ref. No.	PZ901788
description	description turning handle ø 48mm L 43mm shaft ø 23mm black		

1)		
No.	526757	Ref. No.	08411410
description turning handle ø 50mm shaft ø 23.5mm black			

1			
No.	526756	Ref. No.	08411400
description turning handle ø 50mm shaft ø 23.5mm grey			mm grey

1			
No.	526755	Ref. No.	08335400
description turning handle ø 51mm shaft ø 24mm black			n black

knob di	al plates		
1			
No.	526752	Ref. No.	08389500
description	cam disc ø 1	7.5mm L 10mm fixed	

Ref. No.

cam disc ø 24mm L 15mm mobile

No.

description

526753


1			
No.	526754	Ref. No.	08389710
description coupling ø 45mm L 35mm			

1			
No.	526758	Ref. No.	08389700
description	coupling ø 45mm	L 35mm	

1)		
No.	528760	Ref. No.	08185804
description knob adapter ø 45mm L 43mm			

1			
No.	111113	Ref. No.	08147804
description	knob dial plate st	team ø 15mm	

1				
No.	111114	Ref. No.	08147903	
description knob dial plate water ø 15mm				



1				
No.	526759	Ref. No.	08411500	
description	sign for handle ø 47mm L 4mm			

accessories				
1				
No.	111273	Ref. No.	09000277	
description	cotter pin ø 1	cotter pin ø 1.3mm L 25mm		




08389600




miscellaneous No. 111303 Ref. No. 08411610 description knob ø 42mm W 25mm black









ories			
springs			
111286	Ref. No.	09000299 09710030	
knob spring 1	knob spring L 20.3mm W 9.5mm H 12.5mm		
	springs	springs 111286 Ref. No.	








handles and hand wheels



equipment feet and end caps


equipment feet with stem








gaskets

O-rings EPDM No. 529412 Ref. No. 08291007 description O-ring EPDM thickness 2.62mm ID ø 10.78mm Qty 1 pcs














Viton				
) (1 02 01		
No.	525532	Ref. No.	08494700	
description	O-ring Viton t	O-ring Viton thickness 1.5mm ID ø 14mm Qty 1 pcs		
























copper gaskets				
DIN-7603	DIN-7603-A			
No.	528197	Ref. No.	07411705	
description	flat gasket coppe	r ED ø 10mm ID ø 6	mm thickness 1mm Qty 1 pcs	












DIN-7603-C			
No.	528520	Ref. No.	02455103
description	gasket copper ED ø 22mm ID ø 16mm thickness 2mm		










springs

compression springs









, JW	WW			
No.	528526	Ref. No.	02318400	
description	compression	compression spring ø 12.9mm L 41mm wire gauge ø 1.2mm		

₁ JWV	WW.			
No.	528533	Ref. No.	02054609	
description	compression sprin	compression spring ø 14.6mm L 43mm wire gauge ø 1.4mm		


, M	WW		
No.	528475	Ref. No.	01784909
description	compression spring ø 14.7mm L 33mm wire gauge ø 2mm		









1 MMMMM				
No.	526723	Ref. No.	01720606	
description	compression spring ø 7.8mm L 34mm wire gauge ø 0.4mm			







manometers

















dosing pumps

accessories

hose couplings metal No. 361184 Ref. No. 05060680 description nut thread 1/2" H 6mm nickel-plated brass WS 24 Qty 1 pcs

hoses

industrial hoses




tools


cleaning tools brushes pipe brushes nylon No. 802400 Ref. No. 09000410 09716130 description brush nylon ø 30mm total length 480mm brush length 110mm


fastening material


cylinder head bolts DIN 912/ISO 4762 No. 560373 Ref. No. 05194402 cylinder head bolt thread M4 thread L 12mm WS 3 SS Qty 1 pcs intake internal hexagon DIN 912/ISO 4762



1			
No.	529123	Ref. No.	05193800
description	cylinder head bolt pcs DIN 912/ISO 4		n thread L 30mm WS 6 SS Qty 1










QUALITYESPRESSO-FUTURMAT FASTENING MATERIAL





miscellaneous				
No.	560399	Ref. No.	07412509	
description	plain washer ID ø 21.5mm ED ø 32mm thickness 0.5mm SS Qty 1 pcs			

