
Professionale pentru echipamente profesionale



H

heating elements

heating elements for coffee machine



_ =			
No.	417449	Ref. No.	9005365
heating element 2100W 230V heating circuits 2 mounting Ø 4 hole distance 57mm L 185mm W 28mm H 36mm connection faston 6.3mm immersion heater		3	

1	1 (S-70) (S-70) (S-70)					
	No. 417136 Ref. No. N/A					
desci	ription	heating element 2100W 230V heating circuits 3 mounting ø 46mm hole distance 56mm L 172mm W 35mm H 34mm hole ø 8.5mm tub ø 8mm connection male faston 6.3mm immersion heater 3 hole flange suitable for RENEKA				

No.	417298	Ref. No.	9215366		
description	heating element 3100W 230V heating circuits 2 thread 1/4" L 325mm W 24mm H 36mm tube Ø 8.3mm thermostat sleeves Ø 6 length thermostat sleeves 156mm number of thermostat sleeves thermostat sleeve centre not clinging connection male faston 6.3 immersion heater connection length 25mm flange with thread comachine WS 37				
For models:	Mosaic				

No.	417137	Ref. No.	9005366
description	heating element 3100W 230V heating circuits 3 mounting ø 46mm hole distance 56mm L 230mm W 37mm H 42mm hole ø 8mm tube ø 8.2mm connection male faston 6.3mm immersion heater 3 hole flange suitable for RENEKA		
For models:	Concept, LC, Tempo, Viva, Viva-e, Viva-S, XL-PALLAS		

1			
No.	417299	Ref. No.	9215367
description	1¼" L 400mm faston 6.3mm	W 36mm H 27mm tube	00V heating circuits 3 thread e ø 8.3mm connection male nection length 25mm flange
For models:	Mosaic		




1						
No.	417438	Ref. No.	9005378			
description	heating element 4000W 230V heating circuits 3 mounting ø 46mn hole distance 57mm L 550mm W 37mm H 50mm L1 30mm L2 60m L3 460mm H1 40mm H2 10mm hole ø 8.3mm tube ø 8.3mm therm stat sleeves ø 7mm length thermostat sleeves 160mm thermostat sleeve eccentric, non clinging number of thermostat sleeves 1 connection male faston 6.3mm immersion heater 3 hole flange					
For models:	LC, Viva-S, XL-PALL	.AS				

1						
No.	417317	Ref. No.		9101012		
description	ø 42mm hole L2 35mm L3 thermostat s thermostat s sleeves 1 cor	heating element 4600/5450W 220/240V heating circuits 2 mounting ø 42mm hole distance 39mm L 540mm W 28mm H 55mm L1 45mm L2 35mm L3 460mm H1 35mm H2 20mm hole ø 9mm tube ø 8.5mm thermostat sleeves ø 7.5mm length thermostat sleeves 268mm thermostat sleeve eccentric, non clinging number of thermostat sleeves 1 connection male faston 6.3mm immersion heater 4 hole flange stainless steel				
For models:	Streamline-7	10, Streamline-94	0			
accessories for	417317					
	No.	526448	Ref. No.	9220013		
	gasket D1 ø 76mm D2 ø 39mm thickness 2mm hole distance 39mm FIBER					









1				
No.	417451	Ref. No.	9005354	
description	heating element 5500W 230V heating circuits 3 mounting ø 48i hole distance 57mm L 550mm W 35mm H 34mm L1 45mm L2 50mm L3 465mm tube ø 8.3mm thermostat sleeves ø 7mm leng thermostat sleeves 160mm thermostat sleeve eccentric, non clir number of thermostat sleeves 1 connection male faston 6.3mm immersion heater			
For models:	Concept, LC, Plus, Prestige, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS			

heating cartridges

1				
No.	417318	Ref. No.	9213475	
description	heating cartridge 35W 230V ø 6mm L 70mm connection male fastor 6.3mm cable length 260mm dry heating element Mosaic			
For models:				


accessories

sealing washers

PTFE gaskets



No.	526460	Ref. No.	9001720	
description	flat gasket PTFE ED ø 50mm ID ø 36mm thickness 2mm Qty 1 pcs			
For models:	LC, Streamline-710 XL-Basic, XL-PALLA		empo, Viva, Viva-e, Viva-S,	



thermostats

control and safety thermostats

EGO

safety thermostats

55.32_ series



No.	375454	Ref. No.	9101000
description	safety thermostat switch-off temp. 154°C 3-pol probe L 87mm capillary pipe 890mm capillary p gland nut probe		·
For models:	Streamline-710 St	reamline-940	


switches and momentary switches

push/momentary push switches

ø30mm



1						
No.	346923	Ref. No.	9209001 9209031			
description		push switch mounting measurements ø30mm clear 2NO 230V connection screw 10A protection IP40 ambient temperature max. 85/125°C				
For models:	Streamline-710, Streamline-940					





control equipment

SCHLEGEL

ø22mm

switches (complete)



No.	347081	Ref. No.	9003763	
description	switch mounting measurements ø22mm silver latching 90° sequence 0-1			
For models:	LC, Mosaic			

LEGRAND

lamp elements



No.	347087	Ref. No.	9209003 9209017	
description	lamp element 230V voltage AC blue			
For models: Streamline-710, Stream		reamline-940, Viva-	-S	

switches (complete)



No.	346923	Ref. No.	9209001 9209031
description		ts ø30mm clear 2NO 230V 0 ambient temperature max.	
For models:	Streamline-71	0. Streamline-940	



No.	346922	Ref. No.	9209008 9209038
description		9	ts ø30mm green 2NO/indicator tection IP40 ambient tempera-
For models:	Viva-e		



No.	347290	Ref. No.	9003756		
description	switch mounting measurements ø22mm 1NO sequence 0-1				
For models:	Concept, Tempo, Viva, XL-Basic, XL-PALLAS				



No.	347289	Ref. No.	9209031 9209042
description	switch mounting complete	mounting measurements ø22mm black 2NO sequence e	
For models:	Streamline-710, Streamline-940, Viva-S		

lamps



No.	359896	Ref. No.	9003754	
description	neon light bulb socket Ba9s 230V green ø 10mm L 28mm			
For models:	Concept, Plus, Prestige, Tempo, Viva, Viva-e, XL-Basic, XL-PALLAS			

lamps

indicator lights

indicator lights 3-piece (housing, lens and bulb)

lamps

neon light bulbs



No.	359896	Ref. No.	9003754	
description	neon light bulb socket Ba9s 230V green ø 10mm L 28mm			
For models:	Concept, Plus, Prestige, Tempo, Viva, Viva-e, XL-Basic, XL-PALLAS			





screw-on/push-on fit

neon light bulbs



No.	359896	Ref. No.	9003754	
description	neon light bulb socket Ba9s 230V green ø 10mm L 28mm			
For models:	Concept, Plus, Pres	stige, Tempo, Viva, V	/iva-e, XL-Basic, XL-PALLAS	

solid state relays

CELDUC



Mosaic, Streamline-710, Streamline-940, Viva-S

relays

For models:

power relays


with bracket mounting



No.	380687	Ref. No.	9006578		
description	'	ER 230VAC 30A 2Nono. 66.82.8.230.030	IO connection F6.3 bracket 00		
For models:	Concept, LC, Mosaic, Pilot, Plus, Prestige, Streamline-710, Stream- line-940. Tempo, Viva. Viva-e, Viva-S. XIBasic, XIPALLAS				

probes

producer-specific probes



electronics

PCBs









central units




No.	402434	Ref. No.	9213963
description	central unit 240V 50/60Hz type 3d5 3GRCT XLC (SC) voltage AC		
For models:	Mosaic		



No.	402433	Ref. No.	9213964		
description	central unit 240V 50/60Hz type 3d5 3GRCTZ XLC (SC) "H16A" NT-C+SSR voltage AC				
For models:	Mosaic				












keypads

front foils











1			
No.	402439	Ref. No.	9006860
description	keypad foil ON-C	OFF grey/white L 104	mm W 27mm buttons 2
For models:	LC		

1					
No.	402440	Ref. No.	9006806		
description	keypad foil RENEKA black/silver L 130mm W 40mm buttons 5				
For models:	LC, Viva				

1				
No.	531118	Ref. No.	9006807	
description keypad foil suitable for RENEKA L 130mm W 40mm butto			mm W 40mm buttons 6	
For models: Viva				

membrane keypads





keypad units













accessories

1				
	No.	401673	Ref. No.	9005012
	description	connecting cable RENEKA	for membrane keyp	oad 2x4-pole suitable for

solenoid valves

solenoid valves (water)

met<u>al</u>

ODE

solenoid valves steam (water)

21A1 series



No.	370474	Ref. No.	9003435		
description	DN 2.5mm sli	de-on receptacle DIN -1 BDA membranes FKM	with flange plate body 25-128 10 up to 140°C ODE type series p max 14bar 50/60Hz silicone		
For models:	LC. Mosaic. St	LC. Mosaic, Streamline-710, Streamline-940, Techno, Viva-e, Viva-S			

5005A series



No.	370541	Ref. No.	9008257		
description	solenoid valve brass 3-ways 230VAC DN 1.5mm slide-on receptacle DIN -10 up to 140°C ODE coil type BDA membranes FKM (water/ steam) p max 15bar p min 0bar outer cone				
For models: Concept, LC, Mosaic, Pilot, Plus, Prestige, Streamline-710, Stre			9 1		

PARKER

2-way


VF-140 series



' -				
No.	370473 ¹	Ref. No.	9003344 AT7702308	
description	solenoid valve 2-ways 230VAC connection 1/8" L 30mm -10 up to 140°C coil type ZB09 membranes ruby nickel-plated brass			
For models:	Atalante, Plus, Prestige, Streamline-710, Streamline-940, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS			

¹nickel-plated

electrodes



1			
No.	401654	Ref. No.	9010490
description	level electrode 1/4" IT total length 95mm probe L 65mm insulated probe length 31mm connection angled, male faston 6.3mm ø 3mm		
For models:	LC, Mosaic, Stream Viva-S, XL-Basic, XL	•	e-940, Tempo, Viva, Viva-e,

flow meters and flow sensors

flow meters

GICAR



No.	400778	Ref. No.	9008954
description	flow meter thread approval NSF	1/4" stainless steel	with LED plug-in connection
For models:		Plus, Prestige, Strea va, Viva-e, Viva-S, XL	mline-710, Streamline-940, -Basic, XL-PALLAS



electric components

pumps

booster pumps II

pump motors

clip connection



 No.
 500072
 Ref. No.
 9007902

 pump motor RPM type C013726 120W 230V 50/60Hz connection clip L 145mm W 125mm H 110mm capacitor 6.3µF at 50Hz 1320rpm at 60Hz 1570rpm flange Ø1 47.5mm flange Ø2 38.3mm shaft diameter 5x11.5mm

 For models:
 LC, Tempo, Viva, Viva-S

365012

ze, rem

accessories for 500072

No.



operating capacitor capacity $6.3\mu F$ 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection

Ref. No.


pump heads

FLUID-O-TECH



No.	501517	Ref. No.	9007907	
description	pump head FLUID-O-TECH 2001/h connection 3/8" NPT with filter bypass brass clip connection for coffee machine			
For models: Plus, Prestige, Streamline-710, Streamline-940, Viva-S, XL-1				





equipment-specific units

for espresso machines

filter holders

filter holders standard

filter holders (complete



1				
	No.	529214	Ref. No.	9204510
desc	ription	filter holder		











filter holders short					
No.	529033	Ref. No.	900	04934	
description	M10x1.5 wedge	ounting ø 77mm ou e hight 11.5mm we straight chrome-pl	dge position horiz		
For models:	LC, Plus, Stream	nline-710, Streamlir	e-940, Viva-e, Viva	-S, XL-PALLAS	
accessories for	529033				
	No.	529053	Ref. No.	N/A	
	handle ø 35mm thread M10x1.5 thread L 15mm L 125mm black				

handles			
with exter	nal thread		
1	NO		
No.	529053	Ref. No.	N/A
description	handle ø 35mm thread M10x1.5 thread L 15mm L 125mm black		

with bore					
1					
No.	529207	Ref. No.	N/A		
description	handle dimensions 28/33mm ID ø 11mm L 130mm black				

filters				
for 1 cup				
1				
No.	526496	Ref. No.	9003947 9003957	
description	coffee filter ø 67.5mm mounting ø 60mm H 20.1mm cups 1 amount of coffee 7g perforation ø 0.4mm			
For models:			ge, Streamline-710, Stream- (L-Basic, XL-PALLAS	











brewing units shower screens flat No. 529084 Ref. No. 9003470 description shower screen ø 52mm hole ø 6.4mm For models: Concept, LC, Mosaic, Pilot, Plus, Prestige, Streamline-710, Streamline-940, Techno, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS

filter holder gaskets flat with internal notch No. 526270 Ref. No. 9101145 description filter holder gasket D1 ø 72mm D2 ø 56mm H 8mm with inside notch Qty 1 pcs For models: Mosaic




brewing ເ	brewing units manual					
componer	components					
gaskets	gaskets					
1						
No.	529795	Ref. No.	9005074			
description	gasket D1 ø 13mm D2 ø 4mm thickness 4mm coffee machine					
For models:	LC, Mosaic, Streamline-710, Streamline-940, Viva-e, Viva-S					





water disp	persions			
group 3				
1				
No.	528855	Ref. No.	9003471	
description	water distributor ø 39.5mm H 4.3mm 6 holes hole ø 2mm mounting ø 6.6mm brass			
For models:	Concept, LC, Plus, Prestige, Streamline-710, Streamline-940, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS			

water dispersions


























steam/w	ater taps		
steam/wa	iter taps		
steam/wat	er taps		
1			
No.	529830	Ref. No.	9007699 9007702
description	steam/water tap		
For models:	Concept, LC, Plus,	Prestige, Tempo, Viv	a, XL-Basic, XL-PALLAS











componen	its			
bushes				
10				
No.	526010	Ref. No.	90	07706
description	bush steam/water tap D1 ø 10.5mm D2 ø 9mm ID ø 6.3mm H 4.6mm brass			
For models:	LC, Plus, Prestige, Tempo, Viva-e, Viva-S, XL-PALLAS			
accessories for	526010			
	No.	526005	Ref. No.	_
7	shaft steam tap @	14.8mm L 92.5m	nm thread M6 bra	ss




























For models:

description



EQUIPMENT-SPECIFIC UNITS/KNOBS RENEKA

accessories bushes No. 526467 Ref. No. 9001887 description bush D1 ø 14.2mm H 6mm with O-ring ID ø 7.1mm

LC, Plus, Prestige, Streamline-710, Streamline-940, Techno, Tempo,

tube hand	les			
No.	527844	Ref. No.	9001810	
description	tube handle for pipe ø 10mm			
For models:	Concept, LC, Plus, Prestige, Streamline-710, Streamline-940, Techno, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS			

Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS

No.	528625	Ref. No.	9211810		
description	description tube handle L 35mm rubber ID ø 8mm				
For models: Mosaic					

fine filters fine filters No. 528853 Ref. No. 9004176

fine filter with housing with thread H 8mm thread M10x1

non-return valves						
complete						
No.	526465	Ref. No.	9008340			
description	non-return va RENEKA	non-return valve EPDM inlet 1/8" outlet 1/8" L 20mm suitable for RENEKA				



screw connections miscellaneous No. 531119 Ref. No. 9201505 description grub screw for boiler T1: 1/8" L 8mm SS Qty 1 pcs For models: Mosaic, Viva-e, Viva-S

for coffee grinders grinding burrs grinding burrs straight standard No. 527202 Ref. No. 9009822 grinding burrs pair turn direction left D1 ø 63.3mm ID ø 38mm H 9mm tooth spacing 3mm hole ø 5.5mm bore ø 8.5mm mounting ø 50 straight suitable for BRASILIA, ROSSI equiv. no. 00058/BRASILIA,

knobs


steam/water taps

steam/water taps





No.	111323	Ref. No.	9208030	
description	knob ø 45mm thread Tr18x2 black			
For models:	Viva-e, Viva-S			

1				
No.	111324	Ref. No.	9004475	
description	knob ø 48mm shaft ø 7.5mm chrome-plated			
For models:	Plus, Prestige, Tempo, XL-PALLAS			











For models:

handles and hand wheels

lever handles








gaskets


O-rings



































NBR				
No.	532557 Ref. No. 9001834			
description	O-ring NBR thickness 2.62mm ID ø 12.37mm Qty 1 pcs			
For models:	Concept, Plus, Prestige, Streamline-710, Streamline-940, Tempo, Viva, Viva-e, Viva-S, XL-PALLAS			
















special gaskets

group gaskets



No.	526448	Ref. No.	9220013
description	gasket D1 ø 76mm D2 ø 39mm thickness 2mm hole distance 39mr FIBER		
For models:	Streamline-710, St	reamline-940	

springs

compression springs

MMMM

No.	526462	Ref. No.	9007705	
description	compression spring ø 10.5mm L 31.5mm wire gauge ø 1.25mm		mm wire gauge ø 1.25mm	
For models:	LC. Plus. Prestig	LC. Plus, Prestige, Tempo, Viva-e, Viva-S, XL-PALLAS		


manometers



No.	541722	Ref. No.	9004720
description	manometer double scale ø 63mm pressure range 0-2.5 / 0-15ba connection on the backside thread 1/8" silver		
For models:			



No.	541290	Ref. No.	541.290
description	manometer ø 51mm pressure range 0 up to 16bar thread 1/8" ma king 9 connection on the backside		0 up to 16bar thread 1/8" mar-



king 2.5 connection on the backside

fastening material

screws

description

countersunk screws



	No.	560215	Ref. No.	9001091 9211091
	description	countersunk screw thread M5 L 14mm SS DIN 963/ISO 2009 Qty 20 pcs intake slotted head ø 9.2mm		
	For models:	LC, Mosaic, Plus, Prestige, Streamline-710, Streamline-940, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

cylinder head bolts

DIN 912/ISO 4762



No.	560025	Ref. No.	9001173
description	cylinder head bolt thread M4 thread L 10mm WS 3 SS Qty 20 pcs DIN 912/ISO 4762		
For models:	LC, Mosaic, Pilot, Plus, Prestige, Streamline-710, Streamline-940, Techno, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

grub screws

miscellaneou



No.	531119	Ref. No.	9201505
description	grub screw for boiler T1: 1/8" L 8mm SS Qty 1 pcs		
For models:	Mosaic, Viva-e, Viva-S		

