

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

REPAGAS

heating elements

heating elements for bain maries

1			
	No.	420216	Ref. No. 007410 22300016
description	heating element 1500W 230V heating circuits 1 L 490mm W 92mm connection screw tube ø 8mm 2 hole fixing thread M12x1.25 immersion heater for bain marie mounting distance 84mm		

heating elements for fryers

2 hole fixing

1			
	No.	415920	Ref. No. 8500013
description	heating element 2800W 230V heating circuits 1 L 280mm W 160mm H 185mm thread 1/4" tube ø 8.5mm windings 4 connection M4 2 hole fixing fryer heaters		
accessories for	415920		
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	520230	Ref. No. 00112127 010106
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			
	No.	521101	Ref. No. —
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No. —
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	560111	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			


1			
	No.	415921	Ref. No. 8700024
description	heating element 1260W 230V heating circuits 1 L 320mm W 48mm H 220mm L1 22mm L2 298mm thread 1/4" tube ø 8.5mm windings 2 2 hole fixing connection M4 fryer heaters		
accessories for	415921		
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No. —
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

group 7


1			
	No.	420210	Ref. No. 16300008
description	heating element 1600W 230V heating circuits 1 L 283mm W 75mm H 200mm 2 hole fixing connection male faston 6.3mm immersion heater L1 10mm L2 273mm W1 12.5mm W2 50mm H1 20mm H2 180mm tube ø 8.5mm thread 1/4" mounting distance 41.5mm windings 2		

1			
	No.	416783	Ref. No. 1140011
description	heating element 5500W 230V heating circuits 1 L 250mm W 60mm H 250mm L1 22mm L2 375mm H1 206mm H2 44mm thread M14x1.5 tube ø 8.5mm 2 hole fixing connection M4 fryer heaters windings 6		
accessories for	416783		
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			


accessories for 416783				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				



No.	415924	Ref. No.	1130002
description	heating element 3000W 230V heating circuits 1 L 297mm W 86mm H 243mm L1 22mm L2 275mm H1 207mm H2 36mm thread 1/4" mounting distance 34mm tube ø 8.5mm 2 hole fixing connection M4 fryer heaters windings 4		
accessories for	415924		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No. —
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	560111	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			



No.	416782	Ref. No.	9000007	
description	heating element 3333W 230V heating circuits 1 L 395mm W 85mm H 245mm L1 23mm L2 375mm H1 210mm H2 35mm thread 1/4" mounting distance 76mm tube ø 8.5mm 2 hole fixing connection M4 connection length 37mm fryer heaters windings 4			
accessories for	416782			
	No.	521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			



No.	415923	Ref. No.	8800027	
description	heating element 2000W 230V heating circuits 1 L 315mm W 74mm H 250mm L1 20mm L2 295mm H1 214mm H2 36mm thread 1/4" mounting distance 66mm tube ø 8.5mm 2 hole fixing connection M4 fryer heaters windings 2 fryer			
spare parts for	415923			
	No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for	415923			
	No.	361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			

Table continues overleaf

accessories for 415923				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

6 hole fixing

1

No.	420209	Ref. No.	16500005
description	heating element 9000W 230V heating circuits 3 L 310mm W 180mm H 235mm L1 10mm L2 300mm thread 1/4" mounting distance 34.5mm tube ø 8.5mm 6 hole fixing connection male faston 6.3mm immersion heater fryer		

heating elements for griddles

			
1			
No.	420218	Ref. No.	016053 32100002
description	heating element 1000W 230V heating circuits 1 L 345mm W 56mm H 55mm tube ø 10x10mm screw connection M4 connection distance 46mm dry heating element		

heating elements for contact grills

			
No.	420217	Ref. No.	32400014
description	heating element 1300W 230V heating circuits 1 L 300mm W 130mm H 55mm connection distance 120mm tube ø 10mm dry heating element connection screw		


heating elements for heated cabinets

A technical line drawing of a heating element. It consists of a single continuous wire forming a series of three loops. The first loop is the largest, followed by two smaller loops of equal size. The wire ends in two electrical terminals, each with a screw terminal and a small insulating cap. A small number '1' is located to the left of the first loop.

No.	419065	Ref. No.	1510002
description	heating element 1400W 230V heating circuits 1 L 375mm W 140mm connection length 30mm connection male faston 6.3mm tube ø 6.3mm 2 hole fixing thread M10x1 dry heating element L1 45mm L2 75mm L3 255mm W1 45mm W2 50mm mounting distance 44mm		

immersion heating elements

3 hole flange ø47.5mm

1

No.	418136	Ref. No.	1250007	
description	heating element 4360W 240V mounting ø 47.5mm heating circuits 3 L 310mm W 31mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 200mm thermostat sleeve clinging tube ø 6.3mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater			
spare parts for	418136			
	No.	510408	Ref. No.	—
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
accessories for	418136			
	No.	510408	Ref. No.	—
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
	No.	510562	Ref. No.	—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs				

with expansion flange 70 x 18mm

1 			
No.	418137	Ref. No.	42000003
description	heating element 3000W 230V heating circuits 1 flange 70x18mm L 220mm W 65mm Hmm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange connection length 34mm		



heating elements for convection



1

No.	418102	Ref. No.	91600001
description	heating element 16400W 230V heating circuits 3 ID ø 441mm ED ø 458mm L 492mm H 143mm L1 34mm W1 104mm H1 128mm H2 115mm flange length 142mm flange width 25mm hole distance 63mm connection M6x1 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		

accessories for 418102



No.	699165	Ref. No.	—
description	gasket L 142mm W 25mm D1 ø 6.5mm D2 ø 12mm hole distance 17mm 9 holes graphite thickness 2mm		



1

No.	418134	Ref. No.	1230005
description	heating element 3300W 240V heating circuits 1 ID ø 185mm ED ø 200mm L 215mm H 30mm W1 60mm H1 5mm H2 25mm flange length 100mm flange width 22mm hole distance 85mm connection male faston 6.3mm connection length 22mm tube ø 6.5mm convection heating element hole ø 5mm rectangular flange		



1

No.	418132	Ref. No.	1250016
description	heating element 7350W 230V heating circuits 3 ID ø 250mm ED ø 265mm L 277mm H 75mm L1 17mm W1 102mm H1 12mm H2 67mm flange length 143mm flange width 25mm hole distance 7mm connection M4 tube ø 6.5mm convection heating element hole ø 63mm rectangular flange		



1

No.	418753	Ref. No.	45200001
description	heating element 8000W 230V heating circuits 3 ID ø 287mm ED ø 300mm L 345mm H 90mm L1 39mm H1 20mm H2 67mm flange length 142mm flange width 25mm hole distance 12.7mm connection M4 connection length 67mm tube ø 6.5mm convection heating element hole ø 7mm rectangular flange		



1

No.	418135	Ref. No.	1230006
description	heating element 920W 230V heating circuits 1 ID ø 200mm ED ø 215mm L 255mm H 40mm thread 1/4" connection male faston 6.3mm 2 hole fixing mounting distance 24mm tube ø 8.5mm convection heating element		

accessories for 418135



No.	361182	Ref. No.	—
description	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		



No.	510417	Ref. No.	—
description	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		



No.	520228	Ref. No.	—
description	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		



No.	550262	Ref. No.	—
description	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		



1

No.	419261	Ref. No.	92000041
description	heating element 9500/10400W 230/240V heating circuits 3 ID ø 320mm ED ø 337mm L 380mm H 148mm L1 40mm W1 105mm H1 20mm H2 120mm flange length 142mm flange width 25mm hole distance 18mm connection M6x1 connection length 85mm tube ø 8.5mm convection heating element flange combi-steamer		

			
1			
No.	419222	Ref. No.	92800004
description	heating element 27000/29000W 400/415V L 590mm W 545mm H 140mm heating circuits 3 cable lengthmm		

			
1			
No.	418139	Ref. No.	1240014
description	heating element 3500W 240V heating circuits 1 L 620mm W 120mm L1 33mm L2 587mm W2 90mm flange length 70mm flange width 22mm hole distance 56mm connection length 100mm connection M4 tube ø 8.5mm hole ø 6mm W1 30mm rectangular flange convection heating element windings 2		

accessories

hexagonal nuts

			
1			
No.	520230	Ref. No.	00112127 010106
description	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs		

energy regulators

EGO

1-circuit

			
1			
No.	380019	Ref. No.	1230018
description	energy regulator 240V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57071.010		

thermostats

control and safety thermostats

EGO

control thermostats

55.10/19_ series

			
1			
No.	390779	Ref. No.	64100014
description	thermostat t.max. 190°C temperature range 105-190°C 1-pole 1NO 0.5A probe ø 4mm probe L 235mm capillary pipe 1470mm capillary pipe isolated 1250mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position lower rotation 270°		

			
1			
No.	390731	Ref. No.	8500014
description	thermostat t.max. 195°C temperature range 65-195°C 1-pole 1NO 16A probe ø 4mm probe L 106mm capillary pipe 1470mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position° shaft position upper rotation 270°		

			
1			
No.	390068	Ref. No.	1230017
description	thermostat t.max. 269°C temperature range 55-269°C 1-pole 1CO 16A probe ø 3.1mm probe L 219mm capillary pipe 1280mm capillary pipe isolated 1270mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 318°		

E·G·O



No.	375002	Ref. No.	1270013
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		

55.13_ series


E·G·O



No.	375505	Ref. No.	32403007
description	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		


55.34_ series

E·G·O



No.	375021	Ref. No.	22405003
description	thermostat t.max. 110°C temperature range 32-110°C 3-pole 3CO 16A probe ø 6mm probe L 138mm capillary pipe 2980mm capillary pipe isolated 2200mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

E·G·O



No.	375038	Ref. No.	32104009
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 1740mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

accessories for		375038	
	No.	110123	Ref. No.
	—		
knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C rotation 270°			

56._ series

E·G·O




No.	376076	Ref. No.	57103017
description	thermostat t.max. 200°C temperature range 60-200°C 16A probe ø 6mm probe L 78mm capillary pipe 870mm		

safety thermostats

55.10/19_ series

E·G·O



No.	375250	Ref. No.	1440003	
description	safety thermostat capillary pipe 870mm probe ø 6mm 1-pole probe L 129mm 16A capillary pipe isolatedmm gland nut switch-off temp. 130°C probe SS			
spare parts for	375250			
	No.	551083	Ref. No.	—
	cap for safety thermostat thread M8x1			



1

No.	390730	Ref. No.	09500064
description	safety thermostat switch-off temp. 230°C 1-pole 0.5A probe ø 4mm probe L 125mm capillary pipe 1550mm capillary pipe isolated 1410mm gland nut probe		

55.13_ series



1

No.	390804	Ref. No.	010677 20400023 73313025
description	safety thermostat switch-off temp. 340°C 1-pole 1NC 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolated 600mm gland nut probe connection male faston 6.3mm		

55.31_ series



1

No.	390091	Ref. No.	8700021
description	safety thermostat switch-off temp. 230°C 3-pole 20A probe ø 6mm probe L 239mm capillary pipe 830mm capillary pipe isolatedmm gland nut probe SS 380V		

55.32_ series



1

No.	375649	Ref. No.	1250025
description	safety thermostat switch-off temp. 160°C 3-pole 20A probe ø 6mm probe L 87mm capillary pipe 890mm capillary pipe isolated 880mm gland nut probe SS		

56._ series



1

No.	390714	Ref. No.	8500016
description	safety thermostat switch-off temp. 230°C 1-pole 1NC 16A probe ø 6mm probe L 75mm capillary pipe 740mm capillary pipe isolated 200mm gland nut probe SS		

IMIT / TEMPOMATIC / ARTHERMO

control thermostats



1


No.	390683	Ref. No.	25304008
description	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 98mm capillary pipe 1000mm capillary pipe isolated 960mm gland nut shaft ø 6x4.6mm shaft L 20mm shaft position +135° rotation 270° probe material copper		
accessories for	390683		
	No.	110100	Ref. No. —
	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black		



1

No.	375847	Ref. No.	25304008
description	thermostat t.max. 90°C temperature range 0-90°C 1-pole 1CO 15A probe ø 6.5mm probe L 100mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 18mm shaft position +135° rotation 270° 250V		

safety thermostats




1

No.	375941	Ref. No.	57103016
description	safety thermostat switch-off temp. 238°C 1-pole 1NC 16A probe ø 5mm probe L 100mm capillary pipe 1050mm capillary pipe isolatedmm gland nut 250V		

CAEM

control thermostats



1

No.	375645	Ref. No.	43000006
description	thermostat t.max. 120°C temperature range 30-120°C 1-pole 1CO 16A probe ø 6mm probe L 110mm capillary pipe 1600mm capillary pipe isolated 1550mm gland nut shaft ø 6x4.6mm shaft L 22mm shaft position upper rotation 270° probe material copper 250V		

accessories

miscellaneous



1

No.	550268	Ref. No.	8700008
description	cover cap for push-button		

switches and momentary switches

microswitches

pin-plunger actuated

M10



1

No.	347216	Ref. No.	1230024
description	microswitch with plunger thread M10x0.75 thread L 14mm 250V 10A 1CO connection male faston 6.3mm stroke 7.5mm mounting distance 22mm L 28mm ambient temperature max. 125°C type NR6K5 actuating force: 260g		

system switches (ROLD)



1

No.	345537	Ref. No.	44700004
description	element holder mounting measurements 20.6x16.4mm grey arched for push buttons 13x17mm		



1

No.	345131	Ref. No.	1510009
description	element holder mounting measurements 28.5x28.5mm grey single element holder		



1

No.	345606	Ref. No.	43000005
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		



1


No.	346211	Ref. No.	1510008
description	push button ø 23mm grey with lens		

			
1			
No.	345539	Ref. No.	44700003
description	push button size 17x13mm grey		

			
1			
No.	345605	Ref. No.	1250039
description	switch 2CO 250V 16A connection male faston 6.3mm		

cam switches

4 operating positions

			
1			
No.	300010	Ref. No.	1230016
description	cam switch 4 operating positions 2NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

operation switches

			
1			
No.	300153	Ref. No.	1270012
description	cam switch 3 operating positions operation switch 16A sequence 0-1-2 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic ambient temperature max. 240°C		

rotary switches

TECNOMATIC


			
1			
No.	345016	Ref. No.	8700027
description	rotary switch 2 0-1 sets of contacts 1 type HD1201R000 600V 12A shaft ø 5x5mm shaft L 23mm shaft square connection screw		

TELERGON

			
1			
No.	347693	Ref. No.	015963 27800010
description	rotary switch 2 0-1 sets of contacts 1 type T-0002000011E1N1 300V 20A shaft ø 5x5mm shaft L 15mm shaft square with knob connection screw clamp		

magnetic switches

37x16mm

				
1				
No.	345600	Ref. No.	92000018	
description	magnetic switch L 37mm W 16mm 1NO 250V 0.2A P max. 50W connection cable cable length 960mm			
accessories for	345600			
	No.	519049	Ref. No.	—
magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm				

accessories

magnets

			
1			
No.	691178	Ref. No.	92000021
description	magnet ø 22mm Lmm H 7mm Wmm ED ø 22mm M5		

encoders and potentiometers

			
1			
No.	402322	Ref. No.	90200019
description	encoder		



1 			
No.	300272	Ref. No.	90100015
description	encoder shaft ø 6x4.6mm for combi-steamer		

1 			
No.	401592	Ref. No.	020042 44100002
description	potentiometer 10KOhm		

lamps

indicator lights

indicator lights (complete)

ø10mm

with screw socket

1 			
No.	359528	Ref. No.	57103020
description	indicator light ø 10mm 400V red connection male faston 6.3mm socket male faston 6.3mm		

with plug-in socket

1 			
No.	359139	Ref. No.	1250050
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		

1 			
No.	359138	Ref. No.	1260025
description	indicator light ø 10mm red 230V connection male faston 6.3mm Qty 1 pcs		

1 			
No.	359140	Ref. No.	1230023
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		

ø13mm

with screw socket

1 			
No.	357125	Ref. No.	32100012
description	indicator light ø 13mm red 400V connection screw clamp		

33x10mm

1 			
No.	359452	Ref. No.	8500007
description	indicator light mounting measurements 33.1x10.3mm 400V green connection male faston 6.3mm		

1 			
No.	359451	Ref. No.	8500005
description	indicator light mounting measurements 33.1x10.3mm 400V yellow connection male faston 6.3mm		

miscellaneous

1 			
No.	357124	Ref. No.	012865 25303013
description	indicator light green/red 230V connection screw		

1 			
No.	357123	Ref. No.	16300009
description	indicator light red 230V connection cable ø 8mm		

screw-on/push-on fit

light bulbs

for ovens

1 			
No.	359610	Ref. No.	1230009
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

			
1			
No.	357153	Ref. No.	1250021
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 55mm lens L 30mm for oven type		

halogen lamp

for socket G4 / G6.35 / G9

			
1			
No.	359599	Ref. No.	42200007
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

oven lamps

universal oven lamps

mounting diameter 35.5mm

			
1			
No.	359701	Ref. No.	1230010
description	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
accessories for	359701		
	No.	359705	Ref. No. —
oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C			
	No.	359709	Ref. No. —
oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C			
	No.	359721	Ref. No. 1230008
gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs			
	No.	359942	Ref. No. —
oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C			


			
1			
No.	359661	Ref. No.	1230007
description	oven lamp glass thread 32.1 ø 58mm hard glas temp.-resist. 350°C		
accessories for	359661		
	No.	359700	Ref. No. —
gasket for pizza oven fibre glass ID ø 32.5mm ED ø 55mm thickness 5mm			

			
1			
No.	359721	Ref. No.	1230008
description	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		

55x70mm

			
1			
No.	359297	Ref. No.	44100006
description	frame L 95mm W 81mm mounting distance 68/83mm thickness 6mm		
accessories for	359297		
	No.	359299	Ref. No. 44100005
gasket L 91mm W 77mm hole ø 3mm for oven lamp			

			
1			
No.	359299	Ref. No.	44100005
description	gasket L 91mm W 77mm hole ø 3mm for oven lamp		

			
1			
No.	359296	Ref. No.	44100004
description	lamp glass L 74mm W 58mm thickness 3mm		

55x100mm

			
1			
No.	359698	Ref. No.	1250065
description	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm		
spare parts for	359698		
	No.	358119	Ref. No. —
frame L 118mm W 72mm mounting distance 143mm for bulb socket			
	No.	358122	Ref. No. —
gasket L 112mm W 68mm silicone thickness 3mm for bulb socket			
	No.	358123	Ref. No. —
lamp glass L 112mm W 68mm			

Table continues on next page

spare parts for 359698				
	No.	359612	Ref. No.	—
light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips				
	No.	359714	Ref. No.	1250020
gasket for bulb socket				
	No.	359715	Ref. No.	1250019
lamp glass L 110mm W 65mm thickness 5mm				
	No.	359716	Ref. No.	1250018
frame for bulb socket				
accessories for 359698				
	No.	359612	Ref. No.	—
light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips				
	No.	359938	Ref. No.	—
borosilicate glass L 115mm W 69mm				

		
1		
No.	359716	Ref. No.
		1250018
description	frame for bulb socket	

			
1			
No.	359714	Ref. No.	1250020
description	gasket for bulb socket		

				
1				
No.	359715	Ref. No.	1250019	
description	lamp glass L 110mm W 65mm thickness 5mm			



1

No.	359698	Ref. No.	1250065	
description	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm			
spare parts for	359698			
	No.	358119	Ref. No.	—
frame L 118mm W 72mm mounting distance 143mm for bulb socket				

spare parts for 359698				
	No.	358122	Ref. No.	—
gasket L 112mm W 68mm silicone thickness 3mm for bulb socket				
	No.	358123	Ref. No.	—
lamp glass L 112mm W 68mm				
	No.	359612	Ref. No.	—
light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips				
	No.	359714	Ref. No.	1250020
gasket for bulb socket				
	No.	359715	Ref. No.	1250019
lamp glass L 110mm W 65mm thickness 5mm				
	No.	359716	Ref. No.	1250018
frame for bulb socket				
accessories for 359698				
	No.	359612	Ref. No.	—
light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips				
	No.	359938	Ref. No.	—
borosilicate glass L 115mm W 69mm				

h2>lamps

h3>light bulbs

PHILIPS

1

No.	359610	Ref. No.	1230009
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

1

No.	357153	Ref. No.	1250021
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 55mm lens L 30mm for oven type		

h2>halogen lamps

h3>for socket G4 / G6.35 / G9

			
1 500°C			
No.	359599	Ref. No.	42200007
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

sockets

G4 / G5,3 / G6,35



1

No.	359646	Ref. No.	42200008
description	lamp socket socket G4/G5.3/G6.35 24V ø 17mm H 15mm connection cable 130mm mounting distance 26mm for halogen lamp holder length 31mm cable length 130mm		

timers

programme timers



1

No.	360645	Ref. No.	92000036
description	timer CDC 11901F engines 1 chambers 1 operation time 20S 230V 50/60Hz shaft ø 6x4mm shaft L 25mm manuf. no. 11901F1CEE000.0000		

mechanical timers



1

No.	350008	Ref. No.	1250037
description	timer M2 with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 24mm mounting distance 28mm connection lateral		

alarm devices

buzzers



1

No.	350050	Ref. No.	1230015
description	buzzer 230VAC connection male faston 6.3mm screw mounting thread M4 60dB		

contactors

LOVATO

power contactors



1

No.	380704	Ref. No.	92000046
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 11BG0901A230		




1

No.	380083	Ref. No.	16300011 92000044
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4.2kW main contacts 3NO auxiliary contacts 1NC connection screw connection type BF0901A230		



1

No.	380717	Ref. No.	16500007
description	power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type BF1801A230		



1

No.	380722	Ref. No.	92200003
description	power contactor resistive load 56A 230VAC (AC3/400V) 32A/16kW main contacts 3NO auxiliary contacts connection screw connection type BF3200A230		

SIEMENS

power contactors



1

No.	380645	Ref. No.	1260010
description	power contactor 230VAC with auxiliary contacts		



1

No.	380389	Ref. No.	1430006
description	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT10-16-1AP01		

overload switches



1

No.	381002	Ref. No.	1420005
description	overload switch setting range 1.8-2.5A		

TELEMECANIQUE (Schneider Electric)

power contactors



1


No.	380820	Ref. No.	1130014
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D0900M7		

relays

power relays

with male contacts

female contact 2.0mm



1

No.	380129	Ref. No.	41200002
description	power relays 24VAC 12A 2CO connection F2 plug-in connection 94.92.3 250V connection 2mm		
accessories for	380129		
	No.	380341	Ref. No. —
	relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4		
	No.	380378	Ref. No. —
	relay socket 2-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.72		
	No.	380384	Ref. No. —
	relay socket 2-pole contacts male faston 2.8mm 250V voltage AC 10A W 23mm for		
	No.	380399	Ref. No. —
	relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3		

level relays

GICAR



1

No.	401224	Ref. No.	43700002
description	level relay 230V connection F6.3 type RL30/3ES/F/G		

time relays

time relays



1

No.	380329	Ref. No.	43000002
description	time relay FIBER 85.02.8.240 time range 0.05s - 100h 230-240VAC 10A mounting measurements 20.6x27.7mm 2CO connection 2.0		
accessories for	380329		
	No.	380378	Ref. No. —
	relay socket 2-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manif. no. 94.72		
	No.	380803	Ref. No. —
	relay socket 2-pole dimensions 76.2x27x86.1mm 250V voltage AC 10A FINDER manif. no. 94.92.3		



1

No.	380639	Ref. No.	41100005
description	time relay TECNOLOGIC RTR12DS06S time range 6s 230VAC 5A mounting measurements 34x34mm 1CO connection plug-in connection round 8-pole		
accessories for	380639		
	No.	380638	Ref. No. —
	relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manif. no. 90.26		



1

No.	380640	Ref. No.	41100006
description	time relay TECNOLOGIC RTR12DS60S time range 60s 230VAC 5A 1CO connection plug-in connection round 8-pole		
accessories for	380640		
	No.	380638	Ref. No. —
	relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manif. no. 90.26		

transformers

open transformers

with clamp terminal



1

No.	403905	Ref. No.	92000016
description	transformer primary 230V/50-60Hz secondary 12V 50VA connection screw connection type T1ULF		

with plug connection



1

No.	400956	Ref. No.	92000045
description	transformer primary 230VAC secondary 12VAC 20VA connection male faston 6.3mm 50/60Hz type T602012/E temperature restriction 150°C ambient temperature max. 80°C		



electronic controllers

EVCO - EVERY CONTROL

universal controllers

built-in version



1	No.	378131	Ref. No.	1230020
description	electronic controller EVERY CONTROL EVK411M mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC/Pt100/Pt1000 relay outputs 1 CO-16A(8) NTC/PTC/Pt100/Pt1000/TC(J,K)/mV/mA yes protection IP65 dependent on probe°C display 3½ digits			
accessories for	378131			
	No.	379050	Ref. No.	—
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire			
	No.	379160	Ref. No.	—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire			
	No.	379781	Ref. No.	—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire			
	No.	379944	Ref. No.	—
	temperature probe Pt1000 cable Vetrotex probe -70 up to +500°C cable -50 up to +350°C connection 2-wire thread probe ø6x180mm cable length 1.7m			

probes

universal probes

temperature probes



1	No.	379052	Ref. No.	44300002
description	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire			

producer-specific probes

probes



1	No.	402154	Ref. No.	1460011
description	temperature probe Pt100 cable silicone probe -100 up to 450°C cable -50 up to +180°C connection 3-wire thread 1/8" probe ø6x35mm cable length 1.5m			



1	No.	379331	Ref. No.	92000004
description	temperature probe Pt1000 cable PTFE probe -70 up to +500°C cable -40 up to +250°C connection 2-wire thread M10x1 probe ø3x60mm cable length 0.7m			

core probes



1	No.	379945	Ref. No.	4270004
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 0.5m handle ø 10mm handle length 80mm			



1	No.	379946	Ref. No.	011915 4270001
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 0.7m handle ø 10mm handle length 80mm			



1	No.	379350 ¹	Ref. No.	44300003
description	core temperature probe PTC 1kOhm cable silicone probe -40 up to +120°C cable -50 up to +180°C connection plug probe ø4x100mm thread cable length 1.7m handle ø 8mm handle length 120/35mm L1 120mm L2 130mm			

¹multipoint probe

			
1			
No.	379662 ¹	Ref. No.	44200002
description	core temperature probe PTC 1kOhm cable silicone probe -40 up to +120°C cable -50 up to +180°C connection plug probe ø4x70mm thread cable length 1.3m handle ø 16mm handle length 120mm L1 120mm L2 130mm		

¹multipoint probe

			
1			
No.	401566	Ref. No.	42200006
description	power PCB without EPROM type CQB 324(02)		
accessories for	401566		
	No.	403062	Ref. No. —
	EPROM type FOCABO P5		
	No.	403201	Ref. No. —
	EPROM type FOCABO 59		

electronics

PCBs

			
1			
No.	401245	Ref. No.	1270005
description	keypad PCB		

			
1			
No.	403473	Ref. No.	005883 49200017
description	PCB combi-steamer LCM06/M100 L 95mm W 79mm H 43mm Fan Reversal Card		

			
1			
No.	404028	Ref. No.	92100004
description	PCB for combi-steamer ANGELO PO L 140mm W 100mm		

solenoid valves

solenoid valves (water)

ELBI

straight

			
1			
No.	373017	Ref. No.	1230013
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI		
spare parts for	373017		
	No.	370467	Ref. No. —
	solenoid valve filter suitable for ELBI		

RPE

reducers

outlet side



1

No.	371269	Ref. No.	009006 1250022
description	reducer flow rate 0.07-0.14l/min brown		



1

No.	371266	Ref. No.	008887 1250009
description	reducer flow rate 0.2l/min red		



solenoid valves with reducers

4-fold



No.	374026	Ref. No.	1450003
description	solenoid valve 4-fold straight 230VAC inlet 3/4" outlet 11.5mm duty cycle 100% RPE plastic pressure range 0.2-10bar		
spare parts for	374026		
	No.	371015	Ref. No. —
	solenoid coil RPE 230VAC 8.4VA 50/60Hz seat ø 9mm connection male faston 6.3mm		

TP

solenoid valves with reducers



No.	370648	Ref. No.	92000030 92000031
description	solenoid valve double straight 220-240VAC inlet 3/4" input 10l/min DN10 TP outlet 11.5mm output A 3.4l/min flow regulating valve outlet A green		



No.	370628	Ref. No.	1240007
description	solenoid valve double straight 230VAC inlet 3/4" input 16l/min DN10 TP plastic outlet 11.5mm		

ball valves electric



No.	401233	Ref. No.	43000004
description	ball valve inlet 1/2" IT outlet 1/2" IT 230V 50/60Hz mode of operation electric W 60mm H 99mm cable 4-pole 2.5W 4-pole duty cycle 50%		

pressure switches

for combi-steamers



No.	541806	Ref. No.	92000033
description	pressure control ø 38mm pressure range 0.2-3.0bar connection 1/8" 250V 10A GP600 pressure connection 1/8"		
accessories for	541806		
	No.	541814	Ref. No. —
	protection cap for pressure switch EPDM XP600		

electrodes



No.	401161	Ref. No.	43000007
description	level electrode 1/4" total length 210mm probe L 184mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		



No.	401225	Ref. No.	1250012
description	level electrode M12 ET - 1/8" ET total length 124/127/139mm probe L 91/95/104mm insulated probe length 42mm set 3-piece connection male faston 6.3mm ø 2.5mm		



No.	401226	Ref. No.	1260005
description	level electrode M12x1 total length 150/160/171mm probe L 117/127/138mm insulated probe length 20mm set 3-piece connection male faston 6.3mm ø 2.5mm		

fans

axial fans

import



No.	601080 ¹	Ref. No.	42300006
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
accessories for	601080		
	No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No.	692519	Ref. No. —
	guard L 120mm W 120mm plastic		

¹with ball bearings



No.	601130 ¹	Ref. No.	41100009
description	axial fan L 80mm W 80mm H 25mm 230VAC 50/60Hz 13/14W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 75mm temp.-resist. 70°C airflow 30.6m³/h		
accessories for	601130		
	No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		

¹with ball bearings


hot air motors




No.	550757	Ref. No.	002080 43000044
description	counterflange for fan motor ED ø 48mm int. ø 1 24mm int. ø 2 15mm thickness 5mm brass		




No.	550859	Ref. No.	002115 43000047
description	counterflange for fan motor ED ø 60mm int. ø 1 34mm int. ø 2 25mm thickness 6mm brass		



No.	601046	Ref. No.	1240004
description	fan motor 220/380V 3 phase 50/60Hz 0.75kW 1350/1650rpm speeds 1 L1 185mm L2 42mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 1.9/3.3A Cos(φ) 0.83 at 50Hz 200-240/346-415V at 60Hz 200-277/346-480V at 50Hz 1350rpm at 60Hz 1650rpm type ST80/4 no. 661512		



No.	601043	Ref. No.	008939 1250015
description	fan motor 220-240V 1 phase 50Hz 0.37/0.07kW 0.1/0.5HP 1400/2700rpm speeds 2 L1 123mm L2 107mm L3 15mm D1 ø 15mm D2 ø 12mm M10L ET 2/0.7A suitable capacitor 20µF/250V at 50Hz 1400/2700rpm type 1057		
accessories for	601043		
	No.	365019	Ref. No. —
	operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection		


1

No.	601166	Ref. No.	44700005
description	fan motor 220-240V 1 phase 50Hz 0.37kW 2700rpm speeds 1 L1 123mm L2 77mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET 2A suitable capacitor 12.5µF/450V at 50Hz 2700rpm type 1057.2157		
spare parts for	601166		
	No.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
accessories for	601166		
	No.	601165	Ref. No. —
	fan wheel D1 ø 160mm H1 60mm blades 15 D2 ø 16mm D3 ø 16mm H2 29mm		




1

No.	602175	Ref. No.	92000040
description	fan motor 230/400V 3 phase 50/60Hz 0.7kW 1400/1700rpm L1 150mm L2 80mm L3 32mm D1 ø 18mm D2 ø 15mm M8 suitable capacitor 3µF400V type 3042P4050		

1

No.	499185	Ref. No.	009961 1260008
description	fan motor 380-415V 3 phase 50/60Hz 0.13/0.55kW 700/1350rpm speeds 2 L1 170mm L2 49mm L3 45mm D1 ø 24mm D2 ø 20mm M12x1.75 4P/8P type FB100L		

1

No.	500652	Ref. No.	009961 1260008
description	fan motor 380-415V 3 phase 50Hz 0.13/0.55kW 700/1350rpm speeds 2 L1 188mm L2 44mm L3 48mm D1 ø 24mm D2 ø 20mm M12L ITA Cos(φ) 0.13/0.55 at 50Hz 700/1350rpm 4P/8P type FB80 4/8 no. 390133		



1

No.	601067	Ref. No.	41100010
description	fan wheel D1 ø 150mm H1 38mm blades 36 D2 ø 6mm D3 ø 6mm H2 14mm		



1

No.	601060	Ref. No.	1250014
description	fan wheel D1 ø 180mm H1 60mm blades 16 D2 ø 11mm D3 ø 16mm H2 30mm		



1

No.	601064	Ref. No.	44700002
description	fan wheel D1 ø 220mm H1 78mm blades 20 D2 ø 11.5mm D3 ø 16.5mm H2 30mm		



1

No.	601224	Ref. No.	1260007
description	fan wheel D1 ø 300mm H1 100mm blades 24 D2 ø 19.5mm D3 ø 23mm H2 46mm		



1

No.	601063	Ref. No.	1410004
description	fan wheel D1 ø 350mm H1 100mm blades 24 D2 ø 19.5mm D3 ø 23mm H2 46mm		



1

No.	691810	Ref. No.	002067 43000043
description	flange for fan motor ED ø 48mm int. ø 1 19.5mm int. ø 2 15mm thickness 3.5mm brass		



1

No.	550858	Ref. No.	002101 43000046
description	flange for fan motor ED ø 60mm int. ø 1 28.5mm int. ø 2 25mm thickness 4mm brass		



1

No.	550686	Ref. No.	90200030
description	gasket for fan motor ID ø 12mm ED ø 58mm thickness 1mm with 3 screw holes		



1

No.	511171	Ref. No.	43000042
description	shaft seal ID ø 14.5mm ED ø 20mm thickness 3mm		




1


No.	511172	Ref. No.	43000045
description	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm		

hot air fans

miscellaneous




1



No.	601011	Ref. No.	1510006
description	hot air fan 220-240V 40W 50/60Hz L1 65mm L2 15mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C25R8023CLH		
accessories for	601011		
	No.	550879	Ref. No. —
insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan			
	No.	601260	Ref. No. —
nut thread M6L IT for hot air fan			



1



No.	601125	Ref. No.	1270016
description	hot air fan 220-240V 45W 50/60Hz L1 70mm L2 11mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C30R0479CLF		
accessories for	601125		
		No.	550879
		Ref. No.	—
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan		

pumps

drain pumps

ASKOLL



1

No.	500565	Ref. No.	1250030
description	drain pump 30W		

condensators & interference suppression filters

operating capacitors

plastic



1

No.	365022	Ref. No.	90400011
description	operating capacitor capacity 40µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 45mm L 95mm M8 plastic connection male faston 6.3mm protection		

electric accessories

cables

earthing cables



1

No.	104684	Ref. No.	90200015
description	earthing cable connection F2.8mm / lug M5 cable length 350mm 1.5mm ²		



1

No.	104527	Ref. No.	00128157 019715
description	earthing cable connection F2.8mm/lug M6 cable length 270mm Qty 1 ED ø 3mm		

miscellaneous



1

No.	403098	Ref. No.	003368 00400011
description	cable for piezoelectric igniter L 1250m connection female bullet ø2mm/lug M5		



1

No.	403097	Ref. No.	008022 08100027
description	cable L 500m connection female bullet ø2/4mm		

terminals

porcelain clamps



1

No.	550112	Ref. No.	32100015
description	porcelain terminal block 2-pole 2.5mm ² max. 10A max 250V t.max. 200°C L 22mm W 17mm H 15mm mounting distance mm Qty 1 pcs		

gas taps

COPRECI

CAL-3200



1

No.	109109	Ref. No.	00119075 006120
description	gas tap COPRECI type CAL-3200 gas inlet M18x1.5 (tube ø 12mm) bypass nozzle ø 0.75mm gas outlet M18x1.5 (tube ø 12mm) thermocouple connection M8x1 pilot connection 1/8" shaft ø 10x8mm shaft flat right shaft L 28/12mm		

CAL-5200



1

No.	107766	Ref. No.	006385 24609015
description	gas tap COPRECI type CAL-5200 gas inlet pipe flange ø21mm bypass nozzle ø 0.6mm gas outlet M16x1.25 (tube ø 6mm) thermocouple connection M8x1 pilot connection shaft ø 10x8mm shaft L 32/12mm		



1

No.	106294	Ref. No.	24609015 (old version)
description	gas tap COPRECI type CAL-5200 gas inlet pipe flange ø21mm bypass nozzle ø 0.6mm gas outlet M16x1.25 (tube ø 6mm) thermocouple connection M8x1 pilot connection shaft ø 8x6.5mm shaft L 32/12mm shaft flat right with pipe outlet		
spare parts for	106294		
	No.	101060	Ref. No. 24600044
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			

GAI



1

No.	106566	Ref. No.	N/A
description	gas tap GAI gas inlet 1/2" (tube ø 13mm) bypass nozzle ø 0mm gas outlet 1/2" (tube ø 10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 38/15mm shaft flat right		

gas thermostats

SIT

630 Eurosit series



1

No.	101188	Ref. No.	40900005
description	gas thermostat type 630 Eurosit series t.max. 190°C 110-190°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 202mm capillary pipe 1050mm SIT		
accessories for	101188		
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 00131131 43000018
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101273	Ref. No. —
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	101333	Ref. No. —
plug thread 3/8" with O-ring			




710 Minisit series



No.	101132	Ref. No.	00131000
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulator mbar gland nut ignition gas no		
spare parts for	101132		
	No.	101053	Ref. No. —
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102102	Ref. No. —
probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710			
accessories for	101132		
	No.	100809	Ref. No. —
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 00131131 43000018
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No. —
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No. —
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No. —
cover cap without piezoelectric igniter			
	No.	101267	Ref. No. —
reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No. —
gas connection thread 3/8" angled with O-ring MINISIT 710			
	No.	101269	Ref. No. —
gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No. —
screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No. —
screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No. —
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			

accessories for	101132		
	No.	101274	Ref. No. —
olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No. —
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	110068	Ref. No. —
knob suitable for Minisit ø 37mm			



No.	101434	Ref. No.	9400008
description	gas thermostat without accessories SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 102mm capillary pipe 1200mm probe type type G1 pressure controller no pressure regulator mbar gland nut		
spare parts for	101434		
	No.	101053	Ref. No. —
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102105	Ref. No. —
probe 110-200°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 200°C fryer probe type type G1 suitable for MINISIT 710			
accessories for	101434		
	No.	100809	Ref. No. —
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. 00131131 43000018
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No. —
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No. —
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No. —
cover cap without piezoelectric igniter			
	No.	101267	Ref. No. —
reducer IT 3/8" ET 1/2" L 21mm			

Table continues overleaf

accessories for 101434				
	No.	101268	Ref. No.	—
gas connection thread 3/8" angled with O-ring MINISIT 710				
	No.	101269	Ref. No.	—
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101270	Ref. No.	—
screw connection IT 3/8" ET 3/8" L 28mm				
	No.	101272	Ref. No.	—
screw connection IT 1/2" ET 3/8" L 57mm				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	110068	Ref. No.	—
knob suitable for Minisit ø 37mm				

accessories

probes

No.	102101	Ref. No.	00100144
description	probe 100-340°C probe ø 5mm probe L 70mm capillary pipe 1000mm t.max. 340°C suitable for MINISIT 710		

gas valves and ignition boxes

gas control valves

SIT

NOVASIT



1

No.	101187	Ref. No.	64100011	
description	gas valve SIT series Novasit 820 0.17VHz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressurebar pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.301 supply Operator millivolt			
	spare parts for 101187			
	No.	101065	Ref. No.	—
magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT				
accessories for	101187			
	No.	100110	Ref. No.	—
	pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm			
	No.	101305	Ref. No.	—
gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm				
	No.	101306	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101307	Ref. No.	—
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	101308	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	No.	102116	Ref. No.	64100008
thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"				

accessories



1

No.	100905	Ref. No.	00131131 43000018
description	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		



SIGMA



1

No.	107894	Ref. No.	92100003
description	gas valve type 0848083 230V 50Hz gas inlet 3/4" gas outlet 3/4" pressure range 0.5-12mbar incl reducer 1/2" - 3/4"		



1

No.	107498	Ref. No.	43000009
description	gas valve type Sigma 230V 50Hz gas inlet 1/2" gas outlet 1/2" pressure range 2-50mbar		
spare parts for	107498		
	No.	106214	Ref. No. 90200020
solenoid coil 230V 50Hz Sigma			
accessories for	107498		
	No.	107222	Ref. No. —
plug for solenoid valve 3-pole cable length 1070mm			

ignition boxes

HONEYWELL



1

No.	101165	Ref. No.	1440006
description	ignition box HONEYWELL type S4560A 1008 equiv. no. S4560A 1008 electrodes 1 waiting time 0s safety time 10s 220-240V 10VA 50Hz		
spare parts for	101165		
	No.	358696	Ref. No. —
fine fuse size ø5x20mm 4A medium lag rated 250V Qty 10 pcs			


Honeywell



1

No.	102367	Ref. No.	43000031
description	ignition box HONEYWELL type S4565A 2092 1 electrodes 3 waiting times safety time 10s 220-240V 4VA 50/60Hz		

SIT



1

No.	102309	Ref. No.	43000008
description	ignition box SIT type 537ABC electrodes 3 waiting time 1.5s safety time 10s 230V 10VA 50-60Hz protection IP44		

ignition parts

pilot burners

SIT

100 series




1

No.	106906	Ref. No.	00106039
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106906		
	No.	100245	Ref. No. —
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	No.	100855	Ref. No. —
pilot burner bracket triple			
	No.	100885	Ref. No. —
air mixing sleeve for pilot burner Qty 1 pcs			
	No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			

spare parts for 106906				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107162	Ref. No.	—
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs				
	No.	107701	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				
accessories for 106906				
	No.	100245	Ref. No.	—
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100246	Ref. No.	—
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	00131131 43000018
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	—
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	No.	107702	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.35mm				

accessories

ignition electrodes



No.	100706	Ref. No.	40100008
description	ignition electrode connection M4 Qty 1 pcs		

160 series



No.	100055		Ref. No.	00150219
description	pilot burner SIT type 160 series 2 flames nozzle ø 0.41mm gas connection 6mm			
spare parts for	100055			
	No.	100907	Ref. No.	—
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
accessories for	100055			
	No.	100202	Ref. No.	—
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm				
	No.	100203	Ref. No.	00150220
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm				
	No.	100701	Ref. No.	00142187
ignition electrode connection M4 Qty 1 pcs				
	No.	100869	Ref. No.	00142186
pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm				
	No.	100906	Ref. No.	—
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101282	Ref. No.	—
olive for pipe ø 4mm L 7.4mm Qty 1 pcs				
	No.	101287	Ref. No.	00142188
olive for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	No.	107650	Ref. No.	—
pilot burner nozzle SIT LPG code 30 Qty 1 pcs				



1



No.	100056	Ref. No.	00142184
description	pilot burner SIT type 160 series 3 flames nozzle ømm gas connectionmm		
spare parts for	100056		
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
accessories for	100056		
	No.	100202	Ref. No. —
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm			
	No.	100203	Ref. No. 00150220
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm			
	No.	100701	Ref. No. 00142187
ignition electrode connection M4 Qty 1 pcs			
	No.	100801	Ref. No. —
gasket for pilot burner Qty 1 pcs			
	No.	100869	Ref. No. 00142186
pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm			
	No.	100870	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs suitable for 160 series for pilot burner			
	No.	100906	Ref. No. —
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101287	Ref. No. 00142188
olive for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	No.	107650	Ref. No. —
pilot burner nozzle SIT LPG code 30 Qty 1 pcs			

190 series



1

No.	106722	Ref. No.	64100007
description	pilot burner SIT type 190 series 3 flames natural/liquid gas nozzle 35/51 nozzle ø 0.35/0.51mm gas connection 6mm complete with nozzle		

POLIDORO

pilot burners



1

No.	104485	Ref. No.	40900004
description	pilot burner POLIDORO 2 flames natural gas code 29.2 gas connection 6mm		

producer-specific pilot burners

REPAGAS



1

No.	104524	Ref. No.	002676 24204028
description	pilot burner KROMSCHRÖDER 1 natural/liquid gas nozzle ø 0.18/0.22mm		



1

No.	107189	Ref. No.	50116000
description	pilot burner SIT 1 flame nozzle ø 0.2mm gas connectionmm		
spare parts for	107189		
	No.	100245	Ref. No. —
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			

Table continues overleaf


spare parts for 107189				
	No.	100832	Ref. No.	—
pilot burner cap 1 flame suitable for 100 series Hmm Lmm Qty 1 pcs				
	No.	100854	Ref. No.	—
pilot burner bracket double				
	No.	100885	Ref. No.	—
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107701	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle $\varnothing$ 0.2mm				


miscellaneous


				
1	No.	106966	Ref. No.	40200022
description pilot burner 2 flames natural/liquid gas nozzle $\varnothing$ 0.45mm gas connection 6mm				
spare parts for 106966				
	No.	100855	Ref. No.	—
pilot burner bracket triple				
	No.	100885	Ref. No.	—
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	102742	Ref. No.	—
pilot burner nozzle LPG code 25 bore $\varnothing$ 0.25mm Qty 1 pcs				
	No.	102973	Ref. No.	—
pilot burner nozzle natural gas bore $\varnothing$ 0.45mm Qty 1 pcs				

electrodes

				
No.	100701	Ref. No.	00142187	
description	ignition electrode connection M4 Qty 1 pcs			
accessories for	100701			
	No.	100906	Ref. No.	—
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				

				
No.	100706	Ref. No.	40100008	
description	ignition electrode connection M4 Qty 1 pcs			

				
No.	102871	Ref. No.	64100005	
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 8mm BL1 18mm BL2 3mm BL3 23mm to clip			



1

No.	102342	Ref. No.	43000026
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 48mm L2 13mm L3 15mm BL1 24mm BL2 35mm fixing dimensions ø4.5mm with flange connection ø 4mm		



1

No.	104799	Ref. No.	92900003
description	ignition electrode flange length 56mm flange width 22mm D1 ø 9x62mm D2 ø 9x62mm L1 130mm L2 140mm		



1

No.	103287	Ref. No.	92100002
description	ignition electrode kit flange length 56mm flange width 22mm D1 ø 3mm D2 ø 9.5mm mounting distance 47mm		

ignition cables

pre-assembled cables



1

No.	102180	Ref. No.	00106042
description	ignition cable cable length 1200mm connection ø2.4mm / ø2.4mm		



1

No.	102187	Ref. No.	90200014
description	ignition cable cable length 300mm connection ø4mm / F2.8mm		



1

No.	102162	Ref. No.	91100002
description	ignition cable cable length 400mm connection F2.8mm / F6.3mm		



1

No.	100025	Ref. No.	40100009
description	ignition cable cable length 600mm connection ø4mm / F6.3mm		

piezoelectric igniters

mounting diameter 22mm



1

No.	100013	Ref. No.	00128101
description	piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm		
accessories for	100013		
	No.	100023	Ref. No.
	female bullet size 2.3mm 0.5-1.5mm ² CuZn t.max. 125°C Qty 20 pcs		

ignition units



1

No.	103334	Ref. No.	90200013
description	ignition unit outputs 2 220-240VAC dimensions 83x42x32mm mounting distance 34mm inlet F2.8 outlet F2.8 type TSM 17VA 50/60Hz		

			
No.	101002	Ref. No.	1430008
description	ignition unit outputs 2 230VAC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 0.6VA 50/60Hz		


thermocouples


plug-in thermocouples


plug-in thermocouples standard


with barrel socket $\varnothing 6(6.5)$ mm


thermocouples SIT

			
No.	107615	Ref. No.	24204026
description	thermocouple SIT M10x1 L 320mm plug connection $\varnothing 6.0(6.5)$ mm		


			
No.	107600	Ref. No.	00100095
description	thermocouple SIT M8x1 L 320mm plug connection $\varnothing 6.0(6.5)$ mm		


			
No.	107178	Ref. No.	00100079
description	thermocouple SIT M8x1 L 750mm plug connection $\varnothing 6.0(6.5)$ mm		

			
No.	107612	Ref. No.	00106040
description	thermocouple SIT M9x1 L 1000mm plug connection $\varnothing 6.0(6.5)$ mm		


			
No.	107613	Ref. No.	25100058
description	thermocouple SIT M9x1 L 1200mm plug connection $\varnothing 6.0(6.5)$ mm		


thermocouples with aluminised tip

			
No.	102037	Ref. No.	50100032
description	thermocouple M8x1 L 1200mm plug connection $\varnothing 6.0(6.5)$ mm		

			
No.	102038	Ref. No.	51600020
description	thermocouple M8x1 L 1500mm plug connection $\varnothing 6.0(6.5)$ mm		

plug-in thermocouples with interruption

			
No.	107177	Ref. No.	9400051
description	thermocouple SIT with interrupter M9x1 L 600mm plug connection $\varnothing 6.0$ mm F 6.3mm		




No.	102069	Ref. No.	09500065
description	thermocouple with interrupter M9x1 L 600mm plug connection ø6.0mm soldering connection		

threaded thermocouples


threaded thermocouples standard

with socket with thread M8x1

type Junkers with aluminised tip




No.	102058	Ref. No.	04700019
description	thermocouple M8x1 L 1000mm M8x1		
accessories for	102058		
	No.	102067	Ref. No.
			—
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			



No.	102057	Ref. No.	04700018
description	thermocouple M8x1 L 850mm M8x1		
accessories for	102057		
	No.	102067	Ref. No.
			—
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

thermopiles



No.	102116	Ref. No.	64100008
description	thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"		

gas burners

hob burners

producer-specific hob burners

REPAGAS

until 2005



No.	104497	Ref. No.	00100107
description	burner cap ø 110mm		



No.	104495	Ref. No.	00100172
description	burner cap ø 115mm		



No.	104498	Ref. No.	001382 50132064
description	burner cap ø 115mm		



No.	104496	Ref. No.	005648 02100030
description	burner cap ø 95mm		



No.	104488	Ref. No.	00100171 00100171+0670018+1083-P 013119+016550
description	burner head ø 115mm for burner cap ø 105mm		

accessories for	104488		
------------------------	--------	--	--

	No.	104655	Ref. No.	017956 06700018
air mixing tube L 74mm ED ø 22mm ID ø 20mm				

	No.	560555	Ref. No.	1083-P
hexagonal screw thread M6 thread L 15mm SS WS 10 Qty 1 pcs DIN 933 / ISO 4017				



			
1			
No.	104514	Ref. No.	010720 31300021
description	burner holder ø 37mm seat ø 22mm		

			
1			
No.	104509	Ref. No.	00121077 001694
description	burner holder ø 44mm seat ø 34mm thread M18x1.5		

since 2005

			
1			
No.	104493	Ref. No.	015430 50141088
description	burner cap ø 120mm		

			
1			
No.	104494	Ref. No.	002910 50142090
description	burner cap ø 140mm		

			
1			
No.	104492	Ref. No.	007139 50140086
description	burner cap ø 95mm		

pan supports

			
1			
No.	210040	Ref. No.	00100110 012605
description	pan support W 365mm L 395mm H 65mm		

reducers for pan supports

			
1			
No.	104499	Ref. No.	00100132 012790
description	reducer for pan support L 175mm W 114mm		

accessories

reducers for pan supports

			
1			
No.	104499	Ref. No.	00100132 012790
description	reducer for pan support L 175mm W 114mm		

air mixers



1

No.	104655	Ref. No.	017956 06700018	
description	air mixing tube L 74mm ED ø 22mm ID ø 20mm			
accessories for	104655			
	No.	104488	Ref. No.	00100171
	burner head ø 115mm for burner cap ø 105mm			



bar burners

bar burners

			
1			
No.	105788	Ref. No.	1440002
description	bar burner 1-row ø 50mm Wmm Hmm L 483mm flange width 71mm convection oven flange ø 75mm		

			
1			
No.	104483	Ref. No.	40900007
description	bar burner ø 40mm Wmm Hmm L 340mm flange width 50mm flange length 62mm fryer		



1

No.	105787	Ref. No.	1430003
description	bar burner ø 40mm Wmm Hmm L 415mm flange width 43mm flange length 43mm convection oven		



1

No.	105790	Ref. No.	008017 1430002
description	bar burner ø 50mm Wmm Hmm L 325mm flange width 57mm flange length 57mm convection oven		



1

No.	105789	Ref. No.	1450001
description	bar burner ø 50mm Wmm Hmm L 618mm flange width 71mm convection oven flange ø 75mm		

gas nozzles

main nozzles

gas nozzles M8x1



1

No.	104737	Ref. No.	90200025
description	gas injector thread M8x1 WS 10 bore ø 0.5mm		

gas nozzles M9x1



1

No.	100501	Ref. No.	04704017
description	gas injector thread M9x1 WS 10 bore ø 0.95mm		



1

No.	107345	Ref. No.	30100013
description	gas injector thread M9x1 WS 10 bore ø 0.9mm		



1

No.	100504	Ref. No.	00120151
description	gas injector thread M9x1 WS 10 bore ø 1.15mm		



1

No.	100503	Ref. No.	20111020
description	gas injector thread M9x1 WS 10 bore ø 1.1mm		



1

No.	100505	Ref. No.	02107015
description	gas injector thread M9x1 WS 10 bore ø 1.2mm		



1

No.	100507	Ref. No.	30100039
description	gas injector thread M9x1 WS 10 bore ø 1.35mm		



1

No.	100956	Ref. No.	00112037
description	gas injector thread M9x1 WS 10 bore ø 1.3mm		



1

No.	107346	Ref. No.	07600009
description	gas injector thread M9x1 WS 10 bore ø 1.4mm		

			
1			
No.	100509	Ref. No.	09511127
description	gas injector thread M9x1 WS 10 bore ø 1.55mm		

			
1			
No.	100510	Ref. No.	00100139
description	gas injector thread M9x1 WS 10 bore ø 1.8mm		

			
1			
No.	100511	Ref. No.	50100013
description	gas injector thread M9x1 WS 10 bore ø 1.9mm		

			
1			
No.	100502	Ref. No.	21107011
description	gas injector thread M9x1 WS 10 bore ø 1mm		

			
1			
No.	106881	Ref. No.	07600010
description	gas injector thread M9x1 WS 10 bore ø 2.1mm		

			
1			
No.	107347	Ref. No.	50100069
description	gas injector thread M9x1 WS 10 bore ø 2.4mm		

gas nozzles M10x1

			
1			
No.	107343	Ref. No.	40200025
description	gas injector thread M10x1 WS 12 bore ø 1.2mm LPG gas pressure 30mbar		

			
1			
No.	106290	Ref. No.	40200015 40200018
description	gas injector thread M10x1 WS 12 bore ø 1.85mm inner peaked		

gas nozzles M13x1

			
1			
No.	103270	Ref. No.	012419 40100029
description	gas injector thread M13x1 bore ø 2.4mm WS 13		

pilot burner nozzles

pilot burner nozzle AB

			
1			
No.	100203	Ref. No.	00150220
description	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm		

			
1			
No.	100869	Ref. No.	00142186
description	pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm		

			
1			
No.	100201	Ref. No.	00142185
description	pilot burner nozzle PRO-GAS LPG code 30 Qty 1 pcs nozzle ø 0.3mm		

pilot burner nozzles POLIDORO

			
1			
No.	100000	Ref. No.	40900003
description	pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs		



1

No.	104486	Ref. No.	40900006
description	pilot burner nozzle POLIDORO natural gas code 29.2 bore ø 2x0.29mm Qty 1 pcs		

auxiliary gas parts

screw connections

olives



1

No.	104526	Ref. No.	00100152 012941
description	olive L 6mm Qty 1 pcs ID ø 4.4/6mm ED ø 8mm		

union screws



1

No.	100905	Ref. No.	00131131 43000018
description	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		



1

No.	104487	Ref. No.	00100153 012949
description	union screw thread 1/8" for pipe ø 6mm L 13mm brass Qty 1 pcs WS 11		



1

No.	104491	Ref. No.	00131225 004497
description	union screw thread M10x1 for pipe ø 6mm L 16mm Qty 1 pcs WS 11		

angle pieces



1

No.	104484	Ref. No.	40600008
description	angle piece T1: 1/2" ET T2: 1/2" ET		



1

No.	104490	Ref. No.	008322 27306000
description	angle piece T1: 1/2" IT T2: 1/2" ET grommet ø 13.5mm grommet length 22mm WS 24 brass		



1

No.	104489	Ref. No.	00135000 011894
description	angle piece T1: 3/4" IT T2: 1/2" ET grommet ø 13.5mm grommet length 22mm WS 24 brass		

equipment-specific units

for deep fryers

miscellaneous



1

No.	550268	Ref. No.	8700008
description	cover cap for push-button		

for convection ovens/combi-steamers

drain valves



1

No.	696788	Ref. No.	91200011
description	drain pipe thread 1 1/2" IT T-piece plastic ID ø 37mm ED ø 40mm for combi-steamer		

door mechanics

locking mechanism

1 			
No.	698503	Ref. No.	92800011
description	espagnolette lock complete		
accessories for	698503		
	No.	690041	Ref. No. —
cam L 148mm mounting distance 32mm			
	No.	694409	Ref. No. —
mounting set for espagnolette lock 694382			
	No.	700604	Ref. No. 1260017
latch gear opening to the right shaft intake ø 8x8mm L 170mm W 40mm H 40mm			

for ovens

miscellaneous

1 			
No.	698478	Ref. No.	92800013
description	coupling for oven for door L 80mm W 26mm intake 7.8 x 7.8		

knobs


universal knobs

1 			
No.	110119	Ref. No.	22405005
description	knob thermostat t.max. 110°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C rotation 270°		
accessories for	110119		
	No.	110135	Ref. No. —
rosette knob up to ø 52mm			

producer-specific knobs

REPAGAS

1 			
No.	111474	Ref. No.	001624 30100053
description	knob gas tap ø 63mm shaft ø 8x6mm shaft flat right		

1 			
No.	111472	Ref. No.	00300078 013839
description	knob gas tap with ignition flame ø 63mm shaft ø 10x8mm shaft flat right		

1 			
No.	111473	Ref. No.	012948 60100059
description	knob gas tap with ignition flame ø 63mm shaft ø 8x6mm shaft flat right		

1 			
No.	111471	Ref. No.	002217 50100083
description	knob gas tap with ignition flame ø 76mm shaft ø 10x8mm shaft flat right		

1 			
No.	112769	Ref. No.	017181 30800043
description	knob gas tap without ignition flame ø 76mm shaft ø 10x8mm shaft flat right		




locks

edgmount latches

handle latches

CAFF/FERMOD



1

No.	700060	Ref. No.	1250056
description	handle latch L 150mm mounting distance 133mm non lockable heated units G 791		
accessories for	700060		
	No.	700061	Ref. No. 1250046
	door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units		
	No.	700062	Ref. No. —
	handle protection heated units		

door catches



1

No.	700061	Ref. No.	1250046
description	door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units		
accessories for	700061		
	No.	690414	Ref. No. —
	handle latch L 150mm mounting distance 133mm non lockable refrigeration units G 791		

snap locks

universal



1

No.	690903	Ref. No.	1270034
description	snap lock L 69mm W 13mm H 20mm mounting distance 57mm complete with door catch nickel-plated brass		



1

No.	692609	Ref. No.	1270034
description	snap lock L 70mm W 13mm H 21mm mounting distance 60/30mm complete with door catch zamak		

espagnolette locks

universal



1

No.	700604	Ref. No.	1260017
description	latch gear opening to the right shaft intake ø 8x8mm L 170mm W 40mm H 40mm		

hinges

oven hinges



1

No.	701137	Ref. No.	00107027 003626
description	cover mounting distance 95mm L 112mm W 26mm thickness 1mm cut-out 9x66mm for oven hinge		



1

No.	701135	Ref. No.	00111000
description	opposite support mounting distance 94mm L 110mm W 19mm for oven hinge		



			
1			
No.	701136	Ref. No.	00148000 005488
description	opposite support mounting distance 94mm L 110mm W 21mm cut-out 8x59mm for oven hinge		

			
1			
No.	701134	Ref. No.	000620 00144000
description	oven hinge mounting distance 173mm mounting distance 2mm lug mounting 14mm lever length 123mm groove distance 10mm spring thickness 3.5mm mounting ear position left/right spring length 112mm L 207mm W 25mm		

door bearing

			
1			
No.	514310	Ref. No.	009400 1250066
description	hinge bearing mounting pos. bottom left without bolt		


			
1			
No.	514309	Ref. No.	009413 1250067
description	hinge bearing mounting pos. upper left without bolt		

			
1			
No.	514312	Ref. No.	001988 43000034
description	hinge bearing mounting pos. upper left without bolt		

fittings for catering equipment

outlet taps

universal

			
1			
No.	541609	Ref. No.	8500001
description	outlet tap chrome-plated brass W 46mm H 40mm thread 1" IT		
spare parts for	541609		
	No.	540747	Ref. No. —
outlet tap chrome-plated brass angled W 30mm H 40mm thread 1/2" IT			

equipment feet and end caps

equipment feet

with fixing plate

			
1			
No.	701132	Ref. No.	00102005 007971
description	equipment foot tube ø 64mm plate size 70x90mm hole distance 35x76mm H 115-155mm SS size 2 1/2" Qty 1 pcs		



screw-in feet



1

No.	701133	Ref. No.	018148+008243 24600030 34101010 34101010+078-p
description	equipment foot thread M10 thread L 34mm ø 40mm H 25mm WS 17 Qty 1 pcs		

baskets

fryer baskets

REPAGAS



1

No.	970778	Ref. No.	001414 57200022
description	fryer basket W1 210mm L1 240mm H1 115mm chrome-plated steel		

shelves and shelf rails

grates

universal


without upstand



1

No.	970120	Ref. No.	4100029	
description	grate W 325mm D 530mm GN 1/1 chrome-plated steel wire gauge frame 7mm lengthwise wires gauge 4mm crossing wires 1			
accessories for	970120			
	No.	690330	Ref. No.	—
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel			
	No.	694700	Ref. No.	—
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs			
	No.	694701	Ref. No.	—
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs			

with upstand




1

No.	970527	Ref. No.	00100115	
description	grate W 530mm D 650mm GN 2/1 chrome-plated steel with hinge camp crossing wires 2 suitable for refrigerator			
accessories for	970527			
	No.	690330	Ref. No.	—
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel			
	No.	694700	Ref. No.	—
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs			
	No.	694701	Ref. No.	—
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs			

gaskets


gaskets for heated units

window seals




1

No.	900058	Ref. No.	009293 1240011 1250054
description	window gasket profile 1620 Qty supplied by meter		



1


	No.	900470	Ref. No.	007609 42300002	
description		window gasket profile 1880 L 520mm Qty 1			
accessories for		900470			
		No.	900471	Ref. No.	—
		window gasket profile 1880 L 680mm Qty 1			



1

No.	900882	Ref. No.	007620 42300003
description	window gasket profile 1880 Qty supplied by meter		


door seals



1

No.	900348	Ref. No.	1240012
------------	--------	-----------------	---------


description door seal profile 2402 Qty supplied by meter



1

No.	901627	Ref. No.	92800001
------------	--------	-----------------	----------


description door seal profile 2781 W 688mm L 1410mm external size suitable for ANGELO PO



1

No.	901624	Ref. No.	92600002
------------	--------	-----------------	----------


description door seal profile 2781 W 475mm L 1410mm external size suitable for ANGELO PO



1

No.	901626	Ref. No.	92800010
------------	--------	-----------------	----------


description door seal profile 2781 W 688mm L 886mm external size suitable for ANGELO PO



1

No.	901622	Ref. No.	92000022
------------	--------	-----------------	----------

description door seal profile 2781 W 475mm L 475mm external size suitable for ANGELO PO




1

No.	901623	Ref. No.	92200002
------------	--------	-----------------	----------

description door seal profile 2781 W 475mm L 725mm external size suitable for ANGELO PO

gaskets for tray rack trolleys



1

No.	902520	Ref. No.	92600004
------------	--------	-----------------	----------

description tray rack trolley gasket profile 4140 L 515mm Qty 1

sealing washers

graphite gaskets



1

No.	501423	Ref. No.	006621 04708015
------------	--------	-----------------	--------------------

description flat gasket graphite ED $\varnothing$ 20mm ID $\varnothing$ 8mm thickness 1mm eccentric Qty 1 pcs



1

No.	501422	Ref. No.	005438 07108015
------------	--------	-----------------	--------------------

description flat gasket graphite ED $\varnothing$ 46mm ID $\varnothing$ 35mm thickness 1mm Qty 1 pcs



hose reels and spray guns



1

No.	511926	Ref. No.	009037 04708016
description	flat gasket rubber ED ø 11.3mm ID ø 7.5mm thickness 2.7mm Qty 1 pcs		

silicone gaskets



1

No.	359721	Ref. No.	1230008
description	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		

shaft gaskets

shaft gaskets



1

No.	511171	Ref. No.	43000042
description	shaft seal ID ø 14.5mm ED ø 20mm thickness 3mm		



1

No.	511172	Ref. No.	43000045
description	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm		

manometers



1

No.	541508	Ref. No.	90200028
description	manometer ø 40mm pressure range 0-4bar connection thread 1/8"		

hose reels and spray guns

spray guns



1

No.	691048	Ref. No.	1270003R
description	spray gun for appliances 1/2" ET L 225mm type STAR		
spare parts for	691048		
No.	507309	Ref. No.	—
description	O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs		
No.	510322	Ref. No.	—
description	O-ring EPDM thickness 1.78mm ID ø 17.17mm Qty 1 pcs		
No.	524055	Ref. No.	—
description	flat gasket rubber ED ø 18mm ID ø 12mm thickness 2mm Qty 1 pcs		
No.	528485	Ref. No.	—
description	O-ring EPDM thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
No.	528494	Ref. No.	—
description	gasket rubber ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		

valves and tank inlets

ball valves

ball valves electric



1

No.	401233	Ref. No.	43000004
description	ball valve inlet 1/2" IT outlet 1/2" IT 230V 50/60Hz mode of operation electric W 60mm H 99mm cable 4-pole 2.5W 4-pole duty cycle 50%		





fasteners

roll pins



1

No.	691637	Ref. No.	1260021
description	roll pin ø 3mm L 20mm		