

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

ROKA

heating elements

heating elements for bain maries

1			
	No.	415323	Ref. No. 8900322
description heating element 1600W 230V heating circuits 1 L 383mm W 96mm flange length 45mm flange width 12mm hole distance 36mm tube ø 6.3mm cable length 290mm rectangular flange hole ø M5mm dry heating element L1 14mm L2 369mm W1 72mm W2 24mm			

1			
	No.	415669	Ref. No. 14997 8900324
description heating element 2000W 230V heating circuits 1 L 452mm W 256mm connection male faston 6.3mm tube ø 6.3mm 2 hole fixing thread M10x1 immersion heater W1 59mm W2 138mm H 16mm mounting distance 132mm			
accessories for 415669			
	No.	510902	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 9.5mm Qty 1 pcs		

1			
	No.	415675	Ref. No. 14181 8900342
description heating element 2000W 230V L 250mm W 100mm connection male faston 6.3mm tube ø 8.5mm 2 hole fixing thread M14x1.5 immersion heater H 26mm mounting distance 92mm			

1			
	No.	415375	Ref. No. 10982 8900341
description heating element 3000W 230V L 257mm W 165mm connection male faston 6.3mm tube ø 8.5mm 2 hole fixing thread M14x1.5 immersion heater H 28mm mounting distance 158mm			
accessories for 415375			
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	520230	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs		
	No.	521101	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 SS Qty		

accessories for 415375			
	No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

1			
	No.	415672	Ref. No. 13653 8900325
description heating element 3000W 230V L 452mm W 254mm connection 6.3 tube ø 6.3mm 2 hole fixing thread M10x1 immersion heater W1 60mm W2 136mm H 20mm mounting distance 130mm			


heating elements for fryers

2 hole fixing

1			
	No.	415365	Ref. No. 8900332 8900332, 215mm
description heating element 3300W 220V heating circuits 1 L 310mm W 170mm H 215mm L1 70mm L2 240mm mounting pos. outer thread M14x1.5 mounting distance 162mm tube ø 8.5mm windings 4 2 hole fixing connection male faston 6.3mm			


1			
	No.	415366	Ref. No. 8900332 8900332, 235mm
description heating element mounting pos. inner 3300W 220V heating circuits 1 L 325mm W 175mm H 240mm L1 82mm L2 245mm thread M14x1.5 mounting distance 156mm tube ø 8.5mm windings 4 2 hole fixing connection male faston 6.3mm connection length 35mm immersion heater			
accessories for 415366			
	No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	No.	520230	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs		
	No.	521101	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs		

accessories for 415366			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			



No.	415792	Ref. No.	8900350
description	heating element 6000W 230/400V heating circuits 3 L 290mm W 198mm H 245mm L1 65mm L2 225mm W1 62mm W2 74mm H1 228mm H2 17mm cable length 140mm 2 hole fixing thread 3/4" connection cable fryer heaters		

accessories for 415792			
	No.	510403	Ref. No. —
flat gasket fibre ED ø 36.5mm ID ø 27mm thickness 2mm Qty 1 pcs			
	No.	510421	Ref. No. —
gasket copper ED ø 31.8mm ID ø 26.4mm thickness 2.2mm for thread 3/4"			
	No.	520234	Ref. No. —
nut thread 3/4" H 5mm brass WS 30 Qty 1 pcs			



No.	418237	Ref. No.	8900351
description	heating element 9900W 400V heating circuits 3 L 326mm W 342mm H 242mm L1 68mm L2 248mm W1 65mm W2 213mm H1 225mm H2 17mm connection length 32mm cable length 135mm 2 hole fixing thread M26x1.5 mounting distance 196mm immersion heater		

heating elements for chargrills

No.	415676	Ref. No.	8900326
description	heating element 400W 230V heating circuits 1 L 465mm W 8.5mm H 8.5mm dry heating element connection M4 tube ø 8.5mm		

No.	418234	Ref. No.	8900323
description	heating element 1200W 230V heating circuits 1 L 385mm W 70mm L1 15mm W2 24mm flange length 46mm flange width 17mm hole distance 36mm connection length 55mm tube ø 6.5mm rectangular flange cable length 335mm thread M5 dry heating element		

heating elements for heated cabinets

No.	415323	Ref. No.	8900322
description	heating element 1600W 230V heating circuits 1 L 383mm W 96mm flange length 45mm flange width 12mm hole distance 36mm tube ø 6.3mm cable length 290mm rectangular flange hole ø M5mm dry heating element L1 14mm L2 369mm W1 72mm W2 24mm		

heating elements for convection

1

A circular heating element with a metal flange and a connection terminal. The element is made of a dark, possibly stainless steel, material. It has a circular shape with a flange on one side and a connection terminal on the other. The flange has a hole in the center and a hole on the side. The connection terminal is a small metal piece with a screw.

No.	418240	Ref. No.	8900327
description	heating element 1300W 230V heating circuits 1 ID ø 194mm ED ø 207mm L 217mm H 28mm L1 10mm W1 31mm H1 10mm H2 19mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 37mm tube ø 6.3mm convection heating element hole ø 6.2mm rectangular flange		

accessories for

418240

A small rectangular gasket with three holes. It is made of a dark, possibly stainless steel, material. It has a rectangular shape with three holes of equal size. The holes are arranged in a horizontal line.

No.	510368	Ref. No.	—
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

accessories

capillary tube clips

No.	550004	Ref. No.	8900541
description	capillary tube clip for pipe ø 17x6mm for flat tube heating element		

clamps

No.	550043	Ref. No.	8900521 8999998
description	probe clip for pipe ø 17x6mm for probe ø 6mm Qty 1 pcs		

thermostats

control and safety thermostats

EGO

control thermostats

55.13_ series



No.	375007	Ref. No.	8900202
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1NO 16A probe ø 6mm probe L 113mm capillary pipe 870mm capillary pipe isolatedmm gland nut M9x1 shaft L 25mm shaft position upper rotation 270°		
accessories for	375007		
	No.	110119	Ref. No. —
knob thermostat t.max. 110°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C rotation 270°			
	No.	110241	Ref. No. —
knob thermostat t.max. 110°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C			




No.	375005	Ref. No.	8900203
description	thermostat t.max. 85°C temperature range 30-85°C 1-pole 1NO 16A probe ø 6mm probe L 92mm capillary pipe 830mm capillary pipe isolatedmm gland nut shaft L 23mm shaft position upper rotation 270° probe material SS		
accessories for	375005		
	No.	110109	Ref. No. —
knob thermostat t.max. 85°C ø 60mm shaft ø 6x4.6mm shaft flat upper silver temperature range 30-85°C rotation 270°			
	No.	110133	Ref. No. —
knob thermostat t.max. 85°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-85°C rotation 270°			
	No.	110240	Ref. No. —
knob thermostat t.max. 85°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-85°C			

55.34_ series



No.	375512	Ref. No.	8900210
description	thermostat t.max. 185°C temperature range 95-185°C 3-pole 3NO 16A probe ø 6mm probe L 133mm capillary pipe 2430mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



No.	375693	Ref. No.	8900211
description	thermostat t.max. 250°C temperature range 48-250°C 3-pole 3NO 16A probe ø 3.1mm probe L 226mm capillary pipe 880mm capillary pipe isolated 850mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		

safety thermostats

55.32_ series



No.	375694	Ref. No.	8900253
description	safety thermostat switch-off temp. 255°C 3-pole 20A probe ø 6mm probe L 77mm capillary pipe 1490mm capillary pipe isolated 1100mm gland nut probe SS		

accessories

probe clips

clamps

for thermostat



1

No.	550043	Ref. No.	8900521 8999998
description	probe clip for pipe ø 17x6mm for probe ø 6mm Qty 1 pcs		

capillary tube clips




1

No.	550004	Ref. No.	8900541
description	capillary tube clip for pipe ø 17x6mm for flat tube heating element		

switches and momentary switches

cam switches

on/off



1

No.	300074	Ref. No.	8900301
description	cam switch 4 operating positions 2NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		



1

No.	300021	Ref. No.	8900302
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		

7-position



1

No.	300025	Ref. No.	8900220	
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic			
accessories for	300025			
	No.	112172	Ref. No.	—
	knob universal ø 70mm black without adaptor/dial plate			
	No.	112213	Ref. No.	—
	knob dial plate silver switch 7-position t.max.°C°C ED ø 63mm ID ø 45.5mm			
	No.	112311	Ref. No.	—
	knob adapter shaft ø 6x4.6mm L 0mm with spring			

control equipment

lamps



1

No.	359606	Ref. No.	8900425	
description	neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm			
accessories for	359606			
	No.	359832	Ref. No.	—
	lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm			
	No.	359853	Ref. No.	—
	lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm			

lamps

indicator lights

indicator lights 3-piece (housing, lens and bulb)

ø18.2mm



1

No.	359855	Ref. No.	8900425
description	indicator light housings mounting measurements ø18.2mm socket Ba9s green		

1 			
No.	359854	Ref. No.	8900426
description	indicator light housings mounting measurements ø18.2mm socket Ba9s orange		

lamps

neon light bulbs

1 			
No.	359606	Ref. No.	8900425
description	neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm		
accessories for	359606		
	No.	359832	Ref. No.
	—		
	No.	359853	Ref. No.
	—		

screw-on/push-on fit

neon light bulbs

1 			
No.	359606	Ref. No.	8900425
description	neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm		
accessories for	359606		
	No.	359832	Ref. No.
	—		
	No.	359853	Ref. No.
	—		

contactors

ISKRA (FANAL)

power contactors

1 			
No.	380213	Ref. No.	8900310
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL7 10 type ISKRA K07M 10		

knobs

universal knobs

1 			
No.	110116	Ref. No.	8900435
description	knob thermostat t.max. 110°C ø 60mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C rotation 270°		

producer-specific knobs

ROKA			
1 			
No.	110116	Ref. No.	8900435
description	knob thermostat t.max. 110°C ø 60mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C rotation 270°		

baskets

fryer baskets

ROKA			
1 			
No.	970441	Ref. No.	8900104
description	fryer basket L1 280mm W1 210mm H1 120mm		

shelves and shelf rails

chargrill grids

1 			
No.	211071	Ref. No.	8900580
description	chargrill grid		