

# Professionall

Solutii profesionale pentru echipamente profesionale



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**




**TOOLS**



Spare parts suitable for


# SV-ITALIA


## heating elements


### heating elements for coffee machine



|  |   |                 |                          |
|--|---|-----------------|--------------------------|
| <b>No.</b>   | 417415  | <b>Ref. No.</b> | SV1GR002+SVTMG010        |
| <b>description</b>   | heating element 1800W 230V heating circuits 2 mounting ø 39.5mm hole distance 58mm L 165mm W 27mm H 60mm L1 35mm L2 60mm L3 70mm H1 25mm H2 35mm hole ø 10mm tube ø 8mm connection M3 immersion heater 3 hole flange suitable for S.V. ITALIA |                 |                          |
| <b>accessories for</b>   | 417415  |                 |                          |
|   | <b>No.</b>  | 527169          | <b>Ref. No.</b> —        |
| hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs   |   |                 |                          |
|   | <b>No.</b>  | 528740          | <b>Ref. No.</b> SVTMG010 |
| gasket ID ø 44mm PTFE thickness 3.5mm hole ø 9.5mm hole distance 58mm suitable for ITALCREM, VISACREM for heating element coffee machine parts |   |                 |                          |


|   |  |                 |                               |
|---|--|-----------------|-------------------------------|
|  |  |                 |                               |
| <b>No.</b>  | 417416   | <b>Ref. No.</b> | SV2GR002<br>SV2GR002+SVTMG010 |
| <b>description</b>  | heating element 2500W 230V heating circuits 2 mounting ø 39.5mm hole distance 57mm L 275mm W 35mm H 63mm L1 35mm L2 50mm L3 185mm H1 24mm H2 39mm hole ø 10mm tube ø 6.3mm connection M4 dry heating element 3 hole flange suitable for S.V. ITALIA with PTFE gasket |                 |                               |

|   |   |                 |                               |
|---|---|-----------------|-------------------------------|
|  |   |                 |                               |
| <b>No.</b>  | 417417  | <b>Ref. No.</b> | SV2GR003<br>SV2GR003+SVTMG010 |
| <b>description</b>  | heating element 3000W 230V heating circuits 2 mounting ø 39.5mm hole distance 57.5mm L 343mm W 34mm H 62mm L1 30mm L2 53mm L3 260mm H1 24mm H2 38mm hole ø 10mm tube ø 6.3mm connection M4 immersion heater 3 hole flange suitable for S.V. ITALIA with PTFE gasket |                 |                               |

|   |  |                 |          |
|---|--|-----------------|----------|
|  |  |                 |          |
| <b>No.</b>  | 417418   | <b>Ref. No.</b> | SV3GR002 |
| <b>description</b>  | heating element 5000W 230V heating circuits 2 mounting ø 39mm hole distance 57mm L 500mm W 34mm H 60mm L1 37mm L2 73mm L3 390mm H1 24mm H2 36mm hole ø 10mm tube ø 6.3mm connection M4 immersion heater 3 hole flange suitable for S.V. ITALIA |                 |          |

### accessories


#### flange gaskets

|   |  |                 |          |
|---|--|-----------------|----------|
|  |  |                 |          |
| <b>No.</b>  | 528740   | <b>Ref. No.</b> | SVTMG010 |
| <b>description</b>  | gasket ID ø 44mm PTFE thickness 3.5mm hole ø 9.5mm hole distance 58mm suitable for ITALCREM, VISACREM for heating element coffee machine parts |                 |          |

## switches and momentary switches


### rocker/momentary rocker switches

#### 30x22mm




|   |   |                 |          |
|---|---|-----------------|----------|
|  |   |                 |          |
| <b>No.</b>  | 301060  | <b>Ref. No.</b> | SVTMI003 |
| <b>description</b>  | rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40 |                 |          |

### push/momentary push switches


#### 28.5x28.5mm



1

|  |   |          |          |   |
|--|---|----------|----------|---|
| No.  | 347319  | Ref. No. | SVTMI002 |   |
| description  | push switch mounting measurements 28.5x28.5mm green/red 2NO 250V 16A cup connection male faston 6.3mm ambient temperature max. 150°C protection IP40 with indicator |          |          |   |
| spare parts for  | 347319  |          |          |   |
| <div>  </div> | No.   | 345604   | Ref. No. | — |
| element holder single mounting measurements 28.5x28.5mm black for push buttons 23x23mm           |   |          |          |   |
| <div>  </div> | No.   | 345720   | Ref. No. | — |
| switch 2NO 250V 16A connection male faston 6.3mm   |   |          |          |   |
| <div>  </div> | No.   | 346251   | Ref. No. | — |
| rotary disc orange/green disc ø 20.6mm   |   |          |          |   |

#### ø25mm

|   |   |                 |          |
|---|---|-----------------|----------|
|  |   |                 |          |
| <b>No.</b>  | 346316  | <b>Ref. No.</b> | SVMNI001 |
| <b>description</b>  | push switch mounting ø 25mm black 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40 |                 |          |



## rotary switches

## BREMAS

## accessories



1

| No.         | 111369   | Ref. No. | SVTMM023 |
|-------------|--|----------|----------|
| description | knob ø 28/48mm shaft ø 5x5mm black H 22mm L 40mm |          |          |

## GIOVENZANA

## rotary switches



1

| No.         | 347648 <sup>1</sup>   | Ref. No. | SVTMC012 |
|-------------|---|----------|----------|
| description | rotary switch 3 0-1-2 sets of contacts 6 type CS20 690V 20A shaft ø 8x7mm shaft L 15mm shaft star-shaped connection screw |          |          |

<sup>1</sup>incl. knob and dial plate

## lamps

## indicator lights

## indicator lights 2-piece (lens and indicator lamp)

## indicator light lenses

## ø 6mm (type SQ-20)



1

| No.         | 359803                                     | Ref. No. | SVECG006 |
|-------------|--|----------|----------|
| description | indicator light lens green Qty 1 pcs ø 6mm |          |          |



1

| No.         | 359805                                   | Ref. No. | SVECG003 |
|-------------|--|----------|----------|
| description | indicator light lens red Qty 1 pcs ø 6mm |          |          |

## indicator lights (complete)

## ø 6mm



1

| No.         | 357016  | Ref. No. | SVECS010 |
|-------------|---|----------|----------|
| description | indicator light ø 6mm 230V green connection grip connection temp.-resist. 120°C |          |          |



1

| No.         | 357017  | Ref. No. | SVECS011 |
|-------------|---|----------|----------|
| description | indicator light ø 6mm 230V red connection grip connection temp.-resist. 120°C |          |          |

## ø13mm

## with plug-in socket



1

| No.         | 357015   | Ref. No. | SVTMS004 |
|-------------|--|----------|----------|
| description | indicator light ø 13mm green 250V connection push-in |          |          |



1

| No.         | 357018  | Ref. No. | Z300E007 |
|-------------|---|----------|----------|
| description | indicator light ø 13mm yellow 250V connection male faston 6.3mm temp.-resist. 120°C push-in |          |          |

## relays

## level relays

## miscellaneous



1

| No.         | 402668                                   | Ref. No. | SVTMR015<br>SVTMR041 |
|-------------|--|----------|----------------------|
| description | level controller 230V voltage AC 50/60Hz |          |                      |

## electronics

## PCBs



1

| No.         | 402665   | Ref. No. | SVMND001 |
|-------------|--|----------|----------|
| description | display suitable for S.V. ITALIA model ELLIPSE |          |          |



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 402662  | <b>Ref. No.</b> | SVMNP006 |
| <b>description</b> | keypad PCB suitable for S.V. ITALIA buttons 1 |                 |          |



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 402663  | <b>Ref. No.</b> | SVMNP005 |
| <b>description</b> | keypad PCB suitable for S.V. ITALIA buttons 2 |                 |          |



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 402664  | <b>Ref. No.</b> | SVMNP004 |
| <b>description</b> | keypad PCB suitable for S.V. ITALIA buttons 5 |                 |          |

## central units



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 402669  | <b>Ref. No.</b> | SVECC001 |
| <b>description</b> | central unit 230V 50/60Hz 2 groups type SDE3C SV2A voltage AC |                 |          |



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 402670  | <b>Ref. No.</b> | SVECC008 |
| <b>description</b> | central unit 230V 50/60Hz 3 groups type SDE3C SV3A voltage AC |                 |          |



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>No.</b>         | 403077   | <b>Ref. No.</b> | SVECC029 |
| <b>description</b> | central unit 230V 50/60Hz 3 groups type SDE3D SV3LA voltage AC |                 |          |



1

|                    |   |                 |            |
|--------------------|---|-----------------|------------|
| <b>No.</b>         | 402673  | <b>Ref. No.</b> | SVMN3GC005 |
| <b>description</b> | central unit 230V 50/60Hz 3 groups type SDE3S SV30A voltage 50/60 |                 |            |



1

|                    |  |                 |            |
|--------------------|--|-----------------|------------|
| <b>No.</b>         | 402672   | <b>Ref. No.</b> | SVMN3GC003 |
| <b>description</b> | central unit 230V 50/60Hz 3 groups type SDE3S SV3AA voltage AC |                 |            |



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>No.</b>         | 402671   | <b>Ref. No.</b> | SV3GC012 |
| <b>description</b> | central unit 230V 50/60Hz type SDE3D SV3A voltage AC |                 |          |



## keypads

## front foils



1

| No.         | 402658   | Ref. No. | SVMNE005 |
|-------------|--|----------|----------|
| description | keypad foil black/red suitable for S.V. ITALIA L 32.5mm W 19.5mm buttons 1 |          |          |



1

| No.         | 402657   | Ref. No. | SVMNE004 |
|-------------|--|----------|----------|
| description | keypad foil glue-on black/white suitable for S.V. ITALIA L 44mm W 20mm buttons 2 |          |          |



1

| No.         | 402659  | Ref. No. | SVMNE003 |
|-------------|---|----------|----------|
| description | keypad foil glue-on black/white/red suitable for S.V. ITALIA L 118mm W 19.5mm buttons 5 |          |          |

## keypad units



1

| No.         | 402667  | Ref. No. | SVTMP032 |
|-------------|---|----------|----------|
| description | keypad unit buttons 5 silver/black L 120mm W 50mm |          |          |



1

| No.         | 402666   | Ref. No. | SVECP003 |
|-------------|--|----------|----------|
| description | keypad unit buttons 6 silver/blue L 120mm W 50mm |          |          |

## accessories



1

| No.         | 402661   | Ref. No. | SVMNT006 |
|-------------|--|----------|----------|
| description | push button large black suitable for S.V. ITALIA |          |          |



1

| No.         | 402660   | Ref. No. | SVMNT002 |
|-------------|--|----------|----------|
| description | push button small black suitable for S.V. ITALIA |          |          |

## solenoid valves

## solenoid valves (water)

## metal

## LUCIFER

## 2-way

## 121F series



1

| No.         | 370599  | Ref. No. | SVTME001 |
|-------------|---|----------|----------|
| description | solenoid valve 2-ways 230VAC DN 3mm slide-on receptacle DIN -10 up to 140°C PARKER type series 121F coil type DZ06S6 membranes ruby p max 10bar 60Hz flange 32x32mm brass |          |          |



## ODE

## solenoid valves steam (water)

## 21A1 series



1

|   |  |          |            |
|---|--|----------|------------|
| No.   | 370093   | Ref. No. | SVTME001   |
| description   | solenoid valve 2/2-ways 230VAC body 25-F39 DN 2.5mm slide-on receptacle DIN -10 up to 140°C ODE type series 21A1 coil type BDA membranes FKM p max 14bar 50/60Hz silicone flange 32x32mm |          |            |
| spare parts for   | 370093   |          |            |
|  | No.  | 371150   | Ref. No. — |
| solenoid coil ODE 230VAC 16VA coil type BDV seat ø 13.5mm 750Ohm                    |  |          |            |
| accessories for   | 370093   |          |            |
|  | No.  | 371090   | Ref. No. — |
| power socket plug type DIN 43650A screw   |  |          |            |

## electrodes

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| 1                  |  |                 |          |
| <b>No.</b>         | 400790   | <b>Ref. No.</b> | SVMNS009 |
| <b>description</b> | level electrode 1/4" total length 125mm probe L 98mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 3mm rubber |                 |          |

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| 1                  |  |                 |          |
| <b>No.</b>         | 401157   | <b>Ref. No.</b> | SVTMS002 |
| <b>description</b> | level electrode 1/4" total length 150mm probe L 122mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm |                 |          |

## equipment-specific units

### for espresso machines

#### filter holders

##### filter holders standard

##### filter holders (complete)

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| 1                  |  |                 |          |
| <b>No.</b>         | 525265   | <b>Ref. No.</b> | SVTMP014 |
| <b>description</b> | filter holder single suitable for S.V. ITALIA 1-way ID ø 61.6mm outlet distance mm mounting ø 83.3 |                 |          |

#### filters

##### for 1 cup

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| 1                  |   |                 |          |
| <b>No.</b>         | 525267  | <b>Ref. No.</b> | SVTMF012 |
| <b>description</b> | coffee filter ø 70mm mounting ø 60mm H 20.5mm cups 1 amount of coffee 6g perforation ø 0.25mm |                 |          |

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| 1                  |  |                 |          |
| <b>No.</b>         | 525268   | <b>Ref. No.</b> | SVTMF002 |
| <b>description</b> | coffee filter ø 70mm mounting ø 60mm H 24.5mm cups 1 amount of coffee 7g perforation ø 0.3mm |                 |          |

##### for 2 cups

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| 1                  |   |                 |          |
| <b>No.</b>         | 529014  | <b>Ref. No.</b> | SVTMF011 |
| <b>description</b> | coffee filter ø 70mm mounting ø 60mm H 21mm cups 2 amount of coffee 12g perforation ø 0.3mm round |                 |          |

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| 1                  |   |                 |          |
| <b>No.</b>         | 525270  | <b>Ref. No.</b> | SVTMF003 |
| <b>description</b> | coffee filter ø 70mm mounting ø 60mm H 25mm cups 2 amount of coffee 14g perforation ø 0.3mm |                 |          |

##### blind filters

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| 1                  |  |                 |          |
| <b>No.</b>         | 529102                                     | <b>Ref. No.</b> | SVTMF004 |
| <b>description</b> | blind filter ø 70mm mounting ø 60mm H 17mm |                 |          |

## brewing units

### shower screens

#### flat

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| 1                  |                                     |                 |          |
| <b>No.</b>         | 529228                              | <b>Ref. No.</b> | SVECD001 |
| <b>description</b> | shower screen ø 51.6mm hole ø 6.2mm |                 |          |



## with upstand



1

|                    |                             |                 |          |
|--------------------|-----------------------------|-----------------|----------|
| <b>No.</b>         | 529080                      | <b>Ref. No.</b> | SVTMD003 |
| <b>description</b> | shower screen ø 58mm H 20mm |                 |          |

## filter holder gaskets

## flat

## with internal notch



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 525257  | <b>Ref. No.</b> | SVTMS013 |
| <b>description</b> | filter holder gasket D1 ø 73.3mm D2 ø 57.3mm H 7.5mm with inside notch rubber Qty 1 pcs |                 |          |



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>No.</b>         | 525258   | <b>Ref. No.</b> | SVTMS024 |
| <b>description</b> | filter holder gasket D1 ø 73.3mm D2 ø 57.3mm H 8.1mm with inside notch Qty 1 pcs |                 |          |

## brewing units manual

## components

## gaskets



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 526856  | <b>Ref. No.</b> | SVTMP021 |
| <b>description</b> | gasket D1 ø 13mm ID ø 4mm thickness 4mm Viton |                 |          |

## components

## nozzles

## with thread



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 528486  | <b>Ref. No.</b> | SVMNG005 |
| <b>description</b> | nozzle bore ø 0.7mm thread M6x0.75 L 9mm WS 7 |                 |          |



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>No.</b>         | 525250                                   | <b>Ref. No.</b> | SVECG010 |
| <b>description</b> | nozzle bore ø 0.8mm thread M6x0.75 L 9mm |                 |          |



1

|                    |   |                 |            |
|--------------------|---|-----------------|------------|
| <b>No.</b>         | 525490                                    | <b>Ref. No.</b> | TM-INIE707 |
| <b>description</b> | nozzle bore ø 1.25mm thread M6x0.75 L 9mm |                 |            |


## screws



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 560420  | <b>Ref. No.</b> | ZVITE026 |
| <b>description</b> | countersunk screw thread M5 L 14mm SS DIN 965/ISO 7046 Qty 1 pcs intake Phillips head ø 9mm |                 |          |

## gaskets



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>No.</b>         | 525241   | <b>Ref. No.</b> | SVTMG016 |
| <b>description</b> | group gasket L 76mm W 70mm thickness 2mm aperture 10mm hole distance 54mm suitable for S.V. ITALIA fibre |                 |          |

## safety valves

## safety valves

## 3/8"



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 531210  | <b>Ref. No.</b> | SVTMV007 |
| <b>description</b> | safety valve connection 3/8" triggering pressure 1.5bar approval CE |                 |          |

## expansion valves

## with hose connection



1

| No.  | 526452 | Ref. No. | SVTMV009 |
|--|--------|----------|----------|
| description                                      |        |          |          |
| expansion valve T1: 1/4" ET hose ø 9.5mm BL 42mm |        |          |          |

## drain pans

## drain pans



1

| No.  | 525262 | Ref. No. | SVTMV010 |
|--|--------|----------|----------|
| description                                    |        |          |          |
| drain pan rectangular suitable for S.V. ITALIA |        |          |          |



1

| No.                                      | 525263 | Ref. No. | SVMNV002 |
|--|--------|----------|----------|
| description                              |        |          |          |
| drain pan round suitable for S.V. ITALIA |        |          |          |

## aerators and air bleeders



1

| No.                                     | 527981 | Ref. No. | SVTMV001 |
|---|--------|----------|----------|
| description                             |        |          |          |
| aerator and air bleeder connection 1/4" |        |          |          |

## steam/water taps

## steam/water taps

## steam/water taps



1

| No.  | 525245 | Ref. No. | SVECC010 |
|--|--------|----------|----------|
| description  |        |          |          |
| steam/water tap inlet 1/4" outlet 3/8" shaft 5.8 shaft L 16mm suitable for S.V. ITALIA |        |          |          |



1

| No.  | 525244 | Ref. No. | SVTMR024 |
|--|--------|----------|----------|
| description  |        |          |          |
| steam/water tap inlet 3/8" outlet 3/8" shaft 8x6 shaft L 26mm suitable for S.V. ITALIA |        |          |          |

## components

## gaskets



1

| No.   | 526856 | Ref. No. | SVTMP021 |
|---|--------|----------|----------|
| description                                   |        |          |          |
| gasket D1 ø 13mm ID ø 4mm thickness 4mm Viton |        |          |          |

## pressure rings



1

| No.   | 525251 | Ref. No. | RUBS/L-R001 |
|---|--------|----------|-------------|
| description   |        |          |             |
| press ring for steam-/water-tap D1 ø 10.7mm D2 ø 8.1mm thickness 2mm 3pcs |        |          |             |

## springs



1

| No.   | 526443 | Ref. No. | SVECM007 |
|---|--------|----------|----------|
| description   |        |          |          |
| compression spring ø 12mm L 15.5mm wire gauge ø 1.5mm |        |          |          |



## h2&gt; steam/water pipes


## h3&gt; steam pipes


|  |  |                 |          |
|--|--|-----------------|----------|
| <div>  </div> |  |                 |          |
| 1  |  |                 |          |
| <b>No.</b>   | 525247   | <b>Ref. No.</b> | SVECL003 |
| <b>description</b>   | steam pipe thread 3/8" H 155mm L 205mm ø 14.3mm tube ø 10mm suitable for S.V. ITALIA           |                 |          |
| <b>accessories for</b>   | 525247   |                 |          |
|  | <div>  </div> | <b>No.</b>      | 525042   |
|  |  | <b>Ref. No.</b> | SVTMP033 |
|  | tube handle for pipe ø 10mm ø 13.5mm L 50mm rubber   |                 |          |

|  |  |                 |          |
|--|--|-----------------|----------|
| <div>  </div> |  |                 |          |
| 1  |  |                 |          |
| <b>No.</b>   | 525246   | <b>Ref. No.</b> | SVTML003 |
| <b>description</b>   | steam pipe thread 3/8" H 190mm L 220mm ø 14.3mm tube ø 10mm suitable for S.V. ITALIA           |                 |          |
| <b>accessories for</b>   | 525246   |                 |          |
|  | <div>  </div> | <b>No.</b>      | 525042   |
|  |  | <b>Ref. No.</b> | SVTMP033 |
|  | tube handle for pipe ø 10mm ø 13.5mm L 50mm rubber   |                 |          |


## h3&gt; nozzles for water pipes

## h3&gt; nozzles for water pipes

|  |   |                 |          |
|--|---|-----------------|----------|
| <div>  </div> |   |                 |          |
| 1  |   |                 |          |
| <b>No.</b>   | 525260  | <b>Ref. No.</b> | SVECS015 |
| <b>description</b>   | nozzle D1 ø 23.5mm H 30mm thread M10x1 suitable for S.V. ITALIA series JOLLY int. ø 1 9mm int. ø 2 14mm |                 |          |

|  |   |                 |          |
|--|---|-----------------|----------|
| <div>  </div> |   |                 |          |
| 1  |   |                 |          |
| <b>No.</b>   | 525095  | <b>Ref. No.</b> | SVMNS015 |
| <b>description</b>   | nozzle D1 ø 24mm H 30mm thread M10x1 int. ø 1 9mm |                 |          |

## h3&gt; tap aerators


|  |   |                 |          |
|--|---|-----------------|----------|
| <div>  </div> |   |                 |          |
| 1  |   |                 |          |
| <b>No.</b>   | 529608                                    | <b>Ref. No.</b> | SVTMS027 |
| <b>description</b>   | tap aerator D1 ø 23mm H 15mm thread M22x1 |                 |          |

## h2&gt; water pipes


|   |   |                 |          |
|---|---|-----------------|----------|
| <div>  </div> |   |                 |          |
| 1   |   |                 |          |
| <b>No.</b>  | 525261  | <b>Ref. No.</b> | SVECL001 |
| <b>description</b>  | water pipe thread 1/4" ø 23.5mm L 103mm tube ø 8mm suitable for S.V. ITALIA |                 |          |


## h2&gt; accessories

## h3&gt; bushes


|  |  |                 |          |
|--|--|-----------------|----------|
| <div>  </div> |  |                 |          |
| 1  |  |                 |          |
| <b>No.</b>   | 529705   | <b>Ref. No.</b> | SVTMS014 |
| <b>description</b>   | bush D1 ø 8.3mm D2 ø 12mm H 6mm brass ID ø 7mm |                 |          |

## h2&gt; gaskets


|  |   |                 |          |
|--|---|-----------------|----------|
| <div>  </div> |   |                 |          |
| 1  |   |                 |          |
| <b>No.</b>   | 526392  | <b>Ref. No.</b> | SVTMO007 |
| <b>description</b>   | flat gasket Viton ED ø 21mm ID ø 15mm thickness 2mm Qty 1 pcs |                 |          |

|   |  |                 |          |
|---|--|-----------------|----------|
| <div>  </div> |  |                 |          |
| 1   |  |                 |          |
| <b>No.</b>  | 528402   | <b>Ref. No.</b> | SVTMG013 |
| <b>description</b>  | O-ring Viton thickness 2.62mm ID ø 10.78mm Qty 1 pcs |                 |          |


## h2&gt; tube handles


|  |  |                 |          |
|--|--|-----------------|----------|
| <div>  </div> |  |                 |          |
| 1  |  |                 |          |
| <b>No.</b>   | 525042   | <b>Ref. No.</b> | SVTMP033 |
| <b>description</b>   | tube handle for pipe ø 10mm ø 13.5mm L 50mm rubber |                 |          |

## h2&gt; miscellaneous

|  |   |                 |          |
|--|---|-----------------|----------|
| <div>  </div> |   |                 |          |
| 1  |   |                 |          |
| <b>No.</b>   | 525254  | <b>Ref. No.</b> | SVTMA008 |
| <b>description</b>   | set for steam pipe bush, spring, gasket, O-ring, disc |                 |          |

## h2&gt; fine filters

|  |                            |                 |            |
|--|----------------------------|-----------------|------------|
| <div>  </div> |                            |                 |            |
| 1  |                            |                 |            |
| <b>No.</b>   | 528357                     | <b>Ref. No.</b> | TM-FIL8522 |
| <b>description</b>   | fine filter ø 8.5mm H 22mm |                 |            |

|   |                            |                 |          |
|---|----------------------------|-----------------|----------|
| 1  |                            |                 |          |
| <b>No.</b>  | 529979                     | <b>Ref. No.</b> | SVECF013 |
| <b>description</b>  | fine filter ø 8.8mm H 22mm |                 |          |

## intake valves

## accessories

## valves

|   |                                  |                 |          |
|---|----------------------------------|-----------------|----------|
| 1  |                                  |                 |          |
| <b>No.</b>  | 525249                           | <b>Ref. No.</b> | SVTMA007 |
| <b>description</b>  | valve for filling valve L 60.5mm |                 |          |

## level glasses


## level glasses

## level glass pipes

|   |   |                 |          |
|---|---|-----------------|----------|
| 1  |   |                 |          |
| <b>No.</b>  | 525240  | <b>Ref. No.</b> | SVTMV005 |
| <b>description</b>  | water level tube ø 11mm H 140mm ID ø 8mm marking Min/Max blue |                 |          |

## non-return valves


## pistons


|   |  |                 |          |
|---|--|-----------------|----------|
| 1  |  |                 |          |
| <b>No.</b>  | 525248   | <b>Ref. No.</b> | SVTMV011 |
| <b>description</b>  | piston for non-return valve triangular ø 13mm L 19.5mm |                 |          |


## knobs

## steam/water taps


## steam/water taps

|   |   |                 |          |
|---|---|-----------------|----------|
| 1  |   |                 |          |
| <b>No.</b>  | 111377  | <b>Ref. No.</b> | SVECM008 |
| <b>description</b>  | knob ø 41mm L 50mm thread Tr18x2 black with rosette |                 |          |


|   |  |                 |          |
|---|--|-----------------|----------|
| 1  |  |                 |          |
| <b>No.</b>  | 111381                                 | <b>Ref. No.</b> | SVMNM002 |
| <b>description</b>  | knob ø 55mm L 56mm shaft ø 8.3mm black |                 |          |

|   |   |                 |                      |
|---|---|-----------------|----------------------|
| 1  |   |                 |                      |
| <b>No.</b>  | 111378  | <b>Ref. No.</b> | SVTMM004<br>SVTMM005 |
| <b>description</b>  | knob water ø 53mm L 53mm shaft flat upper black |                 |                      |

## knob dial plates


|   |                            |                 |          |
|---|----------------------------|-----------------|----------|
| 1  |                            |                 |          |
| <b>No.</b>  | 111275                     | <b>Ref. No.</b> | SVECT047 |
| <b>description</b>  | symbol steam ø 32mm L 28mm |                 |          |

## miscellaneous

|   |  |                 |          |
|---|--|-----------------|----------|
| 1  |  |                 |          |
| <b>No.</b>  | 111369   | <b>Ref. No.</b> | SVTMM023 |
| <b>description</b>  | knob ø 28/48mm shaft ø 5x5mm black H 22mm L 40mm |                 |          |

## accessories



## button springs



|   |  |                 |          |
|---|--|-----------------|----------|
| 1  |  |                 |          |
| <b>No.</b>  | 111380                                   | <b>Ref. No.</b> | SVTMC011 |
| <b>description</b>  | knob spring L 12mm W 8mm H 2mm Qty 1 pcs |                 |          |


## gaskets

## O-rings

## EPDM


|   |   |                 |           |
|---|---|-----------------|-----------|
| 1   |   |                 |           |
| <b>No.</b>  | 510302  | <b>Ref. No.</b> | SVECOR006 |
| <b>description</b>  | O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs |                 |           |

|   |  |                 |          |
|---|--|-----------------|----------|
| 1   |  |                 |          |
| <b>No.</b>  | 525255   | <b>Ref. No.</b> | SVTMO001 |
| <b>description</b>  | O-ring EPDM thickness 1.9mm ID ø 7.2mm Qty 1 pcs |                 |          |




1

|                    |  |                 |           |
|--------------------|--|-----------------|-----------|
| <b>No.</b>         | 525259   | <b>Ref. No.</b> | SVECOR008 |
| <b>description</b> | O-ring EPDM thickness 1.9mm ID ø 7.6mm Qty 1 pcs |                 |           |



1


|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>No.</b>         | 525256   | <b>Ref. No.</b> | SVTMO006 |
| <b>description</b> | O-ring EPDM thickness 1.9mm ID ø 9.2mm Qty 1 pcs |                 |          |



1


|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 504590  | <b>Ref. No.</b> | SVMNO002 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 1 pcs |                 |          |

### Viton




1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>No.</b>         | 528402   | <b>Ref. No.</b> | SVTMG013 |
| <b>description</b> | O-ring Viton thickness 2.62mm ID ø 10.78mm Qty 1 pcs |                 |          |



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>No.</b>         | 532560   | <b>Ref. No.</b> | TM-OR128 |
| <b>description</b> | O-ring Viton thickness 2.62mm ID ø 20.63mm Qty 1 pcs |                 |          |




1

|                    |   |                 |           |
|--------------------|---|-----------------|-----------|
| <b>No.</b>         | 528413  | <b>Ref. No.</b> | SVECOR003 |
| <b>description</b> | O-ring Viton thickness 2.62mm ID ø 47.3mm Qty 1 pcs |                 |           |

## sealing washers

### copper gaskets


#### DIN-7603-A



1


|                    |  |                 |             |
|--------------------|--|-----------------|-------------|
| <b>No.</b>         | 528698   | <b>Ref. No.</b> | RUBS/L-R003 |
| <b>description</b> | flat gasket copper ED ø 24mm ID ø 20mm thickness 1mm |                 |             |

### PTFE gaskets




1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>No.</b>         | 525253   | <b>Ref. No.</b> | SVTMG032 |
| <b>description</b> | flat gasket PTFE ED ø 18mm ID ø 13mm thickness 2mm Qty 1 pcs |                 |          |




1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>No.</b>         | 531198   | <b>Ref. No.</b> | SVTMO007 |
| <b>description</b> | flat gasket PTFE ED ø 20.5mm ID ø 15mm thickness 2mm Qty 1 pcs |                 |          |




1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>No.</b>         | 525252   | <b>Ref. No.</b> | SVECG009 |
| <b>description</b> | flat gasket PTFE ED ø 20mm ID ø 16.5mm thickness 2mm Qty 1 pcs |                 |          |




1

|                    |  |                 |               |
|--------------------|--|-----------------|---------------|
| <b>No.</b>         | 525611   | <b>Ref. No.</b> | TM-GUATF22172 |
| <b>description</b> | flat gasket PTFE ED ø 22mm ID ø 17mm thickness 2mm Qty 1 pcs |                 |               |



1

|                    |  |                 |           |
|--------------------|--|-----------------|-----------|
| <b>No.</b>         | 526013   | <b>Ref. No.</b> | SVECOR005 |
| <b>description</b> | flat gasket PTFE ED ø 22mm ID ø 17mm thickness 2mm Qty 1 pcs |                 |           |



1

|                    |  |                 |               |
|--------------------|--|-----------------|---------------|
| <b>No.</b>         | 526014   | <b>Ref. No.</b> | TM-GUATF35302 |
| <b>description</b> | flat gasket PTFE ED ø 35mm ID ø 30mm thickness 2mm Qty 1 pcs |                 |               |

## Viton gaskets



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 526392  | <b>Ref. No.</b> | SVTMO007 |
| <b>description</b> | flat gasket Viton ED ø 21mm ID ø 15mm thickness 2mm Qty 1 pcs |                 |          |

## special gaskets

## group gaskets



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>No.</b>         | 525241   | <b>Ref. No.</b> | SVTMG016 |
| <b>description</b> | group gasket L 76mm W 70mm thickness 2mm aperture 10mm hole distance 54mm suitable for S.V. ITALIA fibre |                 |          |

## springs

## compression springs



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 525242  | <b>Ref. No.</b> | SVMNM008 |
| <b>description</b> | compression spring ø 10.8mm L 57mm wire gauge ø 1mm windings 11 |                 |          |



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 528284  | <b>Ref. No.</b> | SVTMM024 |
| <b>description</b> | compression spring ø 11mm L 26mm wire gauge ø 1.3mm |                 |          |



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>No.</b>         | 525243   | <b>Ref. No.</b> | SVTMM022 |
| <b>description</b> | compression spring ø 12.5mm L 30mm wire gauge ø 1.8mm windings 7 |                 |          |



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 526443  | <b>Ref. No.</b> | SVECM007 |
| <b>description</b> | compression spring ø 12mm L 15.5mm wire gauge ø 1.5mm |                 |          |



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>No.</b>         | 527992   | <b>Ref. No.</b> | SVTMM020 |
| <b>description</b> | compression spring ø 8mm L 32mm wire gauge ø 0.5mm |                 |          |

## manometers



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 541765  | <b>Ref. No.</b> | SVTMM019 |
| <b>description</b> | manometer double scale ø 63mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8" |                 |          |



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>No.</b>         | 531285   | <b>Ref. No.</b> | SVTMM034 |
| <b>description</b> | manometer ø 63mm pressure range 0-3 / 0-15bar connection on the backside thread 1/8" |                 |          |

## fastening material

## screws

## countersunk screws



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>No.</b>         | 560420  | <b>Ref. No.</b> | ZVITE026 |
| <b>description</b> | countersunk screw thread M5 L 14mm SS DIN 965/ISO 7046 Qty 1 pcs intake Phillips head ø 9mm |                 |          |