Professionale pentru echipamente profesionale




heating elements

heating elements for coffee machine



No.	417280	Ref. No.	10455014
escription	45mm H1 20mm H	12 40mm mounting 6.3mm immersion	g circuits 1 ø 50mm H 60mm W1 , distance 35mm thread M10x1 heater 2 hole fixing connection




No.	417378	Ref. No.	10455052		
description	W 34mm H 35mm thermostat sleeve	tube ø 8.5mm ther s 220mm thermosta	g circuits 3 thread 1¼" L 325mm mostat sleeves ø 7mm length at sleeve centre connection gth 12mm WS 38 suitable for		

1	-	使	
No.	417379	Ref. No.	10455080
description	W 35mm H 35mm thermostat sleeves	tube ø 8.5mm ther 220mm thermosta	g circuits 3 thread 1¼″ L 325mm mostat sleeves ø 7mm length at sleeve centre connection gth 12mm WS 38 suitable for

1		N E	
No.	417380	Ref. No.	10455054
description	W 35mm H 35mm thermostat sleeves	tube ø 8.5mm ther s 140mm thermosta	g circuits 3 thread 1¼" L 485mm mostat sleeves ø 7mm length at sleeve centre connection gth 12mm WS 38 suitable for

thermostats

bi-metal thermostats



control and safety thermostats

EGO

safety thermostats

55.32 series



No.	390324	Ref. No.	10111015
scription	,	nm capillary pipe 8	59°C 3-pole 3NC 20A probe ø 90mm capillary pipe isolated


switches and momentary switches

rocker/momentary rocker switches

30x22mm




No.	301036	Ref. No.	10105243A		
lescription	protective cover internal size 30x22mm for rocker switch mounting measurementsmm				









push/momentary push switches

30x22mm




•			
No.	301036	Ref. No.	10105243A
description	protective cover in measurementsmm		nm for rocker switch mounting

system switches (ROLD)




No.	347308	Ref. No.	10553078
description	element holder m 20mm H 23.5mm	ounting ø 16mm a	rched black ø 15.9mm ED ø



1			
No.	347310	Ref. No.	10553088
description	push button 3.7x3.7mm	ø 11.9mm black cup w	varmer shaft L 4mm shaft

1			
No.	347315	Ref. No.	10553090
description	push button	ø 11.9mm black light	



rotary switches

GIOVENZANA

rotary switches




				10122016
No.	347302	Ref. No.		10122036A
				10122050
	rotory switch 2	0 1 sats of san	tacte 6 tuma DO20	0E145 600V 20A cha
description			star-shaped conne	
description accessories for				0514S 690V 20A sha ection screw




No.	347303	Ref. No.		122038A 1122060		
description	rotary switch 3 0-1 sets of contacts 6 type PO20 690V 20A shaft ø 8x7mm shaft L 19mm shaft star-shaped connection screw					
accessories for	347303					
0	No.	112615	Ref. No.	10122015		
	knob with indi	cator ø 35mm l	H 22mm shaft diamet	er 8x7mm black		

10122018







lamps


indicator lights

indicator lights (complete) ø 6mm

No.	359569	Ref. No.	10553021
description	indicator light ø 6	mm 230V yellow ca	ble length 250mm tempresist.

solid state relays

CRYDOM



CROUZET



relays

level relays


GICAR



No.	402103	Ref. No.	10112010A
description	level controller 23 NRL30/1E-2C/F	0/240V voltage AC	50/60Hz connection F6.3 type

probes

producer-specific probes



electronics

electronics accessories





PCBs



1. 5	1/0		
No.	402483	Ref. No.	10112168
description	display for coffee machine L 74mm W 26mm suitable for SANRE model ROMA		


1	1/0		
No.	402482	Ref. No.	10112162
description	display for coffee machine L 74mm W 26mm suitable for SANREMO model VERONA		

1	6: 6: 6		
No.	402486	Ref. No.	10112087B
description keypad PCB coffee machine MILANO L 123mm W 35mm buttons			O L 123mm W 35mm buttons 6



No.	10112057B		
description	keypad PCB for coffee machine L 123mm W 35mm buttons 5		

central units





			10112071A 10112071C
No.	402801	Ref. No.	10112072A 10112072B 10112072D
description	central unit 230V S	50/60Hz type 3d5 3	GRCT XLC (SC) "T.MDL" voltage




description	central unit 240V 5	/ 50/60Hz type 3d5 M	10112174 10112175 MAESTRO DELUXE 6T voltage AC
No.	402802	Ref. No.	10112171 10112172 10112174




No.	402803	Ref. No.	10112091A 10112091D
description	central unit 250V	50/60Hz type E.T.30	F 2GRCT voltage AC


























keypads

keypad units



description	keypad unit buttons 2 suitable for SANREMO L 146mm W 46mr	



	No.	402479	Ref. No.	10112122	
I	description	keypad unit huttons 5 suitable for SANREMO L 120mm W 50mm			



No.	402480	Ref. No.	10112066A		
description	keypad unit buttons 5 suitable for SANREMO L 120mm W 50mm				



·			
No.	402475	Ref. No.	10112166
description	keypad unit butto	ns 6 suitable for SA	NREMO L 133mm W 40mm



No.	402478	Ref. No.	10112138
description	keypad unit butto	ns 6 suitable for SA	NREMO L 142mm W 50mm



No.	402476	Ref. No.	10112158A
description	keypad unit butto	ns 6 suitable for SA	NREMO L 146mm W 42mm

accessories















































1	9				
No. 525591 Ref. No. 10029656A					
description	description keys round ø 17mm plastic set 6-piece black SANREMO				

1								
No.	No. 525590 Ref. No. 10029657							
description keys round ø 17mm plastic set 6-piece blue SANREMO								



solenoid valves


solenoid valves (water)


Solellold valves (water)							
metal	metal						
PARKER	PARKER						
2-way	2-way						
VE-140 ser	ies						
1							
No.	370575	Ref. No.	103	03086			
solenoid valve 2-ways 230VAC connection 1/8" L 30mm DN 2.5mm slide-on receptacle DIN -10 up to 140°C PARKER type series 11804F1 / 10708T coil type ZB09 membranes ruby p max 30bar 230V nickel-plated brass							
spare parts for	370575						
	No.	371029	Ref. No.	_			

solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H

33mm W 34mm D 43mm











pressure switches

for coffee machines



electrodes






equipment-specific units

for espresso machines

filter holders standard filter holder without spout No. 525977 Ref. No. N/A filter holder suitable for CREM-EXPOBAR/WEGA/GRIMAC/SANRAMO without outlet mounting ø 83mm outlet 3/8" ID ø 61.5mm wedge hight 10mm wedge position horizontal number of wedges 2 lever





spouts							
with thread 3/8"							
1	1						
No.	529003	Ref. No.	10052080				
description filter holder spout thread 3/8" 1-way curved/long outlet distancenthread L 5mm							





for 1 cup No. 529012 Ref. No. 10052101 coffee filter ø 70mm mounting ø 60.8mm H 19.5mm cups 1 amount of coffee 6g































No.	525618	Ref. No.	10655555	
description	expansion valve	e T1: 1/8" ET hose ø 7r	nm total length 69mm	





Ref. No.

drain pan L 90mm W 80mm H 43mm hole ø 16mm suitable for

10022474


525615

SANREMO

No.


description





































water pipes						
No.	525616	Ref. No.	104	02145		
description	water pipe threa	d 3/8" ø 23.5mm l	L 112mm tube ø 8	mm WS 22		
accessories for	525616					
	No.	526637	Ref. No.	10402140		
9	water nozzle D1	ø 24mm H 29mm	int. ø 1 9mm			

intake valves Intake valves 1 No. 531074 Ref. No. 10052080B 10056080B description intake valve complete



springs			
1000			
No.	529704	Ref. No. 10402043	
description	compression s	spring ø 11.8mm L 16n	nm wire gauge ø 1.6mm steel





fine filters							
fine filters							
1	1						
No.	529979	Ref. No.	10052136				
description	fine filter ø 8.	8mm H 22mm					

'				
No.	531074	Ref. No.		52080B 56080B
description	intake valve com	plete		
1				
No.	525567	Ref. No.	1005	66076A
description	intake valve com	plete for SANREM	10	
spare parts for	525567			
	No.	370575	Ref. No.	10303086
	slide-on receptac	le DIN -10 up to 1	nection 1/8" L 30r 40°C PARKER type ruby p max 30bar	series 11804F1 /
	No.	371029	Ref. No.	_
	solenoid coil PAF 33mm W 34mm I		coil type ZB09 sea	t ø 14mm H






(0)

EQUIPMENT-SPECIFIC UNITS SANREMO



1					
No.	525570	Ref. No.	100	56084	
description	intake valve complete for SANREMO				
spare parts for	525570				
	No.	370202	Ref. No.	_	
1	solenoid valve 2-ways 230VAC connection DN 2.5mm slide-on receptacle DIN -20° up to 130°C PARKER type series VE-125 coil type ZB09 membranes FKM (water) p max 10bar flange 32x32mm				
	No.	371029	Ref. No.	_	
	solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm				
accessories for	525570				
SECutel Control	No.	371090	Ref. No.	_	
30	power socket plug type DIN 43650A screw				
	No.	532553	Ref. No.	_	
\circ	O-ring silicone thickness 1.5mm ID ø 13.15mm Qty 1 pcs				
	No.	532554	Ref. No.	_	
0	O-ring silicone thickness 1.5mm ID Ø 4.1mm Qty 1 pcs				



accessories for	525571					
	No.	532553	Ref. No.	_		
\circ	O-ring silicone thickness 1.5mm ID ø 13.15mm Qty 1 pcs					
0	No.	532554	Ref. No.	_		
	O-ring silicone thickness 1.5mm ID ø 4.1mm Qty 1 pcs					














non-return valves complete No. 525617 Ref. No. 10652020B description non-return valve inlet 1/4" outlet 1/8" L 62mm suitable for SANREMO





knobs


producer-specific knobs




steam/water taps steam/water taps No. 111341 Ref. No. 10092160A description knob ø 43mm for rotary switch










No. 111275 Ref. No. 10351104 description symbol steam ø 32mm L 28mm















fittings for catering equipment









































sealing washers copper gaskets DIN-7603-A No. 526860 Ref. No. 10042017 flat gasket copper ED Ø 19mm ID Ø 13.5mm thickness 1.5mm for thread 1/4" Qty 1 pcs




















springs


compression springs


No.	528503	Ref. No.	10402014		
escription	compression spring ø 10.5mm L 32mm wire gauge ø 1.4mm				


de



manometers







fastening material

screws countersunk screws 10801032 No. 560040 Ref. No. 10805303 countersunk screw thread M5 L 12mm WS 3 SS DIN 7991/ISO 10642 description Qty 20 pcs intake hexagonal

