

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS




TOOLS

Spare parts suitable for

SARO

heating elements

heating elements for bain maries

	No.	420070	Ref. No.	94-8095019
	description	heating element 1200W 230V heating circuits 1 L 406mm L1 30mm W 140mm connection male faston 6.3mm connection distance 134mm tube ø 7mm dry heating element for bain marie L2 380mm H 15mm		

heating elements for fryers

	No.	418643	Ref. No.	172-2060 172-5016
	description	heating element 3200W 230V heating circuits 1 L 290mm W 185mm H 165mm L1 35mm L2 255mm W1 78mm W2 29mm flange length 50mm flange width 22mm hole distance 40mm windings 3 tube ø 8.5mm connection length 35mm connection F 6.3 hole ø 4mm rectangular flange immersion heater		

2 hole fixing

No.	418462	Ref. No.	172-5000	
description	heating element 1250W 230V heating circuits 1 L 293mm W 69mm H 178mm L1 25mm L2 268mm thread 1/4" mounting distance 56mm tube ø 8.5mm windings 2 2 hole fixing connection M4 connection length 28mm immersion heater			
accessories for	418462			
	No.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	521103	Ref. No.	—
nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	No.	521104	Ref. No.	—
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				

accessories for 418462				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				
	No.	560111	Ref. No.	—
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	No.	560131	Ref. No.	—
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				

1

No.	418445	Ref. No.	94-8010
description	heating element 2500W 230V heating circuits 1 L 279mm W 78mm H 178mm L1 17mm L2 262mm thread 1/4" tube ø 8.5mm windings 3 2 hole fixing connection M4 fryer		
spare parts for	418445		
	No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for	418445		
	No.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	No.	521103	Ref. No. —
nut thread M4 H 3mm WS 7 brass Qty 20 pcs			
	No.	521104	Ref. No. —
washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4			
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	560111	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4			
	No.	560131	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			



heating plates



No.	417569	Ref. No.	S160P022
description	hot plate 58W 230V L 62mm W 43mm		

quartz heating elements



No.	418968	Ref. No.	12-1712
description	quartz heating element 500W 240V L 460mm ø 9mm for salamander grill		

heating elements for convection



No.	415124	Ref. No.	20-2057
description	heating element 2300W 230V heating circuits 1 ID ø 183mm ED ø 198mm L 215mm H 28mm L1 11mm W1 31mm H1 15mm H2 21mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 4mm rectangular flange		
accessories for	415124		
	No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

thermostats

bi-metal thermostats

miscellaneous



No.	374059	Ref. No.	282-5049
description	thermostat hole distance 27mm switch-off temp.°C 10 no to be sold in FranceA 250 no to be sold in FranceV connection M4 for rice cooker		

HEATING ELEMENTS/THERMOSTATS SARO



No.	374043	Ref. No.	282-5049
description	thermostat switch-off temp.°C 1NC 1-pole 10A 250V connection M4		

control and safety thermostats

EGO

control thermostats

55.10/19_ series



No.	375777	Ref. No.	122-2002
description	thermostat t.max. 180°C temperature range 70-180°C 1-pole 1NO 16A probe ø 6mm probe L 87mm capillary pipe 600mm capillary pipe isolated 350mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

55.34_ series



No.	375434	Ref. No.	122-2084
description	thermostat t.max. 180°C 3-pole 3NO 16A probe ø 6mm probe L 134mm capillary pipe 1250mm capillary pipe isolated 2050mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 270°		



1

No.	375929	Ref. No.	122-2082
description	thermostat t.max. 182°C temperature range 101-182°C 3-pole 3NO 16A probe ø 6mm probe L 133mm capillary pipe 1180mm capillary pipe isolated 1040mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

safety thermostats

55.11_ series



1

No.	375109	Ref. No.	34-1370
description	safety thermostat switch-off temp. 240°C 1-pole 16A probe ø 4mm probe L 91mm capillary pipe 530mm capillary pipe isolated 350mm gland nut probe SS		

switches and momentary switches

cam switches

10 operating positions



1

No.	347459	Ref. No.	237-2074
description	cam switch 10 operating positions shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 11-pole		

rotary switches

GOTTAK



1

No.	347397	Ref. No.	122-2018
description	rotary switch 2 0-1 sets of contacts 1 type 4RH 400V 16A shaft ø 6x4.6mm shaft L 18mm shaft oval connection male faston 6.3mm t.max. 105°C		

miscellaneous



1


No.	348036	Ref. No.	122-2018
description	rotary switch sets of contacts 2 2 0-1 type CH 400V 16A shaft ø 6x4.6mm shaft L 22mm connection male faston 6.3mm		

magnetic switches

M10x0.75



1



No.	345632	Ref. No.	10-1595	
description	magnetic switch thread M10x0.75 1NO 250V 0.5A P max. 50W connection cable length 2000mm type 102			
accessories for	345632			
	No.	100779	Ref. No.	—
	nut thread M10x0.75 H 3mm WS 14 SS Qty 2 pcs			

miscellaneous



1

No.	347457	Ref. No.	325-5000	
description	magnetic switch 12V 0.5A P max. 6W 1CO connection coded plug L 55mm cable length 360mm L1 35mm			
accessories for	347457			
	No.	347458	Ref. No.	325-5015
	magnet ø 11mm L 12.4mm H 12.4mm Wmm ID ø 6mm ED ø 11mm M5 hole ø 5.75mm			



accessories

magnets



1

No.	347458	Ref. No.	325-5015
description	magnet ø 11mm L 12.4mm H 12.4mm Wmm ID ø 6mm ED ø 11mm M5 hole ø 5.75mm		
accessories for	347458		
	No.	347457	Ref. No. 325-5000
magnetic switch 12V 0.5A P max. 6W 1CO connection coded plug L 55mm cable length 360mm L1 35mm			

lamps

indicator lights

indicator lights (complete)

ø13mm

with plug-in socket



1

No.	359143	Ref. No.	122-2004
description	indicator light ø 13mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		

timers

mechanical timers




1

No.	350104	Ref. No.	122-2053
description	timer C20 2-pole operation time 15min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft L 23mm mounting distance 28mm mounting thread M8 connection lateral		

electronics

PCBs



1

No.	402954	Ref. No.	325-5006
description	control PCB ice cube maker ZB26/50 L 121mm W 73mm		

motors

gear motors

for ice-cube maker

for paddles



1

No.	501535	Ref. No.	3962010
description	gear motor type 50KTYZ 6W 220-240V 50/60Hz 33/40rpm shaft ø 7mm		



1

No.	499085	Ref. No.	325-5007
description	motor DEXUN type 60KTYZ 14W 220-240V voltage AC 50/60Hz 50/60rpm shaft ø 7mm L 60mm W 60mm for paddle		

for sumps



1

No.	499309	Ref. No.	325-5005
description	motor DEXUN type 50KTYZ 6W 220-240V voltage AC 50/60Hz 1/1.2rpm shaft ø 7mm W 50mm for sump		

			
No.	499086	Ref. No.	325-5005 Komplett
description	motor DEXUN type 50KTYZ 6W 220-240V voltage AC 50/60Hz 1/1.2rpm shaft ø 7mm W 50mm for sump complete		

fuses

thermal fuses

			
No.	358173	Ref. No.	S160P025
description	thermal fuse switch-off temp. 216°C nominal A		

electric accessories

cables

power supply cables

			
No.	551193	Ref. No.	282-5042 + 175-5087 S160P026
description	power lead CEE7/7 type E+F 3-pole contacts P+N+E 1.5mm² max. 16A max 230V 1.37m H07RN-F 3G1.50mm² countries A/B/D/F/I		


ignition parts

thermocouples

threaded thermocouples

threaded thermocouples standard

threaded thermocouples (miscellaneous)

				
No.	102121	Ref. No.	237-20541	
description	thermocouple M8x1 L 600mm M6x0.5			
accessories for	102121			
	No.	100892	Ref. No.	—
thermocouple nut thread M6x0.5 H 6.5mm WS 8 brass Qty 1 pcs				

equipment-specific units

for ice-cube maker

pan mechanics

spare parts and accessories

			
No.	694552	Ref. No.	325-5023
description	disc for pan tilting ø 99mm shaft length 19mm		

knobs

universal knobs

1

No.	112026	Ref. No.	328-3008
description	knob thermostat t.max. 270°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-190°C rotation 270°		
accessories for	112026		
	No.	110135	Ref. No. —
rosette knob up to ø 52mm			

			
No.	112121	Ref. No.	122-2009
description	knob thermostat t.max. 180°C ø 48mm shaft ø 6x4.6mm shaft flat upper temperature range 70-180°C rotation 270°		

producer-specific knobs

SARO

			
No.	110568	Ref. No.	122-2054
description	knob switch zero mark t.max. °C ø 40mm shaft ø 6x4.6mm shaft flat upper black		



1

No.	112121	Ref. No.	122-2009
description	knob thermostat t.max. 180°C ø 48mm shaft ø 6x4.6mm shaft flat upper temperature range 70-180°C rotation 270°		




1

No.	112026	Ref. No.	328-3008
description	knob thermostat t.max. 270°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-190°C rotation 270°		
accessories for	112026		
	No.	110135	Ref. No.
			—
	rosette knob up to ø 52mm		


hinges

oven hinges



1

No.	693045	Ref. No.	237-2008
description	opposite support L 110mm W 12mm mounting distance 94mm		




1

No.	700459	Ref. No.	237-2040
description	oven hinge mounting distance 142mm mounting distance 2mm lug mountingmm lever length 117mm groove distance 7mm spring thickness 3.5mm mounting ear position spring length 58mm L 156mm W 22mm		
accessories for	700459		
	No.	693045	Ref. No.
			237-2008
	opposite support L 110mm W 12mm mounting distance 94mm		

fittings for catering equipment

outlet taps

universal



1

No.	540747	Ref. No.	172-5008
description	outlet tap chrome-plated brass angled W 30mm H 40mm thread 1/2" IT		

baskets

fryer baskets

SARO



1

No.	970485	Ref. No.	122-2006
description	fryer basket L1 245mm W1 140mm H1 100mm		



1

No.	970186	Ref. No.	122-2007
description	fryer basket L1 245mm W1 220mm H1 95mm chrome-plated steel hinged handle		



1

No.	970181	Ref. No.	122-2006
description	fryer basket L1 255mm W1 135mm H1 100mm chrome-plated steel hinged handle		
accessories for	970181		
	No.	694989	Ref. No.
			—
	handle L 130mm W 35mm for fryer basket plastic		



consumables

fuses

thermal fuses

1 

No.	358173	Ref. No.	S160P025
description	thermal fuse switch-off temp. 216°C nominalA		