

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS








TOOLS

Spare parts suitable for

SOLYMAC


heating elements

heating elements for bain maries

| | | | | |
|--|---|----------|----------|---|
| <div><div>1</div></div> | | | | |
| No. | 418448 | Ref. No. | P31 | |
| description | heating element 900W 230V heating circuits 1 L 367mm W 122mm connection M4 tube ø 8.5mm 2 hole fixing thread M14x1 dry heating element bain marie mounting distance 113mm | | | |
| spare parts for | 418448 | | | |
|  | No. | 510417 | Ref. No. | — |
| | flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs | | | |
|  | No. | 550261 | Ref. No. | — |
| | nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs | | | |
| accessories for | 418448 | | | |
|  | No. | 520228 | Ref. No. | — |
| | tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14 | | | |
|  | No. | 550262 | Ref. No. | — |
| | flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm | | | |



| 1  | | | |
|--|--|----------|-----|
| No. | 420186 | Ref. No. | P40 |
| description | heating element 7000W 230V heating circuits 3 L 393mm W 245mm H 210mm L1 78mm L2 315mm W1 78mm W2 84mm special fixing tube ø 8mm fryer heaters | | |

heating elements for griddles


| 1  | | | |
|--|---|----------|-----|
| No. | 418451 | Ref. No. | P37 |
| description | heating element 1666W 230V heating circuits 1 L 435mm W 60mm H 74mm tube ø 8.5mm 2 hole fixing connection M4 thread M14x1.5 mounting distance 52mm connection length 72mm for griddle dry heating element | | |

heating elements for fryers

2 hole fixing

| 1  | | | |
|---|--|----------|-----|
|  | | | |
| No. | 420184 | Ref. No. | P59 |
| description | heating element 3500W 230V heating circuits 1 L 294mm W 170mm H 208mm 2 hole fixing connection male faston 6.3mm fryer heaters L1 27mm L2 267mm W1 67mm W2 36mm tube ø 8mm thread M14x1.5 mounting distance 28mm windings 3 suitable for SOLYMAC | | |

heating elements for pasta cookers

| 1  | | | |
|---|---|----------|------|
| No. | 420187 | Ref. No. | P34B |
| description | heating element 2000W 230V heating circuits 1 L 405mm W 46mm Hmm 2 hole fixing connection M4 thread M12x1.25 tube ø 8.3mm | | |

heating elements for pizza ovens

1




| | | | | |
|---|--|----------|----------|---|
| No. | 418450 | Ref. No. | P48B | |
| description | heating element 1200W 230V L 656mm W 110mm thread M14x1.5 mounting distance 102mm connection length 90mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing | | | |
| accessories for | 418450 | | | |
|  | No. | 510417 | Ref. No. | — |
| flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs | | | | |
|  | No. | 520228 | Ref. No. | — |
| tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14 | | | | |
|  | No. | 520230 | Ref. No. | — |
| nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs | | | | |
|  | No. | 521101 | Ref. No. | — |
| nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs | | | | |
|  | No. | 550262 | Ref. No. | — |
| flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm | | | | |

group 11

| 1  | | | |
|---|---|----------|-----|
| No. | 420185 | Ref. No. | P41 |
| description | heating element 12000W 230V heating circuits 3 L 415mm W 237mm H 213mm L1 85mm L2 330mm W1 80mm W2 77mm special fixing tube ø 8mm fryer heaters | | |




| No. | 420183 | Ref. No. | P33 |
|-------------|--|----------|-----|
| description | heating element 1200W 230V L 785mm W 120mm thread M14x1.5 mounting distance 111.5mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing for pizza oven | | |



| No. | 418449 | Ref. No. | P48A |
|-------------|--|----------|------|
| description | heating element 800W 230V L 682mm W 102mm thread M14x1.5 mounting distance 94mm connection length 82mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing | | |

accessories for 418449

| No. | 510417 | Ref. No. | — |
|-----|--|----------|---|
| | flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs | | |
| No. | 520228 | Ref. No. | — |
| | tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14 | | |
| No. | 520230 | Ref. No. | — |
| | nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs | | |
| No. | 521101 | Ref. No. | — |
| | nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs | | |
| No. | 550262 | Ref. No. | — |
| | flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm | | |



| No. | 418447 | Ref. No. | P30 |
|-------------|--|----------|-----|
| description | heating element 900W 230V L 538mm W 88mm thread M14x1.5 mounting distance 80mm connection length 40mm connection M4 heating circuits 1 dry heating element 2 hole fixing | | |

heating elements for salamanders/toast-



| No. | 418452 | Ref. No. | P35 |
|-------------|---|----------|-----|
| description | heating element 1165W 230V L 392mm W 66mm 2 hole fixing thread M12x1.5 mounting distance 60mm connection M4 dry heating element tube ø 6.3mm salamander grill | | |

ceramic heaters

245x60mm



| No. | 415104 | Ref. No. | P1169 |
|-----|--------|----------|-------|
|-----|--------|----------|-------|

description ceramic emitter 1000W 230V cable beaded cord L 245mm W 60mm H 35mm

spare parts for 415104

| No. | 415109 | Ref. No. | — |
|-----|-------------|----------|---|
| | spring clip | | |

accessories for 415104

| No. | 415110 | Ref. No. | — |
|-----|---|----------|---|
| | reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm | | |

immersion heating elements



| No. | 420188 | Ref. No. | P47 |
|-----|--------|----------|-----|
|-----|--------|----------|-----|

description heating element 3000W 230V heating circuits 1 L 350mm W 300mm connection M4 tube ø 10mm immersion heater for bain marie H 100mm connection distance 25mm



| No. | 418446 | Ref. No. | P34 |
|-----|--------|----------|-----|
|-----|--------|----------|-----|

description heating element 900W 230V heating circuits 1 L 420mm W 45mm thread M12x1 mounting distance 36mm tube ø 8.5mm 2 hole fixing immersion heater

radiation heaters

square



1

| No. | 490008 | Ref. No. | P55 |
|------------------------|---|----------|----------|
| description | radiation heater L 300mm W 300mm 4000W 400V heating circuits 2 connections 3 square connection type male faston 6.3mm without pan detection EGO | | |
| spare parts for | 490008 | | |
| | No. | 499157 | Ref. No. |
| | | | — |
| | protection pipe for temperature probe ceramic L 297mm ED ø 7mm ID ø 5mm | | |

accessories



1

| No. | 514493 | Ref. No. | P604B+P604C+P604D |
|--------------------|---|----------|-------------------|
| description | buffer suitable for heating element hole ø 11mm ø 315mm | | |

hot plates

round

with radiused edge

for domestic and commercial kitchens



1

| No. | 490020 | Ref. No. | P49B |
|------------------------|--|----------|----------|
| description | hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring | | |
| accessories for | 490020 | | |
| | No. | 550796 | Ref. No. |
| | | | — |
| | fixing plate for hot plate ø220mm | | |



1

| No. | 490021 | Ref. No. | P49A |
|--------------------|--|----------|------|
| description | hot plate ø 220mm 2600W 400V connection 4 screw clamps with 8mm spill ring | | |

energy regulators

EGO

1-circuit



1

| No. | 380015 | Ref. No. | P82 |
|--------------------|---|----------|-----|
| description | energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010 | | |

DIAMOND



1

| No. | 380037 | Ref. No. | P82 |
|--------------------|--|----------|-----|
| description | energy regulator 240V 13.5A turn direction right shaft ø 6x4.6mm shaft L 13mm mounting thread 3/8"-24UNF equiv. no. 35ERE101230V | | |



1

| No. | 380038 | Ref. No. | 160210 |
|--------------------|---|----------|--------|
| description | energy regulator 24V 13.5A turn direction right shaft ø 6x4.6mm mounting thread 3/8"-24UNF equiv. no. 35ERE105024V voltage AC | | |

accessories

knobs



1

| No. | 110075 | Ref. No. | P82A |
|------------------------|--|----------|----------|
| description | knob energy regulator 1-3 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black | | |
| accessories for | 110075 | | |
| | No. | 110135 | Ref. No. |
| | | | — |
| | rosette knob up to ø 52mm | | |



thermostats

control and safety thermostats

EGO


control thermostats

55.10/19_series



| No. | 375468 | Ref. No. | P77 |
|-------------|---|----------|-----|
| description | thermostat t.max. 180°C temperature range 80-180°C 1-pole 1NO 16A probe ø 6mm probe L 135mm capillary pipe 900mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° | | |


55.34_series





| No. | 375143 | Ref. No. | P76 |
|-------------|---|----------|-----|
| description | thermostat t.max. 110°C temperature range 32-110°C 3-pole 3NO 16A probe ø 6mm probe L 138mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° | | |




| No. | 375417 | Ref. No. | P77A |
|-------------|---|----------|------|
| description | thermostat t.max. 200°C temperature range 65-200°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 840mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm rotation 270° | | |



| No. | 375038 | Ref. No. | P79 |
|-----------------|--|----------|--------|
| description | thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 1740mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° | | |
| accessories for | 375038 | | |
| |  | No. | 110123 |
| | | Ref. No. | — |
| | knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C rotation 270° | | |




| No. | 375026 | Ref. No. | P80 |
|-------------|--|----------|-----|
| description | thermostat t.max. 350°C temperature range 100-350°C 3-pole 3NO 16A probe ø 6mm probe L 77mm capillary pipe 2430mm capillary pipe isolated 1100mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° | | |



| No. | 390038 | Ref. No. | P76ET |
|-------------|--|----------|-------|
| description | thermostat t.max. 90°C temperature range 30-90°C 3-pole 3CO 16A probe ø 6mm probe L 215mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft Lmm | | |

safety thermostats

56_ series



| | | | |
|------------------------|--|-----------------|-------------------|
| No. | 375432 | Ref. No. | P78 |
| description | safety thermostat switch-off temp. 230°C 1-pole 1NC 16A probe ø 6mm probe L 77mm capillary pipe 1160mm capillary pipe isolated 210mm gland nut M9x1 starting temperature 218°C probe | | |
| accessories for | 375432 | | |
| | No. | 101860 | Ref. No. — |
| | nut thread M10x1 H 4mm WS 14 chrome-plated brass Qty 1 pcs | | |

control thermostats with operation switch

55.34_ series



| | | | |
|--------------------|---|-----------------|------|
| No. | 375246 | Ref. No. | P709 |
| description | thermostat t.max. 645°C temperature range 100-615/645°C 2-pole 2NO 16A probe ø 4mm probe L 230mm capillary pipe 1100mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 25mm shaft position lower rotation 270° outer switch 2NO probe material copper | | |

CAEM

safety thermostats



| | | | |
|--------------------|--|-----------------|-------|
| No. | 390877 | Ref. No. | P1006 |
| description | safety thermostat switch-off temp. 225°C 1-pole NC 16A probe ø 5mm probe L 80mm capillary pipe 900mm capillary pipe isolated 400mm gland nut M10x1 probe SS connection male faston 6.3mm | | |

switches and momentary switches

rocker/momentary rocker switches


30x22mm



| | | | |
|--------------------|---|-----------------|------|
| No. | 301135 | Ref. No. | P67E |
| description | momentary rocker switch mounting measurements 30x22mm orange 2NO 24V 16A illuminated connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40 | | |

cam switches

4-position



| | | | |
|--------------------|---|-----------------|------|
| No. | 300103 | Ref. No. | P86C |
| description | cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic | | |




7-position




| | | | |
|---|--|-----------------|-------------------|
| No. | 300025 | Ref. No. | P87 |
| description | cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic | | |
| accessories for | 300025 | | |
| | No. | 112172 | Ref. No. — |
| knob universal ø 70mm black without adaptor/dial plate | | | |
| | No. | 112213 | Ref. No. — |
| knob dial plate silver switch 7-position t.max.°C ED ø 63mm ID ø 45.5mm | | | |
| | No. | 112311 | Ref. No. — |
| knob adapter shaft ø 6x4.6mm L 0mm with spring | | | |

control equipment

lamps

| | | | |
|--|---|-----------------|-------------------|
|  | | | |
| 1 | | | |
| No. | 359606 | Ref. No. | P91A |
| description | neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm | | |
| accessories for | 359606 | | |
|  | No. | 359832 | Ref. No. — |
| lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm | | | |
|  | No. | 359853 | Ref. No. — |
| lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm | | | |

| | | | |
|---|---|-----------------|-------------------|
|  | | | |
| 1 | | | |
| No. | 359607 | Ref. No. | P91 |
| description | neon light bulb socket Ba9s 380V 2W clear ø 10mm L 28mm | | |
| accessories for | 359607 | | |
|  | No. | 359060 | Ref. No. — |
| lamp socket mounting measurements ø16.2mm socket E10 connection screw | | | |
|  | No. | 359063 | Ref. No. — |
| lamp socket mounting measurements ø19.2mm socket E14 connection screw | | | |
|  | No. | 359064 | Ref. No. — |
| lamp socket mounting measurements ø22.3mm socket E14 connection screw 250/380V ambient temperature at 1W 100°C ambient temperature at 2W 85°C | | | |
|  | No. | 359685 | Ref. No. — |
| lamp socket mounting measurements ø16.2mm socket E10 | | | |
|  | No. | 359832 | Ref. No. — |
| lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm | | | |
|  | No. | 359853 | Ref. No. — |
| lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm | | | |
|  | No. | 359988 | Ref. No. — |
| lamp socket mounting measurements ø30.5mm 250V connection F6.3 temp.-resist. 55°C E14 | | | |




lamps









indicator lights

indicator lights 3-piece (housing, lens and bulb)

lamps

neon light bulbs

| | | | |
|--|---|-----------------|-------------------|
|  | | | |
| 1 | | | |
| No. | 359606 | Ref. No. | P91A |
| description | neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm | | |
| accessories for | 359606 | | |
|  | No. | 359832 | Ref. No. — |
| lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm | | | |
|  | No. | 359853 | Ref. No. — |
| lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm | | | |

| | | | |
|---|---|-----------------|-------------------|
|  | | | |
| 1 | | | |
| No. | 359607 | Ref. No. | P91 |
| description | neon light bulb socket Ba9s 380V 2W clear ø 10mm L 28mm | | |
| accessories for | 359607 | | |
|  | No. | 359060 | Ref. No. — |
| lamp socket mounting measurements ø16.2mm socket E10 connection screw | | | |
|  | No. | 359063 | Ref. No. — |
| lamp socket mounting measurements ø19.2mm socket E14 connection screw | | | |
|  | No. | 359064 | Ref. No. — |
| lamp socket mounting measurements ø22.3mm socket E14 connection screw 250/380V ambient temperature at 1W 100°C ambient temperature at 2W 85°C | | | |
|  | No. | 359685 | Ref. No. — |
| lamp socket mounting measurements ø16.2mm socket E10 | | | |
|  | No. | 359832 | Ref. No. — |
| lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm | | | |
|  | No. | 359853 | Ref. No. — |
| lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm | | | |
|  | No. | 359988 | Ref. No. — |
| lamp socket mounting measurements ø30.5mm 250V connection F6.3 temp.-resist. 55°C E14 | | | |

screw-on/push-on fit
neon light bulbs


1

| No. | 359606 | Ref. No. | P91A |
|------------------------|--|----------|----------|
| description | neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm | | |
| accessories for | 359606 | | |
| | No. | 359832 | Ref. No. |
| | | | — |
| | lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm | | |
| | No. | 359853 | Ref. No. |
| | | | — |
| | lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm | | |



1

| No. | 359607 | Ref. No. | P91 |
|------------------------|---|----------|----------|
| description | neon light bulb socket Ba9s 380V 2W clear ø 10mm L 28mm | | |
| accessories for | 359607 | | |
| | No. | 359060 | Ref. No. |
| | | | — |
| | lamp socket mounting measurements ø16.2mm socket E10 connection screw | | |
| | No. | 359063 | Ref. No. |
| | | | — |
| | lamp socket mounting measurements ø19.2mm socket E14 connection screw | | |
| | No. | 359064 | Ref. No. |
| | | | — |
| | lamp socket mounting measurements ø22.3mm socket E14 connection screw 250/380V ambient temperature at 1W 100°C ambient temperature at 2W 85°C | | |
| | No. | 359685 | Ref. No. |
| | | | — |
| | lamp socket mounting measurements ø16.2mm socket E10 | | |
| | No. | 359832 | Ref. No. |
| | | | — |
| | lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm | | |
| | No. | 359853 | Ref. No. |
| | | | — |
| | lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm | | |
| | No. | 359988 | Ref. No. |
| | | | — |
| | lamp socket mounting measurements ø30.5mm 250V connection F6.3 temp.-resist. 55°C E14 | | |

light bulbs
for ovens


1

| No. | 359612 | Ref. No. | AMPF |
|--------------------|--|----------|------|
| description | light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips | | |

oven lamps
lamps
light bulbs


1

| No. | 359612 | Ref. No. | AMPF |
|--------------------|--|----------|------|
| description | light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips | | |

electronic controllers
HONEYWELL
universal controllers
built-in version


1

| No. | 379877 | Ref. No. | P81A |
|------------------------|--|----------|----------|
| description | electronic controller HONEYWELL type DC10N-400 mounting measurements 92x92mm 24/230V voltage AC TC (J) relay outputs 1 CO-10A(6) TC (J) universal built-in depth 55mm protection IP54 accuracy 1% built-in version defr. funct. no 0 up to +400°C display 3 digits | | |
| accessories for | 379877 | | |
| | No. | 379051 | Ref. No. |
| | | | FS10 |
| | temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x100mm cable length 3m without screw connection cable colours red/blue 2-wire | | |



probes


universal probes

temperature probes



| No. | 375051 | Ref. No. | N/A |
|-------------|---|----------|-----|
| description | temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø4x150mm cable length 1.5m 2-wire | | |



| | | | | |
|---|--|----------|----------|------|
| No. | 379051 | Ref. No. | FS10 | |
| description | temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x100mm cable length 3m without screw connection cable colours red/blue 2-wire | | | |
| accessories for | 379051 | | | |
|  | No. | 379877 | Ref. No. | P81A |
| | electronic controller HONEYWELL type DC10N-400 mounting measurements 92x92mm 24/230V voltage AC TC (J) relay outputs 1 CO-10A(6) TC (J) universal built-in depth 55mm protection IP54 accuracy 1% built-in version defr. funct. no 0 up to +400°C display 3 digits | | | |

keypads

front foils



| No. | 403015 | Ref. No. | CFRPC10X |
|-------------|----------------------------|----------|----------|
| description | keypad foil L 167mm W 99mm | | |

solenoid valves

solenoid valves (water)






metal

PARKER

3-way

VE-128 series



| No. | 370057 | Ref. No. | P74A | |
|---|---|----------|----------|---|
| description | solenoid valve 3-ways 230VAC body outer cone DN 1.2mm slide-on receptacle DIN -20° up to 140°C PARKER type series VE-128 coil type ZB09 membranes ruby p max 10bar brass flange 32x32mm | | | |
| spare parts for | 370057 | | | |
|  | No. | 370062 | Ref. No. | — |
| | solenoid valve body PARKER 3-ways outer cone | | | |
|  | No. | 371029 | Ref. No. | — |
| | solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm | | | |
| accessories for | 370057 | | | |
|  | No. | 371090 | Ref. No. | — |
| | power socket plug type DIN 43650A screw | | | |
|  | No. | 371095 | Ref. No. | — |
| | O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs | | | |
|  | No. | 371100 | Ref. No. | — |
| | O-ring silicone thickness 1.78mm ID ø 6.07mm Qty 1 pcs | | | |


fans


hot air fans

miscellaneous



1



| No. | 601125 | Ref. No. | EMMVR150 |
|---|--|----------|------------|
| description | hot air fan 220-240V 45W 50/60Hz L1 70mm L2 11mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C30R0479CLF | | |
| accessories for | 601125 | | |
|  | No. | 550879 | Ref. No. — |
| insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan | | | |

condensators & interference suppression filters

operating capacitors

metal



1

| No. | 365002 | Ref. No. | FS16 |
|-------------|---|----------|------|
| description | operating capacitor capacity 4µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 30mm L 75mm with cable M8 aluminium connection cable 300mm MKP protection IP65 | | |









gas taps

PEL

20N series



1

| No. | 101398 | Ref. No. | P66D |
|--|--|----------|------------|
| description | gas tap PEL type 20N gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper | | |
| spare parts for | 101398 | | |
|  | No. | 100408 | Ref. No. — |
| bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5 | | | |
|  | No. | 101205 | Ref. No. — |
| gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL20 | | | |
| accessories for | 101398 | | |
|  | No. | 101278 | Ref. No. — |
| olive for pipe ø 10mm Qty 1 pcs | | | |
|  | No. | 101300 | Ref. No. — |
| union nut thread M16x1.5 tube ø 10mm | | | |
|  | No. | 101450 | Ref. No. — |
| olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm | | | |
|  | No. | 101451 | Ref. No. — |
| union nut thread M16x1.5 tube ø 8mm | | | |
|  | No. | 110081 | Ref. No. — |
| knob ø 70mm shaft ø 8x6.5mm shaft flat universal | | | |
|  | No. | 110083 | Ref. No. — |
| knob dial plate gas tap without ignition flame silver | | | |

20S series



1











| No. | 101491 | Ref. No. | P67E |
|---|---|----------|------------|
| description | gas tap PEL type 20S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower | | |
| spare parts for | 101491 | | |
|  | No. | 100408 | Ref. No. — |
| bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5 | | | |

Table continues overleaf








| | | | | |
|--|-----|--------|----------|---|
| spare parts for 101491 | | | | |
|  | No. | 101060 | Ref. No. | — |
| magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA | | | | |
|  | No. | 101205 | Ref. No. | — |
| gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL20 | | | | |
|  | No. | 101231 | Ref. No. | — |
| thermocouple nut T1: M9x1 T2: M18x1 | | | | |
| accessories for 101491 | | | | |
|  | No. | 101287 | Ref. No. | — |
| olive for pipe ø 6mm Qty 1 pcs | | | | |
|  | No. | 101300 | Ref. No. | — |
| union nut thread M16x1.5 tube ø 10mm | | | | |
|  | No. | 101450 | Ref. No. | — |
| olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm | | | | |
|  | No. | 101451 | Ref. No. | — |
| union nut thread M16x1.5 tube ø 8mm | | | | |
|  | No. | 110081 | Ref. No. | — |
| knob ø 70mm shaft ø 8x6.5mm shaft flat universal | | | | |
|  | No. | 110083 | Ref. No. | — |
| knob dial plate gas tap without ignition flame silver | | | | |

21S series



1

| | | | | |
|--|---|----------|----------|---|
| No. | 101397 | Ref. No. | P67C | |
| description | gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower | | | |
| | spare parts for 101397 | | | |
|  | No. | 100408 | Ref. No. | — |
| bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5 | | | | |
|  | No. | 101060 | Ref. No. | — |
| magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA | | | | |
|  | No. | 101206 | Ref. No. | — |
| gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL21 | | | | |
|  | No. | 101231 | Ref. No. | — |
| thermocouple nut T1: M9x1 T2: M18x1 | | | | |
| accessories for 101397 | | | | |
|  | No. | 100908 | Ref. No. | — |
| union screw thread M10x1 for pipe ø 4mm Qty 1 pcs | | | | |

| | | | | |
|---|-----|--------|----------|---|
| accessories for 101397 | | | | |
|  | No. | 100909 | Ref. No. | — |
| union screw thread M10x1 for pipe ø 6mm Qty 1 pcs | | | | |
|  | No. | 101246 | Ref. No. | — |
| olive for pipe ø 4mm Qty 1 pcs | | | | |
|  | No. | 101278 | Ref. No. | — |
| olive for pipe ø 10mm Qty 1 pcs | | | | |
|  | No. | 101286 | Ref. No. | — |
| olive ID ø 6mm Qty 1 pcs | | | | |
|  | No. | 101300 | Ref. No. | — |
| union nut thread M16x1.5 tube ø 10mm | | | | |
|  | No. | 101450 | Ref. No. | — |
| olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm | | | | |
|  | No. | 101451 | Ref. No. | — |
| union nut thread M16x1.5 tube ø 8mm | | | | |
|  | No. | 110081 | Ref. No. | — |
| knob ø 70mm shaft ø 8x6.5mm shaft flat universal | | | | |
|  | No. | 112206 | Ref. No. | — |
| knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm | | | | |

22N/O series



1






| | | | | |
|---|---|----------|----------|---|
| No. | 101443 | Ref. No. | P66C | |
| description | gas tap PEL type 22N/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermo-couple connection pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower | | | |
| spare parts for | 101443 | | | |
|  | No. | 100259 | Ref. No. | — |
| bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5 | | | | |
|  | No. | 101201 | Ref. No. | — |
| gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/ lower suitable for PEL22 | | | | |
|  | No. | 101240 | Ref. No. | — |
| gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal | | | | |
|  | No. | 101460 | Ref. No. | — |
| O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22 | | | | |
|  | No. | 101461 | Ref. No. | — |
| screw kit suitable for PEL22 Qty 4 pcs | | | | |



Table continues overleaf




| accessories for 101443 | | | | |
|---|-----|--------|----------|---|
|  | No. | 100908 | Ref. No. | — |
| union screw thread M10x1 for pipe ø 4mm Qty 1 pcs | | | | |
|  | No. | 100909 | Ref. No. | — |
| union screw thread M10x1 for pipe ø 6mm Qty 1 pcs | | | | |
|  | No. | 101246 | Ref. No. | — |
| olive for pipe ø 4mm Qty 1 pcs | | | | |
|  | No. | 101248 | Ref. No. | — |
| olive for pipe ø 12mm Qty 1 pcs suitable for PEL | | | | |
|  | No. | 101249 | Ref. No. | — |
| olive for pipe ø 10mm Qty 1 pcs | | | | |
|  | No. | 101250 | Ref. No. | — |
| union nut thread M20x1.5 for pipe ø 10mm | | | | |
|  | No. | 101251 | Ref. No. | — |
| union nut thread M20x1.5 for pipe ø 12mm | | | | |
|  | No. | 101286 | Ref. No. | — |
| olive ID ø 6mm Qty 1 pcs | | | | |

22S/O series



1

| No. | 101086 | Ref. No. | P67 | |
|---|---|----------|----------|---|
| description | gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower | | | |
| | | | | |
| spare parts for | 101086 | | | |
|  | No. | 100259 | Ref. No. | — |
| | bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5 | | | |
|  | No. | 101058 | Ref. No. | — |
| | magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard | | | |
|  | No. | 101201 | Ref. No. | — |
| | gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22 | | | |
|  | No. | 101231 | Ref. No. | — |
| | thermocouple nut T1: M9x1 T2: M18x1 | | | |
|  | No. | 101240 | Ref. No. | — |
| | gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal | | | |
|  | No. | 101460 | Ref. No. | — |
| | O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22 | | | |
|  | No. | 101461 | Ref. No. | — |
| | screw kit suitable for PEL22 Qty 4 pcs | | | |

| accessories for 101086 | | | | |
|---|-----|--------|----------|---|
|  | No. | 100908 | Ref. No. | — |
| union screw thread M10x1 for pipe ø 4mm Qty 1 pcs | | | | |
|  | No. | 100909 | Ref. No. | — |
| union screw thread M10x1 for pipe ø 6mm Qty 1 pcs | | | | |
|  | No. | 101241 | Ref. No. | — |
| gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical | | | | |
|  | No. | 101246 | Ref. No. | — |
| olive for pipe ø 4mm Qty 1 pcs | | | | |
|  | No. | 101248 | Ref. No. | — |
| olive for pipe ø 12mm Qty 1 pcs suitable for PEL | | | | |
|  | No. | 101249 | Ref. No. | — |
| olive for pipe ø 10mm Qty 1 pcs | | | | |
|  | No. | 101250 | Ref. No. | — |
| union nut thread M20x1.5 for pipe ø 10mm | | | | |
|  | No. | 101251 | Ref. No. | — |
| union nut thread M20x1.5 for pipe ø 12mm | | | | |
|  | No. | 101286 | Ref. No. | — |
| olive ID ø 6mm Qty 1 pcs | | | | |
|  | No. | 110080 | Ref. No. | — |
| knob ø 70mm shaft ø 10x8mm shaft flat universal | | | | |
|  | No. | 112206 | Ref. No. | — |
| knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm | | | | |



1




| | | | |
|---|--|----------|------------|
| No. | 106384 | Ref. No. | P67B |
| description | gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower | | |
| spare parts for | 106384 | | |
|  | No. | 101058 | Ref. No. — |
| magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard | | | |
|  | No. | 101231 | Ref. No. — |
| thermocouple nut T1: M9x1 T2: M18x1 | | | |
|  | No. | 106191 | Ref. No. — |
| bypass nozzle type PEL22 bore ø 0mm thread M6x0.5 | | | |




Table continues overleaf



| | | | | |
|--|-----|--------|----------|---|
| accessories for 106384 | | | | |
| | No. | 101248 | Ref. No. | — |
| olive for pipe ø 12mm Qty 1 pcs suitable for PEL | | | | |
| | No. | 101249 | Ref. No. | — |
| olive for pipe ø 10mm Qty 1 pcs | | | | |
| | No. | 101250 | Ref. No. | — |
| union nut thread M20x1.5 for pipe ø 10mm | | | | |
| | No. | 101251 | Ref. No. | — |
| union nut thread M20x1.5 for pipe ø 12mm | | | | |



1

| | | | | |
|---|--|----------|----------|---|
| No. | 109510 | Ref. No. | P67 | |
| description | gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 1.3mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat right | | | |
| spare parts for | 109510 | | | |
|  | No. | 100438 | Ref. No. | — |
| bypass nozzle type PEL22 bore ø 1.2mm thread M6x0.5 | | | | |
|  | No. | 101058 | Ref. No. | — |
| magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard | | | | |
|  | No. | 101202 | Ref. No. | — |
| gas tap front part shaft ø 8x10mm shaft L 25/17mm shaft flat right/left suitable for PEL22 | | | | |
|  | No. | 101230 | Ref. No. | — |
| thermocouple nut T1: M8x1 T2: M18x1 aluminium | | | | |
|  | No. | 101240 | Ref. No. | — |
| gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal | | | | |
|  | No. | 101460 | Ref. No. | — |
| O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22 | | | | |
|  | No. | 101461 | Ref. No. | — |
| screw kit suitable for PEL22 Qty 4 pcs | | | | |
| accessories for | 109510 | | | |
|  | No. | 100908 | Ref. No. | — |
| union screw thread M10x1 for pipe ø 4mm Qty 1 pcs | | | | |
|  | No. | 100909 | Ref. No. | — |
| union screw thread M10x1 for pipe ø 6mm Qty 1 pcs | | | | |
|  | No. | 101241 | Ref. No. | — |
| gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical | | | | |
|  | No. | 101246 | Ref. No. | — |
| olive for pipe ø 4mm Qty 1 pcs | | | | |
|  | No. | 101248 | Ref. No. | — |
| olive for pipe ø 12mm Qty 1 pcs suitable for PEL | | | | |

| | | | | |
|--|-----|--------|----------|---|
| accessories for 109510 | | | | |
| | No. | 101249 | Ref. No. | — |
| olive for pipe ø 10mm Qty 1 pcs | | | | |
| | No. | 101250 | Ref. No. | — |
| union nut thread M20x1.5 for pipe ø 10mm | | | | |
| | No. | 101251 | Ref. No. | — |
| union nut thread M20x1.5 for pipe ø 12mm | | | | |
| | No. | 101286 | Ref. No. | — |
| olive ID ø 6mm Qty 1 pcs | | | | |

STN3R

1

| No. | 106178 | Ref. No. | P66A |
|-------------|--|----------|------|
| description | gas tap STN3R gas inlet 3/8" (tube ø 10mm) bypass nozzle ø 0mm gas outlet 3/8" (tube ø 12mm) thermocouple connection pilot connection closed shaft ø 10x8mm shaft L 22/18mm shaft flat lower suitable for SOLYMAC | | |

| | | | |
|-------------|--|----------|------|
| 1 | | | |
| No. | 106179 | Ref. No. | P66B |
| description | gas tap STN3R gas inlet 3/8" (tube ø 8mm) gas outlet 3/8" (tube ø 8mm) shaft ø 8x10mm shaft L 60mm shaft flat lower suitable for SOLYMAC pilot connection M10x1 closed | | |

gas thermostats


SIT

710 Minisit series



1

| No. | 106931 | Ref. No. | P68A |
|-----------------|--|----------|---------------|
| description | gas thermostat SIT type MINISIT 710 t.max. 310°C 70-310°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1300mm pressure controller no pressure regulator mbar gland nut 0710647 ignition gas 6mm probe material stainless steel | | |
| accessories for | 106931 | | |
| | No. | 101137 | Ref. No. — |
| | cover cap without piezoelectric igniter | | |
| | No. | 110068 | Ref. No. P72E |
| | knob suitable for Minisit ø 37mm | | |



1

| No. | 101132 | Ref. No. | P68A |
|-----------------|--|----------|------------|
| description | gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulator mbar gland nut ignition gas no | | |
| spare parts for | 101132 | | |
| | No. | 101053 | Ref. No. — |
| | magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit | | |
| | No. | 102102 | Ref. No. — |
| | probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710 | | |
| accessories for | 101132 | | |
| | No. | 100809 | Ref. No. — |
| | O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs | | |
| | No. | 100904 | Ref. No. — |
| | locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | |
| | No. | 100905 | Ref. No. — |
| | locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | |

| accessories for | 101132 | | |
|-----------------|---|--------|---------------|
| | No. | 101054 | Ref. No. — |
| | magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit | | |
| | No. | 101136 | Ref. No. — |
| | piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8 | | |
| | No. | 101137 | Ref. No. — |
| | cover cap without piezoelectric igniter | | |
| | No. | 101267 | Ref. No. — |
| | reducer IT 3/8" ET 1/2" L 21mm | | |
| | No. | 101268 | Ref. No. — |
| | gas connection thread 3/8" angled with O-ring MINISIT 710 | | |
| | No. | 101269 | Ref. No. — |
| | gas connection thread 1/2" angled with O-ring MINISIT 710 | | |
| | No. | 101270 | Ref. No. — |
| | screw connection IT 3/8" ET 3/8" L 28mm | | |
| | No. | 101272 | Ref. No. — |
| | screw connection IT 1/2" ET 3/8" L 57mm | | |
| | No. | 101273 | Ref. No. — |
| | olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal | | |
| | No. | 101274 | Ref. No. — |
| | olive for pipe ø 16mm Qty 1 pcs | | |
| | No. | 101275 | Ref. No. — |
| | union screw thread 1/2" for pipe ø 16mm Qty 1 pcs | | |
| | No. | 101276 | Ref. No. — |
| | union screw thread 3/8" tube ø 12mm Qty 1 pcs | | |
| | No. | 110068 | Ref. No. P72E |
| | knob suitable for Minisit ø 37mm | | |

| No. | 102873 | Ref. No. | P70/P300 |
|-----------------|---|----------|------------|
| description | gas thermostat SIT type MINISIT 710 t.max. 340°C 140-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 probe ø 4mm probe L 72mm capillary pipe 1050mm probe type type C2 pressure controller no | | |
| spare parts for | 102873 | | |
| | No. | 100068 | Ref. No. — |
| | pilot burner 2 flames gas connection 6mm | | |

Table continues overleaf



| spare parts for 102873 | | | | |
|--|-----|--------|----------|---|
|  | No. | 100809 | Ref. No. | — |
| O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs | | | | |
|  | No. | 101053 | Ref. No. | — |
| magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit | | | | |
|  | No. | 101137 | Ref. No. | — |
| cover cap without piezoelectric igniter | | | | |
|  | No. | 101504 | Ref. No. | — |
| gas connection thread 1/2" angled without O-ring MINISIT 710 | | | | |
|  | No. | 101505 | Ref. No. | — |
| gas connection thread 3/8" angled without O-ring MINISIT 710 | | | | |
|  | No. | 101516 | Ref. No. | — |
| flat-headed bolt thread M4 thread L 16mm SS DIN 7985/ISO 7045 Qty 1 pcs | | | | |
|  | No. | 101517 | Ref. No. | — |
| flat-headed bolt thread M4 thread L 23mm | | | | |
|  | No. | 106226 | Ref. No. | — |
| probe 140-380°C probe ø 4mm probe L 72mm capillary pipe 1050mm t.max. 380°C oven/grill probe type type C2 suitable for MINISIT 710 | | | | |

| | | | | |
|---|---|----------|----------|---|
|  | | | | |
| 1  | | | | |
| No. | 101131 | Ref. No. | P69 | |
| description | gas thermostat without cap, button and angle SIT type MINISIT 710 t.max. 190°C 50-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 98mm capillary pipe 1200mm probe type type A2 pressure controller no pressure regulator mbar gland nut | | | |
| spare parts for | 101131 | | | |
|  | No. | 101053 | Ref. No. | — |
| magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit | | | | |
|  | No. | 102103 | Ref. No. | — |
| probe 60-200°C probe ø 5mm probe L 98mm capillary pipe 1050mm t.max. 200°C fryer probe type type A2 suitable for MINISIT 710 | | | | |
| accessories for | 101131 | | | |
|  | No. | 100809 | Ref. No. | — |
| O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs | | | | |
|  | No. | 100820 | Ref. No. | — |
| gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22 | | | | |
|  | No. | 100904 | Ref. No. | — |
| locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | | | |
|  | No. | 100905 | Ref. No. | — |
| locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | | | |

| accessories for 101131 | | | | |
|---|-----|--------|----------|------|
|  | No. | 101054 | Ref. No. | — |
| magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit | | | | |
|  | No. | 101136 | Ref. No. | — |
| piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8 | | | | |
|  | No. | 101137 | Ref. No. | — |
| cover cap without piezoelectric igniter | | | | |
|  | No. | 101267 | Ref. No. | — |
| reducer IT 3/8" ET 1/2" L 21mm | | | | |
|  | No. | 101268 | Ref. No. | — |
| gas connection thread 3/8" angled with O-ring MINISIT 710 | | | | |
|  | No. | 101269 | Ref. No. | — |
| gas connection thread 1/2" angled with O-ring MINISIT 710 | | | | |
|  | No. | 101270 | Ref. No. | — |
| screw connection IT 3/8" ET 3/8" L 28mm | | | | |
|  | No. | 101272 | Ref. No. | — |
| screw connection IT 1/2" ET 3/8" L 57mm | | | | |
|  | No. | 101273 | Ref. No. | — |
| olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal | | | | |
|  | No. | 101274 | Ref. No. | — |
| olive for pipe ø 16mm Qty 1 pcs | | | | |
|  | No. | 101275 | Ref. No. | — |
| union screw thread 1/2" for pipe ø 16mm Qty 1 pcs | | | | |
|  | No. | 101276 | Ref. No. | — |
| union screw thread 3/8" tube ø 12mm Qty 1 pcs | | | | |
|  | No. | 110068 | Ref. No. | P72E |
| knob suitable for Minisit ø 37mm | | | | |




| | | | | |
|--|--|----------|----------|---|
|  | | | | |
| 1  | | | | |
| No. | 107237 | Ref. No. | P69 | |
| description | gas thermostat without cap, button and angle SIT type MINISIT 710 t.max. 210°C 70-210°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 122mm capillary pipe 1300mm probe type pressure controller no pressure regulator mbar gland nut | | | |
| accessories for | 107237 | | | |
|  | No. | 101137 | Ref. No. | — |
| cover cap without piezoelectric igniter | | | | |

Table continues overleaf

| accessories for 107237 | | | | |
|---|-----|--------|----------|------|
| | No. | 101267 | Ref. No. | — |
| reducer IT 3/8" ET 1/2" L 21mm | | | | |
| | No. | 101268 | Ref. No. | — |
| gas connection thread 3/8" angled with O-ring MINISIT 710 | | | | |
| | No. | 110068 | Ref. No. | P72E |
| knob suitable for Minisit ø 37mm | | | | |

PEL

24STS series




1

| | | | | |
|---|--|----------|----------|---|
| No. | 106382 | Ref. No. | P70C | |
| description | gas thermostat PEL type 24STS 110-310°C gas inlet flange bypass nozzle ø 0mm gas outlet flange thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 10x8mm shaft L 27/17mm shaft flat upper | | | |
| spare parts for | 106382 | | | |
|  | No. | 101058 | Ref. No. | — |
| magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard | | | | |
|  | No. | 106200 | Ref. No. | — |
| nut thread M9x1 suitable for PEL 24/255 | | | | |
|  | No. | 106201 | Ref. No. | — |
| bypass nozzle type PEL23/24 bore ø 0mm thread M8x0.5 | | | | |
| accessories for | 106382 | | | |
|  | No. | 100908 | Ref. No. | — |
| union screw thread M10x1 for pipe ø 4mm Qty 1 pcs | | | | |
|  | No. | 100909 | Ref. No. | — |
| union screw thread M10x1 for pipe ø 6mm Qty 1 pcs | | | | |
|  | No. | 101235 | Ref. No. | — |
| gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps horizontal | | | | |
|  | No. | 101240 | Ref. No. | — |
| gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal | | | | |
|  | No. | 101241 | Ref. No. | — |
| gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical | | | | |
|  | No. | 101246 | Ref. No. | — |
| olive for pipe ø 4mm Qty 1 pcs | | | | |
|  | No. | 101248 | Ref. No. | — |
| olive for pipe ø 12mm Qty 1 pcs suitable for PEL | | | | |
|  | No. | 101249 | Ref. No. | — |
| olive for pipe ø 10mm Qty 1 pcs | | | | |

| accessories for 106382 | | | | |
|---|-----|--------|----------|---|
| | No. | 101250 | Ref. No. | — |
| union nut thread M20x1.5 for pipe ø 10mm | | | | |
| | No. | 101251 | Ref. No. | — |
| union nut thread M20x1.5 for pipe ø 12mm | | | | |
| | No. | 101286 | Ref. No. | — |
| olive ID ø 6mm Qty 1 pcs | | | | |
| | No. | 101460 | Ref. No. | — |
| O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22 | | | | |
| | No. | 101461 | Ref. No. | — |
| screw kit suitable for PEL22 Qty 4 pcs | | | | |



1

| | | | | |
|---|--|----------|----------|---|
| No. | 106392 | Ref. No. | P70B | |
| description | gas thermostat PEL type 24STS bypass nozzle ø 0/1.5/2.75mm thermocouple connection M9x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 10x8mm shaft L 27/17mm t.max. 350°C pipe input ø 14mm pipe output ø 14mm | | | |
| spare parts for | 106392 | | | |
|  | No. | 100679 | Ref. No. | — |
| bypass nozzle type PEL23/24 bore ø 1.5mm thread M8x0.5 | | | | |
|  | No. | 100909 | Ref. No. | — |
| union screw thread M10x1 for pipe ø 6mm Qty 1 pcs | | | | |
|  | No. | 101286 | Ref. No. | — |
| olive ID ø 6mm Qty 1 pcs | | | | |
|  | No. | 101365 | Ref. No. | — |
| gas connection thread M20x1.5 tube ø 12mm for PEL gas taps horizontal | | | | |
|  | No. | 101427 | Ref. No. | — |
| union nut thread M20x1.5 for pipe ø 14mm | | | | |
|  | No. | 101428 | Ref. No. | — |
| olive for pipe ø 14mm L 9mm Qty 1 pcs ED ø 16mm | | | | |
|  | No. | 101460 | Ref. No. | — |
| O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22 | | | | |
|  | No. | 101461 | Ref. No. | — |
| screw kit suitable for PEL22 Qty 4 pcs | | | | |
|  | No. | 106393 | Ref. No. | — |
| bypass nozzle type PEL23/24 bore ø 2.75mm thread M8x0.5 | | | | |



25ST series





1

| No. | 101991 | Ref. No. | P70D |
|---|--|----------|------------|
| description | gas thermostat PEL type 25ST 100-300°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper | | |
| spare parts for | 101991 | | |
|  | No. | 101060 | Ref. No. — |
| magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA | | | |
|  | No. | 106191 | Ref. No. — |
| bypass nozzle type PEL22 bore ø 0mm thread M6x0.5 | | | |
|  | No. | 106200 | Ref. No. — |
| nut thread M9x1 suitable for PEL 24/25S | | | |
| accessories for | 101991 | | |
|  | No. | 100908 | Ref. No. — |
| union screw thread M10x1 for pipe ø 4mm Qty 1 pcs | | | |
|  | No. | 100909 | Ref. No. — |
| union screw thread M10x1 for pipe ø 6mm Qty 1 pcs | | | |
|  | No. | 101246 | Ref. No. — |
| olive for pipe ø 4mm Qty 1 pcs | | | |
|  | No. | 101278 | Ref. No. — |
| olive for pipe ø 10mm Qty 1 pcs | | | |
|  | No. | 101286 | Ref. No. — |
| olive ID ø 6mm Qty 1 pcs | | | |
|  | No. | 101300 | Ref. No. — |
| union nut thread M16x1.5 tube ø 10mm | | | |
|  | No. | 101450 | Ref. No. — |
| olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm | | | |
|  | No. | 101451 | Ref. No. — |
| union nut thread M16x1.5 tube ø 8mm | | | |
|  | No. | 110079 | Ref. No. — |
| knob dial plate gas thermostat 1-8 silver | | | |
|  | No. | 110081 | Ref. No. — |
| knob ø 70mm shaft ø 8x6.5mm shaft flat universal | | | |

STN3R



1

| No. | 106210 | Ref. No. | P300 P70A |
|---|--|----------|---------------|
| description | gas thermostat t.max. 450°C gas inlet 1/2" gas outlet 1/2" probe ø 6.5mm probe L 250mm capillary pipe 1200mm STN3R | | |
| spare parts for | 106210 | | |
|  | No. | 106211 | Ref. No. P72J |
| knob suitable for STN3R | | | |
|  | No. | 106212 | Ref. No. P72D |
| knob suitable for STN3R | | | |

gas valves and ignition boxes
gas control valves

SIT

ELETTROSIT






1

| No. | 101123 | Ref. No. | P71 |
|---|---|----------|------------|
| description | gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 bottom equiv. no. 0.810.138 | | |
| spare parts for | 101123 | | |
|  | No. | 101312 | Ref. No. — |
| microswitch | | | |
|  | No. | 101352 | Ref. No. — |
| solenoid coil 230V 50Hz suitable for ELETTROSIT | | | |
| accessories for | 101123 | | |
|  | No. | 100006 | Ref. No. — |
| piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm | | | |
|  | No. | 100904 | Ref. No. — |
| locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | | |
|  | No. | 100905 | Ref. No. — |
| locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | | |

Table continues overleaf





| | | | | |
|---|-----|--------|----------|---|
| accessories for 101123 | | | | |
|  | No. | 101301 | Ref. No. | — |
| gas connection thread 1/2" straight ELETROSIT screw with O-ring | | | | |
|  | No. | 101303 | Ref. No. | — |
| gas connection straight thread 3/4" ELETROSIT | | | | |
|  | No. | 101309 | Ref. No. | — |
| extension | | | | |

ignition parts










pilot burners


SIT

100 series



















1


| | | | | |
|---|--|----------|-------------|---|
| No. | 106901 | Ref. No. | P74 P74A | |
| description | pilot burner SIT type 100 series 1 flame nozzle ø 0.2mm gas connection 6mm | | | |
| spare parts for | 106901 | | | |
|  | No. | 100854 | Ref. No. | — |
| pilot burner bracket double | | | | |
|  | No. | 100916 | Ref. No. | — |
| compression spring for pilot burner Qty 1 pcs | | | | |
|  | No. | 100917 | Ref. No. | — |
| gasket for pilot burner Qty 1 pcs aluminium | | | | |
|  | No. | 100918 | Ref. No. | — |
| screw for pilot burner | | | | |
| accessories for | 106901 | | | |
|  | No. | 100904 | Ref. No. | — |
| locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | | | |
|  | No. | 100905 | Ref. No. | — |
| locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | | | |
|  | No. | 102110 | Ref. No. | — |
| pilot tube copper pipe ø 4mm thickness 1mm L 3000mm | | | | |
|  | No. | 102111 | Ref. No. | — |
| pilot tube copper pipe ø 6mm thickness 1mm L 3000mm | | | | |
|  | No. | 102742 | Ref. No. | — |
| pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs | | | | |



















1


| | | | | |
|---|---|----------|----------|-----------------|
| No. | 106902 | Ref. No. | P74A | |
| description | pilot burner SIT type 100 series 2 flames nozzle ø 0.2mm gas connection 6mm | | | |
| spare parts for | 106902 | | | |
|  | No. | 100245 | Ref. No. | P75C |
| pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | | | |
|  | No. | 100842 | Ref. No. | — |
| pilot burner cap 2 flames Qty 1 pcs | | | | |
|  | No. | 100885 | Ref. No. | — |
| air mixing sleeve for pilot burner Qty 1 pcs | | | | |
|  | No. | 100916 | Ref. No. | — |
| compression spring for pilot burner Qty 1 pcs | | | | |
|  | No. | 100917 | Ref. No. | — |
| gasket for pilot burner Qty 1 pcs aluminium | | | | |
|  | No. | 100918 | Ref. No. | — |
| screw for pilot burner | | | | |
|  | No. | 107161 | Ref. No. | — |
| pilot burner cap SIT 2 flames Hmm Lmm Qty 1 pcs | | | | |
|  | No. | 107701 | Ref. No. | — |
| pilot burner bottom part SIT 100 series nozzle ø 0.2mm | | | | |
| accessories for | 106902 | | | |
|  | No. | 100246 | Ref. No. | INJ3006 P75B |
| pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75 | | | | |
|  | No. | 100904 | Ref. No. | — |
| locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | | | |
|  | No. | 100905 | Ref. No. | — |
| locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | | | |
|  | No. | 102110 | Ref. No. | — |
| pilot tube copper pipe ø 4mm thickness 1mm L 3000mm | | | | |
|  | No. | 102111 | Ref. No. | — |
| pilot tube copper pipe ø 6mm thickness 1mm L 3000mm | | | | |
|  | No. | 107171 | Ref. No. | — |
| pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs | | | | |
|  | No. | 107700 | Ref. No. | — |
| pilot burner bottom part SIT 100 series nozzle ø 0.25mm | | | | |
|  | No. | 107702 | Ref. No. | — |
| pilot burner bottom part SIT 100 series nozzle ø 0.35mm | | | | |






1

| | | | | |
|---|---|----------|----------|--------------|
| No. | 106906 | Ref. No. | P74B | |
| description | pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm | | | |
| spare parts for | 106906 | | | |
|  | No. | 100245 | Ref. No. | P75C |
| pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | | | |
|  | No. | 100855 | Ref. No. | — |
| pilot burner bracket triple | | | | |
|  | No. | 100885 | Ref. No. | — |
| air mixing sleeve for pilot burner Qty 1 pcs | | | | |
|  | No. | 100916 | Ref. No. | — |
| compression spring for pilot burner Qty 1 pcs | | | | |
|  | No. | 100917 | Ref. No. | — |
| gasket for pilot burner Qty 1 pcs aluminium | | | | |
|  | No. | 100918 | Ref. No. | — |
| screw for pilot burner | | | | |
|  | No. | 107162 | Ref. No. | — |
| pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs | | | | |
|  | No. | 107701 | Ref. No. | — |
| pilot burner bottom part SIT 100 series nozzle ø 0.2mm | | | | |
| accessories for | 106906 | | | |
|  | No. | 100245 | Ref. No. | P75C |
| pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | | | |
|  | No. | 100246 | Ref. No. | INJ3006 P75B |
| pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75 | | | | |
|  | No. | 100904 | Ref. No. | — |
| locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | | | |
|  | No. | 100905 | Ref. No. | — |
| locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | | | |
|  | No. | 102110 | Ref. No. | — |
| pilot tube copper pipe ø 4mm thickness 1mm L 3000mm | | | | |
|  | No. | 102111 | Ref. No. | — |
| pilot tube copper pipe ø 6mm thickness 1mm L 3000mm | | | | |
|  | No. | 107171 | Ref. No. | — |
| pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs | | | | |
|  | No. | 107700 | Ref. No. | — |
| pilot burner bottom part SIT 100 series nozzle ø 0.25mm | | | | |

| | | | | |
|---|------------|--------|-----------------|---|
| accessories for | 106906 | | | |
|  | No. | 107702 | Ref. No. | — |
| pilot burner bottom part SIT 100 series nozzle ø 0.35mm | | | | |



1















| | | | | |
|---|--|----------|----------|--------------|
| No. | 106907 | Ref. No. | P74B | |
| description | pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm | | | |
| spare parts for | 106907 | | | |
|  | No. | 100246 | Ref. No. | INJ3006 P75B |
| pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75 | | | | |
|  | No. | 100855 | Ref. No. | — |
| pilot burner bracket triple | | | | |
|  | No. | 100885 | Ref. No. | — |
| air mixing sleeve for pilot burner Qty 1 pcs | | | | |
|  | No. | 100916 | Ref. No. | — |
| compression spring for pilot burner Qty 1 pcs | | | | |
|  | No. | 100917 | Ref. No. | — |
| gasket for pilot burner Qty 1 pcs aluminium | | | | |
|  | No. | 100918 | Ref. No. | — |
| screw for pilot burner | | | | |
|  | No. | 107162 | Ref. No. | — |
| pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs | | | | |
|  | No. | 107702 | Ref. No. | — |
| pilot burner bottom part SIT 100 series nozzle ø 0.35mm | | | | |
| accessories for | 106907 | | | |
|  | No. | 100245 | Ref. No. | P75C |
| pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | | | |
|  | No. | 100904 | Ref. No. | — |
| locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | | | |
|  | No. | 100905 | Ref. No. | — |
| locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | | | |
|  | No. | 102110 | Ref. No. | — |
| pilot tube copper pipe ø 4mm thickness 1mm L 3000mm | | | | |
|  | No. | 102111 | Ref. No. | — |
| pilot tube copper pipe ø 6mm thickness 1mm L 3000mm | | | | |
|  | No. | 107171 | Ref. No. | — |
| pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs | | | | |

Table continues overleaf



electrodes



| No. | 100707 | Ref. No. | P641 |
|-------------|---|----------|------|
| description | ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs | | |

thermocouples

plug-in thermocouples

plug-in thermocouples standard


with barrel socket ø5mm - type Junkers with aluminised tip




| No. | 102251 | Ref. No. | P73 800/B |
|-------------|--|----------|-----------|
| description | thermocouple M9x1 L 750mm plug connection ø5.0mm | | |

with barrel socket ø6(6.5)mm

thermocouples SIT




| No. | 107614 | Ref. No. | P73B |
|-------------|--|----------|------|
| description | thermocouple SIT M9x1 L 1500mm plug connection ø6.0(6.5)mm | | |




| No. | 107606 | Ref. No. | P73D |
|-------------|---|----------|------|
| description | thermocouple SIT M9x1 L 320mm plug connection ø6.0(6.5)mm | | |

IGNITION PARTS/GAS BURNERS SOLYMAC



| No. | 107608 | Ref. No. | P73 |
|-------------|---|----------|-----|
| description | thermocouple SIT M9x1 L 500mm plug connection ø6.0(6.5)mm | | |



| No. | 107611 | Ref. No. | P73C |
|-------------|---|----------|------|
| description | thermocouple SIT M9x1 L 850mm plug connection ø6.0(6.5)mm | | |

gas burners

hob burners

producer-specific hob burners

SOLYMAC

854 series



| No. | 107107 | Ref. No. | P957 |
|-------------|---|----------|------|
| description | burner type 854 ø 80mm L 120mm complete | | |

| spare parts for | 107107 | | |
|-----------------|--------|--|--|
|-----------------|--------|--|--|



| No. | 108004 | Ref. No. | N/A |
|-----|--------|----------|-----|
|-----|--------|----------|-----|

burner cap ø 78mm 5kW mounting ø 72mm




| No. | 108004 | Ref. No. | N/A |
|-------------|---------------------------------------|----------|-----|
| description | burner cap ø 78mm 5kW mounting ø 72mm | | |


| accessories for | 108004 | | |
|-----------------|--------|--|--|
|-----------------|--------|--|--|



| No. | 108003 | Ref. No. | N/A |
|-------------|---|----------|-----|
| description | burner head for burner cap ø 78mm seat ø 35mm ID ø 30mm ED ø 83mm | | |






1

| | | | | |
|---|---|----------|----------|-----|
| No. | 108003 | Ref. No. | N/A | |
| description | burner head for burner cap ø 78mm seat ø 35mm ID ø 30mm ED ø 83mm | | | |
| accessories for | 108003 | | | |
| | No. | 108004 | Ref. No. | N/A |
|  | | | | |
| burner cap ø 78mm 5kW mounting ø 72mm | | | | |


861 series

| | | | |
|--|--|---|--|
| <div data-bbox="134 524 341 703">  </div> | | | |
| <div data-bbox="134 633 341 647"> <div data-bbox="134 633 169 647">1</div> </div> | | | |
| <div data-bbox="134 647 341 660"> <div data-bbox="134 647 169 660">No.</div> </div> | <div data-bbox="394 647 539 660">107009</div> | <div data-bbox="539 647 684 660">Ref. No.</div> | <div data-bbox="684 647 775 660">N/A</div> |
| <div data-bbox="134 660 341 792"> <div data-bbox="134 660 169 792">description</div> </div> | <div data-bbox="394 660 775 792">burner type 861 ø 80mm L 185mm complete</div> | | |

| | | | |
|---|---|-----------------|-----|
|  | | | |
| 1 | | | |
| No. | 108010 | Ref. No. | P1 |
| description | burner cap ø 78mm | | |
| accessories for | 108010 | | |
| | No. | Ref. No. | N/A |
|  | burner head for burner cap ø 78mm seat ø 35mm ID ø 30mm ED ø 83mm | | |




1


| | | | | |
|---|---|----------|----------|-----|
| No. | 108003 | Ref. No. | N/A | |
| description | burner head for burner cap ø 78mm seat ø 35mm ID ø 30mm ED ø 83mm | | | |
| accessories for | 108003 | | | |
| | No. | 108004 | Ref. No. | N/A |
|  | | | | |
| burner cap ø 78mm 5kW mounting ø 72mm | | | | |

862 series

1

| No. | 107119 | Ref. No. | N/A |
|-------------|--|----------|-----|
| description | burner type 862 ø 100mm L 185mm complete | | |

| | | | |
|---|-----------------------------------|----------|----|
|  | | | |
| 1 | | | |
| No. | 108078 | Ref. No. | P2 |
| description | burner cap ø 98mm mounting ø 97mm | | |



1

| | | | |
|--------------------|---------------------------------|-----------------|-----|
| No. | 108014 | Ref. No. | N/A |
| description | burner head ø 100mm seat ø 97mm | | |

pan supports

1

| No. | 210025 | Ref. No. | P161 |
|-------------|-----------------------------|----------|------|
| description | pan support W 320mm L 320mm | | |

1

| No. | 210033 | Ref. No. | P161832 |
|-------------|-----------------------------|----------|---------|
| description | pan support W 320mm L 320mm | | |

accessories

pan supports

1

| No. | 210025 | Ref. No. | P161 |
|-------------|-----------------------------|----------|------|
| description | pan support W 320mm L 320mm | | |

1

| No. | 210033 | Ref. No. | P161832 |
|-------------|-----------------------------|----------|---------|
| description | pan support W 320mm L 320mm | | |



bar burners

bar burners



1

| No. | 104469 | Ref. No. | P22 |
|-------------|---|----------|-----|
| description | bar burner 3 row L 435mm W 250mm ømm H 64mm chargrill | | |



1

| No. | 104473 | Ref. No. | P13 |
|-------------|---|----------|-----|
| description | bar burner 3 row L 485mm W 200mm ømm H 150mm gril | | |



1

| No. | 104471 | Ref. No. | P14 |
|-------------|---|----------|-----|
| description | bar burner 3 row L 580mm W 250mm ømm H 63mm chargrill | | |



1

| No. | 104474 | Ref. No. | P11 |
|-------------|---|----------|-----|
| description | bar burner 4 row L 430mm W 370mm ømm H 190mm gril | | |




1

| No. | 104472 | Ref. No. | P10 |
|-------------|--|----------|-----|
| description | bar burner 4 row L 525mm W 280mm ømm H 124mm griddle | | |

gas nozzles

main nozzles

gas nozzles 3/8"



1

| No. | 106530 | Ref. No. | P75D09 |
|-------------|--|----------|--------|
| description | gas injector thread 3/8" WS 17 bore ø 0.95mm | | |



1

| No. | 106534 | Ref. No. | P75D120 |
|-------------|---|----------|---------|
| description | gas injector thread 3/8" WS 17 bore ø 1.2mm | | |



1

| No. | 106535 | Ref. No. | P75D130 |
|-------------|---|----------|---------|
| description | gas injector thread 3/8" WS 17 bore ø 1.3mm | | |



1

| No. | 106537 | Ref. No. | P75D150 |
|-------------|---|----------|---------|
| description | gas injector thread 3/8" WS 17 bore ø 1.5mm | | |



1

| No. | 106540 | Ref. No. | P75D180 |
|-------------|---|----------|---------|
| description | gas injector thread 3/8" WS 17 bore ø 1.8mm | | |



1

| No. | 106531 | Ref. No. | P75D100 |
|-------------|---|----------|---------|
| description | gas injector thread 3/8" WS 17 bore ø 1mm | | |




1


| No. | 106543 | Ref. No. | P75D210 |
|-------------|---|----------|---------|
| description | gas injector thread 3/8" WS 17 bore ø 2.1mm | | |





1


| No. | 106544 | Ref. No. | P75D220 |
|-------------|---|----------|---------|
| description | gas injector thread 3/8" WS 17 bore ø 2.2mm | | |

| | | | |
|---|---|-----------------|---------|
|  | | | |
| 1 | | | |
| No. | 106545 | Ref. No. | P75D230 |
| description | gas injector thread 3/8" WS 17 bore ø 2.3mm | | |

| | | | |
|---|---|-----------------|---------|
|  | | | |
| 1 | | | |
| No. | 106547 | Ref. No. | P75D250 |
| description | gas injector thread 3/8" WS 17 bore ø 2.5mm | | |


| | | | |
|---|---|-----------------|---------|
|  | | | |
| 1 | | | |
| No. | 106542 | Ref. No. | P75D200 |
| description | gas injector thread 3/8" WS 17 bore ø 2mm | | |

| | | | |
|--|---|-----------------|---------|
|  | | | |
| 1 | | | |
| No. | 106556 | Ref. No. | P75D330 |
| description | gas injector thread 3/8" WS 17 bore ø 3.3mm | | |

| | | | |
|---|---|-----------------|---------|
|  | | | |
| 1 | | | |
| No. | 106553 | Ref. No. | P75D300 |
| description | gas injector thread 3/8" WS 17 bore ø 3mm | | |


pilot burner nozzles


pilot burner nozzles AEM

| | | | |
|---|--|-----------------|--------|
|  | | | |
| 1 | | | |
| No. | 106385 | Ref. No. | P1171C |
| description | pilot burner nozzle LPG code 22 bore ø 0.22mm thread M5x0.75 Qty 1 pcs brass | | |

pilot burner nozzles SIT


100 series


| | | | |
|--|---|-----------------|------|
|  | | | |
| 1 | | | |
| No. | 100245 | Ref. No. | P75C |
| description | pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | |

| | | | |
|--|--|-----------------|--------------|
|  | | | |
| 1 | | | |
| No. | 100246 | Ref. No. | INJ3006 P75B |
| description | pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75 | | |

pilot burner nozzles (other)

SOLYMAC/CAPIC


| | | | |
|--|--|-----------------|--------|
|  | | | |
| 1 | | | |
| No. | 106385 | Ref. No. | P1171C |
| description | pilot burner nozzle LPG code 22 bore ø 0.22mm thread M5x0.75 Qty 1 pcs brass | | |

| | | | |
|--|---|-----------------|--------|
|  | | | |
| 1 | | | |
| No. | 106386 | Ref. No. | P1171B |
| description | pilot burner nozzle natural gas code 40 bore ø 0.4mm thread M5x0.75 Qty 1 pcs brass | | |

auxiliary gas parts

gas ball valves

miscellaneous

| | | | |
|---|--|-----------------|-------|
|  | | | |
| 1 | | | |
| No. | 520586 | Ref. No. | P1004 |
| description | ball valve IT 1/2" L 55mm with safety handle angled W 28mm H 73mm handle ø 23mm wing handle EN 331 | | |




equipment-specific units

for espresso machines

aerators and air bleeders



1

| No. | 529303 | Ref. No. | P67E |
|---|---|----------|----------|
| description | aerator and air bleeder connection 1/4" only steam | | |
| spare parts for | 529303 | | |
|  | No. | 528687 | Ref. No. |
| | O-ring Viton thickness 1.78mm ID ø 3.69mm Qty 1 pcs | | |

for convection ovens/combi-steamers

spare parts and accessories



1


| No. | 541859 | Ref. No. | NU34 |
|-------------|---|----------|------|
| description | bush ID ø 14.5mm ext. ø 18/22 thickness 5.5mm | | |


knobs

universal knobs





1

| No. | 110075 | Ref. No. | P82A |
|---|--|----------|----------|
| description | knob energy regulator 1-3 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black | | |
| accessories for | 110075 | | |
|  | No. | 110135 | Ref. No. |
| | rosette knob up to ø 52mm | | |




1

| No. | 110119 | Ref. No. | P76B |
|---|---|----------|----------|
| description | knob thermostat t.max. 110°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C rotation 270° | | |
| accessories for | 110119 | | |
|  | No. | 110135 | Ref. No. |
| | rosette knob up to ø 52mm | | |




1


| No. | 110121 | Ref. No. | P80A |
|---|---|----------|----------|
| description | knob thermostat t.max. 200°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 60-200°C rotation 270° | | |
| accessories for | 110121 | | |
|  | No. | 110135 | Ref. No. |
| | rosette knob up to ø 52mm | | |


producer-specific knobs

SOLYMAC



1

| No. | 110075 | Ref. No. | P82A |
|---|--|----------|----------|
| description | knob energy regulator 1-3 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black | | |
| accessories for | 110075 | | |
|  | No. | 110135 | Ref. No. |
| | rosette knob up to ø 52mm | | |




1

| No. | 112559 | Ref. No. | P72B |
|-------------|---|----------|------|
| description | knob switch zero mark t.max.°C temperature range°C ø 81mm shaft ø 10x8mm shaft flat lower black | | |




1

| No. | 110119 | Ref. No. | P76B |
|---|---|----------|----------|
| description | knob thermostat t.max. 110°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C rotation 270° | | |
| accessories for | 110119 | | |
|  | No. | 110135 | Ref. No. |
| | rosette knob up to ø 52mm | | |



1


| | | | | |
|---|--|-----------------|-----------------|---|
| No. | 110121 | Ref. No. | P80A | |
| description | knob thermostat t.max. 200°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 60-200°C rotation 270° | | | |
| accessories for | 110121 | | | |
|  | No. | 110135 | Ref. No. | — |
| | rosette knob up to ø 52mm | | | |

locks



edgemount latches

handle latches

CAFF/FERMOD




1

| | | | | |
|---|---|----------|----------|---|
| No. | 700060 | Ref. No. | FS13 | |
| description | handle latch L 150mm mounting distance 133mm non lockable heated units G 791 | | | |
| accessories for | 700060 | | | |
|  | No. | 700061 | Ref. No. | — |
| | door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units | | | |
|  | No. | 700062 | Ref. No. | — |
| | handle protection heated units | | | |

hinges


edgemount hinges

CAFF/FERMOD



1

| No. | 700562 | Ref. No. | FS14 |
|-------------|--|----------|------|
| description | edgemount hinge L 140mm W 31/24mm mounting distance 30/35mm hinging left/right without lift L1 37mm L2 36mm L3 45.5mm series G 361 | | |



1

| | | | |
|--------------------|---|-----------------|-------|
| No. | 700564 | Ref. No. | FS14A |
| description | edgemount hinge L 96mm W 15mm mounting distance 64/32mm hinging left/right without lift series G 401 | | |




1


| | | | |
|--------------------|---|-----------------|-------|
| No. | 692669 | Ref. No. | FS14A |
| description | edgemount hinge L 96mm W 15/17mm mounting distance 64/32mm hinging left/right without lift centre of rotation 14/23mm | | |



oven hinges



| | | | |
|--------------------|--|-----------------|-------|
| No. | 690037 | Ref. No. | P1157 |
| description | oven hinge mounting distance 205mm mounting distance 2mm lug mountingmm lever length 119mm groove distance 13mm spring thickness 4.3mm mounting ear position spring length 103mm L 214mm | | |

| | | | |
|---|------------|--------|-------------------|
| accessories for | 540276 | | |
|  | No. | 514251 | Ref. No. — |
| gasket fibre ED ø 46mm ID ø 38mm thickness 2mm Qty 1 pcs | | | |

shelves and shelf rails

chargrill grids



| | | | |
|--------------------|---|-----------------|------|
| No. | 210038 | Ref. No. | P164 |
| description | chargrill grid L 333mm W 317mm H 50mm cast iron | | |



fittings for catering equipment

drain taps


brass

drain taps



| | | | |
|---|--|-----------------|-------------------|
| No. | 548001 | Ref. No. | P61 |
| description | drain tap 1 1/2" IT O-ring seal kettle connection with union nut A 80mm B1 68mm B2 132mm | | |
| spare parts for | 548001 | | |
|  | No. | 505092 | Ref. No. — |
| O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs | | | |
|  | No. | 540213 | Ref. No. — |
| handle ID ø 5mm L 117mm | | | |




| | | | |
|---|---|-----------------|-------------------|
| No. | 540276 | Ref. No. | P61 |
| description | drain tap connection with union nut thread 1 1/2" | | |
| spare parts for | 540276 | | |
|  | No. | 532374 | Ref. No. — |
| O-ring silicone thickness 5.34mm ID ø 43.82mm Qty 10 pcs | | | |

gaskets


gaskets for heated units

window seals




| | | | |
|--------------------|--|-----------------|----------|
| No. | 900782 | Ref. No. | MCGV0002 |
| description | window gasket profile 1889 Qty supplied by meter | | |

door seals



| | | | |
|--------------------|---|-----------------|------|
| No. | 901507 ¹ | Ref. No. | FS12 |
| description | door seal profile 2290 W 641mm L 782mm external size Qty 1 suitable for BOURGEOIS 3-sided (short side open) | | |

¹3-sided (short side open)



| | | | |
|--------------------|--|-----------------|----------|
| No. | 901169 | Ref. No. | MCGP0002 |
| description | door seal profile 2948 Qty supplied by meter | | |

sealing cords

round

1



| | | | |
|--------------------|--|-----------------|-------------|
| No. | 693737 | Ref. No. | P95 P95A |
| description | sealing cord round ø 25mm braided L 5m Qty 1 | | |

springs

torsion springs

1



| | | | |
|--------------------|--|-----------------|------|
| No. | 514505 | Ref. No. | P93G |
| description | torsion spring ø 30mm wire gauge ø 4.5mm L1 14mm L2 180mm L3 14mm mounting pos. left Qty 1 pcs | | |

1



| | | | |
|--------------------|---|-----------------|------|
| No. | 514504 | Ref. No. | P93D |
| description | torsion spring ø 30mm wire gauge ø 4.5mm L1 16mm L2 185mm L3 13mm mounting pos. right | | |

dosing pumps





membrane dosing pumps

self-priming with supporting pressure

OMNIWASH

1



| | | | |
|---|---|-----------------|-------------------|
| No. | 361054 | Ref. No. | P70C |
| description | dosing pump rinse aid pressure connection ø 6mm suction connection ø 6mm auxiliary pressure connection 10mm | | |
| spare parts for | 361054 | | |
|  | No. | 361308 | Ref. No. — |
| | membrane rinse aid pressure connection ømm suction connection ømm auxiliary pressure connectionmm | | |
|  | No. | 361348 | Ref. No. — |
| | lip valve rinse aid pressure connection ømm suction connection ømm auxiliary pressure connectionmm | | |
| accessories for | 361054 | | |
|  | No. | 520252 | Ref. No. — |
| | nylon hose ID ø 6mm ED ø 8mm L 5m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C white | | |
|  | No. | 520278 | Ref. No. — |
| | PVC hose ID ø 6mm ED ø 8mm L 2m thickness 1mm t.max. 60°C transparent | | |