Professionale pentru echipamente profesionale



thermostats

refrigeration thermostats

RANCO

K50 series



No. 390292 Ref. No. F05.002.R

thermostat RANCO type K50P1118 probe ømm probe Lmm capillary pipe 1250mm temperature range -3 up to +2.5°C

switches and momentary switches

rocker/momentary rocker switches

30x22mm



No.	347791	Ref. No.	E02.001.R
description		I connection male f	nts 30x22mm green 2NO 230V faston 6.3mm ambient tempera- ith rubber collar

No.	301004	Ref. No.	EO	2007
description	rocker switch mounting measurements 30x22mm black 2CO 16A connection male faston 6.3mm ambient temperature ma 125/55°C protection IP40			
accessories for	r 301004			
1	No.	301036	Ref. No.	_
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

1				
No.	301078	Ref. No.	E02	.016.R
description	momentary rocker switch mounting measurements 30x22mm black 2NO 250V 16A momentary 0-I connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40			
accessories for	301078			
1	No.	301036	Ref. No.	_
	protective cover measurementsm		2mm for rocker sv	witch mounting

magnetic switches

M25x1.5



control equipment

SIEMENS

3SB series ø22mm new

push buttons



1					
No.	347520	Ref. No.		.015.R 2006	
description	push button mo black	push button mounting measurements ø22mm non-illuminated black			
accessories for	347520	347520			
	No.	346630	Ref. No.	E03003 E03.084.R	
	contact block SII	EMENS 3SB3400-0	B 1NO max 400V 1	IOA black	



No.	346630	Ref. No.		.084.R 3003	
description	contact block SIE	MENS 3SB3400-0	B 1NO max 400V 1	0A black	
accessories for	es for 346630				
	No.	347520	Ref. No.	E02006 E02.015.R	
	push button mounting measurements ø22mm non-illuminated black				





timers

mechanical timers



incl. knob

contactors

GENERAL ELECTRIC (AEG)

power contactors 1 No. 380235 Ref. No. E04.018.R

power contactor resistive load 16A (AC3/400V) 6A/3kW main


contacts 3NO auxiliary contacts 1NC connection screw type AEG

probes

description


universal probes

LS0701A 24V




electronics


PCBs



solenoid valves

solenoid valves (water)







compressors

ACC/ZEL

R134A

HMBP monophase

High/Medium evaporation temperature above -20/-15 ℃



No.	605006	Ref. No.	F01.025.R
description	hermetic 6.7kg 1/8	3HP power input 20	OMB 220-240V 50Hz HMBP fully OW cylinder capacity 4.1cm ³ W 196W 245W 301W 363W test

fans

refrigeration fans

cold air circulating fans (complete)

miscellaneous



No.	601501	Ref. No.	M02.001.R
description		/ /	AAS13B-004 fan wheel ø m feet depth 25mm

motors

motors

for cream whipping machines



No.	500701	Ref. No.	M01.042.R
description	motor 410W 230V 1400rpm capacitor		t ø 15mm flange ø 79mm 4 REBO 0.41kW

equipment-specific units

for cream whipping machines

transmission technology and ball bearings

miscellaneous



No.	696449	Ref. No.	A14.005 A14.005.R
description	coupling ø 27mm aluminium for cream maker suitable for TELME H 26mm shaft intake ø 11mm		



spare parts					
1					
No.	695455	Ref. No.	P10.002		
description cleaning brush for cream maker					



(0)

EQUIPMENT-SPECIFIC UNITS/GASKETS TELME









decorator tips					
1					
No.	696434	Ref. No.	P04.117		
description decorator tip cram whipping machine W 28mm H 36mm ID ø 22m					













gaskets



















shaft gaskets




miscellaneous



springs

compression springs



100000000000000000000000000000000000000				
No.	528971	Ref. No.	A05.002	
description	description compression spring ø 3.4mm L 31.5mm wire gauge ø 0.4mm			

tools

cleaning tools

