

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS




TOOLS


Spare parts suitable for

THERMA


heating elements


heating elements for ovens

			
1			
No.	415350	Ref. No.	OK4982
description	heating element 1600W 400V heating circuits 1 L 610mm W 180mm tube ø 6.5mm 2 hole fixing thread 1/4" dry heating element bain marie mounting distance 173mm		


			
1			
No.	415356	Ref. No.	OK4863
description	heating element 2750W 400V heating circuits 1 L 538mm W 618mm L1 58mm L2 480mm W1 523mm W2 95mm mounting distance 86.5mm tube ø 8.5mm connection M4 dry heating element		

heating elements for bain maries


			
1			
No.	415350	Ref. No.	OK4982
description	heating element 1600W 400V heating circuits 1 L 610mm W 180mm tube ø 6.5mm 2 hole fixing thread 1/4" dry heating element bain marie mounting distance 173mm		


			
1			
No.	415624	Ref. No.	OK4984
description	heating element 2400W 400V heating circuits 1 L 605mm W 380mm connection male faston 6.3mm tube ø 6.5mm 2 hole fixing thread M14x1.5 dry heating element bain marie mounting distance 374mm		


heating elements for griddles





			
1			
No.	415624	Ref. No.	OK4984
description	heating element 2400W 400V heating circuits 1 L 605mm W 380mm connection male faston 6.3mm tube ø 6.5mm 2 hole fixing thread M14x1.5 dry heating element bain marie mounting distance 374mm		




heating elements for large hobs

			
1			
No.	415576	Ref. No.	OK4814
description	heating element 1335W 400V L 320mm W 275mm H 76mm heating circuits 1 tube ø 6.3mm mounting pos. centre connection length 18mm connection male faston dry heating element 400V		



			
1			
No.	420291	Ref. No.	OK4855
description	heating element 1505W 440V L 350mm W 300mm H 95mm heating circuits 1 tube ø 6.5mm mounting pos. outer connection length 22mm connection M5		

			
1			
No.	418701	Ref. No.	OG2883
description	heating element 4000W 400V heating circuits 1 L 300mm W 330mm H 80mm tube ø 8.5mm W1 92.5mm W2 145mm connection screw clamp windings 7		



			
No.	415066	Ref. No.	OL1849
description	heating element 4500W 230V mounting ø 47.5mm heating circuits 3 L 310mm W 30mm H 36mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 185mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 64mm hole ø 10mm connection male faston 6.3mm 3 hole flange immersion heater		
spare parts for	415066		
	No.	510408	Ref. No. 067620
accessories for	415066		
	No.	510408	Ref. No. 067620
	No.	510562	Ref. No. —

			
No.	415668	Ref. No.	OK3789
description	heating element 2625W 230V mounting ø 47.5mm heating circuits 1 L 190mm W 41mm H 54mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 170mm thermostat sleeve eccentric, non clinging tube ø 6.3mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater		
spare parts for	415668		
	No.	510408	Ref. No. 067620
accessories for	415668		
	No.	510562	Ref. No. —


3 hole flange ø57.5mm


			
No.	418779	Ref. No.	OL1630
description	heating element 9000W 230V mounting ø 57.5mm heating circuits 3 L 340mm W 52mm H 54mm tube ø 8.5mm hole distance 72mm hole ø 8mm with integrated fuse INCOLOY		
spare parts for	418779		
	No.	510409	Ref. No. —




with round flange ø47.5mm

			
No.	418782	Ref. No.	OK4734
description	heating element 4500W 230V heating circuits 3 L 330mm W 43mm H 33mm tube ø 6.3mm thermostat sleeves ø 6.25mm length thermostat sleeves 203mm number of thermostat sleeves 1 connection male faston 6.3mm immersion heater round flange mounting ø 47.5mm with temperature protection		
accessories for	418782		
	No.	510408	Ref. No. 067620

with round flange ø57.5mm

			
No.	418983	Ref. No.	OK7530
description	heating element 12000W 220V heating circuits 3 mounting ø 57.5mm L 455mm W 40mm H 30mm connection M5 immersion heater tube ø 6.3mm connection length 20mm thermostat sleeves ø 6mm number of thermostat sleeves 1 length thermostat sleeves 290mm thermostat sleeve upper dishwasher		




			
No.	418982	Ref. No.	OL1833
description	heating element 4000W 230V heating circuits 3 mounting ø 57.5mm L 455mm W 40mm H 32mm connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 6mm number of thermostat sleeves 1 length thermostat sleeves 290mm thermostat sleeve upper dishwasher		

			
No.	418615	Ref. No.	OL1859
description	heating element 7500W 230V heating circuits 3 mounting ø round flange ø57.5mm L 440mm W 35mm H 55mm round flange immersion heater tube ø 6.2mm H1 20mm H2 35mm L1 40mm L2 400mm		
spare parts for	418615		
	No.	510409	Ref. No. —
accessories for	418615		
	No.	550002	Ref. No. —



3/4"



No.	415580	Ref. No.	OG0334	
description	heating element 5000W 400V heating circuits 1 L 404mm W 23mm H 80mm cable length 400mm connection length 85mm immersion heater flange with thread H1 52mm H2 28mm thread 3/4"			
accessories for	415580			
	No.	510403	Ref. No.	—
	flat gasket fibre ED ø 36.5mm ID ø 27mm thickness 2mm Qty 1 pcs			
	No.	510421	Ref. No.	—
	gasket copper ED ø 31.8mm ID ø 26.4mm thickness 2.2mm for thread 3/4"			
	No.	520234	Ref. No.	—
	nut thread 3/4" H 5mm brass WS 30 Qty 1 pcs			



1



No.	415072	Ref. No.	048086	
description	heating element 2200W 230V heating circuits 1 L 325mm W 83mm H 25mm thread M14x1 mounting distance 75mm tube ø 8.5mm connection male faston 6.3mm 2 hole fixing immersion heater			
accessories for	415072			
	No.	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	No.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	521133	Ref. No.	—
nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs				
	No.	550261	Ref. No.	—
nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs				
	No.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

HEATING ELEMENTS/HOT PLATES THERMA

radiation heaters

square



1				
	No.	490008	Ref. No.	OK0589
description	radiation heater L 300mm W 300mm 4000W 400V heating circuits 2 connections 3 square connection type male faston 6.3mm without pan detection EGO			
spare parts for	490008			
	No.	499157	Ref. No.	—
	protection pipe for temperature probe ceramic L 297mm ED ø 7mm ID ø 5mm			



No.	416999	Ref. No.	005942
description	radiation heater rectangular 5000W 230V L 410mm W 280mm heating circuits 3 connections 3x 2 IRCA for fryer		

hot plates

square & rectangular


with radiused edge




No.	490056 ¹	Ref. No.	052198
description	hot plate dimensions 300x300mm 3000W 230V with spill ring connection 4 screw clamps protector yes square		

¹incl. protector



accessories for	390138		
	No.	550388	Ref. No. —
bracket for contact thermostat mounting distance 24.5mm mounting ø 3.8			

bi-metal thermostats

			
1			
No.	390101	Ref. No.	048487
description	bi-metal thermostat hole distance 38mm switch-off temp. 53°C 1CO 1-pole 16A connection F6.3 2 hole fixing		

control and safety thermostats

EGO

control thermostats

55.13_ series

			
1			
No.	375871	Ref. No.	0E5032
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1CO 16A probe ø 6mm probe L 113mm capillary pipe 2930mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° H 40mm W 35mm D 30mm		

			
1			
No.	375505	Ref. No.	0H2049
description	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

1 

No.	375810	Ref. No.	0H9843
description	thermostat t.max. 80°C temperature range fixed 80°C 1-pole 1NC 16A probe ø 7.5mm probe L 30.5mm capillary pipe 810mm capillary pipe isolatedmm gland nut shaft L 23mm		

55.34_ series


1 

No.	375022	Ref. No.	0H6127
description	thermostat t.max. 180°C temperature range 95-180°C 3-pole 3NO 16A probe ø 6mm probe L 133mm capillary pipe 1780mm capillary pipe isolated 1400mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm rotation 270°		

1 


No.	375766	Ref. No.	002587
description	thermostat t.max. 190°C temperature range 120-190°C 3-pole 1CO/2NO 16A probe ø 6mm probe L 133mm capillary pipe 880mm capillary pipe isolated 350mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

E-G-O



No.	375763	Ref. No.	0KW841
description	thermostat t.max. 206°C temperature range 120-206°C 3-pole 1CO/2NO 16A probe ø 4mm probe L 157mm capillary pipe 1780mm capillary pipe isolated 1500mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

E-G-O




No.	375038	Ref. No.	0H6217
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 1740mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
accessories for	375038		
	No.	110123	Ref. No. —
	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C rotation 270°		

E-G-O



No.	375621	Ref. No.	0K8421
description	thermostat t.max. 320°C temperature range 50-320°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 1200mm capillary pipe isolated 1200mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		

E-G-O




No.	390038	Ref. No.	0KI260
description	thermostat t.max. 90°C temperature range 30-90°C 3-pole 3CO 16A probe ø 6mm probe L 215mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft Lmm		

safety thermostats

55.13_ series

E-G-O




No.	375854	Ref. No.	0E5086
description	safety thermostat switch-off temp. 126°C 1-pole 16A probe ø 6mm probe L 129mm capillary pipe 1730mm capillary pipe isolated 800mm gland nut M9x1 shaft ø 6x4.6mm starting temperature 120°C probe		

E-G-O



No.	375106	Ref. No.	0H6142
description	safety thermostat switch-off temp. 190°C 1-pole 16A probe ø 3.1mm probe L 178mm capillary pipe 350mm capillary pipe isolatedmm gland nut M9x1 probe SS		

55.31_series




No.	375108	Ref. No.	052331
description	safety thermostat switch-off temp. 250°C 3-pole 1x20/2x0.5A probe ø 6mm probe L 157mm capillary pipe 1230mm capillary pipe isolated 800mm gland nut probe SS		

55.32_series



No.	375394	Ref. No.	0K3967
description	safety thermostat switch-off temp. 135°C 3-pole 1CO/2NC 20A probe ø 6mm probe L 73mm capillary pipe 1490mm capillary pipe isolated 1350mm gland nut M9x1 probe SS		



No.	375150	Ref. No.	0H6219
description	safety thermostat switch-off temp. 145°C 3-pole 20A probe ø 3mm probe L 178mm capillary pipe 1790mm capillary pipe isolated 1200mm gland nut M9x1 probe		




No.	375455	Ref. No.	002730
description	safety thermostat switch-off temp. 350°C 1-pole 16A probe ø 11mm probe L 16mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1		



No.	390141	Ref. No.	006826
description	safety thermostat switch-off temp. 350°C 3-pole 3NC 20A probe ø 6mm probe L 77mm capillary pipe 1490mm capillary pipe isolated 800mm gland nut probe SS		


control thermostats with operation switch

55.10/19_series




No.	390052	Ref. No.	052330
description	thermostat t.max. 185°C temperature range 90-185°C 1-pole 1NO 15A probe ø 4mm probe L 229mm capillary pipe 2500mm capillary pipe isolated 1200/200mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 270° outer switch 2NO		

55.13_series




No.	375053	Ref. No.	OK5023
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1NO 16A probe ø 6mm probe L 113mm capillary pipe 830mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO/2NO		

55.34_series



No.	375877	Ref. No.	0G2529
description	thermostat t.max. 530°C temperature range 100-530°C 3-pole 3NO 16A probe ø 3.9mm probe L 228mm capillary pipe 1110mm capillary pipe isolated 1000mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position shaft position 90° rotation 270° outer switch 0-1 with operation switch		



No.	390919	Ref. No.	077018015428
description	thermostat temperature range 50-300°C 3-pole 3NO 16A probe ø 4mm probe L 292mm capillary pipe 2300mm capillary pipe isolated 2260mm gland nut shaft ø 6x4.6mm shaft L 25.5mm shaft position upper rotation 270° outer switch 49.41015.500		

spare parts for 390919



No.	300002	Ref. No.	0A2134
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		



No.	550059	Ref. No.	0A2205
description	connecting bow short for switch Qty 1 pcs		

accessories

gland nut accessories

locking screws



1

No.	504738	Ref. No.	067899
description	screw connection for probe thread M12x1 ID ø 6.3mm L 18mm		

accessories for 504738



No.	528485	Ref. No.	—
description	O-ring EPDM thickness 1.78mm ID ø 6.07mm Qty 1 pcs		

connecting bows



1

No.	550059	Ref. No.	0A2205
description	connecting bow short for switch Qty 1 pcs		

switches and momentary switches

rocker/momentary rocker switches

30x11mm



1

No.	301014	Ref. No.	OK6805
description	momentary rocker switch mounting measurements 30x11mm black 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40 mounting ømm male faston 6.3mm		

30x22mm



1

No.	301091	Ref. No.	OK7092
description	rocker switch mounting measurements 30x22mm red 2NO 400V 10A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		



microswitches

lever actuated



1

No.	347006	Ref. No.	OK5144
description	microswitch with lever 250V 1NO connection with cable ambient temperature max. 85°C		



1

No.	345254	Ref. No.	046286
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 120°C mounting distance 22mm actuating force: 60g lever length 58mm		



1

No.	346072	Ref. No.	0E0209
description	microswitch with lever 250V 6A 1CO connection male faston 6.3mm ambient temperature max. 85°C lever length 71mm		



1

No.	345049	Ref. No.	OK3764
description	microswitch with lever CO connection male faston		

roller-lever actuated

non-standard



1

No.	347008	Ref. No.	0E5629
description	microswitch with handle with a switch 250V 5A 1CO connection cable ambient temperature max. 85°C lever length 20mm		

pin-plunger actuated

M10



1

No.	345032	Ref. No.	OKI395
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		

M12



1

No.	347009	Ref. No.	OK7633
description	microswitch with plunger thread M12x1 380V 20A 1CO connection screw ambient temperature max. 85°C		

non-standard



1

No.	345777	Ref. No.	004288
description	microswitch		

position switches

TELEMECANIQUE (EFA)



1

No.	346807	Ref. No.	OK4382
description	position switch plastic 1NO/1NC 400V 3A L 116.7mm W 40mm H 36mm protection IP67 actuating force: 1800g screw connection M19 mounting distance 30x60mm		

float switches

1			
No.	345484	Ref. No.	0E5808
description	float switch thread M16x1.5 1NO or 1NC ø 17.5mm L 92mm mounting ø 16mm 250V 1A cable length 2000mm		

cam switches

on/off

1			
No.	300218	Ref. No.	0E5222
description	cam switch 2 operating positions 6NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		

4-position

1			
No.	300007	Ref. No.	0H6602
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 4-position ceramic		

7-position

1			
No.	300004	Ref. No.	0K6627
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position ceramic		

1			
No.	300106	Ref. No.	0A2022
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		

1			
No.	300237	Ref. No.	18005022
description	cam switch 7-position shaft ø 6x4.6mm shaft L 23mm ambient temperature max. 150°C		

with potentiometer

1			
No.	346984	Ref. No.	0K5063
description	cam switch 2 operating positions 4NO sequence 0-1 32A shaft ø 6x4.6mm shaft L 23mm connection cable 2400mm cable length 2400mm 50kOhm ceramic		

operation switches




1

No.	300002	Ref. No.	0A2134
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		



1


No.	300080	Ref. No.	026945	
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C			
accessories for	300080			
	No.	551456	Ref. No.	—
	gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white			



1

No.	300200	Ref. No.	054375
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		

miscellaneous



1

No.	300221	Ref. No.	0E5131
description	cam switch 2 operating positions 4NO sequence 1-2 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		

rotary switches

GOTTAK



1

No.	300219	Ref. No.	0E5132
description	switch 3 operating positions 3NO sequence 0-1 momentary switch 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		

KRAUS & NAIMER

rotary switches



1

No.	301206	Ref. No.	0K4923
description	rotary switch 4 0-1-2-3 sets of contacts 8 type CA11-AT08A188 690V 7.5A shaft ø 4.8x6mm shaft L 18mm shaft round connection screw code 37/000100 marking 7BC540		

miscellaneous




1

No.	346390	Ref. No.	0K4925
description	rotary switch sets of contacts 1 2 0-1 250V 16A illuminated connection male faston 6.3mm mounting measurements 25x25mm		

magnetic switches


35x22mm



1


No.	347003	Ref. No.	0K7171
description	magnetic switch L 35mm W 22mm 1NO 230V 1A 60W		

36x26mm



1

No.	346998	Ref. No.	049966
description	magnetic switch L 36mm W 26mm 1NO 230V 3A P max. 60W connection cable cable length 2000mm		
accessories for	346998		
	No.	347001	Ref. No. 088361
magnet ømm L 23mm H 18mm W 16mm ID ømm ED ømm M5			




1

No.	347000	Ref. No.	049967
description	magnetic switch L 36mm W 26mm 1NO 230V 3A P max. 60W connection cable cable length 5500mm		

accessories

magnets



1

No.	347001	Ref. No.	088361
description	magnet ømm L 23mm H 18mm W 16mm ID ømm ED ømm M5		

miscellaneous



1

No.	347830	Ref. No.	769045-01
description	switch for tilting kettle with potentiometer		
accessories for	347830		
	No.	347831	Ref. No. —
stop for switch shaft ø 6x4.6mm			

control equipment

lamps



1

No.	359606	Ref. No.	0K2043
description	neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm		
accessories for	359606		
	No.	359832	Ref. No. —
lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm			
	No.	359853	Ref. No. —
lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm			



1


No.	359807	Ref. No.	0K9110
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		


encoders and potentiometers



1

No.	346984	Ref. No.	0K5063
description	cam switch 2 operating positions 4NO sequence 0-1 32A shaft ø 6x4.6mm shaft L 23mm connection cable 2400mm cable length 2400mm 50kOhm ceramic		

			
1			
No.	402070	Ref. No.	0G0317
description	potentiometer 10KOhm rotation 360° shaft ø6x4.6mm shaft L 18mm connection male faston 2.8mm thread M10x0.75 thread L 9mm		

			
1			
No.	402071	Ref. No.	0G2907
description	potentiometer cable length 1200mm		



lamps

indicator lights


indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø10mm (type SRZ-3)

			
1			
No.	359123	Ref. No.	004896
description	indicator light housings mounting measurements ø10mm green round Qty 1 pcs		
accessories for	359123		
	No.	359132	Ref. No.
			—
			
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		


indicator lamps for socket type SRZ / SDK / SDY / SFK

			
1			
No.	359133	Ref. No.	0K1362
description	indicator lamp 400V green connection male faston 6.3mm		




indicator lights 3-piece (housing, lens and bulb)


lamps


light bulbs

			
1			
No.	359807	Ref. No.	0K9110
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		

neon light bulbs

			
1			
No.	359606	Ref. No.	0K2043
description	neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm		
accessories for	359606		
	No.	359832	Ref. No.
			—
			
	lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm		
	No.	359853	Ref. No.
			—
			
	lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm		


			
1			
No.	359602	Ref. No.	0H7036
description	neon light bulb socket E14 230V clear ø 14mm L 30mm		

			
1			
No.	359603	Ref. No.	0H7037
description	neon light bulb socket E14 380V clear ø 14mm L 30mm		


indicator lights (complete)

ø10mm

with screw socket

			
1			
No.	359378	Ref. No.	0A2224
description	indicator light ø 10mm 230V green connection male faston 6.3mm socket screw base		

ø12.5mm

			
1			
No.	359999	Ref. No.	0K9096
description	indicator light ø 12.5mm 230V clear connection male faston 6.3mm		

ø14mm

with plug-in socket



1

No.	359150	Ref. No.	053153
description	indicator light ø 14mm red 400V connection male faston 6.3mm temp.-resist. 105°C square		

ø19mm



1

No.	359519	Ref. No.	0K4898
description	indicator light housings mounting measurements ø19mm socket E14 clear		

ø20mm



1

No.	359516	Ref. No.	0K4903
description	indicator light ø 20mm 230V clear		



1

No.	359514	Ref. No.	18003964
description	indicator light ø 20mm 230V green connection male faston 6.3mm ambient temperature max. 125°C		

ø22mm



1

No.	359506	Ref. No.	0K5094
description	indicator light ø 22mm 230V green connection screw temp.-resist. 60°C		



1

No.	359512	Ref. No.	0K6368
description	indicator light ø 22mm 400V clear connection screw temp.-resist. 60°C		



1

No.	359510	Ref. No.	0K6366
description	indicator light ø 22mm 400V green connection screw temp.-resist. 60°C		

miscellaneous



1

No.	359006	Ref. No.	0K3776
description	indicator light white 230V		

screw-on/push-on fit

neon light bulbs



1

No.	359606	Ref. No.	0K2043
description	neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm		

accessories for



1

No.	359832	Ref. No.	—
description	lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm		



1

No.	359853	Ref. No.	—
description	lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm		



1

No.	359602	Ref. No.	0H7036
description	neon light bulb socket E14 230V clear ø 14mm L 30mm		



1

No.	359603	Ref. No.	0H7037
description	neon light bulb socket E14 380V clear ø 14mm L 30mm		

light bulbs

for ovens



1

No.	359612	Ref. No.	054840
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		

for indicator lights



1

No.	359807	Ref. No.	OK9110
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		

oven lamps

universal oven lamps

55x100mm








1

No.	359714	Ref. No.	055022
description	gasket for bulb socket		



1

No.	101372	Ref. No.	OK7521
description	oven lamp complete L 100mm W 55mm 230V 25W socket E14 rectangular temp.-resist. 300°C connection male faston 6.3mm		
spare parts for	101372		
	No.	359612	Ref. No. 054840
light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips			
	No.	359698	Ref. No. —
lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm			
	No.	359714	Ref. No. 055022
gasket for bulb socket			
	No.	359715	Ref. No. —
lamp glass L 110mm W 65mm thickness 5mm			
	No.	359716	Ref. No. —
frame for bulb socket			

lamps

light bulbs



1


No.	359612	Ref. No.	054840
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		


timers

programme timers




1

No.	360349	Ref. No.	069926
description	timer CDC 11803 engines 1 chambers 3 operation time 150s 230V shaft ømm shaft Lmm manuf. no. 11803F1BEE000.0010 motor type M48R ATS type 11803F1 / 238046		
spare parts for	360349		
	No.	360673	Ref. No. —
motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder			



1

No.	360024	Ref. No.	069926 (old version)
description	timer FIBER P25 engines 1 chambers 3 operation time 2min 230V shaft ømm shaft Lmm manuf. no. P255J03H3N6 motor type M51B-JOL6400		
spare parts for	360024		
	No.	360674	Ref. No. —
motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder			


mechanical timers


			
1			
No.	350170	Ref. No.	0H6114
description	timer 600 2-pole operation time 60min impulse mechanical 2NO at 250V 16A permanent position no shaft 6x4.6mm shaft L 21mm mounting distance 28mm		

contactors


BENEDIKT & JÄGER


power contactors


			
1			
No.	380777	Ref. No.	0K9134
description	auxiliary contactor resistive load 20A 230VAC main contacts 4NO type K2-07A40230		


			
1			
No.	380773	Ref. No.	0L0285
description	power contactor resistive load 25A 230VAC (AC3/400V) 10A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type K3-10A01230		

			
1			
No.	380679	Ref. No.	003598
description	power contactor resistive load 25A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K2-12A01230		

			
1			
No.	380674	Ref. No.	0H7051
description	power contactor resistive load 25A 230VAC (AC3/400V) 12A/5.5kW main contacts 4NO connection screw connection type K2-12A0040230		

			
1			
No.	381079	Ref. No.	004012
description	power contactor resistive load 25A 230VAC (AC3/400V) 16A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K2-16A10230		

			
1			
No.	380779	Ref. No.	0K3968
description	power contactor resistive load 25A 24VAC (AC3/400V) 14A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-14ND10		

			
1			
No.	380789	Ref. No.	0K9132
description	power contactor resistive load 32A 230VAC main contacts 3 auxiliary contacts 1 with 2 auxiliary contacts NC		



1

No.	381171	Ref. No.	0K9124
description	power contactor resistive load 32A 24VAC (AC3/400V) 22A/11kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-22ND10		



1

No.	380637	Ref. No.	054928
description	power contactor resistive load 45A 230VAC main contacts 3NO auxiliary contacts 1NO connection screw type K2-23A10 230		



1

No.	380776	Ref. No.	007104
description	power contactor resistive load 80A 230VAC (AC3/400V) 40A/18.5kW main contacts 3NO auxiliary contacts connection screw connection type K3-40A00230 contacts		



1

No.	380676	Ref. No.	0TRA70
description	power contactor resistive load 80A 230VAC (AC3/400V) 45A/20kW main contacts 3NO connection screw connection type K2-45A00230		

CONTACTORS/SOLID STATE RELAYS THERMA

auxiliary contacts



1

No.	380677	Ref. No.	047046
description	auxiliary contact contacts 1NC AC15 10A for contactors K2/K3 connection screw type HN01 AC1 25A		



1

No.	380678	Ref. No.	046995
description	auxiliary contact contacts 1NO AC15 10A for contactors K2/K3 connection screw type HN10 AC1 25A		



1

No.	380781	Ref. No.	048497
description	auxiliary contact contacts 1NO AC15 6A for contactors K2/K5 connection screw type HA10 AC1 25A		

solid state relays

CRYDOM



1

No.	403038	Ref. No.	0K5070
description	solid state relay CRYDOM 1 phase 50A 480V 4-32VDC L 57mm W 45mm screw type CWD4850P		

relays

power relays

with bracket mounting




No.	380702	Ref. No.	005033
description	power relays FINDER 230VAC 16A 3NO connection male faston 6.3mm flange dimensions 36x38x68mm manuf. no. 62.83.8.230.0300 230V		

with male contacts


bullet connectors, 11 contacts




No.	380132	Ref. No.	0K3700	
description	power relays Italiana Relè 230VAC 10A 3CO connection plug-in connection round 11-pole manuf. no. C43-230AC ZVE11 250V 11-pole			
accessories for	380132			
	No.	380136	Ref. No.	—
	relay socket 11-pole connection plug-in connection round 11-pole dimensions 65x28x40mm 250V voltage AC 10A Italiana Relè manuf. no. ZVE11			




female contact 4.8mm




No.	380475	Ref. No.	0K4944
description	power relays FINDER 220-240VAC 12A 2CO connection F4.8 raster size 10mm plug-in connection manuf. no. 56.32.8.230.0040 250V 2-pole connection 4.8mm		
accessories for	380475		
	No.	380476	Ref. No.
	—		
relay socket dimensions 78x27x33.5mm 250V voltage AC 10A FINDER manuf. no. 96.72			

plug-in/print relays



No.	380333	Ref. No.	0E5849	
description	print relay 230VAC 2CO at 250V 8A connection pins raster size 5mm FINDER manuf. no. 40.52.8.230.0000 95.65/95.75			
accessories for	380333			
	No.	380340	Ref. No.	—
	relay socket dimensions 62x36x15mm 250V voltage AC 10A Italiana Relè manuf. no. ZMEM/5			
	No.	380505	Ref. No.	—
	relay socket 2CO 40.52 dimensions 81.9x15.5x75mm 250V voltage AC 10A FINDER manuf. no. 95.95.3			
	No.	381181	Ref. No.	—
	relay socket 2-pole 40.51/40.52/40.61 connection screw clamp dimensions 15.8x78.6mm 250V voltage AC 10A FINDER manuf. no. 95.75			



No.	380853	Ref. No.	0E5172
description	print relay 24VAC 1CO at 250V 16A connection pins raster size 5mm FINDER manuf. no. 40.61.8.024.0000 95.65/95.75		

time relays

time relays



No.	360407	Ref. No.	075659
description	timer FINDER T23522203F0 time range 0.5s-120h 24VAC 2x6A mounting measurements 45x70mm 2CO		



transformers

toroidal core transformers



1

No.	401663	Ref. No.	0L0174
description	transformer primary 230V secondary 12V 25VA		

encapsulated transformers

with screw connection



1

No.	401665	Ref. No.	0L1158
description	transformer primary 230/400V secondary 24-48V 400VA connection screw 50-60Hz		

for lighting



1

No.	401547	Ref. No.	002856
description	transformer primary 230V secondary 11.5V 50W		

electronic controllers





ELIWELL

universal controllers

built-in version















1

No.	379559	Ref. No.	0S0989	
description	electronic controller ELIWELL type IC901 mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC relay outputs 1 relay refrigeration front measurements 74x32mm built-in depth 60mm protection IP65 accuracy superior to 0.5% from final value% defr. funct. no -55 up to +150°C display 2½ digit Templn1 yes 15A			
accessories for	379559			
	No.	379053	Ref. No.	—
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire			
	No.	379064	Ref. No.	—
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire			
	No.	379161	Ref. No.	—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			
	No.	379782	Ref. No.	—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm			




1

No.	379690	Ref. No.	0S0789	
description	electronic controller ELIWELL type ICPlus902 model ICP16D0750000 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 CO-15A(8) NTC/PTC built-in depth 60mm defr. funct. -50 up to +150°C display 3½ digits			
accessories for	379690			
	No.	378194	Ref. No.	—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø7x24.5mm cable length 1.5m without screw connection 2-wire			
	No.	379052	Ref. No.	—
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire			
	No.	379053	Ref. No.	—
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire			

accessories for 379690				
	No.	379057	Ref. No.	—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire			
	No.	379064	Ref. No.	—
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire			
	No.	379142	Ref. No.	—
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 1.5m without screw connection 2-wire			
	No.	379160	Ref. No.	—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire			
	No.	379161	Ref. No.	—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			
	No.	379343	Ref. No.	—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire			
	No.	379458	Ref. No.	—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire			
	No.	379781	Ref. No.	—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire			
	No.	379782	Ref. No.	—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm			

miscellaneous


miscellaneous


				
	No.	381419	Ref. No.	712.340.179
description	electronic controller kit type ERT4V 230V Pt1000 +50 up to +130°C relay outputs 1CO			


probes




producer-specific probes


probes


				
	No.	379476	Ref. No.	OK5154
description	probe Pt1000 cable PTFE probe -100 up to 450°C cable -40 up to +250°C connection male faston 4.8mm thread probe ø6/10x22mm cable length 2m			


				
	No.	400910	Ref. No.	OC0202
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread probe ø4.5x30mm cable length 0.35m			


				
	No.	379404	Ref. No.	OK8490
description	temperature probe Pt1000 cable glass fibre probe -70 up to +500°C cable -50 up to +350°C connection male faston thread probe ø4x-60mm cable length 1.6m			

				
	No.	379100	Ref. No.	OC5342
description	temperature probe Pt1000 cable silicone probe -70 up to +500°C cable -50 up to +180°C connection male faston 4.8mm thread probe ø4x235mm cable length 1.8m			
accessories for 379100				
	No.	693745	Ref. No.	—
gasket PTFE ED ø 20mm ID ø 15mm thickness 1mm Qty 1 pcs				
	No.	697993	Ref. No.	—
sleeve for temperature probe ø 11mm ID ø 4.3mm H 22.4mm				

				
	No.	378012	Ref. No.	OK5047
description	temperature probe PTC 2kOhm cable probe -50 up to +150°C cable°C connection F6.3 thread M10x1 cable lengthm			

				
	No.	402005	Ref. No.	086344
description	temperature probe PTC 2kOhm cable TPE probe -50 up to +150°C cable -40 up to +110°C connection plug thread probe ø6x50mm cable length 1.6m			

				
	No.	379427	Ref. No.	OK5058
description	temperature probe thermocouple K (NiCr-Ni) cable glass fibre probe -50 up to 1150°C cable -50 up to +350°C connection 2-wire thread probe ø4x20mm cable length 2.6m			

				
	No.	379098	Ref. No.	OK5623
description	temperature probe thermocouple K (NiCr-Ni) cable Vetrotex probe -50 up to 1150°C cable -50 up to +350°C connection 2-wire thread M6/M10 probe ø6x20mm cable length 2.1m			

core probes



No.	379407	Ref. No.	OK8488
description	core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread M8 cable length 2.7m handle ø 10mm handle length 45mm		



No.	379060	Ref. No.	002673
description	core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread M8 cable length 2m handle ø 10mm handle length 45mm		

accessories

adapters



No.	379093	Ref. No.	OK5057
description	bayonet adapter L 18mm thread M6x1 ID ø 7/4mm ED ø 12mm		



No.	378127	Ref. No.	OKI657
description	bayonet adapter L 32mm thread M6x1 ID ø 7/4mm ED ø 12mm		



No.	379094	Ref. No.	OG2155
description	bayonet adapter L 39mm thread M6x1 ID ø 7/4mm ED ø 12mm		
accessories for	379094		
	No.	379092	Ref. No.
			—
description	temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread probe ø4x20mm cable length 2.6m		



No.	378128	Ref. No.	0KE127
description	bayonet adapter L 59mm thread M6x1 ID ø 7/4mm ED ø 12mm		

miscellaneous



No.	550924	Ref. No.	002075
description	gasket for probe ID ø 6mm EPDM		

electronics

PCBs



No.	401575	Ref. No.	OK4880
description	control PCB		



No.	400929	Ref. No.	048926
description	PCB		



No.	401964	Ref. No.	OK5071
description	PCB		



1

No.	401573	Ref. No.	OK4882
description	power PCB		

Triacs



1

No.	402072	Ref. No.	OK5065
description	Triac		

keypads

front foils



1

No.	401574	Ref. No.	OK4333
description	keypad foil		

membrane keypads



1

No.	400915	Ref. No.	049956
description	membrane keypad		

accessories



1

No.	400997	Ref. No.	002670
description	push button		

solenoid valves

solenoid valves (water)

ROBERTSHAW/INVENSYS

medium temperature: 90°C 90°C 60°C
ambient temperature: 60°C 25°C 60°C
duty cycle: 40% 100% 100%



1

No.	372021	Ref. No.	OK5389
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 EATON (INVENSYS)		

spare parts and accessories

reducers

outlet side



1

No.	371252	Ref. No.	OK5369
description	reducer type EATON (INVENSYS) flow rate 1.2l/min pressure range 0 up to 10bar tolerance ±15/25% blue		



1

No.	371253	Ref. No.	OK5368
description	reducer type EATON (INVENSYS) flow rate 2.5l/min pressure range 0 up to 10bar tolerance ±15/25% brown		

TP

solenoid valves with reducers



1

No.	370375	Ref. No.	0F0001
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C TP plastic output A 2.5l/min output C 0.25l/min flow regulating valve outlet A yellow flow regulating valve outlet C red		



solenoid valves (gas)

BRAHMA

spare parts and accessories

solenoid coils



1

No.	101968	Ref. No.	005548
description	solenoid valve 230VAC 20VA seat ø 17mm coil type 13902001 BRAHMA		

ball valves electric



1

No.	401139	Ref. No.	0C0882
description	ball valve inlet 3/4" IT outlet 3/4" IT with plug 230V L 65mm 50/60Hz closed off-current mode of operation electric connection cable 200mm		

pressure switches

for boiling pans



1

No.	541459	Ref. No.	0G2935
description	pressure control with cable		

electrodes



1

No.	400121	Ref. No.	055346
description	level electrode 1/4" total length 121mm probe L 94mm insulated probe length 90mm PTFE insulated connection angled, male faston 6.3mm stainless steel		



1

No.	400124	Ref. No.	002694
description	level electrode push-in total length 128mm probe L 103mm insulated probe length 93mm PTFE insulated connection F6.3 ø 2.5mm		



1

No.	378013	Ref. No.	0K4871
description	level electrode to clip		



fans

axial fans

import



1

No.	601080 ¹	Ref. No.	0C4423
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
accessories for	601080		
	No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	No.	692519	Ref. No. —
	guard L 120mm W 120mm plastic		


¹with ball bearings

refrigeration fans

cold air circulating fans (complete)

ebm-papst

R2E series



1

No.	601536	Ref. No.	0E5666
description	fan R2E190-A026-73 fan wheel ø 190mm blades 6 230V 50/60Hz 58/75W ø 190mm H 70mm 2700rpm cable length 450mm rotation direction right ebm-papst sucking suitable capacitor 2µF		
spare parts for	601536		
	No.	365170	Ref. No.
	—		
	capacitor capacity 2µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 25mm L 49mm M8 plastic connection cable 250mm 416.17.74 protection		

cross flow fans

ebm-papst



1

No.	601505	Ref. No.	0K5059
description	cross flow fan QLN65/2400A17-3030L roller ø 65mm roller length 240mm laminated core thickness 29mm motor position right 230V/50Hz 22W refrigeration bearing silicone connection F 6.3 0 up to +60°C 230V throughput 200m³/h 50Hz		

COPREL


double fans



1

No.	601026	Ref. No.	0K3707
description	cross flow fan COPREL TFD(FD) roller ø 60mm roller length 2x180mm laminated core thickness 35mm motor position centre 230V/50-60Hz 42W refrigeration bearing rubber connection male faston 6.3mm coil type airflow 255m³/h -10 up to +60°C		

hot air motors



1

No.	500141	Ref. No.	0F0007
description	fan motor 230V 1 phase 50/60Hz 0.19kW 1450/1750rpm speeds 1 L1 150mm L2 52mm L3 35mm D1 ø 9/10mm D2 ø 14mm M6R IT 1.3A Cos(φ) 0.91 at 50Hz 1450rpm at 60Hz 1750rpm type LM80/4 no. 596477 shaft flat length 12mm		



1

No.	601220	Ref. No.	0C6462
description	fan wheel D1 ø 280mm H1 100mm blades 6 D2 ø 10mm D3 ø 10mm H2 37mm H3 22mm		



1

No.	511300	Ref. No.	002873
description	O-ring Viton thickness 3.53mm ID ø 28.17mm for 57 series for motor shaft		




1

No.	511301	Ref. No.	002699
description	shaft seal ID ø 16mm ED ø 38mm thickness 18mm		






hot air fans

miscellaneous



1



No.	601011	Ref. No.	031484	
description	hot air fan 220-240V 40W 50/60Hz L1 65mm L2 15mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C25R8023CLH			
accessories for	601011			
	No.	550879	Ref. No.	—
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan			
	No.	601260	Ref. No.	—
	nut thread M6L IT for hot air fan			

motors

gear motors

for tilting bratt pans



1

No.	501580	Ref. No.	763001 763090
description	gear motor SKF/ATB type MAX30-C220450A101N0-005 24V L 490mm W 185mm H 120mm		

miscellaneous

1			
No.	500620	Ref. No.	0K4843
description	gear motor for kettle		

spindle motors

SKF/ATB



1

No.	501580	Ref. No.	763001 763090
description	gear motor SKF/ATB type MAX30-C220450A101N0-005 24V L 490mm W 185mm H 120mm		

pumps







wash and rinse pumps

ALBA (C&A)

pumps



1

No.	500090	Ref. No.	046370	
description	pump inlet ø 45mm outlet ø 40mm type C5803 230V 50Hz 1 phase 0.55kW 0.75HP L 210mm rotation direction right capacitor 12.5µF ALBA PUMPS (C&A)			
spare parts for	500090			
	No.	365014	Ref. No.	—
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection			
	No.	504320	Ref. No.	—
	pump cover gasket ID ø 160.75mm thickness 3.53mm EPDM Qty 1 pcs			
	No.	509021	Ref. No.	—
	impellor ø 102mm H 32mm shaft intake ø 9/8mm rotation direction right			
	No.	510692	Ref. No.	—
	mechanical shaft seal for shaft ø 11mm slide ring ext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm			
	No.	521531	Ref. No.	—
	pump cover ALBA PUMPS (C&A) inlet ø 45mm outlet ø 40mm turn direction right ø 153mm ID ø 127mm inner height 24mm			
	No.	521709	Ref. No.	—
	O-ring EPDM thickness 3mm ID ø 126mm Qty 1 pcs			

FIR

pumps



1

No.	500985	Ref. No.	0L0437
description	pump inlet ø 62mm outlet ø 64mm type 4290.2700 220-240/380-415V 50Hz 3 phase 1.5kW 2HP L 350mm rotation direction right FIR installation kit inclusive		

spare parts for 500003

No.	510693	Ref. No.	—
description	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		

drain pumps

PLASET



1

No.	500206	Ref. No.	047562
description	drain pump with auxiliary pressure connection inlet ø 25mm outlet ø 22mm 230V 90W 50Hz PLASET type 8411		

OLYMPIA

pumps



1

No.	500003	Ref. No.	069540
description	pump inlet ø 45mm outlet ø 32mm type T30 230V 50Hz 1 phase 0.29kW 0.39HP L 190mm rotation direction right capacitor 8µF OLYMPIA		
spare parts for	500003		
	No.	365013	Ref. No. —
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
	No.	510512	Ref. No. —
	pump cover OLYMPIA inlet ø 45mm outlet ø 31mm outlet 2 ø 24 turn direction right ø 130mm ID ø 124mm inner height 20mm		
	No.	510554	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
	No.	510615	Ref. No. —
	impellor ø 90mm H 22mm rotation direction right thread M10L blades 4		

condensators & interference suppression filters

operating capacitors

metal



1

No.	365139	Ref. No.	056148
description	operating capacitor capacity 10µF 450V tolerance 5% 60Hz ambient temperature max. -25 up to +70°C ø 40mm L 83mm M8 aluminium connection male faston 6.3mm C.87.8BF2 MKP protection		

filters

interference suppression filters



1

No.	365045	Ref. No.	0K4865
description	interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 40mm ø 30mm Hmm Wmm plastic Qty 1 pcs		



fuses

fine fuses



1

No.	358677	Ref. No.	057783
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		



1

No.	358695	Ref. No.	005032
description	fine fuse size ø5x20mm 3.15A medium lag rated 250V Qty 10 pcs		



1

No.	358703	Ref. No.	002750
description	fine fuse size ø5x20mm 0.4A slow-acting rated 250V Qty 10 pcs		

various



1

No.	358397	Ref. No.	0K5074
description	fuse size 76mm 25A rated 690V Qty 1 pcs		

overload switches



1

No.	358523	Ref. No.	0H6104
description	overload switch drop-away current 0.6A		

line circuit breakers

miscellaneous



1

No.	380689	Ref. No.	0K3682
description	line circuit breaker		

electric accessories

cables

copper wire

up to 200°C



1

No.	550081	Ref. No.	0K3285
description	copper wire 1.5mm² permanent temperature -60 up to +200°C conductor nickel-plated copper wire insulation glass fibre braiding/silicone rubber Qty 10m green/yellow t.max. 250°C rated 300/500V test voltage 2000V		

terminals

connection terminals with screw/faston connections



1

No.	550411	Ref. No.	046347
description	power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm²		

gas taps

PEL

21S series



1






No.	101897	Ref. No.	0C0205
description	gas tap PEL type 21S gas inlet pipe flange ø21mm bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 32/25mm shaft flat upper		

spare parts for 101897			
	No.	101060	Ref. No. —
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101230	Ref. No. —
thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	No.	101875	Ref. No. —
gas tap front part shaft ø 8x6.5mm shaft L 32/25mm shaft flat upper/lower type PEL21			
	No.	528347	Ref. No. —
O-ring Viton thickness 1.78mm ID ø 2.9mm Qty 1 pcs			

Table continues overleaf


accessories for 101897				
	No.	100908	Ref. No.	052125
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	060325
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	—
union nut thread M16x1.5 tube ø 10mm				
	No.	110081	Ref. No.	—
knob ø 70mm shaft ø 8x6.5mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

1

No.	106060	Ref. No.	OKI367
description	gas tap PEL type 21S/O gas inlet pipe flange ø21mm bypass nozzle ø 0mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 6x4.6mm shaft L 45/19mm shaft flat upper		
spare parts for	106060		
	No.	101060	Ref. No. —
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	No.	101230	Ref. No. —
thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	No.	101880	Ref. No. —
gasket Viton ED ø 14mm ID ø 9mm thickness 7.7mm Qty 1 pcs			
accessories for	106060		
	No.	101278	Ref. No. 060325
olive for pipe ø 10mm Qty 1 pcs			
	No.	101300	Ref. No. —
union nut thread M16x1.5 tube ø 10mm			

22N/V series


















No.	106169	Ref. No.	OG0113	
description	gas tap PEL type 22N/V gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermo-couple connection pilot connection M10x1 shaft ø 6x4.6mm shaft L 45/20mm shaft flat left			
spare parts for	106169			
	No.	100259	Ref. No.	—
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5				
	No.	101213	Ref. No.	—
gas tap front part shaft ø 6x4.6mm shaft L 45/20mm shaft flat right/ left suitable for PEL22				
	No.	101241	Ref. No.	—
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical				
	No.	101460	Ref. No.	—
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				
	No.	101461	Ref. No.	—
screw kit suitable for PEL22 Qty 4 pcs				
accessories for	106169			
	No.	100908	Ref. No.	052125
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101248	Ref. No.	050682
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	—
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				



22S/O series



1

No.	106022	Ref. No.	OK5756
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 6x4.6mm shaft L 45/20mm shaft flat left		
spare parts for	106022		
	No.	101058	Ref. No. 056594
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	101213	Ref. No. —
gas tap front part shaft ø 6x4.6mm shaft L 45/20mm shaft flat right/left suitable for PEL22			
	No.	101230	Ref. No. —
thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	No.	101240	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			
	No.	101460	Ref. No. —
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No. —
screw kit suitable for PEL22 Qty 4 pcs			
accessories for	106022		
	No.	100908	Ref. No. 052125
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101241	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	No.	101246	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	No.	101248	Ref. No. 050682
olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	No.	101249	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	No.	101250	Ref. No. —
union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No. —
union nut thread M20x1.5 for pipe ø 12mm			
	No.	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			




1

No.	106023	Ref. No.	OK5619
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 6x4.6mm shaft L 29/19.5mm shaft flat lower		
spare parts for	106023		
	No.	101058	Ref. No. 056594
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard			
	No.	101230	Ref. No. —
thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	No.	101240	Ref. No. —
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			
	No.	101460	Ref. No. —
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No.	101461	Ref. No. —
screw kit suitable for PEL22 Qty 4 pcs			
	No.	106154	Ref. No. —
gas tap front part shaft ø 6x4.6mm shaft L 29/19.5mm shaft flat upper/lower suitable for PEL22			
accessories for	106023		
	No.	100908	Ref. No. 052125
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101246	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	No.	101248	Ref. No. 050682
olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	No.	101249	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	No.	101250	Ref. No. —
union nut thread M20x1.5 for pipe ø 10mm			
	No.	101251	Ref. No. —
union nut thread M20x1.5 for pipe ø 12mm			
	No.	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			
	No.	110080	Ref. No. —
knob ø 70mm shaft ø 10x8mm shaft flat universal			

Table continues overleaf









accessories for 106023				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

gas thermostats

SIT

710 Minisit series

				
1				
No.	106061	Ref. No.	0K5692	
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C			
spare parts for	106061			
	No.	100809	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs				
	No.	101053	Ref. No.	—
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit				
	No.	101136	Ref. No.	054269
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8				
	No.	101269	Ref. No.	—
gas connection thread 1/2" angled with O-ring MINISIT 710				
	No.	101516	Ref. No.	—
flat-headed bolt thread M4 thread L 16mm SS DIN 7985/ISO 7045 Qty 1 pcs				
	No.	101517	Ref. No.	—
flat-headed bolt thread M4 thread L 23mm				
	No.	102107	Ref. No.	—
probe 100-340°C probe ø 4mm probe L 72mm capillary pipe 1050mm t.max. 340°C oven/grill probe type type C1 suitable for MINISIT 710				
	No.	107564	Ref. No.	—
piezoelectric igniter body plastic blowing connection F6.3x0.8 ø 22mm				
	No.	110068	Ref. No.	054268
knob suitable for Minisit ø 37mm				
accessories for	106061			
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs				
	No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				

accessories for 106061				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	101278	Ref. No.	060325
olive for pipe ø 10mm Qty 1 pcs				
	No.	101279	Ref. No.	—
union screw thread 3/8" for pipe ø 10mm Qty 1 pcs				









gas valves and ignition boxes

gas control valves

SIT

ELETTROSIT

1








No.	101127	Ref. No.	057543
description	gas valve SIT type ELETROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 lateral equiv. no. 0.810.175		
spare parts for	101127		
	No.	101312	Ref. No. —
microswitch			
	No.	101352	Ref. No. —
solenoid coil 230V 50Hz suitable for ELETROSIT			
accessories for	101127		
	No.	100006	Ref. No. —
piezoelectric igniter suitable for ELETROSIT body plastic blowing connection ø2.4mm ø 14mm			
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101301	Ref. No. —
gas connection thread 1/2" straight ELETROSIT screw with O-ring			
	No.	101303	Ref. No. —
gas connection straight thread 3/4" ELETROSIT			
	No.	101309	Ref. No. —
extension			



NOVASIT



1

No.	101187	Ref. No.	002606
description	gas valve SIT series Novasit 820 0.17VHz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressurebar pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.301 supply Operator millivolt		
spare parts for	101187		
	No.	101065	Ref. No. —
	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT		
accessories for	101187		
	No.	100110	Ref. No. —
	pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm		
	No.	101305	Ref. No. —
	gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm		
	No.	101306	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	No.	101307	Ref. No. —
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	No.	101308	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	No.	102116	Ref. No. 002607
	thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"		

accessories



1

No.	101928	Ref. No.	059305
description	knob adapter shaft ø 10x8mm shaft L 18mm catch upper suitable for ZANUSSI shaft flat upper		

TANDEM



1

No.	106219	Ref. No.	OK5838
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection M10x1 level slow ignition standard ignition time 3-7s Tandem equiv. no. 0.830.020		
spare parts for	106219		
	No.	101379	Ref. No. —
	solenoid coil 230V 50Hz suitable for Tandem		
accessories for	106219		
	No.	101274	Ref. No. —
	olive for pipe ø 16mm Qty 1 pcs		
	No.	101275	Ref. No. —
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs		
	No.	101925	Ref. No. —
	plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT		
	No.	101936	Ref. No. —
	gasket with screw Tandem		
	No.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	No.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		

ignition parts


pilot burners

SIT














100 series


















1

No.	106902	Ref. No.	029776
description	pilot burner SIT type 100 series 2 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106902		
	No.	100245	Ref. No. 056799
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		




spare parts for 106902				
	No.	100842	Ref. No.	—
pilot burner cap 2 flames Qty 1 pcs				
	No.	100885	Ref. No.	—
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107161	Ref. No.	—
pilot burner cap SIT 2 flames Hmm Lmm Qty 1 pcs				
	No.	107701	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle 0.2mm				
accessories for 106902				
	No.	100246	Ref. No.	056656
pilot burner nozzle natural gas bore 0.35mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	—
pilot burner nozzle SIT natural/liquid gas bore 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle 0.25mm				
	No.	107702	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle 0.35mm				

spare parts for 106907				
	No.	100855	Ref. No.	—
pilot burner bracket triple				
	No.	100885	Ref. No.	—
air mixing sleeve for pilot burner Qty 1 pcs				
	No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium				
	No.	100918	Ref. No.	—
screw for pilot burner				
	No.	107162	Ref. No.	—
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs				
	No.	107702	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle 0.35mm				
accessories for 106907				
	No.	100245	Ref. No.	056799
pilot burner nozzle LPG code 20 bore 0.2mm Qty 1 pcs thread M8x0.75				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe 4mm Qty 1 pcs				
	No.	100905	Ref. No.	—
locking screw M10x1 for pipe 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe 6mm thickness 1mm L 3000mm				
	No.	107171	Ref. No.	—
pilot burner nozzle SIT natural/liquid gas bore 0.25mm Qty 1 pcs				
	No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle 0.25mm				
	No.	107701	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle 0.2mm				



1

No.	106907	Ref. No.	058329	
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm			
spare parts for	106907			
	No.	100246	Ref. No.	056656
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				



accessories

pilot burner brackets

universal



No.	100854	Ref. No.	052256
description	pilot burner bracket double		

pilot burner nozzles




No.	100245	Ref. No.	056799
description	pilot burner nozzle LPG code 20 bore \varnothing 0.2mm Qty 1 pcs thread M8x0.75		



No.	100246	Ref. No.	056656
description	pilot burner nozzle natural gas bore \varnothing 0.35mm Qty 1 pcs thread M8x0.75		

ignition electrodes



No.	100706	Ref. No.	056754
description	ignition electrode connection M4 Qty 1 pcs		

140 - 145 -150 series



No.	100094	Ref. No.	059214
description	pilot burner SIT type 140 series 1 flame nozzle \varnothing mm gas connectionmm for thermocouple \varnothing 5mm		

accessories for 100094



No.	100182	Ref. No.	003547
------------	--------	-----------------	--------

cover for pilot burner Qty 1 pcs



No.	100204	Ref. No.	—
description	pilot burner nozzle SIT LPG code 14 bore \varnothing 0.18/0.20mm Qty 1 pcs suitable for 140 series		



No.	100205	Ref. No.	—
description	pilot burner nozzle SIT LPG code 19 bore \varnothing 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		

accessories for 100094



No.	100206	Ref. No.	—
description	pilot burner nozzle SIT natural gas code 36 bore \varnothing 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		



No.	100207	Ref. No.	—
description	pilot burner nozzle SIT natural gas code 27 bore \varnothing 0.40/0.38mm suitable for SIT 140 series		



No.	100216	Ref. No.	—
description	pilot burner nozzle SIT natural gas code 38 bore \varnothing 0.45mm Qty 1 pcs suitable for SIT 150 series		



No.	100897	Ref. No.	059161
description	olive for pipe \varnothing 4mm Qty 1 pcs for pilot burner		



No.	100898	Ref. No.	—
description	olive for pipe \varnothing 6mm Qty 1 pcs for pilot burner		



No.	100908	Ref. No.	052125
description	union screw thread M10x1 for pipe \varnothing 4mm Qty 1 pcs		



No.	100909	Ref. No.	—
description	union screw thread M10x1 for pipe \varnothing 6mm Qty 1 pcs		



No.	102110	Ref. No.	—
description	pilot tube copper pipe \varnothing 4mm thickness 1mm L 3000mm		



No.	102111	Ref. No.	—
description	pilot tube copper pipe \varnothing 6mm thickness 1mm L 3000mm		

JUNKERS

CB 503 series

pilot burners



No.	100058	Ref. No.	0K0205
description	pilot burner JUNKERS type CB503006 natural gas nozzle no.26 gas connection 4mm		

spare parts for 100058



No.	100224	Ref. No.	—
description	pilot burner nozzle natural gas gas pressure 25mbar code 26 Qty 1 pcs suitable for JUNKERS CB503_		



No.	101281	Ref. No.	—
description	olive for pipe \varnothing 4mm L 8.7mm Qty 1 pcs suitable for CB 502/503		



No.	101283	Ref. No.	—
description	union screw thread M10x1 for pipe \varnothing 4mm Qty 1 pcs		

accessories for 100058



No.	100220	Ref. No.	0K1176
description	pilot burner nozzle LPG gas pressure 50mbar code 2 Qty 1 pcs suitable for JUNKERS CB503_		



No.	100221	Ref. No.	—
description	pilot burner nozzle LPG gas pressure 30mbar code 29 Qty 1 pcs suitable for JUNKERS CB50203_		

accessories for 100058				
	No.	100222	Ref. No.	0K1126
pilot burner nozzle LPG gas pressure 50mbar code 5 Qty 1 pcs suitable for JUNKERS CB50203_				
	No.	100223	Ref. No.	—
pilot burner nozzle natural gas gas pressure 20mbar code 3 Qty 1 pcs suitable for JUNKERS CB503_				
	No.	100226	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 15 suitable for JUNKERS				
	No.	100227	Ref. No.	—
pilot burner nozzle natural gas gas pressure 25mbar code 6 Qty 1 pcs suitable for JUNKERS CB50203_				
	No.	100228	Ref. No.	—
pilot burner nozzle town gas gas pressure 8mbar code 4 Qty 1 pcs suitable for JUNKERS CB50203_				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101287	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				






PRO-GAS










140 - 145 -150 series

pilot burners



1

No.	100093	Ref. No.	0H6311	
description	pilot burner type 150 series 1 flame with accessories			
spare parts for	100093			
	No.	100216	Ref. No.	—
	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series			
	No.	100701	Ref. No.	059380
	ignition electrode connection M4 Qty 1 pcs			
	No.	100897	Ref. No.	059161
	olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	No.	100906	Ref. No.	057960
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100907	Ref. No.	—
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			

spare parts for 100093				
	No.	100908	Ref. No.	052125
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
accessories for 100093				
	No.	100204	Ref. No.	—
pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series				
	No.	100205	Ref. No.	—
pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series				
	No.	100206	Ref. No.	—
pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series				
	No.	100207	Ref. No.	—
pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series				
	No.	100803	Ref. No.	—
gasket for pilot burner Qty 1 pcs				
	No.	100898	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs for pilot burner				
	No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				

producer-specific pilot burners

THERMA

Thermaline S90 series (version 1)



1

No.	102956	Ref. No.	-
description pilot burner type C without nozzle			



1

No.	102957	Ref. No.	-
description pilot burner type D without nozzle			



1

No.	102958	Ref. No.	-
description	pilot burner type E without nozzle		

Thermaline S90 series (version 2)



1

No.	101856	Ref. No.	OG3101
description	pilot burner with nozzles		
spare parts for	101856		
	No.	100900	Ref. No. —
air mixing sleeve for pilot burner Qty 1 pcs			
	No.	100979	Ref. No. —
pilot burner nozzle LPG bore ø 0.25mm code 25 gas pressure 30mbar thread M5x0.8			
	No.	101534	Ref. No. OG2372
pilot burner nozzle LPG bore ø 0.19mm code 19 gas pressure 50mbar thread M5x0.8 suitable for THERMA/ELECTROLUX			
	No.	101543	Ref. No. OKI185
pilot burner nozzle natural gas bore ø 0.3mm code 30 gas pressure 20mbar thread M5x0.8			
	No.	101583	Ref. No. —
pilot burner head slit width 0.8mm bore ø 3mm ø 6mm M7x0.75mm total length 22mm WS 8 nickel-plated brass			
	No.	101587	Ref. No. —
gasket for pilot burner without ignition electrode			

Thermaline 800 / 900 series



1

No.	102916	Ref. No.	OK5767
description	cap for pilot burner		



1


No.	102917	Ref. No.	OK5768
description	cap for pilot burner		



1

No.	106247	Ref. No.	OK5715
description	double nipple T1: M10x1 T2: M10x1		

miscellaneous



1



No.	101937	Ref. No.	OG2965
description	pilot burner		

electrodes



1

No.	102965	Ref. No.	OKI351
description	ignition electrode connection F 2.8x0.8mm		

				
No.	100701	Ref. No.	059380	
description	ignition electrode connection M4 Qty 1 pcs			
accessories for	100701			
	No.	100906	Ref. No.	057960
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				

No.	100706	Ref. No.	056754
description	ignition electrode connection M4 Qty 1 pcs		

No.	101779	Ref. No.	N/A
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 10mm L2 5mm BL1 18mm BL2 3mm BL3 23mm to clip		

No.	102170	Ref. No.	0A5169
description	ignition electrode flange length 24mm flange width 17mm D1 ø 10mm fixing dimensions ø4.5mm with flange		

No.	102169	Ref. No.	003556
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 45mm L2 30mm L4 18mm L3 17mm BL1 30mm BL2 28mm fixing dimensions ø4.5mm with flange connection ø 6mm		

No.	100906	Ref. No.	057960
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

ignition cables

pre-assembled cables

No.	100026	Ref. No.	054273
description	ignition cable cable length 1000mm connection ø4mm / F6.3mm		

piezoelectric igniters

miscellaneous

No.	nla ¹	Ref. No.	0K5693
description	piezoelectric igniter body metal connection F6.3x0.8 3 hole fixing ø 22mm		

¹no longer available



1

No.	nla ¹	Ref. No.	002057
description	piezoelectric igniter suitable for Minisit connection F6.3x0.8 ømm		

¹no longer available



1

No.	nla ¹	Ref. No.	054269
description	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8		
spare parts for	101136		
	No.	100001	Ref. No.
	002057		
description	piezoelectric igniter suitable for Minisit connection F6.3x0.8 ømm		

¹no longer available

ignition switches



1

No.	301014	Ref. No.	0K6805
description	momentary rocker switch mounting measurements 30x11mm black 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40 mounting ømm male faston 6.3mm		

thermocouples

plug-in thermocouples


plug-in thermocouples standard

with barrel socket ø5mm - type Junkers with aluminised tip



1

No.	102202	Ref. No.	0K1368
description	thermocouple M8x1 L 320mm plug connection ø5.0mm		
accessories for	102202		
	No.	101260	Ref. No.
	—		
description	thermocouple fitting thread M8x1 Qty 1 pcs		



1

No.	102205	Ref. No.	058332
description	thermocouple M8x1 L 750mm plug connection ø5.0mm		
accessories for	102205		
	No.	101260	Ref. No.
	—		
description	thermocouple fitting thread M8x1 Qty 1 pcs		




1

No.	102294	Ref. No.	0K1369
description	thermocouple M8x1 L 750mm plug connection ø5.0mm		


with barrel socket ø6(6.5)mm

thermocouples SIT



1

No.	107601	Ref. No.	0G1120
description	thermocouple SIT M8x1 L 600mm plug connection ø6.0(6.5)mm		



1

No.	107602	Ref. No.	0C0202
description	thermocouple SIT M8x1 L 850mm plug connection ø6.0(6.5)mm		
accessories for	107602		
	No.	100920	Ref. No.
	—		
description	thermocouple fitting thread M8x1 / M9x1 Qty 1 pcs		
	No.	100922	Ref. No.
	—		
description	thermocouple fitting thread M10x1 / ASA 11/32 Qty 1 pcs		

No.	107613	Ref. No.	OK3464
description thermocouple SIT M9x1 L 1200mm plug connection Ø6.0(6.5)mm			

plug-in thermocouples with interruption

No.	107863	Ref. No.	OC3162
description thermocouple SIT with interrupter M9x1 L 1000mm plug connection Ø6.0(6.5)mm cable 820mm			

threaded thermocouples

threaded thermocouples standard

with socket with thread M8x1

SIT

No.	107630	Ref. No.	19012635
description thermocouple SIT M8x1 L 600mm M8x1			
accessories for 107630			
No.	102067	Ref. No.	—
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

thermopiles

No.	102116	Ref. No.	002607
description thermopile ROBERTSHAW L 900mm probe Ø 9mm probe L 57mm 250-750mV screw connection 7/16"			

accessories

screws

No.	106246	Ref. No.	OK5713
description screw thread M8x1 IT / M12x1 ET for thermocouple			

miscellaneous

No.	106245	Ref. No.	OK5775
description sleeve for thermocouple thread M12x1			

gas burners

hob burners

producer-specific hob burners

THERMA

Thermaline S90 series

No.	104540	Ref. No.	17012726
description burner cap C Ø 83mm 3.5kW			

No.	104460	Ref. No.	17012727
description burner cap D Ø 94mm 5kW with central hole			

No.	104542	Ref. No.	17012728
description burner cap E Ø 114mm mounting Ø 105mm ID Ø 45mm 7kW with central hole bore Ø 3mm			
accessories for 104542			
No.	104507	Ref. No.	17012725
burner head E for burner cap Ø 115mm			



1

No.	104500	Ref. No.	17012723
description	burner head C for burner cap ø 85mm		



1

No.	104505	Ref. No.	17012724
description	burner head D for burner cap ø 95mm		



1

No.	104507	Ref. No.	17012725
description	burner head E for burner cap ø 115mm		



1

No.	104707	Ref. No.	17012729
description	burner lower part C complete		



1

No.	104708	Ref. No.	17012730
description	burner lower part D complete		



1

No.	104709	Ref. No.	17012731
description	burner lower part E complete		



1

No.	104511	Ref. No.	17012722
description	gasket ø 72mm ID ø 45mm for burner head H 1.2mm perforation ø 5mm		



1

No.	104522	Ref. No.	17012721
description	nozzle holder ID ø 10mm ET M17x1		

Thermaline 800/900, Starline series



1

No.	106248	Ref. No.	19012588
description	air mixing tube ID ø 15mm		



1

No.	106249	Ref. No.	19012587
description	air mixing tube ID ø 17mm		



1

No.	104744	Ref. No.	19012600
description	burner cap 3.5kW ø 53mm		



1

No.	104746	Ref. No.	19012601
description	burner cap 5.6kW ø 78mm		




1


No.	104748	Ref. No.	19012602
description	burner cap 8.4kW ø 103mm		





1


No.	105990	Ref. No.	19012941
description	burner cap ø 103mm 7kW with central hole mounting pos. outer		

			
1			
No.	105988	Ref. No.	19012942
description	burner cap ø 40mm 7kW mounting pos. inner		

			
1			
No.	104750	Ref. No.	19012925
description	burner head 3.5kW for burner cap ø 53mm KBF suitable for simmering plate		

			
1			
No.	104759	Ref. No.	0G1905
description	burner head 3.5kW for burner cap ø 53mm simmering plate		


			
1			
No.	104747	Ref. No.	0K5682
description	burner head 5.6kW for burner cap ø 78mm		


			
1			
No.	104751	Ref. No.	19012619
description	burner head 5.6kW for burner cap ø 78mm		

			
1			
No.	104769	Ref. No.	19013008
description	burner head 5.6kW for burner cap ø 78mm grill/griddle plate		

			
1			
No.	104749	Ref. No.	19012612
description	burner head 8.4kW for burner cap ø 103mm		


			
1			
No.	105989	Ref. No.	19012946
description	burner head for burner cap ø 40/103mm 7kW		


			
1			
No.	104745	Ref. No.	0K5681
description	burner head suitable for burner 3.7kW		

			
1			
No.	104753	Ref. No.	19012711
description	nozzle holder		

bar burners

bar burners

			
1			
No.	104581	Ref. No.	006650
description	bar burner 2 row L 550mm W 190mm ømm H 50mm griddle		

			
1			
No.	104580	Ref. No.	0A5124
description	bar burner 3 row L 645mm W 190mm ømm H 45mm griddle		



1

No.	104186	Ref. No.	0H6337
description	bar burner ømm W 28mm H 49mm L 510mm with ignition bridge 170mm flange width 35mm flange length 70mm tilting bratt pan		



1

No.	105999	Ref. No.	0G3823
description	bar burner slotted ømm W 30mm H 55mm L 500mm gas range		



1

No.	104590	Ref. No.	0TR593
description	bar burner T-shape L 224mm ø 32mm bain marie		

tube burners



1

No.	105071	Ref. No.	059297
description	tubular burner L 265mm W 50mm H 71mm for fryer oval suitable for 700/900 series		

accessories

nozzle holders



1

No.	104753	Ref. No.	19012711
description	nozzle holder		

GAS BURNERS/GAS NOZZLES THERMA



1

No.	104522	Ref. No.	17012721
description	nozzle holder ID ø 10mm ET M17x1		

gas nozzles

main nozzles

gas nozzles M10x1



1

No.	100155	Ref. No.	056470
description	gas injector thread M10x1 bore ø 1.45mm L 30mm WS 12		



1

No.	106403	Ref. No.	054033
description	gas injector thread M10x1 bore ø 1.9mm L 30mm WS 12		



1

No.	102499	Ref. No.	056471
description	gas injector thread M10x1 bore ø 2.25mm L 30mm WS 12		

gas nozzles M12x1



1

No.	100279	Ref. No.	0KW937
description	gas injector thread M12x1 WS 14 bore ø 0.82mm		



1


No.	100280	Ref. No.	0G2773
description	gas injector thread M12x1 WS 14 bore ø 0.93mm		





1


No.	100282	Ref. No.	0KW934
description	gas injector thread M12x1 WS 14 bore ø 0.95mm		





1 			
No.	100285	Ref. No.	0G2774
description	gas injector thread M12x1 WS 14 bore ø 1.10mm		


1 			
No.	100239	Ref. No.	0G2396
description	gas injector thread M12x1 WS 14 bore ø 1.65mm		


1 			
No.	100243	Ref. No.	0KW933
description	gas injector thread M12x1 WS 14 bore ø 1.12mm		


1 			
No.	100288	Ref. No.	0K1229
description	gas injector thread M12x1 WS 14 bore ø 1.70mm		


1 			
No.	100286	Ref. No.	0K1246
description	gas injector thread M12x1 WS 14 bore ø 1.30mm		


1 			
No.	100289	Ref. No.	0G3001
description	gas injector thread M12x1 WS 14 bore ø 1.80mm		


1 			
No.	100669	Ref. No.	0G2395
description	gas injector thread M12x1 WS 14 bore ø 1.37mm		


1 			
No.	100740	Ref. No.	0G2397
description	gas injector thread M12x1 WS 14 bore ø 1.95mm		


1 			
No.	100307	Ref. No.	0K1224
description	gas injector thread M12x1 WS 14 bore ø 1.40mm		

1 			
No.	100291	Ref. No.	0G2914
description	gas injector thread M12x1 WS 14 bore ø 2.00mm		

1 			
No.	100700	Ref. No.	0G3463
description	gas injector thread M12x1 WS 14 bore ø 1.50mm		

1 			
No.	100744	Ref. No.	0G2915
description	gas injector thread M12x1 WS 14 bore ø 2.12mm		

1 			
No.	100301	Ref. No.	0G3804
description	gas injector thread M12x1 WS 14 bore ø 1.55mm		

1 			
No.	100309	Ref. No.	0K1230
description	gas injector thread M12x1 WS 14 bore ø 2.30mm		



1

No.	100294	Ref. No.	0G3803
description	gas injector thread M12x1 WS 14 bore ø 2.40mm		



1

No.	100416	Ref. No.	0G3511
description	gas injector thread M12x1 WS 14 bore ø 2.55mm		



1

No.	100304	Ref. No.	0G3891
description	gas injector thread M12x1 WS 14 bore ø 2.60mm		



1

No.	100752	Ref. No.	0G2964
description	gas injector thread M12x1 WS 14 bore ø 3.20mm		



1

No.	100762	Ref. No.	0G3892
description	gas injector thread M12x1 WS 14 bore ø 4.10mm		

pilot burner nozzles

pilot burner nozzles EGA



1

No.	101534	Ref. No.	0G2372
description	pilot burner nozzle LPG bore ø 0.19mm code 19 gas pressure 50mbar thread M5x0.8 suitable for THERMA/ELECTROLUX		



1

No.	101543	Ref. No.	0K1185
description	pilot burner nozzle natural gas bore ø 0.3mm code 30 gas pressure 20mbar thread M5x0.8		

pilot burner nozzles JUNKERS

CB 50203_/503_ series



1

No.	100220	Ref. No.	0K1176
description	pilot burner nozzle LPG gas pressure 50mbar code 2 Qty 1 pcs suitable for JUNKERS CB503_		



1

No.	100222	Ref. No.	0K1126
description	pilot burner nozzle LPG gas pressure 50mbar code 5 Qty 1 pcs suitable for JUNKERS CB50203_		

pilot burner nozzles SIT

100 series



1

No.	100245	Ref. No.	056799
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		



1

No.	100246	Ref. No.	056656
description	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		



1

No.	107170	Ref. No.	058525
description	pilot burner nozzle SIT natural gas bore ø 0.35mm Qty 1 pcs		

160 series



1

No.	107172	Ref. No.	054593
description	pilot burner nozzle SIT LPG code 25 Qty 1 pcs		

bypass nozzles

bypass nozzles PEL20/21



1

No.	100554	Ref. No.	002900
description bypass nozzle type PEL20/21 bore ø 0.45mm thread M5x0.5			



1

No.	100548	Ref. No.	002991
description bypass nozzle type PEL20/21 bore ø 0.65mm thread M5x0.5			



1

No.	100528	Ref. No.	002926
description bypass nozzle type PEL20/21 bore ø 0.9mm thread M5x0.5			

bypass nozzles PEL22



1

No.	100414	Ref. No.	004261
description bypass nozzle type PEL22 bore ø 0.45mm thread M6x0.5			

auxiliary gas parts

screw connections

olives



1

No.	101278	Ref. No.	060325
description olive for pipe ø 10mm Qty 1 pcs			

accessories for 101278



No.	100943	Ref. No.	OKL494
union nut thread M17x1 tube ø 10mm			



No.	101300	Ref. No.	—
union nut thread M16x1.5 tube ø 10mm			



No.	101478	Ref.
-----	--------	------

union nut thread 3/8" for pipe ø 10mm



1

No.	101248	Ref. No.	050682
description olive for pipe ø 12mm Qty 1 pcs suitable for PEL			

accessories for 101248



No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm			



1

No.	100897	Ref. No.	059161
description olive for pipe ø 4mm Qty 1 pcs for pilot burner			

union nuts



1

No.	100943	Ref. No.	OKL494
description union nut thread M17x1 tube ø 10mm			

accessories for 100943



No.	101278	Ref. No.	060325
olive for pipe ø 10mm Qty 1 pcs			

union screws



1

No.	100906	Ref. No.	057960
description screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			



1

No.	100908	Ref. No.	052125
description union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			

accessories for 100908



No.	100897	Ref. No.	059161
olive for pipe ø 4mm Qty 1 pcs for pilot burner			



No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs			



No.	101280	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs			



No.	101282	Ref. No.	—
olive for pipe ø 4mm L 7.4mm Qty 1 pcs			



equipment-specific units

for convection ovens/combi-steamers

filters



1

No.	514425	Ref. No.	0C1740
description	drain filter ø 102mm		

for boiling pans

miscellaneous



1

No.	691254	Ref. No.	0KJ532
description	lever for tilting kettle		



1

No.	540993	Ref. No.	0TR591
description	support for manometer size 1/2"		

for dishwashers

containers

accessories



1

No.	504703	Ref. No.	048434
description	lid suitable for ZANUSSI equiv. no. 048434 external height 20mm		

boilers

accessories




1



No.	517339	Ref. No.	005381
description	flange ø 74mm ID ø 33mm thickness 1mm hole ø 9mm		

air traps

air traps





1

No.	504620	Ref. No.	048308	
description	air trap			
accessories for	504620			
	No.	504618	Ref. No.	—
	O-ring EPDM thickness 2.62mm ID ø 15.54mm Qty 1 pcs			
	No.	504621	Ref. No.	—
	nut			



1

No.	504622	Ref. No.	046631	
description	air trap			
accessories for	504622			
	No.	511452	Ref. No.	—
gasket for air trap				
	No.	528487	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 9.19mm Qty 1 pcs				



1




No.	510103	Ref. No.	069515	
description	air trap L 85mm W 20mm H 80mm hose ø 6mm plastic			
spare parts for	510103			
	No.	505045	Ref. No.	—
	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs			
	No.	505094	Ref. No.	—
	air trap			
	No.	510016	Ref. No.	—
	eye bolt for rinse aid container connection			

Table continues overleaf



1

No.	111824	Ref. No.	OG3711
description	knob gas tap with ignition flame t.max.°C temperature range°C ø 60mm shaft ø 6x4.6mm shaft flat upper blue		



1

No.	111827	Ref. No.	OG3648
description	knob switch zero mark t.max.°C temperature range°C ø 60mm shaft ø 6x4.6mm shaft flat lower dark blue		

accessories

covers



1

No.	112107	Ref. No.	OG3399
description	lid knob		

fascias



1

No.	112106	Ref. No.	OK5794
description	bezel zero mark		


handles and hand wheels

hand wheels

hand wheels



1

No.	690085	Ref. No.	OK5532	
description	hand wheel ø 200mm D1 ø 48mm bore ø 20mm thread groove widthmm L1 30mm L2 60mm handle length 82mm with folding handle			
spare parts for	690085			
	No.	514255	Ref. No.	—
	folding handle ø 26mm total length 85mm seat ø 20mm shaft ømm thread M6 with pin L 85mm			



1

No.	690551	Ref. No.	0H6472
description	hand wheel ø 200mm D1 ø 48mm bore ø 20mm thread M8 groove widthmm L1 30mm L2 60mm handle length 80mm no fold-away handle		

lever handles



1

No.	540929	Ref. No.	056887
description	lever handle suitable for outlet tap shaft 8x8mm L 90mm		

recessed handles



1

No.	504780	Ref. No.	047481
description	handle		


locks




edgemount latches

handle latches

producer-specific

ZANUSSI



No.	700467	Ref. No.	002647
description	catch L 173mm H 40mm mounting distance 133/124mm W 30mm non lockable 6200 total length 170mm overall height 85mm		
accessories for	700467		
	No.	693937	Ref. No. 0F0029
	door handle H 44mm L 220mm W 50mm plastic black		
	No.	700468	Ref. No. 002650
	door catch with roller		
	No.	701412	Ref. No. —
	cover cap plastic round ø 11mm black for catch thickness 8mm		

door catches



No.	700468	Ref. No.	002650
description	door catch with roller		

hinges

door bearing



No.	700480	Ref. No.	002875
description	hinge bearing mounting pos. lower with bolt		

accessories

base plate



No.	700479	Ref. No.	002877
description	base plate for door hinge mounting pos. upper left		

miscellaneous



No.	700474	Ref. No.	002653
description	disc for hinge corrugated		








No.	700478	Ref. No.	002645
description	protector for glass door for hinge		


fittings for catering equipment

aerators and air bleeders



No.	540014	Ref. No.	0K5787
description	aerator and air bleeder thread 1/2" ET chrome-plated L 78mm		
spare parts for	540014		
	No.	112777	Ref. No. —
	star handle shaft 6x6mm ø 50mm L 18mm black plastic		
	No.	540365	Ref. No. —
	star handle shaft 6x6mm ø 50mm L 18mm black thermoplastic		

			
No.	540013	Ref. No.	0G3246
description	aerator and air bleeder thread 3/8" ET WS 27 chrome-plated L 86mm		
spare parts for	540013		
	No.	112777	Ref. No. —
	star handle shaft 6x6mm ø 50mm L 18mm black plastic		
	No.	540365	Ref. No. —
	star handle shaft 6x6mm ø 50mm L 18mm black thermoplastic		


			
No.	540949	Ref. No.	0H9729
description	aerator and air bleeder thread 1/2" ET chrome-plated with O-ring L 15mm ø 25mm		



lid hinges

type ECHTERMANN

10 series


10.81



			
No.	692648	Ref. No.	0K5245
description	lid hinge type 1081 level of centre of rotation 35mm load capacity 10-20NM opening angle 75° closing angle 10° mounting distance 198mm bore ø 11mm MD lid 100mm chrome-plated brass		

			
No.	691203	Ref. No.	0K5247
description	lid hinge type 1081 level of centre of rotation 45mm load capacity 50-60NM opening angle 75° closing angle 10° mounting distance 198mm bore ø 11mm MD lid 100mm chrome-plated brass		
spare parts for	691203		
	No.	691614	Ref. No. —
	repair kit for lid hinge load capacity 50-60NM		

FITTINGS FOR CATERING EQUIPMENT THERMA

10.82

			
No.	692652	Ref. No.	0G3736
description	lid hinge type 1082 level of centre of rotation 35mm load capacity 70-100NM opening angle 72° closing angle 10° mounting distance 220mm bore ø 11mm MD lid 100mm chrome-plated brass		

			
No.	691204	Ref. No.	0H9913
description	lid hinge type 1082 level of centre of rotation 35mm load capacity 70-100NM opening angle 75° closing angle 10° mounting distance 220mm bore ø 11mm MD lid 100mm chrome-plated brass		
spare parts for	691204		
	No.	691615	Ref. No. —
	repair kit for lid hinge load capacity 70-100NM		

drain taps


brass


drain taps

			
No.	548001	Ref. No.	0S1037
description	drain tap 1 1/2" IT O-ring seal kettle connection with union nut A 80mm B1 68mm B2 132mm		
spare parts for	548001		
	No.	505092	Ref. No. —
	O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs		
	No.	540213	Ref. No. —
	handle ID ø 5mm L 117mm		

			
1			
No.	540275	Ref. No.	0C4850
description	drain tap 2" IT with union nut A 90mm B 151mm B1 80mm chrome-plated brass		
spare parts for	540275		
	No.	540214	Ref. No.
			—
handle ID ø 6mm L 145mm			
accessories for	540275		
	No.	529484	Ref. No.
			—
flat gasket fibre ED ø 58mm ID ø 50mm thickness 2mm Qty 1 pcs			
	No.	542448	Ref. No.
			—
gasket silicone 60x49x2 for drain tap 2"			



accessories

			
1			
No.	540222	Ref. No.	053809
description	O-ring EPDM thickness 2.62mm ID ø 47.3mm Qty 1 pcs		

			
1			
No.	540083	Ref. No.	0K1469
description	pressure bolt for drain tap		

steam traps

steam traps

 			
1			
No.	541461	Ref. No.	0K5388
description	thermostatic steam trap thread 1/2" type BPT13S brass		


safety valves


			
1			
No.	541458	Ref. No.	0K5784
description	safety valve T1: 1/2" T2: 1/2" triggering pressure 1.3bar		


gaskets


gaskets for heated units


door seals


			
1			
No.	900763	Ref. No.	0K9170
description	door seal profile 2276 Qty supplied by meter		


			
1			
No.	900758	Ref. No.	0K8016
description	door seal profile 2450 W 445mm H 1360mm external size Qty 1 suitable for ELECTROLUX 450x1360		


			
No.	900759	Ref. No.	OK8015
description	door seal profile 2450 W 450mm H 720mm external size Qty 1 suitable for ELECTROLUX 447x719		

			
No.	900579	Ref. No.	005708
description	door seal profile 2520 W 450mm L 1490mm external size Qty 1 suitable for ELECTROLUX 450x1490		


			
No.	900577	Ref. No.	005710
description	door seal profile 2520 W 450mm L 550mm external size Qty 1 suitable for ELECTROLUX 450x550		


			
No.	900578	Ref. No.	005709
description	door seal profile 2520 W 450mm L 770mm external size Qty 1 suitable for ELECTROLUX 450x770		

			
No.	900753	Ref. No.	OK9171
description	door seal profile 2905 Qty supplied by meter		

			
No.	900764	Ref. No.	OK8159
description	door seal profile 2921 L 1600mm Qty 1		


boiling pan gaskets


			
No.	900755	Ref. No.	OK5571
description	boiling pan gasket profile 3030 L 1130mm W 655mm		


			
No.	900609	Ref. No.	OK5574
description	door seal profile 3030 ø 430mm		


O-rings


EPDM


			
No.	532003	Ref. No.	059293
description	O-ring EPDM thickness 1.78mm ID ø 3.69mm Qty 10 pcs		


			
No.	532581	Ref. No.	0E5118
description	O-ring EPDM thickness 2.3mm ID ø 17.2mm Qty 1 pcs		


			
No.	540222	Ref. No.	053809
description	O-ring EPDM thickness 2.62mm ID ø 47.3mm Qty 1 pcs		

			
1			
No.	510009	Ref. No.	069531
description	O-ring EPDM thickness 3.53mm ID ø 101.2mm Qty 1 pcs		

			
1			
No.	510408	Ref. No.	067620
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		


Viton			
			
1			
No.	511300	Ref. No.	002873
description	O-ring Viton thickness 3.53mm ID ø 28.17mm for 57 series for motor shaft		

			
1			
No.	528412	Ref. No.	002874
description	O-ring Viton thickness 3.53mm ID ø 31.34mm Qty 1 pcs		

sealing washers			
rubber gaskets			
			
1			
No.	504776	Ref. No.	049828
description	gasket rubber ED ø 60mm ID ø 50mm thickness 1.5mm for intake body		


shaft gaskets


miscellaneous


			
1			
No.	511301	Ref. No.	002699
description	shaft seal ID ø 16mm ED ø 38mm thickness 18mm		

special gaskets

miscellaneous

			
1			
No.	550924	Ref. No.	002075
description	gasket for probe ID ø 6mm EPDM		

			
1			
No.	900775	Ref. No.	0K5103
description	gasket L 1000mm size 10x2mm self-adhesive silicone		

			
1			
No.	691252	Ref. No.	0K5262
description	gasket profile V ED ø 46mm ID ø 36mm		

transmission technology and ball bearings

drive belts

toothed belts



1			
No.	504778	Ref. No.	0E5050
description	toothed belt profile T10 L 610mm H 4mm teeth 61 rubber with textile insertion CODE 354TI W 16mm		

springs

compression springs



1			
No.	504660	Ref. No.	047492
description	compression spring Ø 8.9mm L 37.5mm wire gauge Ø 1.15mm		

roller springs

roller springs



1			
No.	519449	Ref. No.	0E5158
description	roller spring W 25mm ID Ø 32mm lug lengthmm		



1			
No.	504518	Ref. No.	0E5167
description	roller spring W 39mm ID Ø 32mm lug lengthmm		

manometers



1			
No.	541460	Ref. No.	0K5402
description	manometer pressure range 0 up to 2.5bar marking 1.3		

hoses

supply hoses

PVC supply hoses



1			
No.	520011	Ref. No.	0L1887
description	supply hose PVC straight-curved DN13 connections 3/4" L 2000mm operating p. 10bar burst p. 32bar t.max. 90°C approval VDE flat seal		

industrial hoses

Niplaflex hoses



1			
No.	530561	Ref. No.	0C4158
description	pressure hose ID Ø 10mm ED Ø 17mm L 5m thickness 3.5mm operating p. 10bar burst p. 30bar t.max. 110°C		

valves and tank inlets

ball valves

universal

ball valves with butterfly handle



1			
No.	540982	Ref. No.	005927
description	ball valve connection 3/4" IT - 3/4" ET DN20 total length 69mm shaft Ø 8x5mm		

ball valves electric



1

No.	401139	Ref. No.	OC0882
description	ball valve inlet 3/4" IT outlet 3/4" IT with plug 230V L 65mm 50/60Hz closed off-current mode of operation electric connection cable 200mm		

ancillary products

clamps

hose clamps

DIN 3017 - W2



1

No.	520112	Ref. No.	048126
description	hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017		



1

No.	520116	Ref. No.	046878
description	hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017		



1

No.	520118	Ref. No.	046855
description	hose clamp ø 50-70mm width 9mm Qty 5 pcs DIN 3017		

measuring equipment

thermometers

built-in thermometers



1

No.	541522	Ref. No.	048525
description	thermometer mounting measurements 45x45mm +40 up to +120°C capillary pipe 5000mm probe ø 6mm probe L 36mm front measurements 48x48mm		

fastening material

nuts

knurled nuts



1

No.	504547	Ref. No.	047283
description	knurled nut thread M8x1 ø 25mm H 6mm SS		

hexagonal nuts

DIN 6923 / ISO 4161



1

No.	504315	Ref. No.	0E5372
description	nut thread M5 H 5mm WS 8 Qty 10 pcs		

washers

washers

DIN 125A



1

No.	560114	Ref. No.	OK5101
description	plain washer ID ø 8.4mm ED ø 16mm thickness 1.6mm SS Qty 20 pcs DIN 125A for thread M8		



fasteners

slot nuts

1



No.	560268	Ref. No.	0E5048
description	slot nut W 8mm H 7mm L 35mm		

clamps

hose clamps

DIN 3017 - W2

1



No.	520112	Ref. No.	048126
description	hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017		

1



No.	520116	Ref. No.	046878
description	hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017		

1



No.	520118	Ref. No.	046855
description	hose clamp ø 50-70mm width 9mm Qty 5 pcs DIN 3017		

roll pins

1



No.	692013	Ref. No.	0H6043
description	roll pin ø 3mm L 16mm		

consumables

sealants and adhesives

high temperature silicone

1



No.	890050	Ref. No.	0K3948
description	high temperature silicone NOVASIL S76 acetoxy-curing -40 up to +265°C t.max. 280°C anthracite cartridge 310ml		
description	<p>Novasil S56 - cartridge 310ml - anthracite</p> <ul style="list-style-type: none"> - Developed for applications in the home appliance industry: <ul style="list-style-type: none"> - Gluing of oven door seals - Gluing of mounting brackets for cooker fascias, oven door seals and handles - Attachment of elastic seals, e.g. to oven doors <p>Temperature resistance: -40°C to +265°C</p>		

lubricants

silicone fats

1



No.	890101	Ref. No.	0H7004
description	silicone grease FERMIT GLISSA tube 60g -40 to +200°C approval		
description	<p>Fermit GLISSA - tube 60g</p> <p>Non-drip lubricating grease for drinking water valves and fittings. Glissa silicone grease is suitable as a lubricant and sealant for drinking water valves and fittings (e.g. cartridges of single-lever mixers, switching valves and swivel spouts). Water-repellent, physiologically safe, sealing and has a high temperature resistance up to 200°C. Complies with the guidelines of the UBA for sanitary lubricants, tested by TZW for suitability for drinking water and approved in accordance with DIN ISO 21469.</p> <p>Temperature range: -40°C to +200°C</p>		

fuses

fine fuses

1




No.	358677	Ref. No.	057783
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		



1

No.	358695	Ref. No.	005032
description	fine fuse size ø5x20mm 3.15A medium lag rated 250V Qty 10 pcs		



1

No.	358703	Ref. No.	002750
description	fine fuse size ø5x20mm 0.4A slow-acting rated 250V Qty 10 pcs		



1

No.	358397	Ref. No.	0K5074
description	fuse size 76mm 25A rated 690V Qty 1 pcs		