

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

TURBOCHEF

heating elements

heating elements for microwaves

			
No.	418738	Ref. No.	HHB-3202 HHB-3216 HHB-8099 HHB-8201
description	heating element 2500W 208V heating circuits 1 L 450mm W 170mm thread 1/4" mounting distance 162mm tube ø 8mm dry heating element 2 hole fixing connection length 60mm with mounting kit Qty 2 pcs		
For models:	HHB, HHB2		

			
No.	418717	Ref. No.	100649 NGC-3003 NGC-3086
description	heating element 3000W 208V heating circuits 1 L 395mm W 395mm W2 305mm tube ø 11mm cable length 200mm W1 45mm flange ø 25mm mounting ø 19mm suitable for TURBOCHEF NGC		
For models:	NGC		

heaters

			
No.	418712	Ref. No.	100661 NGC-3011
description	heater 3300W 208V heating circuits 1 L 320mm W 147mm H 30mm connection M5 convection heating element hole ø 6.5mm suitable for TURBOCHEF NGC		
For models:	NGC		
spare parts for	418712		
	No.	691396	Ref. No. NGC-1043
	 gasket L 320mm W 145mm for heating element		

			
No.	418715	Ref. No.	100652-1
description	heating element 4800W 240V heating circuits 1 L 250mm W 180mm H 53mm tube ø 11mm thread 5/8" UNF cable length 160mm hot air H1 7mm H2 46mm mounting distance 170mm suitable for Turbochef		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI		

heating elements for convection

			
No.	418758	Ref. No.	i5-3216 i5-9317
description	heating element 3000+3000W 208V L 330mm W 170mm tube ø 8mm service kit		

			
No.	418971	Ref. No.	i3-9378
description	heating element 3000W 208V heating circuits 1 L 255mm W 75mm flange length 65mm flange width 19mm		

accessories

flange gaskets

			
No.	691433	Ref. No.	C0342 TC3-0194
description	gasket L 290mm W 230mm for heating element		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI		

			
No.	691396	Ref. No.	NGC-1043
description	gasket L 320mm W 145mm for heating element		
For models:	NGC		

			
No.	418716	Ref. No.	NGC-3012
description	insulation for heating element		
For models:	NGC		



thermostats

bi-metal thermostats

bi-metal thermostats



No.	390615	Ref. No.	102085 102086
description	bi-metal thermostat hole distance 23.5mm switch-off temp. °C 1NO 16A connection F6.3 starting temperature 48.9°C for axial flow fan		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI, HHB, HHB2, HHC2020, HHC3240, i3, i5, NGC, NGO		



No.	390614	Ref. No.	102070
description	bi-metal thermostat hole distance 40mm switch-off temp. 100°C 1NC 16A connection F6.3 for Magnetron suitable for TURBOCHEF C3		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI, i5, NGC		

control and safety thermostats

EGO

safety thermostats

55.33_ series



No.	375882	Ref. No.	102075
description	safety thermostat switch-off temp. 300°C 3-pole 20A probe ø 4mm probe L 157mm capillary pipe 520mm capillary pipe isolatedmm gland nut probe SS		

56._ series



No.	375883	Ref. No.	7603 R7603
description	safety thermostat switch-off temp. 350°C 1-pole 16A probe ø 3.03mm probe L 138mm capillary pipe 1760mm capillary pipe isolated 1710mm gland nut probe SS		
For models:	C3, C3AB, C3C, C3C-MULTI, C3-MULTI		

switches and momentary switches

microswitches

lever actuated



No.	347010	Ref. No.	102012
description	microswitch with lever 250V 16A 1CO connection male faston 4.8mm L 36mm ambient temperature max. 105°C mounting distance 22mm type D3V-16G443-1C25-K actuating force: 50g lever length 28mm		
For models:	C3D, HHB2, i3, i5, NGC, NGO		



No.	347201	Ref. No.	102013 i1-3207
description	microswitch with lever 250V 16A 1CO connection male faston 4.8mm L 37mm ambient temperature max. 105°C mounting distance 22mm type D3V-16G443-1C25-K actuating force: 70g lever length 27mm		
For models:	NGO		

accessories



No.	691391	Ref. No.	NGC-1194
description	holding plate for microswitch L 28mm W 16mm		
For models:	NGC		



1 			
No.	691389	Ref. No.	NGC-1126
description	opposite support for microswitch L 44mm W 13mm		
For models:	NGC		


magnetic switches

29x19mm

1 			
No.	347005	Ref. No.	HHB-3209
description	magnetic switch L 29mm W 19mm 1NO		
For models:	HHB		

accessories

magnets

1  			
No.	345700	Ref. No.	102789
description	magnet ømm L 29mm H 6.5mm W 19mm hole distance 16mm M3 hole ø 3.5mm		
For models:	HHB		

alarm devices

alarm units

1 			
No.	350139	Ref. No.	NGC-3083
description	alarm device ø 31.75mm H 9.5mm 2 hole fixing 80dB protection IP54		
For models:	C3, C3D, HHB, HHB2, NGC		

solid state relays

CRYDOM

1 			
No.	400780	Ref. No.	101285 TC3-3221
description	solid state relay CRYDOM 1 phase 50A 240V 3-32VDC L 59mm W 46mm kit screw type D2450		
For models:	C3, C3AB, C3C, C3C-MULTI, C3-MULTI		
spare parts for	400780		
	No.	400781	Ref. No. —
	solid state relay CRYDOM 1 phase 50A 24-280V 3-32VDC L 59mm W 46mm screw type D2450		
	No.	401676	Ref. No. —
	heat-conducting foil L 57mm W 45mm		

1 			
No.	400559	Ref. No.	101284 NGC-3005
description	solid state relay CRYDOM 2 phase 40A 120-240V 24VDC L 59mm W 46mm plug-in connection type D2440DE-6816		
For models:	C3, C3D, HHB, HHB2, HHC2020, i3, i5, NGC, NGO		

accessories

diodes

high voltage diodes

1 			
No.	379654	Ref. No.	100480 100481
description	hv diode type HV07-16 connection F6.3 cable lengthmm suitable for TURBOCHEF NGC		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI, i3, i5, NGC, NGO		



relays

power relays

with DIN rail mounting

upper



1

No.	380884	Ref. No.	101279
description	power relays MAGNECRAFT 24VDC NO 30A/NC 3A 2CO connection male faston 6.3mm dimensions 34x52mm manuf. no. W92S11D22D-24 277V		
For models:	HHC2020		

with bracket mounting



1

No.	380806	Ref. No.	101274	
description	power relays 24VDC 20A			
For models:	HHC3240, i3, i5, NGC, NGO			
accessories for	380806			
	No.	380805	Ref. No.	—
	support bracket			



1

No.	380861	Ref. No.	101271 101273
description	power relays MAGNECRAFT 24VDC 16A 2CO connection male faston 6.3mm raster size 22.2mm bracket mounting at 250V 15A manuf. no. 389CX-179 24VDC		
For models:	C3D, HHB, HHB2, i3, i5, NGC, NGO		



1

No.	380860	Ref. No.	101272
description	power relays MAGNECRAFT 24VDC 16A 3CO connection male faston 6.3mm raster size 11.1mm bracket mounting at 250V 15A manuf. no. 389CX-178 24VDC		
For models:	i3, i5, NGC, NGO		

plug-in/print relays



1

No.	380862	Ref. No.	T0278
description	plug-in relay 2CO		
For models:	C3, C3AB, C3C, C3C-MULTI, C3-MULTI		

relay sockets



1

No.	380863	Ref. No.	T0309
description	relay socket		
For models:	C3, C3AB, C3C, C3C-MULTI, C3-MULTI		

magnetrons



1

No.	402048	Ref. No.	100860 TC3-3233
description	Magnetron HITACHI type 2M121A suitable for TURBOCHEF C3		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI		
accessories for	402048		
	No.	390614	Ref. No. 102070
	bi-metal thermostat hole distance 40mm switch-off temp. 100°C 1NC 16A connection F6.3 for Magnetron suitable for TURBOCHEF C3		



1

No.	402053	Ref. No.	100861
description	Magnetron LG type suitable for TURBOCHEF NGC		



1

No.	403321	Ref. No.	NGC-3015
description	Magnetron TOSHIBA type 2M248J(FD) suitable for TURBOCHEF NGC		
For models:	i3, i5, NGC, NGO		

transformers

HV transformers



1

No.	402050	Ref. No.	102104 NGC-3061-2
description	filament transformer		
For models:	i3, i5, NGC, NGO		



1

No.	401989	Ref. No.	102093 102093-1 TC3-3223
description	HV transformer		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI		



1

No.	401987	Ref. No.	102091 102091-1 TC3-3222
description	HV transformer primary 200-208/240VV 50/60Hz for microwaves		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI		



1

No.	401998	Ref. No.	102103 DPC102103 NGC-3062-2
description	HV transformer primary 230V secondary 2000KV connection male faston 50Hz type DPC102103 for microwave		
For models:	i3, i5, NGC, NGO		



probes

producer-specific probes


probes




No.	379643	Ref. No.	HHC-6517
description	probe Pt100 cable glass fibre probe -200 up to +600°C cable -50 up to +350°C connection plug thread probe ø5x150mm cable length 0.3m		
For models:	HHC3240, i3, i5		



No.	379642	Ref. No.	HHC-6517-2
description	probe Pt100 cable glass fibre probe -200 up to +600°C cable -50 up to +350°C connection plug thread probe ø5x50mm cable length 0.3m		
For models:	HHC2020, NGO		



No.	379897	Ref. No.	HHB-8170 NGC-1140
description	thermocouple thermocouple J (Fe-CuNi) cable PTFE probe -50 up to +750°C cable -40 up to +250°C connection 2-wire thread probe ø1.5x155mm cable length 1m		
For models:	HHB, HHB2, NGC		



No.	379895	Ref. No.	HHB-8170 NGC-1140
description	thermocouple thermocouple K (NiCr-Ni) cable PTFE probe -50 up to 1150°C cable -40 up to +250°C connection 2-wire thread		



No.	379894	Ref. No.	102065
description	thermocouple thermocouple K (NiCr-Ni) cable PTFE probe -50 up to 1150°C cable -40 up to +250°C connection 2-wire thread probe ø1.5x155mm cable length 1m		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI		



No.	379896	Ref. No.	700-1199
description	thermocouple thermocouple K (NiCr-Ni) cable PTFE probe -50 up to 1150°C cable -40 up to +250°C connection 2-wire thread probe ø2.5x10mm cable length 0.1m		
For models:	C3, C3D, HHB, HHB2, i5, NGC		

accessories

screw connections



No.	691450	Ref. No.	102718
description	screw connection thread 1/16 x 1/8NPT		

electronics

EPROMS



No.	401978	Ref. No.	NGC-1099-9
description	EPROM SUBWAY suitable for TURBOCHEF NGC CODE 3C0173		



1

No.	401999	Ref. No.	NGC-1099-17 NGC-3027-1
description	EPROM suitable for DUNKIN DONUTS CODE 39F9B5 15.03.07		



1

No.	401979	Ref. No.	NGC-1099-4
description	EPROM suitable for TURBOCHEF NGC CODE 3C8F89 11.05.05		

PCBs



1

No.	401901	Ref. No.	HHB-3213-1
description	control PCB		



1

No.	401973	Ref. No.	CON-3007-4-1 NGC-3026-4 NGC-3044-1
description	control PCB		



1

No.	401988	Ref. No.	C0265 TC3-3213-0294
description	control PCB countries Europe Smart Menü		



1

No.	402132	Ref. No.	NGC-1054-2
description	control PCB hot-air microwave oven TURBOCHEF NGC complete		
For models:	NGC		



1

No.	403864	Ref. No.	CON-3008-1-1
description	control PCB L 185mm W 115mm		



1

No.	403883	Ref. No.	CON-3009-2-25
description	control PCB L 185mm W 115mm countries Europe Smart Menü		




1

No.	401704	Ref. No.	CON-3007-11-3 NGC-3055-3
description	control PCB STARBUCKS		



1

No.	401995	Ref. No.	HHB-3204 HHB-8131
description	display		



1

No.	402177	Ref. No.	103360 CON-7004 i5-3207
description	display L 130mm W 105mm suitable for TURBOCHEF i5 service kit		
For models:	i3, i5		



1

No.	401996	Ref. No.	T0238 TC3-3229
description	display suitable for TURBOCHEF C3 complete incl. control		



1

No.	401997	Ref. No.	T0238 TC3-3229	
description	display suitable for TURBOCHEF C3 complete incl. control			
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI			
spare parts for	401997			
	No.	401971	Ref. No.	NGC-1110-1
	membrane keypad suitable for Turbochef L 295mm W 100mm			
	No.	401996	Ref. No.	T0238 TC3-3229
	display suitable for TURBOCHEF C3 complete incl. control			



1

No.	402229	Ref. No.	100505 HHB-3204 HHB-8131
description	display suitable for TURBOCHEF HHC2020 complete incl. control		
For models:	HHB, HHB2, HHC2020, HHC3240		

1

No.	401910	Ref. No.	100505 HHB-3204 HHB-8131 TC3-3229
description	display suitable for Turbochef model 3240/2020 VFD		



1

	No.	401991	Ref. No.	HHB-3204 NGC-3023	
description		display suitable for TURBOCHEF NGC with cable			
For models:		HHC2020, NGC			
spare parts for		401991			
		No.	401680	Ref. No.	100184 NGC-1530
ribbon cable 26-pole L 290mm plug type FC-26P raster size 2.54mm					



1


No.	402299	Ref. No.	100446 CON-7039
description	PCB		
For models:	i3, i5, NGO		

			
1			
No.	403051	Ref. No.	CON-3007-8-7
description	PCB microwave Turbochef NGC, SAGE 2, SUBWAY countries (Europe, Asia, Pacific) with „BLANK SMART CARD“ Service Kit I/O PCB Subway		

			
1			
No.	403601	Ref. No.	CON-7013
description	PCB NGC-HHB-C3D-2020		
For models:	C3, C3D, HHB, HHB2, HHC2020, NGC		

			
1			
No.	401886	Ref. No.	100446 CON-7039
description	PCB NGO-i3-i5		

			
1			
No.	402102	Ref. No.	NGC-1008 NGC-3049-7
description	PCB suitable for TURBOCHEF NGC countries (Europe, Asia, Pacific) with „BLANK SMART CARD“ Service Kit I/O PCB Subway		
For models:	HHB		

			
1			
No.	402178	Ref. No.	CON-3001 CON-3001-1-1 CON-3001-XXXX i5-3208-1
description	PCB TURBOCHEF i3-i5 L 190mm W 115mm service kit		
For models:	i3, i5		

			
1			
No.	401985	Ref. No.	M9608
description	power PCB TURBOCHEF C3 115-230V voltage output 24VDCV		
For models:	C3, C3AB, C3C, C3C-MULTI, C3-MULTI		

			
1			
No.	401990	Ref. No.	101206 NGC-3069 (old version)
description	power supply voltage input 100-240VACV voltage output 24VDCV		
For models:	HHB		

			
1			
No.	401984	Ref. No.	101211 NGC-3069
description	power supply with housing		
For models:	C3D, HHB, HHB2, HHC2020, HHC3240, i3, i5, NGC, NGO		

central units



1

No.	401993	Ref. No.	100431 TC3-3234-1
description	menübox		

keypads

membrane keypads



1

No.	402179	Ref. No.	i5-9247
description	membrane keypad buttons 26 suitable for TURBOCHEF i5 L 634mm W 85mm		
For models:	i5		



1

No.	402227	Ref. No.	i3-9247
description	membrane keypad for i3 L 515mm W 85mm		




1

No.	402180	Ref. No.	HHC-1234
description	membrane keypad for oven buttons 11 L 203mm W 74mm		
For models:	HHC2020, HHC3240		



1

No.	401907	Ref. No.	NGC-1110-3
description	membrane keypad STARBUCKS suitable for Turbochef L 295mm W 98mm		
For models:	NGC		



1

No.	401971	Ref. No.	NGC-1110-1
description	membrane keypad suitable for Turbochef L 295mm W 100mm		
For models:	NGC		



1

No.	401972	Ref. No.	NGC-1110-2
description	membrane keypad suitable for TURBOCHEF SUBWAY L 295mm W 100mm		
For models:	NGC		

accessories



1

No.	691406	Ref. No.	NGC-1040
description	front panel suitable for TURBOCHEF NGC		
For models:	NGC		

fans

axial fans

import



1

No.	601460 ¹	Ref. No.	TC3-3210	
description	axial fan L 119mm W 119mm H 25mm 230VAC 50/60Hz 14/16W bearing ball bearing connection male faston 6.3mm conversion kit ORION suitable for TURBOCHEF C3 fan wheel ø 110mm temp.-resist. 80°C			
For models:	C3			
spare parts for	601460			
	No.	601131	Ref. No.	—
	axial fan L 119mm W 119mm H 25mm 230VAC 50/60Hz 19/18W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C			

¹with ball bearings




1

No.	601080 ¹	Ref. No.	100516	
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C			
For models:	HHB, HHB2, NGO			
accessories for	601080			
	No.	550898	Ref. No.	—
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan			
	No.	692519	Ref. No.	—
	guard L 120mm W 120mm plastic			

¹with ball bearings



1




No.	601469 ¹	Ref. No.	100085
description	axial fan L 172mm W 150mm H 55mm 230VAC 50/60Hz 42W bearing ball bearing connection cable metal ORION fan wheel ø 140mm temp.-resist. 70°C		
For models:	C3		

¹with ball bearings




1



No.	601500 ¹	Ref. No.	TC3-0433
description	axial fan L 172mm W 150mm H 55mm 230VAC 50/60Hz 42W bearing ball bearing connection cable metal ORION fan wheel ø 145mm temp.-resist. 70°C		
For models:	C3D, HHC2020, i3, i5		


¹with ball bearings

ebm papst



1

No.	601459	Ref. No.	100518 NGC-3077
description	axial fan L 172mm W 150mm H 55mm 230VAC 50/60Hz		



1

No.	601473 ¹	Ref. No.	100518 100574 NGC-3077
description	axial fan L 172mm W 150mm H 55mm 230VAC 50/60Hz 35W bearing ball bearing connection male faston 2.8mm metal ORION suitable for Turbochef fan wheel ø 140mm temp.-resist. 70°C		
For models:	NGC		

¹with ball bearings



1

No.	601468 ¹	Ref. No.	100519 100519-1 M9609 TC3-3202
description	axial fan D1 ø 172mm D2 ø 195mm H 55mm 24VDC 50W bearing ball bearing manuf. no. FDD24Z3A2 connection cable 300mm cable length 300mm with protective grid FALCON suitable for Turbochef fan wheel ø 155mm round		
For models:	C3, C3AB, C3C, C3C-MULTI, C3-MULTI		

¹with ball bearings

hot air motors



1

No.	601461	Ref. No.	NGC-1019-2 NGC-1020 NGC-3007
description	fan wheel D1 ø 160mm H1 40mm blades 12 D2 ø 16mm D3 ø 16mm H2 16mm		
For models:	NGC		
spare parts for	601461		
	No.	601466	Ref. No. 700-0306-2
flange for fan motor ED ø 44.5mm int. ø 2 16mm thickness 6.5mm steel			



1

No.	601466	Ref. No.	700-0306-2
description	flange for fan motor ED ø 44.5mm int. ø 2 16mm thickness 6.5mm steel		
For models:	C3, C3AB, C3D, C3-MULTI		




hot air fans

miscellaneous




1



No.	601462	Ref. No.	100882 NGC-1025
description	hot air fan 180V L1 91mm L2 5mm L3 40mm L4 95mm fan wheel ø 180mm Aspen type M34-0030 2A		
For models:	NGC		
spare parts for	601462		
	No.	601461	Ref. No.
	NGC-1019-2 NGC-1020 NGC-3007		
fan wheel D1 ø 160mm H1 40mm blades 12 D2 ø 16mm D3 ø 16mm H2 16mm			




1



No.	601465	Ref. No.	HHB-8106 TC3-0213	
description	hot air fan 180V L1 91mm L2 5mm L3 45mm L4 95mm fan wheel ø 170mm Aspen type M34-0030 2A			
For models:	C3, C3D, HHB, HHB2			
spare parts for	601465			
	No.	601466	Ref. No.	700-0306-2
	flange for fan motor ED ø 44.5mm int. ø 2 16mm thickness 6.5mm steel			
	No.	691380	Ref. No.	605-0070
	ring ø 170mm for fan wheel			



1



No.	601471	Ref. No.	C0299 T0076 T0299 TC3-3201
description	hot air fan 180V L1 91mm L2 7mm L3 43mm L4 95mm fan wheel ø 160mm Aspen type M34-0030 with PCB and service instruction 2A		
For models:	C3, C3AB, C3C, C3C-MULTI, C3-MULTI		
spare parts for	601471		
	No.	403601	Ref. No. CON-7013
	PCB NGC-HHB-C3D-2020		



1

No.	601675	Ref. No.	103551 i3-3209-2 i3-3209-4 i3-9042
description	fan motor 180VAC 1.4A mounting pos. lower fan wheel ø 97mm		
For models:	i5		



1

No.	601676	Ref. No.	i3-3209-1 i3-3209-3 i3-9040 i3-9040.B
description	fan motor 180VAC 1.4A mounting pos. upper L1 90mm L2mm L3mm L4 100mm fan wheel ø 97mm type RM34-0111		



1

No.	601660	Ref. No.	i5-3218-2 i5-3218-4 i5-9042 i5-9221
description	fan motor 180VAC 250W 1.4A mounting pos. lower L1 88mm L2 18mm L3 52mm L4 100mm fan wheel ø 97mm for i5		
For models:	i5		



1

No.	601661	Ref. No.	i5-3218-1 i5-3218-3 i5-9040 i5-9220
description	fan motor 180VAC 250W 1.4A mounting pos. upper L1 88mm L2 18mm L3 52mm L4 100mm fan wheel ø 97mm		
For models:	i5		

accessories
fan wheels for hot air fans



1

No.	691432	Ref. No.	605-0069
description	fan wheel ø 170mm W 42.5mm shaft intake ø 25mm blades 12		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI		
accessories for	691432		
	No.	601466	Ref. No. 700-0306-2
	flange for fan motor ED ø 44.5mm int. ø 2 16mm thickness 6.5mm steel		
	No.	691380	Ref. No. 605-0070
	ring ø 170mm for fan wheel		

miscellaneous


1

No.	691380	Ref. No.	605-0070
description	ring ø 170mm for fan wheel		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI		

radial fans


1

No.	601472	Ref. No.	100083
description	radial fan 230V voltage AC 50/60Hz 65/80W H1 190mm L1 195mm D1 ø 110mm W1 71mm W2 44.5mm H2 47mm W3 49mm H3 68mm		
For models:	C3D, HHC3240, i5, NGC		

miscellaneous


1

No.	601464	Ref. No.	T0262
description	radial fan 24V voltage DC 26W H1 160mm L1 160mm D1 ø 101mm W1 50mm W2 34mm H2 62mm W3 40mm H3 115mm for Magnetron		
For models:	C3, C3AB, C3C, C3C-MULTI, C3-MULTI		

motors
gear motors
for ovens
for flues


1

No.	601467	Ref. No.	100891
description	gear motor CROUZET type 823440 3W 230V 50Hz 6rpm shaft ø 4mm L 65mm W 51mm H 34mm		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI		
accessories for	601467		
	No.	691422	Ref. No. C0283 T0283
	gear wheel for gear motor suitable for TURBOCHEF C3		



1

No.	601470	Ref. No.	HHB-3200 HHB-3231 HHB-8048 HHB-8135
description	gear motor CROUZET type 80533004 16.7W 230V 60Hz 3.6rpm shaft ø 8mm L 87mm W 61mm H 56mm		
For models:	HHB, HHB2		



condensators & interference suppression filters

filters

line filters

with housing



1

No.	365071	Ref. No.	100541 100542 C0980
description	line filter 15A capacity 0.004μF		
For models:	C3, C3C-MULTI, C3D, C3-MULTI, HHC3240		



1

No.	365112	Ref. No.	100543
description	line filter 250V 50/60Hz 40A		
For models:	NGC, NGO		



1

No.	365075	Ref. No.	100545
description	line filter 36A		
For models:	NGC		



1

No.	365104	Ref. No.	100546
description	line filter 440V 50/60Hz 50A		
For models:	i3, i5		



1

No.	365069	Ref. No.	100539
description	line filter 6A capacity 0.055μF		
For models:	HHB, HHB2, HHC2020		

HV capacitors



1

No.	365091 ¹	Ref. No.	100232
description	HV capacitor for microwave 0.91 / 0.19μF type N64H2511G24A4 2500V 50/60Hz double connection male faston 6.3mm L 109mm H 46.5mm W 71mm dependent on equipment aluminium Qty 1 pcs		
For models:	i3, i5, NGO		

¹incl. mounting clip

1

No.	365068	Ref. No.	100201 NGC-3020
description	HV capacitor for microwave 0.91μF type N42H2591G21A4 2500V 50/60Hz triple connection male faston 6.3mm aluminium Qty 1 pcs		
For models:	NGC		



1

No.	365072 ¹	Ref. No.	100200 100205 100206 TC3-3220
description	HV capacitor for microwave 1.05 / 0.15μF type HCH-250515P 2500V 50/60Hz double connection male faston 6.3mm L 108mm H 46mm W 70mm retainer set aluminium Qty 1 pcs		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI		
spare parts for	365072		
	No.	365070	Ref. No. TC3-3219
	 HV capacitor for microwave 1.05 / 0.15μF type HCH-250515P 2500V 50/60Hz double connection male faston dependent on equipment aluminium Qty 1 pcs		

¹incl. mounting clip

1

No.	365070	Ref. No.	TC3-3219
description	HV capacitor for microwave 1.05 / 0.15μF type HCH-250515P 2500V 50/60Hz double connection male faston dependent on equipment aluminium Qty 1 pcs		
For models:	C3		

			
1			
No.	365074	Ref. No.	100204 NGC-3020-2
description	HV capacitor for microwave 1.15µF type HCH-252115B 2500V 50/60Hz triple connection male faston 6.3mm dependent on equipment aluminium Qty 1 pcs		
For models:	NGC		

			
1			
No.	365073 ¹	Ref. No.	N42H2511G22A4 NGC-3020-2
description	HV capacitor for microwave 1.15µF type N42H2511G22A4 2500V 50/60Hz triple connection male faston 6.3mm L 107mm H 40mm W 66mm retainer set aluminium Qty 1 pcs		

¹incl. mounting clip

fuses

fine fuses

			
1			
No.	358836	Ref. No.	100592 100596
description	fine fuse size 10.4x35(38)mm 12A fast-acting rated 600V type ATMR/KTK-R Qty 1 pcs		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI, HHB, HHB2, i3, i5, NGC, NGO		

			
1			
No.	358837	Ref. No.	100599
description	fine fuse size 10.4x35(38)mm 20A fast-acting rated 600V type ATMR/KTK-R Qty 1 pcs		
For models:	HHC2020, HHC3240, i3, NGC, NGO		

			
1			
No.	358838	Ref. No.	100597
description	fine fuse size 10.4x35(38)mm 25A fast-acting rated 600V type ATMR/KTK-R Qty 1 pcs		
For models:	C3, C3C		

various

			
1			
No.	358009	Ref. No.	100593
description	fuse size 10.3x38mm 12A rated 600V Qty 1 pcs		
For models:	C3D, i5		

fine fuse holders

1

No.	358835	Ref. No.	100586	
description	fuse holder suitable fuse ø6.3x32mm ø 14.5mm 30A rated 600V connection F6.3 max. 30A			
For models:	C3D, HHB, NGC			
accessories for	358835			
	No.	358836	Ref. No.	100592 100596
	fine fuse size ø10.4x35(38)mm 12A fast-acting rated 600V type ATMR/KTK-R Qty 1 pcs			
	No.	358837	Ref. No.	100599
	fine fuse size ø10.4x35(38)mm 20A fast-acting rated 600V type ATMR/KTK-R Qty 1 pcs			
	No.	358838	Ref. No.	100597
	fine fuse size ø10.4x35(38)mm 25A fast-acting rated 600V type ATMR/KTK-R Qty 1 pcs			

			
1			
No.	550983	Ref. No.	100590 T0703
description	fuse holder suitable fuse 10x38mm 1-pole 30A rated 600V L 78mm W 18mm H 59mm		
For models:	C3		

line circuit breakers

miscellaneous

			
1			
No.	358236	Ref. No.	103170
description	line circuit breaker 2-pole drop-away current 15A		
For models:	C3, C3C-MULTI, C3-MULTI		



1

No.	358235	Ref. No.	103177 T0322
description	line circuit breaker 3-pole drop-away current 35A		
For models:	C3, C3AB, C3C		

electric accessories

cables

power supply cables



1

No.	550978	Ref. No.	100194
description	connecting cable CEE 4-pole 1.9m with plug type 30A		
For models:	NGC		



1

No.	550979	Ref. No.	HHB-8195-3
description	connecting cable CEE 5-pole 1.9m with plug 16A		
For models:	HHB, HHB2		

ribbon cables

group 1



1

No.	401680	Ref. No.	100184 NGC-1530
description	ribbon cable 26-pole L 290mm plug type FC-26P raster size 2.54mm		
For models:	HHC2020, HHC3240, NGC		

miscellaneous



1

No.	102444	Ref. No.	103575 HHC-6582-5
description	cable for flame monitoring		
For models:	HHC3240		

connection cables



1

No.	401980	Ref. No.	100186
description	connecting cable for Magnetron		
For models:	C3D, i3, NGC		



1

No.	401681	Ref. No.	100182
description	connection cable L 150mm 4-pole		
For models:	HHC2020, i3, i5, NGC, NGO		



1

No.	401682	Ref. No.	103023
description	connection cable L 360mm 4-pole		
For models:	HHB, HHC3240		

terminals

rail-mounted terminals

WIELAND

rail-mounted terminals type 9700A



1

No.	550381	Ref. No.	102046 T0704
description	rail-mounted terminal WIELAND type 9700A/8 S35 1.0-10mm² top-hat rail 35mm grey W 8mm L 46.6mm		
For models:	C3		

electronic components

chip cards


chip cards



1			
No.	402054	Ref. No.	NGC-1181-21
description	chip card menu suitable for DUNKIN DONUTS edition 30.03.07		



1			
No.	401982	Ref. No.	100508
description	chip card Smart Card Blank		
For models:	NGC		



1			
No.	401981	Ref. No.	NGC-1181-116 NGC-1181-2(D)
description	chip card Smart Card Subway Menü General		



1			
No.	401705	Ref. No.	i5-3206
description	service kit Firmware Upgrade		

chip-card readers



1			
No.	401992	Ref. No.	100506
description	chip card reader		
For models:	C3D, HHB, HHB2, HHC2020, HHC3240, NGC, NGO		

inverter



1			
No.	402176	Ref. No.	HHC-3012-2 HHC-6630-2
description	inverter for oven 220/240V 50/60Hz 4.3A 0-240V 0-1500Hz		
For models:	HHC2020, HHC3240		

software

service sets



1			
No.	401705	Ref. No.	i5-3206
description	service kit Firmware Upgrade		



1			
No.	401975	Ref. No.	NGC-3027-4 NGC-3030-1 NGC-3030-4
description	service kit suitable for Turbochef standard with software countries (Europe, Asia, Pacific MPH) for fan		
For models:	NGC		
accessories for	401975		



No.	401999	Ref. No.	NGC-1099-17 NGC-3027-1
EPROM suitable for DUNKIN DONUTS CODE 39F9B5 15.03.07			



1			
No.	401976	Ref. No.	NGC-3030-6
description	service kit suitable for Turbochef SWY with software countries (Europe, Asia, Pacific MPH) for fan		
For models:	NGC		



1			
No.	401977	Ref. No.	NGC-3030-9
description	service kit suitable for Turbochef SWY with software countries (Europe, Asia, Pacific MPH) for fan		
For models:	NGC		
spare parts for	401977		



No.	401978	Ref. No.	NGC-1099-9
EPROM SUBWAY suitable for TURBOCHEF NGC CODE 3C0173			

miscellaneous

1

No.	401696	Ref. No.	Servicekit komplett
description	service kit complete suitable for Turbochef		

voltage sensors



1

No.	401994	Ref. No.	100783
description	voltage sensor		
For models:	HHB, HHB2, HHC2020, i3, i5, NGC, NGO		

miscellaneous

service kits

1

No.	401696	Ref. No.	Servicekit komplett
description	service kit complete suitable for Turbochef		

ignition parts

ignition cables

pre-assembled cables



1

No.	102443	Ref. No.	103574 HHC-6582-3
description	ignition cable cable length 370mm connection F6.3mm / ø6.5mm Qty 1m ED ø 7mm insulation silicone		
For models:	HHC3240		

equipment-specific units

for convection ovens/combi-steamers

housing and bezels



1

No.	692165	Ref. No.	NGC-1312
description	PTFE foil for oven L 360mm W 320mm		

for microwaves

electric

microswitches



1

No.	691439	Ref. No.	NGC-1075 NGC-3033
description	microswitch replace set		
For models:	NGC		
spare parts for	691439		
	No.	691401	Ref. No. NGC-1087
	torsion spring door catch		
	No.	691421	Ref. No. NGC-1075 NGC-3033
	microswitch kit suitable for TURBOCHEF NGC		
accessories for	691439		
	No.	890245	Ref. No. 100639 NGC-3006
	silicone grease Turbochef syringe 20ml		



1

No.	691588	Ref. No.	TC3-0224
description	filter L 235mm W 180mm TURBOCHEF C3		
For models:	C3AB, C3C, C3C-MULTI, C3-MULTI		

housings

inner parts



1

No.	691443	Ref. No.	NGC-1097 NGC-3004 NGC-3029 NGC-3036
description	cover for waveguide suitable for TURBOCHEF NGC with sealant		
For models:	NGC		
accessories for	691443		
	No.	890243	Ref. No. 102563 102567
	high temperature silicone PERMATHEX HIGH-TEMP RED RTV SILICONE 85g t.max. 343°C tube		

housing and bezels


1

No.	691460	Ref. No.	NGC-1071 NGC-1071-2
description	front panel mounting pos. lower TURBOCHEF NGC		
For models:	NGC		



1

No.	691383	Ref. No.	100690 NGC-1163
description	insulation suitable for Turbochef		
For models:	C3D, i3, NGC		

ceramic plates


1

No.	691469	Ref. No.	700-0302 TC3-3215
description	ceramic plate ø 255mm		
For models:	C3AB, C3C, C3C-MULTI, C3-MULTI		



1

No.	691409	Ref. No.	NGC-3038
description	ceramic plate smooth L 377mm W 328mm H 10mm		
For models:	NGC		

miscellaneous


1

No.	691594	Ref. No.	101191
description	blank		
For models:	HHB, HHB2, NGC		



1

No.	691456	Ref. No.	NGC-1380
description	PTFE basket L 345mm W 345mm H 26mm		



1

No.	691592	Ref. No.	100011
description	PTFE basket W 370mm H 345mm bottom part perforated thickness 26mm		

doors
door hinges


1

No.	691440	Ref. No.	102805
description	door hinge mounting pos. left suitable for Turbochef NGC, SAGE 2, SUBWAY		
For models:	HHB2, NGC		



1

No.	691512	Ref. No.	102804
description	door hinge mounting pos. right suitable for Turbochef NGC, SAGE 2, SUBWAY		
For models:	HHB2, NGC		

door bumpers



1

No.	691418	Ref. No.	TC3-0250
description	door bumper kit suitable for TURBOCHEF C3		
For models:	C3		


for ovens

housing and bezels



1

No.	691462	Ref. No.	NGC-1431
description	warning sticker „DO NOT LIFT OVEN BY DOOR HANDLE“ yellow TURBOCHEF NGC		



1

No.	691463	Ref. No.	NGC-1426
description	warning sticker white TURBOCHEF NGC		

EQUIPMENT-SPECIFIC UNITS TURBOCHEF

miscellaneous




1

No.	691464	Ref. No.	NGC-1362
description	cleaning instruction TURBOCHEF NGC		

for pizza ovens

spare parts and accessories



1

No.	692429	Ref. No.	100014
description	PTFE grid L 310mm W 310mm		



1

No.	691410	Ref. No.	700-0673
description	scoop wood		

handles and hand wheels

bracket handles

			
1			
No.	691430	Ref. No.	102750
description	pull handle L 327mm H 22mm mounting distance 305mm		
For models:	NGC		

			
1			
No.	691593	Ref. No.	T0267
description	pull handle L 327mm H 22mm mounting distance 305mm		
For models:	C3, C3AB, C3D, C3-MULTI		

hinges

oven hinges

			
1			
No.	691440	Ref. No.	102805
description	door hinge mounting pos. left suitable for Turbochef NGC, SAGE 2, SUBWAY		
For models:	HHB2, NGC		

			
1			
No.	691512	Ref. No.	102804
description	door hinge mounting pos. right suitable for Turbochef NGC, SAGE 2, SUBWAY		
For models:	HHB2, NGC		

			
1			
No.	700747	Ref. No.	HHB-8084
description	opposite support mounting distance 107mm L 125mm W 19mm for hinge suitable for TURBOCHEF HHB		
For models:	HHB		

			
1			
No.	700849	Ref. No.	102807 TUR-102807
description	oven hinge mounting distance 90mm lever length 39mm groove distance 11mm spring thickness 2.6mm spring length 62mm L 155mm W 22mm left/right TURBOCHEF HHB		
For models:	HHB		

door bearing

			
1			
No.	691402	Ref. No.	NGC-1076 NGC-1076-2
description	door hinge		
For models:	NGC, NGO		

				
1				
No.	700743	Ref. No.	TC3-0360 TC3-3224-1 TC3-3224-2	
description	door hinge mounting pos. left suitable for TURBOCHEF C3			
spare parts for	700743			
	No.	691425	Ref. No.	C0504 T0504
PTFE ring ø 8mm suitable for TURBOCHEF C3				
	No.	700744	Ref. No.	C0508-1 C0508-2 T0508
bearing mounting pos. left for door hinge suitable for TURBOCHEF C3				





1

No.	700745	Ref. No.	TC3-0360 TC3-3224-1 TC3-3224-2
description	door hinge mounting pos. right suitable for TURBOCHEF C3		
For models:	C3, C3D		
spare parts for	700745		
	No. 691425	Ref. No. C0504 T0504	
PTFE ring ø8mm suitable for TURBOCHEF C3			
	No. 700746	Ref. No. C0508-1 C0508-2 T0508	
bearing mounting pos. right for door hinge suitable for TURBOCHEF C3			

miscellaneous

1 			
No.	691194	Ref. No.	NGC-1061
description	hinge block		
For models:	NGC, NGO		

accessories

bearings

1 			
No.	700744	Ref. No.	C0508-1 C0508-2 T0508
description	bearing mounting pos. left for door hinge suitable for TURBOCHEF C3		

1 			
No.	700746	Ref. No.	C0508-1 C0508-2 T0508
description	bearing mounting pos. right for door hinge suitable for TURBOCHEF C3		
For models:	C3, C3AB, C3D, C3-MULTI		

filters

device filters

1 			
No.	691412	Ref. No.	C0185 T0185
description	filter L 177mm W 240mm H 38mm for microwave SS		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI		

1 			
No.	691428	Ref. No.	HHB-8114
description	filter L 205mm W 128mm H 3mm aluminium for microwave thickness 3mm		
For models:	HHB		
accessories for	691428		
 spring for filter suitable for TURBOCHEF HHB			
No.	691429	Ref. No.	HHB-8115

catalysers

for microwaves


1 			
No.	691442	Ref. No.	NGC-3065
description	catalyser service kit suitable for TURBOCHEF NGC		
For models:	NGC		

1 			
No.	691468	Ref. No.	NGC-1012
description	catalyser TURBOCHEF NGC		
For models:	NGC		



accessories

fastening material



1

No.	691429	Ref. No.	HHB-8115
description	spring for filter suitable for TURBOCHEF HHB		
For models:	HHB		

equipment feet and end caps

equipment feet

with screw mounting



1

No.	691381	Ref. No.	100781
description	equipment foot tube ø 30mm thread 3/8" NPT thread L 11mm H 102-140mm chrome-plated steel size 1 1/4" Qty 1 pcs		
For models:	C3, NGC, NGO		

shelves and shelf rails

grates

universal


without upstand



1

No.	970625	Ref. No.	NGC-1064-1
description	grate W 360mm D 395mm stainless steel suitable for refrigerator		
For models:	NGC		

producer-specific



1

No.	691458	Ref. No.	NGC-3064
description	grate W 395mm D 365mm H 45mm suitable for refrigerator for bottom heaters DUNKIN DONUTS		
For models:	NGC		

shelf rails and supports

producer-specific



1

No.	691417	Ref. No.	HHB-3210
description	guide U-shape L 465mm mounting pos. left/right		
For models:	HHB, HHB2		

gaskets

gaskets for heated units

door seals



1

No.	691434	Ref. No.	HHB-8101
description	door seal profile 2951 W 243mm L 490mm external size Qty 1 suitable for Turbochef 12 holes		
For models:	HHB		

sealing washers

PTFE gaskets



1

No.	691377	Ref. No.	700-1333
description	flat gasket PTFE ED ø 235mm ID ø 230mm thickness 4mm Qty 1 pcs suitable for Turbochef		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI		



special gaskets

for microwaves



No.	900796	Ref. No.	T0325 TC3-3227
description	gasket L 1100mm silicone		
For models:	C3, C3AB, C3D, C3-MULTI		



No.	691384	Ref. No.	NGC-3014
description	gasket L 175mm copper fabric for Magnetron		
For models:	NGC		



No.	691385	Ref. No.	102021
description	gasket L 315mm copper fabric for microwave		
For models:	NGC		

transmission technology and ball bearings

ball bearings

ball bearings inch



No.	691423	Ref. No.	T0541
description	ball bearing type CYR3/4S shaft $\varnothing$ 1/4"mm ED $\varnothing$ 3/4"mm W 1/2"mm		
For models:	C3, C3AB, C3D, C3-MULTI		

drive belts

toothed belts



No.	691427	Ref. No.	T0284
description	toothed belt profile MXL L 320mm H 1mm teeth 165 splitting 1-1 PVC CODE 6G16 W 3mm suitable for TURBOCHEF C3		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI		

springs

torsion springs



No.	691401	Ref. No.	NGC-1087
description	torsion spring door catch		
For models:	NGC		

tension springs



No.	700749	Ref. No.	C0542 T0542
description	tension spring $\varnothing$ 19mm total length 220mm wire gauge $\varnothing$ 2mm		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI		



No.	700748	Ref. No.	C0708 T0708
description	tension spring $\varnothing$ 8.5mm total length 95mm wire gauge $\varnothing$ 1mm		
For models:	C3, C3C, C3C-MULTI, C3D		

tools

hand tools

screwdrivers

bits



No.	801637 ¹	Ref. No.	102755
description	torx bit standard with bore size T15H L 25mm		
For models:	C3, C3D, NGC		

¹with bore

No.	801638 ¹	Ref. No.	102767
description	torx bit standard with bore size T20H L 25mm		
For models:	HHC3240		

¹with bore



			
1			
No.	801864	Ref. No.	102746
description	bit insert for safety screws size 4.0mm L 25mm		
For models:	C3		

measuring equipment

meters

pressure measurement

digital manometers

absolute-pressure measurement

			
1			
No.	541583	Ref. No.	HHC-3001
description	pressure meter 0.05-50mbar type 476A pressure measurement probe type absolute pressure sensor measurement unit mbar/psi/in.Hg/kPa/w.c./mmHg connections 1 On/Off/Zero resolution 0.01mbar hose ø 6/8mm accuracy (temperature) ±0.05%FS accuracy (hysteresis) ±0.1%FS overload max. 0.34 bar interface sensor piezoresistant gauge pressure sensor, int. dimensions 150x72x23mm incl. bag		
For models:	HHC3240		

fastening material

screws

sheet metal screws

			
1			
No.	560108	Ref. No.	101688
description	sheet metal screws ø 4.2mm L 13mm SS Qty 20 pcs DIN 7981/ISO 7049 head ø 8.2mm oval head		
For models:	HHB, HHB2, NGC		

			
1			
No.	560348	Ref. No.	102752
description	sheet-metal screw ø 4.2mm L 13mm SS Qty 1 pcs 14585 intake safety torx head ø 7.8mm		
For models:	i3, i5, NGC		

countersunk screws

			
1			
No.	691393	Ref. No.	102809
description	countersunk screw thread 8/32" UNC L 9.3mm SS Qty 1 pcs intake Phillips ø 7.5mm		
For models:	HHB, NGC		

oval head screws

			
1			
No.	691467	Ref. No.	102748
description	oval head screw thread 8/32" UNC L 9.3mm SS intake safety torx Qty 1 pcs		
For models:	C3, C3D, NGC		

hexagonal screws

			
1			
No.	691404	Ref. No.	101381
description	hexagonal screw thread 10/32" UNF thread L 12mm SS WS 8 Qty 1 pcs		
For models:	NGC		

knurled screws

			
1			
No.	505255	Ref. No.	101752
description	screw thread 1/4" thread L 13mm ø 15mm H 22.5mm SS		
For models:	HHC2020, HHC3240		

nuts

hexagonal nuts

hexagonal nuts inch thread

			
1			
No.	691394	Ref. No.	102962
description	nut thread 8/32" UNC H 4mm SS WS 9 Qty 1 pcs with tooth lock washer		
For models:	NGC		

washers

spring rings



1

No.	691309	Ref. No.	102350
description	lock washer ID ø 5mm ED ø 8.3mm stainless steel Qty 1 pcs		
For models:	HHB, HHB2, NGC		

washers

miscellaneous



1

No.	691294	Ref. No.	102140
description	flat washer ID ø 5.3mm ED ø 11mm thickness 0.8mm SS Qty 1 pcs for thread M5		
For models:	NGC		

fasteners

mounting clips



1

No.	691449	Ref. No.	T0337
description	mounting clip nominal-ø 4mm L 25mm W 11mm mounting distance 18mm		
For models:	C3, C3D, NGC		

retaining rings

DIN 471



1

No.	691403	Ref. No.	101312
description	retaining ring shaft ø 19mm thickness 1.2mm stainless steel DIN 471		
For models:	NGC		

DIN 6799



1

No.	516198	Ref. No.	101297
description	retaining ring E D1 ø 6mm D2 ø 12mm SS DIN 6799 thickness 0.7mm for shaft ø 7-9mm		
For models:	HHB		

consumables

sealants and adhesives

high temperature silicone



1

No.	890243	Ref. No.	102563 102567
description	high temperature silicone PERMATEX HIGH-TEMP RED RTV SILICONE 85g t.max. 343°C tube		
description	PERMATEX RTV RED SILICONE - tube 85g - red Formulated for hi-temp applications, or heavy-duty use. Replaces almost any cut gasket by making reliable „formed-in-place“ gaskets that resist cracking, shrinking and migrating caused by thermal cycling. Temperature range: -65°F to 650°F (-54°C bis +343°C)		
For models:	i3, i5, NGC		

adhesive tapes



1

No.	691405	Ref. No.	102698 Roll 102698 Rolle
description	adhesive tape aluminium ventilation systems W 73mm		
description	Aluminium shielding tape: 73mm wide, 45m long 40µm aluminium foil, coated with electrically conductive adhesive. The tape has a siliconised paper backing. - Conductive acrylic adhesive - Good shielding properties and z-axis conductivity - Good resistance to high and low temperatures (-20°C to +155°C) - Good resistance to chemical materials, heat, acids and alkali salts - Easy to roll out		

lubricants

silicone fats



1

No.	890245	Ref. No.	100639 NGC-3006
description	silicone grease Turbochef syringe 20ml		
description	TurboChef silicone grease - syringe 20ml Silicone grease for lubricating door switch springs etc.		
For models:	NGC		

cleaning agents

various cleaners



1

No.	801172	Ref. No.	103180 103180 CS
description	detergent 1l TURBOCHEF Oven Cleaner		

fuses

fine fuses

ø10.4x35/38mm 600V (USA)



1

No.	358836	Ref. No.	100592 100596
description	fine fuse size ø10.4x35(38)mm 12A fast-acting rated 600V type ATMR/KTK-R Qty 1 pcs		
For models:	C3, C3AB, C3C, C3C-MULTI, C3D, C3-MULTI, HHB, HHB2, i3, i5, NGC, NGO		



1

No.	358837	Ref. No.	100599
description	fine fuse size ø10.4x35(38)mm 20A fast-acting rated 600V type ATMR/KTK-R Qty 1 pcs		
For models:	HHC2020, HHC3240, i3, NGC, NGO		



1

No.	358838	Ref. No.	100597
description	fine fuse size ø10.4x35(38)mm 25A fast-acting rated 600V type ATMR/KTK-R Qty 1 pcs		
For models:	C3, C3C		



1

No.	358009	Ref. No.	100593
description	fuse size 10.3x38mm 12A rated 600V Qty 1 pcs		
For models:	C3D, i5		

fine fuse holders



1

No.	550829	Ref. No.	103548
description	fuse holder 30A rated 800V L 77mm W 41mm H 33mm connection F6.3x0.8		
For models:	HHB2, HHC2020, HHC3240, i3, i5		