# Professionall

Solutii profesionale pentru echipamente profesionale

GAS COMPONENTS

ELECTRIC COMPONENTS

WATER TECHNOLOGY

MECHANICAL COMPONENTS

TOOLS

Spare parts suitable for

# UNIC

# heating elements

## heating elements for coffee machine

1

| | | | |
|---|---|---|---|
| **No.** | 417148 | **Ref. No.** | N/A |
| **description** | heating element 2500W 230V heating circuits 3 mounting ø 57mm hole distance 63mm L 243mm W 29mm H 63mm hole ø 9mm tube ø 8.5mm connection M6 immersion heater 4 hole flange | | |
| **accessories for** | 417148 | | |
| | No. 528902 | Ref. No. | N/A |
| | O-ring EPDM thickness 3.53mm ID ø 66.27mm Qty 1 pcs | | |

1

| | | | |
|---|---|---|---|
| **No.** | 417149 | **Ref. No.** | N/A |
| **description** | heating element 4000W 230V heating circuits 3 mounting ø 57mm hole distance 63mm L 275mm W 47mm H 42mm hole ø 9mm tube ø 8mm connection M6 immersion heater 4 hole flange | | |
| **accessories for** | 417149 | | |
| | No. 528902 | Ref. No. | N/A |
| | O-ring EPDM thickness 3.53mm ID ø 66.27mm Qty 1 pcs | | |

## accessories

### sealing washers

### O-rings




1

| | | | |
|---|---|---|---|
| **No.** | 528902 | **Ref. No.** | N/A |
| **description** | O-ring EPDM thickness 3.53mm ID ø 66.27mm Qty 1 pcs | | |

# relays

## level relays

### miscellaneous

1

| | | | |
|---|---|---|---|
| **No.** | 400558 | **Ref. No.** | N/A |
| **description** | level relay 230V connection male faston 6.3mm type NM279 | | |

# pumps

## booster pumps II

### pump heads

### FLUID-O-TECH

1

| | | | |
|---|---|---|---|
| **No.** | 504382 | **Ref. No.** | N/A |
| **description** | pump head PR204 FLUID-O-TECH L 82mm 200l/h connection 3/8" NPT with bypass brass clip connection coffee machine parts shaft ø 11mm | | |
| **spare parts for** | 504382 | | |
| | No. 520952 | Ref. No. | — |
| | coupling ø 20mm H 26.5mm shaft diameter 5x11mm shaft intake 1 with gear teeth ø11mm | | |

# equipment-specific units

## for espresso machines

### filter holders

### filter holders standard

### filter holders short

1

| | | | |
|---|---|---|---|
| **No.** | 529212 | **Ref. No.** | N/A |
| **description** | filter holder | | |



MAG-PRO

## filters

### for 1 cup

1

| | | | |
|---|---|---|---|
| **No.** | 529210 | **Ref. No.** | N/A |
| **description** | coffee filter ø 68mm mounting ø 59.5mm H 22mm cups 1 amount of coffee 7g | | |

### for 2 cups

1

| | | | |
|---|---|---|---|
| **No.** | 529211 | **Ref. No.** | N/A |
| **description** | coffee filter ø 68mm mounting ø 60mm H 23.5mm cups 2 amount of coffeeg | | |

## filter holder springs

1

| | | | |
|---|---|---|---|
| **No.** | 531243 | **Ref. No.** | N/A |
| **description** | filter holder spring L 70mm W 60mm wire gauge ø 1.3mm for espresso filter holder Qty 20 pcs | | |

## brewing units

### shower screens

#### flat

1

| | | | |
|---|---|---|---|
| **No.** | 528906 | **Ref. No.** | N/A |
| **description** | shower screen ø 27mm hole ø 5.1mm | | |

#### with upstand and central hole

1

| | | | |
|---|---|---|---|
| **No.** | 531287 | **Ref. No.** | ID-103 |
| **description** | shower screen ø 57.5mm | | |

## filter holder gaskets

### flat

#### with chamfer

1

| | | | |
|---|---|---|---|
| **No.** | 528087 | **Ref. No.** | N/A |
| **description** | filter holder gasket D1 ø 74mm D2 ø 57mm H 9mm | | |

# gaskets

## O-rings

### EPDM




1

| | | | |
|---|---|---|---|
| **No.** | 528902 | **Ref. No.** | N/A |
| **description** | O-ring EPDM thickness 3.53mm ID ø 66.27mm Qty 1 pcs | | |

# manometers

1

| | | | |
|---|---|---|---|
| **No.** | 541294 | **Ref. No.** | N/A |
| **description** | manometer double scale ø 60mm pressure range 0-3.5/0-6bar connection on the backside thread 1/8" | | |

1

| | | | |
|---|---|---|---|
| **No.** | 541295 | **Ref. No.** | N/A |
| **description** | manometer double scale ø 63mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8" | | |

1

| | | | |
|---|---|---|---|
| **No.** | 541279 | **Ref. No.** | 26-030 |
| **description** | manometer double scale ø 63mm pressure range 0-2.5 / 0-25bar connection on the backside thread 1/8" | | |

MAG-PRO