Professionale pentru echipamente profesionale



heating elements


heating elements for chicken rotisseries

9		TOT CHICK			
1					
No.	416016	Ref. No.	0A	.0344	
description	62mm heating ci	heating element 1700W 230V 2 hole fixing thread 1/4" L 741mm W 62mm heating circuits 1 connection M6 dry heating element tube ø 8.4mm mounting distance 54mm connection length 28mm chicken rotisserie			
For models:	GE312, GS312				
accessories for	416016				
	No.	361182	Ref. No.	_	
0	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	No.	510417	Ref. No.	_	
O	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
and the same of th	No.	520228	Ref. No.	_	
O	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	No.	550262	Ref. No.	_	
O	flat gasket coppe	er ED ø 20mm ID ø	14mm thickness	2mm	

1				
No.	416026	Ref. No.		0A0353
description	86mm heating	g circuits 1 conn	ection M6 dry heat	nd 3/8" L 745mm W ing element tube ø gth 25mm chicken
For models:	GE416			
spare parts for	416026			
	No.	521137	Ref. No.	_
0	flat gasket fib 3/8" Qty 1 pcs		O ø 18mm thicknes	s 1.5mm for thread
accessories for	416026			
	No.	361183	Ref. No.	_
nut thread 3/8" H 6mm nickel-plated brass WS 20 Qty 1				0 Qty 1 pcs

1			
No.	416017	Ref. No.	0A0352
description	fixing thread	3/8" L 735mm W 80mm l ating element tube ø 10n	n up to serial no. 5350 2 hole heating circuits 1 connection nm mounting distance 86mm
For models:	GE246		

1			
No.	419206	Ref. No.	0A0352B
description	fixing thread 3/8" I		n from serial no. 5350 12 hole heating circuits 1 connection nm INCOLOY-800



switches and momentary switches

rocker/momentary rocker switches

30x22mm


		_	_	
4		3		
3		1		N.
1	7		ы	B

1				
	No.	345649	Ref. No.	GES20019
desci	ription	orange 2NO 23	30V 16A illuminated co	measurements 30x22mm nnection male faston 6.3mm protection IP65 with cover cap
For n	nodels:	GE312, GS312		
For n	nodels:	GE312, GS312		

labelled				
1				
No.	345981	Ref. No.	GES	20018
description		O-I connection ma	nents 30x22mm g le faston 6.3mm a 5 with cover cap	
For models:	GE312, GS312			
accessories for	345981			
1	No.	301036	Ref. No.	_
	protective cover measurementsm		2mm for rocker sv	vitch mounting








1					
No.	345648	Ref. No.		GES20016	
description	16A illuminat	rocker switch mounting measurements 30x22mm white 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 100/55°C protection IP65 with cover cap			
accessories for	345648				
_	No.	301036	Ref. No.	_	
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm				

rotary switches

miscellaneous



1			
No.	345424	Ref. No.	0A0367
description	rotary switch 0-1	, i	V 25A connection screw 4



control equipment


SIEMENS


3SB series ø22mm new

push buttons



No.	345671	Ref. No.	0A0341 Start schwarz	
description	push button mounting measurements ø22mm black			
For models:	GE246, GE960, GS246, GS366, GS416, GS488, GS960			






1 No. 345674

No.	345674	Ref. No.		0A0358A		
description	rotary selector sequence 0-1	rotary selector mounting measurements ø22mm black latching sequence 0-1				
For models:	GE246, GE366, G	GE416, GE960,	GS246,	GS366, GS416,	GS488, GS960	
accessories for	345674					
Series .	No.	346602	Re	f. No.	_	
	contact block S	contact block SIEMENS 3SB3400-0D 2NO max 400V 10A black				
1	No.	346603	Re	f. No.	_	
The state of the s	contact block SIEMENS 3SB3400-0E 2NC max 400V 10A black					
	No.	346630	Re	f. No.	_	
	contact block S	contact block SIEMENS 3SB3400-0B 1NO max 400V 10A black				
210	No.	346631	Re	f. No.	_	
	contact block S	SIEMENS 3SB34	100-0C 1	NC max 400V 1	0A black	



accessories for	345674			
4	No.	346632	Ref. No.	_
THE STATE OF	contact block SI	EMENS 3SB3400-0	DD 1NC/1NO max 4	100V 10A black



lamps

oven lamps

universal oven lamps

mounting diameter 35.5mm



No.	359259	Ref. No.	0A	.0339		
description	oven lamp mounting ø 35.5mm 230V 40W socket G9 tempresist. 300°C connection cable 380mm hard glas					
For models:	GE246, GE312, G GS488, GS960	GE246, GE312, GE366, GE416, GE960, GS246, GS312, GS366, GS416, GS488, GS960				
spare parts for	359259	359259				
A	No.	357161	Ref. No.	_		
	lamp socket socket G9 220-230V mounting ø 35.5mm connection cable 380mm					
	No.	358128	Ref. No.	_		
\circ	gasket for oven lamp silicone ID ø 30mm ED ø 38mm thickness 2mm					
19	No.	359942	Ref. No.	_		
	oven lamp glass thr.ø 33.5mm ø 41mm hard glas tempresist. 350°C					
CO.	No.	359946	Ref. No.	_		
	halogen lamp so	ocket G9 230V 40V	V tempresist. 300	°C		

relays

power relays

with male contacts

bullet connectors, 8 contacts



1						
No.	380134 Ref. No. GES20022					
description	' '	power relays Italiana Relè 230VAC 10A 2CO connection plug-in connection round 8-pole manuf. no. C42-230VAC 90.26/ZVE8 250V				
For models:	GE312, GS312					
accessories for	380134					
	No.	380137	Ref. No.	_		
Sec.	relay socket 8-pole connection plug-in connection round 8-pole dimensions 65x28x40mm 380V voltage AC 10A Italiana Relè manuf. no. ZVE8					
<u> </u>	No.	380638	Ref. No.	_		
The same	relay socket 8-pe manuf. no. 90.26		x41x23mm 250V	10A FINDER		

motors

gear motors

for grills



No.	501555	Ref. No.	GES20026+GES20032	
description	gear motor MECHTEX type M14 A MSE 30 shaft ø 25mm			







gas taps

PEL 22S/O series No. 101086 Ref. No. GSP041 gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocoudescription ple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower GS246, GS366, GS488 For models: spare parts for 101086 Ref. No. No. 100259

bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5

magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard

Ref. No.

Ref. No.

Ref. No.

gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/ lower suitable for PEL22

101231 thermocouple nut T1: M9x1 T2: M18x1

101058

101201



101240 gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal



101460 Ref. No.

Ref. No.

Ref. No.



O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22



101461 screw kit suitable for PEL22 Qty 4 pcs

101086



100908 Ref. No. No.

union screw thread M10x1 for pipe ø 4mm Qty 1 pcs

100909



union screw thread M10x1 for pipe ø 6mm Qty 1 pcs



101241 Ref. No. No. gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical



101246 No. Ref. No.



olive for pipe ø 4mm Qty 1 pcs

No.



101248 Ref. No. No. olive for pipe ø 12mm Qty 1 pcs suitable for PEL

Ref. No.



101249 olive for pipe ø 10mm Qty 1 pcs



101250 Ref. No. union nut thread M20x1.5 for pipe ø 10mm

	Call In	with gasket and screws horizontal
MAG-P	RO	=

accessories for	101086			
6	No.	101251	Ref. No.	_
	union nut th	read M20x1.5 for	pipe ø 12mm	
6	No.	101286	Ref. No.	_
	olive ID ø 6mm Qty 1 pcs			
	No.	110080	Ref. No.	A0377 PLX20010
	knob ø 70mi	m shaft ø 10x8m	n shaft flat universa	ıl
0	No.	112206	Ref. No.	_
	knob dial pla 45.5mm	te silver gas tap	PEL21/22/23 t.max.	°C ED ø 63mm ID ø

22S/V seri	ies				
	0.				
No.	101087	Ref. No.	PLX	20009	
description	gas tap PEL type 225/V gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper				
For models:	GE312, GS312, PLX124 M, PLX47, PLX47 M, PLX60, PLX60 M, PLX80, PLX80 M				
spare parts for	101087				
	No.	100259	Ref. No.	_	
the supplied	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5				
· ·	No.	101058	Ref. No.	_	
of of	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard				
	No.	101201	Ref. No.	_	
6	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/ lower suitable for PEL22				
	No.	101231	Ref. No.	_	
I	thermocouple nut T1: M9x1 T2: M18x1				
-	No.	101241	Ref. No.	_	
A. Comment	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas ta vertical				
	No.	101460	Ref. No.	_	
O	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				
	No.	101461	Ref. No.	_	
1111	screw kit suitable for PEL22 Qty 4 pcs				
accessories for	101087				
	No.	100908	Ref. No.	_	
1	union screw thre	ead M10x1 for pipe	e ø 4mm Qty 1 pcs	5	
	No.	100909	Ref. No.	_	
	union screw thre	ead M10x1 for pipe	e ø 6mm Qty 1 pcs	5	
	No.	101240	Ref. No.	_	
1	gas connection t	thread M20x1.5 tu	be ø 12/10mm for	PEL gas taps	



accessories for	101087	101087					
	No.	101246	Ref. No.	_			
	olive for pipe	ø 4mm Qty 1 pcs					
	No.	101248	Ref. No.	_			
S. T.	olive for pipe	ø 12mm Qty 1 pc	s suitable for PEL				
	No.	101249	Ref. No.	_			
	olive for pipe	ø 10mm Qty 1 pc	s				
	No.	101250	Ref. No.	_			
	union nut thread M20x1.5 for pipe ø 10mm						
6	No.	101251	Ref. No.	_			
	union nut thread M20x1.5 for pipe ø 12mm						
	No.	101286	Ref. No.	_			
	olive ID ø 6m	m Qty 1 pcs					
	No.	110080	Ref. No.	A0377 PLX20010			
	knob ø 70mn	n shaft ø 10x8mm	shaft flat universal				
	No.	112206	Ref. No.				
U	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm						

ignition parts

pilot burners

JI I		

100 series



1					
No.	106906	Ref. No.	PLX	20004	
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm				
spare parts for	106906				
	No.	100245	Ref. No.	_	
	pilot burner nozz M8x0.75	le LPG code 20 b	ore ø 0.2mm Qty 1	pcs thread	
	No.	100855	Ref. No.	_	
	pilot burner bracket triple				
	No.	100885	Ref. No.	_	
A. A. M.	air mixing sleeve for pilot burner Qty 1 pcs				
0	No.	100916	Ref. No.	_	
	compression spring for pilot burner Qty 1 pcs				
0	No.	100917	Ref. No.	_	
	gasket for pilot burner Qty 1 pcs aluminium				
43	No.	100918	Ref. No.	_	
8	screw for pilot bu	urner			

spare parts for	106906					
*	No.	107162	Ref. No.	_		
i i	pilot burner cap	SIT 3 flames Hmr	n Lmm Qty 1 pcs			
\$	No.	107701	Ref. No.	_		
	pilot burner bott	om part SIT 100 s	series nozzle ø 0.2r	nm		
accessories for	106906					
	No.	100245	Ref. No.	_		
	pilot burner nozz M8x0.75	ele LPG code 20 b	ore ø 0.2mm Qty 1	pcs thread		
	No.	100246	Ref. No.	_		
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75					
	No.	100904	Ref. No.	_		
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs					
	No.	100905	Ref. No.	_		
6	locking screw M10x1 for pipe ø 6mm Qty 1 pcs					
	No.	102110	Ref. No.	_		
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm					
	No.	102111	Ref. No.	_		
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm					
	No.	107171	Ref. No.	_		
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs					
2	No.	107700	Ref. No.	_		
	pilot burner bott	om part SIT 100 s	series nozzle ø 0.25	5mm		
4	No.	107702	Ref. No.	_		
	pilot burner bott	om part SIT 100 s	series nozzle ø 0.35	imm		

POLIDORO

pilot burners




1						
No.	100079	100079 Ref. No. GS20030				
description	pilot burner POL	IDORO 3 flames c	ode gas connectic	onmm		
For models:	GE312, GS246, G	GE312, GS246, GS312, GS366, GS416, GS488, GS960				
accessories for	100079	100079				
A-	No.	100000	Ref. No.	_		
pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty				.22mm Qty 1 pcs		
Ame	No.	100208	Ref. No.	_		
	pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs					
-	No.	100209	Ref. No.	_		
	pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs					
[}	No.	100701	Ref. No.	GS20038		
	ignition electrod	e connection M4	Qty 1 pcs			







electrodes



ignition cables pre-assembled cables No. 100018 Ref. No. PLX20008 description ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C For models: GE312, GS246, GS312, GS366, GS416, GS488, PLX124 M, PLX47, PLX47 M, PLX60, PLX80 M, PLX80, PLX80 M

piezoelectric igniters

mounting diameter 18mm No. 100003 Ref. No. PLX20001 description piezoelectric igniter body metal blowing mounting Ø 18mm connection F2.8x0.8 For models: GE312, GS246, GS312, GS366, GS416, GS488, GS960, PLX124 M, PLX47, PLX47 M, PLX60, PLX60M, PLX80, PLX80 M


thermocouples

plug-in thermocouples

plug-in thermocouples standard

with barrel socket ø6(6.5)mm

thermocouples SIT





6

gas burners


bar burners









1					
No.	105428	Ref. No.	GS20032		
description	bar burner angled L 880mm W 330mm ømm Hmm chicken rotisserie				
For models:	GE312, GS246, GS3	312, GS416			










gas nozzles

main nozzles


gas nozzles M13x1




No.	102780	Ref. No.	PLX20012 115	
description	gas injector thread M13x1 bore ø 1.15mm WS 13			










gas nozzles sets 1 No. 102469 Ref. No. SET PLX80 G30 description gas injector set LPG PLX80 UNIVERSO









No.	102474	Ref. No.	SET PLX80 G20		
description	gas injector set natural gas PLX80 UNIVERSO				


equipment-specific units

for chicken rotisserie skewer intakes No. 690508 Ref. No. GES20032 description skewer intake For models: GE312, GS312













fixed No. 698652 Ref. No. PLX20011 description cylindrical handle thread M10 ø 27.5mm L 90.5mm plastic black

