
Professionale pentru echipamente profesionale





heating elements


heating elements for crepes makers




heating elements for contact grills











heating elements for salamanders/toast-












immersion heating elements



hot plates

round ring shaped No. 490155 Ref. No. XRCI33 description hot plate ø 160mm 1000W 230V 7-position ring shaped

thermostats


control and safety thermostats


IMIT / TEMPOMATIC / ARTHERMO

control thermostats



No.	375848	Ref. No.	XRPV3
description	probe ø 3mm prob	oe L 200mm capilla nut shaft ø 6x4.6m	e range°C 1-pole 1CO 16A ry pipe 1540mm capillary pipe m shaft L 19mm shaft position









1 electric componen


switches and momentary switches

rocker/momentary rocker switches

No. 346918 Ref. No. XRFO1 rocker switch mounting measurements 30x11mm red 1NO/indicator light 250V 16A 0-I connection male faston 6.3mm ambient temperature max. 85°C/145°C protection IP65 with cover cap accessories for 346918 No. 301035 Ref. No. — protective cover mounting measurements 30x11mm

30x22mm				
1				
No.	301133	Ref. No.	CEPURIG	
momentary rocker switch mour description ge 2NO 250V 16A illuminated re 6.3mm ambient temperature ma		lluminated regener	ration connection male faston	


with symbol No. 346867 Ref. No. XRFR 22 rocker switch mounting measurements 30x22mm white 2CO 250V description 16A with neutral position I O II connection male faston 6.3mm ambient temperature max. 100/55°C protection IP65 with cover cap accessories for 346867 301036 Ref. No. No. protective cover internal size 30x22mm for rocker switch mounting measurementsmm




push/momentary push switches



toggle switches



microswitches



lamps

indicator lights

indicator lights (complete)				
ø10mm				
with screv	with screw socket			
1				
No.	359387	Ref. No.	XRTR11	
description	indicator light ø 10mm 230V red cable length 250mm			






timers

description


mechanical timers



timer G 2-pole operation time 30min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 3.5x3.5mm shaft 3.5x3.5mm shaft L 17mm mounting distance 28mm connection lateral



60mm suitable for timers ø60mm



solid state relays


accessories

diodes diodes No. 651014 Ref. No. XRFR54 description diode

motors

gear motors





motors


for bar blender



No.	500790	Ref. No.	XRFR50
description	motor for bar blender		








equipment-specific units

for bar blender




No.	651003	Ref. No.	XI	RFR1
description	blender jar plastic 1200ml			
accessories for	651003			
	No.	651057	Ref. No.	XR FR 41
Q	guard			





















knife set 3-piece W 52mm H 50mm hole ø 6.5x8mm stainless steel






























for juicers/centrifuges holders























































for toasters pliers accessories No. 691210 Ref. No. XRTP4 description handle for plier black Qty 1 pcs









knobs

Producer-specific knobs VEMA No. 112198 Ref. No. XRPV16 description knob thermostat t.max. 300°C ø 42mm shaft ø 6x4.6mm shaft flat -135° temperature range 50-300°C with rosette



handles and hand wheels

cylindrical handles



folding grill handles





miscellaneous




baskets

miscellaneous



gaskets

sealing washers



transmission technology and ball bearings


ball bearings



springs

torsion springs







fastening material

nuts

hexagonal nuts

DIN 934 / ISO 4032/8673



	No.	651016	Ref. No.	XRFR42
d	escription	nut thread M6L H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/86 Qty 1 pcs		





washers miscellaneous No. 691246 Ref. No. XRPV29 description plain washer ID Ø 8.2mm ED Ø 20mm Qty 1 pcs for pull handle

