

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

WEGA-CMA

heating elements

heating elements for coffee machine



1

No.	417459	Ref. No.	17202 WY17202	
description	heating element 1300W 230V heating circuits 1 thread 1¼" L 107mm W 26mm H 26mm connection male faston 6.3mm immersion heater flange with thread coffee machine			
For models:	Mininova			
accessories for	417459			
	No.	510405	Ref. No.	—
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs			
	No.	528021	Ref. No.	N/A
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega			

				
1				
No.	417006	Ref. No.	17201 W17201 WY17201	
description	heating element 1300W 230V heating circuits 1 thread 1¼" L 110mm W 27mm H 30mm tube ø 6.4mm connection male faston 6.3mm immersion heater connection length 30mm flange with thread WS 37 with thread for safety thermostat			
For models:	Mininova			
accessories for	417006			
	No.	510405	Ref. No.	—
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs			
	No.	528021	Ref. No.	N/A
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega			



1

No.	417090	Ref. No.	N/A	
description	heating element 1450W 230V heating circuits 1 mounting ø 42mm hole distance 74mm L 132mm W 36mm H 40mm windings 3 hole ø 10mm tube ø 6.3mm connection M6 immersion heater 2 hole flange			
accessories for	417090			
	No.	527156	Ref. No.	12001 WY12001
	flat gasket PTFE ED ø 57.8mm ID ø 43.3mm thickness 2mm Qty 1 pcs			
	No.	528002	Ref. No.	W10470
	flat gasket PTFE ED ø 57mm ID ø 42mm thickness 3mm Qty 1 pcs equiv. no. 12001/W10470 suitable for			

			
No.	417041	Ref. No.	N/A
description	heating element 1800W 230V 2 hole fixing immersion heater		

			
No.	417458	Ref. No.	17022 WY17022
description	heating element 200W 230V L 500mm W 160mm tube ø 6.4mm cable length 600mm H 15mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		

			
No.	417703	Ref. No.	WY4617054
description	heating element 2600/2831W 230/240V heating circuits 3 mounting ø 42mm hole distance 74mm L 320mm W 30mm H 56mm L1 45mm L2 45mm L3 230mm H1 15mm H2 41mm hole ø 9mm tube ø 8.5mm thermostat sleeves ø 7mm length thermostat sleeves 140mm thermostat sleeve centre not clinging number of thermostat sleeves 1 immersion heater 2 hole flange		

			
No.	417107	Ref. No.	17051 W10454 WY17051
description	heating element 2600W 230V heating circuits 2 mounting ø 42mm hole distance 74mm L 295mm W 36mm H 41mm L1 22mm L2 38mm L3 235mm H1 30mm H2 11mm hole ø 10mm tube ø 8.5mm thermostat sleeves ø 6mm length thermostat sleeves 186mm thermostat sleeve not clinging number of thermostat sleeves 1 connection M6x1 immersion heater 2 hole flange		
For models:	Airy, Atlas, Nova, NovaAle, OrionEco, Pegaso, Polaris, PolarisAvand-Garde, Sphera, Vela, VelaElegance		

			
No.	417294	Ref. No.	17012 WY17012 WY4617012
description	heating element 2700/2950W 230/240V heating circuits 3 mounting ø 42mm hole distance 74mm L 180mm W 34mm H 47mm L1 35mm L2 50mm L3 85mm H1 31mm H2 16mm hole ø 10mm tube ø 8mm thermostat sleeves ø 6mm length thermostat sleeves 158mm thermostat sleeve centre not clinging number of thermostat sleeves 1 connection M3 immersion heater 2 hole flange		
For models:	Airy, Atlas, Nova, NovaAle, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		



1

No.	417154	Ref. No.	N/A
description	heating element 2700W 230V heating circuits 3 mounting ø 42mm hole distance 74mm L 175mm W 32mm H 50mm L1 16mm L2 44mm L3 129mm H1 32mm H2 18mm hole ø 10mm tube ø 8mm connection M4 immersion heater 2 hole flange		
accessories for	417154		
	No.	528001	Ref. No.
	flat gasket fibre ED ø 56.5mm ID ø 41.8mm thickness 3.2mm Qty 1 pcs		



1

No.	417155	Ref. No.	W05152
description	heating element 3000W 230V heating circuits 3 mounting ø 43mm hole distance 74mm L 315mm W 32mm H 45mm L1 35mm L2 60mm L3 220mm H1 33mm H2 12mm hole ø 10mm tube ø 8mm connection M3 immersion heater 2 hole flange		
For models:	Sphera		
accessories for	417155		
	No.	527169	Ref. No. 23050 WY23050
hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs			
	No.	560110	Ref. No. —
plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3			
	No.	560130	Ref. No. —
hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			



1

No.	417000	Ref. No.	17059 WY17059 WY4617059 WY4717059
description	heating element 3400W 230V heating circuits 3 mounting ø 43mm hole distance 74mm L 315mm W 35mm H 38mm L1 35mm L2 65mm L3 205mm H1 31mm H2 7mm hole ø 9.2mm tube ø 8.3mm thermo- stat sleeves ø 6mm length thermostat sleeves 155mm thermostat sleeve centre number of thermostat sleeves 1 connection M3 immer- sion heater 2 hole flange		
For models:	Airy, Atlas, Nova, NovaAle, OrionEco, Pegaso, Polaris, PolarisAvand- Garde, Sphera, Vela, VelaElegance, Venere		
accessories for	417000		
	No.	527156	Ref. No. 12001 WY12001
flat gasket PTFE ED ø 57.8mm ID ø 43.3mm thickness 2mm Qty 1 pcs			
	No.	527169	Ref. No. 23050 WY23050
hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs			
	No.	560110	Ref. No. —
plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3			
	No.	560130	Ref. No. —
hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

			
No.	417463	Ref. No.	17017 WY17017
description	heating element 3400W 230V heating circuits 3 mounting ø 43mm hole distance 75mm L 215mm W 34mm H 45mm L1 35mm L2 65mm L3 115mm H1 31mm H2 14mm hole ø 9.5mm tube ø 8.2mm thermostat sleeves ø 6mm length thermostat sleeves 157mm thermostat sleeve centre not clinging number of thermostat sleeves 1 connection M3 immersion heater 2 hole flange		
For models:	Gemini		

1

			
No.	417156	Ref. No.	W10461
description	heating element 3700W 230V heating circuits 2 mounting ø 42.5mm hole distance 74mm L 565mm W 32mm H 40mm L1 35mm L2 60mm L3 470mm H1 30mm H2 14mm hole ø 12mm tube ø 8.5mm connection M3 immersion heater 2 hole flange		
For models:	Sphera		
accessories for	417156		
	No.	527169	Ref. No.
			23050 WY23050
hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs			
	No.	560110	Ref. No.
			—
plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3			
	No.	560130	Ref. No.
			—
hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

			
No.	417064	Ref. No.	W10461 WY17101
description	heating element 3700W 230V heating circuits 2 mounting ø 42mm hole distance 75mm L 575mm W 34mm H 47mm L1 27mm L2 38mm L3 510mm H1 20mm H2 27mm hole ø 10mm connection M4 immersion heater 2 hole fixing		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

				
1				
No.	419174	Ref. No.	17057 WY17057 WY4617057	
description	heating element 4000/4355W 230/240V heating circuits 3 mounting ø 42mm hole distance 75mm L 315mm W 38mm H 45mm L1 33mm L2 62mm L3 220mm H1 31mm H2 14mm hole ø 9.5mm tube ø 8.5mm thermostat sleeves ø 6mm length thermostat sleeves 157mm thermostat sleeve centre not clinging number of thermostat sleeves 1 connection M3 immersion heater 2 hole flange			
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance			
accessories for	419174			
	No.	528002	Ref. No.	W10470
flat gasket PTFE ED ø 57mm ID ø 42mm thickness 3mm Qty 1 pcs equiv. no. 12001/W10470 suitable for				

			
No.	527771	Ref. No.	17060 WY17060
description	heating element 4500W 230V heating circuits 3 mounting ø 42mm hole distance 74mm L 325mm W 32mm H 50mm L1 35mm L2 55mm L3 225mm H1 32mm H2 18mm hole ø 10mm tube ø 8mm thermostat sleeves ø 6mm length thermostat sleeves 148mm		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

			
No.	417112	Ref. No.	N/A
description	heating element 4500W 230V heating circuits 3 mounting ø 42mm hole distance 74mm L 390mm W 35mm H 70mm L1 30mm L2 50mm L3 300mm H1 33mm H2 37mm hole ø 9mm tube ø 8mm thermostat sleeves ø 6.5mm length thermostat sleeves 200mm thermostat sleeve not clinging number of thermostat sleeves 1 connection male faston 6.3mm immersion heater 2 hole flange		

			
No.	527770	Ref. No.	17107 WY17107
description	heating element 5000W 230V heating circuits 3 mounting ø 42mm hole distance 74mm L 570mm W 32mm H 50mm L1 35mm L2 60mm L3 475mm H1 35mm H2 18mm hole ø 9mm tube ø 8mm thermostat sleeves ø 6mm length thermostat sleeves 148mm		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance, Venere		


			
No.	417157	Ref. No.	W10466
description	heating element 5000W 230V heating circuits 3 mounting ø 42mm hole distance 75mm L 478mm W 38mm H 55mm L1 17mm L2 41mm L3 420mm H1 32mm H2 23mm hole ø 10mm tube ø 8mm connection M4 immersion heater 2 hole flange		
For models:	Sphera		

			
No.	417706	Ref. No.	17153 WY17153
description	heating element 6000W 230V heating circuits 3 mounting ø 42.5mm hole distance 75mm L 775mm W 33mm H 45mm L1 30mm L2 45mm L3 700mm H1 35mm H2 10mm hole ø 9.5mm tube ø 8mm thermostat sleeves ø 8.5mm length thermostat sleeves 145mm thermostat sleeve centre not clinging number of thermostat sleeves 1 connection M3 immersion heater 2 hole flange		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		


			
No.	417574	Ref. No.	17000 WY17000
description	heating element coffee machine 1700W 120V		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

immersion heating elements

3 hole flange ø38.5mm

 			
No.	416277	Ref. No.	3DD18206D WY3DD18206D
description	heating element 2800W 230V mounting ø 38.5mm heating circuits 1 L 302mm W 37mm H 28mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 199mm thermostat sleeve not clinging tube ø 6.4mm hole distance 57mm hole ø 10mm cable length 114mm 3 hole flange connection 26 immersion heater		
For models:	Wega-wash-370, Wega-wash-400		
accessories for	416277		
	No.	532577	Ref. No. —
O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs			

with compression flange 62 x 26mm

 			
No.	415268	Ref. No.	3DD16035A WY3DD16035A
description	heating element 1850-2020W 230-240V heating circuits 1 expansion flange flange 62x26mm L 245mm W 40mm H 25mm tube ø 6.5mm connection male faston 6.3mm immersion heater		
For models:	Wega-wash-370, Wega-wash-400, Wega-wash-500		

with round flange ø47.5mm

				
1				
No.	420056	Ref. No.	3DD15089D WY3DD15089D	
description	heating element 2800W 230V heating circuits 1 L 380mm W 34mm H 33mm tube ø 6mm thermostat sleeves ø 8.5mm number of thermostat sleeves 1 length thermostat sleeves 230mm			
For models:	Wega-wash-500			
accessories for	420056			
	No.	510408	Ref. No.	—
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				



1

No.	419040	Ref. No.	3DD15089E WY3DD15089E
description	heating element 6000/6530W 230/240V heating circuits 3 mounting ø 47.5mm L 375mm W 38mm H 39mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 240mm thermostat sleeve eccentric, non clinging		
For models:	Wega-wash-500		

thermostats

bi-metal thermostats

safety bi-metal thermostats



1

No.	390370	Ref. No.	20304 WY20304
description	bi-metal safety thermostat hole distancemm switch-off temp. 145°C 1NC 1-pole 16A connection F6.3 M4		
For models:	Mininova		



1

No.	390432	Ref. No.	20300008 WY20300008
description	bi-metal safety thermostat switch-off temp. 120°C 3NC 3-pole 25A connection M5		

control and safety thermostats

EGO

safety thermostats

55.33_ series



1

No.	390883	Ref. No.	20300019 WY20300019
description	safety thermostat switch-off temp. 160°C 3-pole 20A probe ø 4mm probe L 155mm capillary pipe 880mm capillary pipe isolated 350mm gland nut probe SS		

IMIT / TEMPOMATIC / ARTERMO

control thermostats



1

No.	390460	Ref. No.	3DD107071 WY3DD107071
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 2000mm capillary pipe isolated 1950mm gland nut shaft ømm shaft Lmm shaft position rotation 270° probe material copper		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

rod thermostats

safety rod thermostats



1

No.	390433	Ref. No.	20302 W10785 WY20302
description	safety rod thermostat switch-off temp. 145°C temperature range 0-145°C 2-pole 2NC 20A probe ø 8mm probe L 187mm capillary pipemm capillary pipe isolatedmm gland nut shaft ømm thermostat sleeves ø 16mm length thermostat sleeves 200mm		
For models:	Antares		

refrigeration thermostats

RANCO

K61 series



1

No.	379516	Ref. No.	3IF62026416 WY3IF62026416
description	thermostat RANCO type K61L1508 probe ø 2mm probe Lmm capil- lary pipe 1800mm		
For models:	Cubetti-22, Cubetti-32		

switches and momentary switches

rocker/momentary rocker switches

30x22mm



No.	301020	Ref. No.	18268 WY18268
description	momentary rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 100/55°C protection IP65		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



No.	301060	Ref. No.	18263 WY18263
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Starlet, Vela, VelaCompatta, VelaElegance		



No.	301036	Ref. No.	19049 WY19049
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		



No.	301249	Ref. No.	18135 WY18135
description	rocker switch mounting measurements 30x22mm red 2CO 250V 16A I O connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



No.	345056	Ref. No.	28165003 WY28165003
description	rocker switch mounting measurements 30x22mm orange 2NO 250V 8A illuminated cup connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	Macinadosatore		

push/momentary push switches

30x22mm



No.	301036	Ref. No.	19049 WY19049
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		

ø25mm



No.	345037	Ref. No.	W10963
description	push switch mounting ø 25mm red 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

accessories

push buttons



No.	347183	Ref. No.	15373060 WY15373060
description	push button mounting ø 14.3mm chrome-plated		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Vela, VelaCompatta, VelaElegance		
accessories for	347183		
	No.	347192	Ref. No.
			18371057 WY18371057
switch 2NO 250V 16A connection male faston 6.3mm			

microswitches

pin-plunger actuated



No.	345759	Ref. No.	28165001 WY28165001
description	microswitch 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 125°C mounting distance 22mm type B actuating force: 280g black		
For models:	Macinadosatore		



M12



1

No.	345350	Ref. No.	18250004 WY18250004
description	microswitch with plunger mounting distance 22mm thread M12x0.75 thread L 16mm 250V 16A 1CO connection male faston 6.3mm stroke 4mm ambient temperature max. 125°C type EF83161.3 actuating force: 66g		
For models:	Gemini		
accessories for	345350		
	No.	345351	Ref. No.
	—		
nut thread M12x0.75 H 1.6mm WS 14 chrome-plated brass Qty 1 pcs			

roller actuated

roller 0°



1

No.	346370	Ref. No.	18251 WY18251
description	microswitch with roller plunger 230V 16A 1CO connection screw L1 49mm ambient temperature max. 125°C thread L 14mm thread M10 mounting distance 25mm actuating force: 300g type MV15-2		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



1

No.	346055	Ref. No.	18251 WY18251
description	microswitch with roller plunger 250V 16A 1CO connection screw ambient temperature max. 85°C thread L 14mm thread M12 mounting distance 25mm type C7BZN		

system switches (ROLD)



1

No.	347182	Ref. No.	15373058 WY15373058
description	element holder mounting measurements 20.6x16.4mm chrome-plated arched for push buttons 13x17mm		
For models:	Venere		



1

No.	345606	Ref. No.	3DD15811A WY3DD15811A
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	Wega-wash-500		



1

	No.	347181	Ref. No.	15373057 WY15373057
description		push button size 13x17mmmm chrome-plated		
For models:		Venere		
accessories for		347181		
	No.	347182	Ref. No.	15373058 WY15373058
	element holder mounting measurements 20.6x16.4mm chrome-plated arched for push buttons 13x17mm			



1

No.	347192	Ref. No.	18371057 WY18371057	
description	switch 2NO 250V 16A connection male faston 6.3mm			
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Vela, VelaCompatta, VelaElegance, Venere			
accessories for	347192			
	No.	347183	Ref. No.	15373060 WY15373060
	push button mounting ø 14.3mm chrome-plated			

key lock switches



1

No.	402219	Ref. No.	22723003 WY22723003
description	key lock switch 1 group thread M12x1 1NO mounting ø 12mm cable length 500mm		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	346029	Ref. No.	Anfrage l?ft
description	key lock switch 2NO 240V 3A mounting ø 22.5mm connection screw		

			
1			
No.	346062	Ref. No.	22715820 WY22715820
description	key lock switch set		

rotary switches

BREMAS

A1700 series

			
1			
No.	346104	Ref. No.	W10734
description	rotary switch 2 0-1 sets of contacts 3 type CA0170003 400V 20A shaft ø 5x5mm shaft L 21mm shaft square connection screw		
accessories for	346104		
		No.	111012
		Ref. No.	—
	knob switch zero mark t.max.°C°C ø 34/60mm shaft ø 5x5mm shaft flat black H 22mm L 50mm		

			
1			
No.	346100	Ref. No.	10735 18104 WY10735 WY18104
description	rotary switch 3 1-0-2 sets of contacts 8 type CS0177412 400V 20A shaft ø 5x5mm shaft L 21mm shaft square connection screw		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

A2500 series

			
1			
No.	346101	Ref. No.	18103 WY18103
description	rotary switch 3 1-0-2 sets of contacts 8 type CS0257412 600V 32A shaft ø 5x5mm shaft L 21mm shaft square connection screw		

accessories

			
1			
No.	527259	Ref. No.	15271 WY15271
description	knob push-in ø 34/60mm shaft ø 5x5mm black H 21.4mm L 49mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

miscellaneous

			
1			
No.	527808	Ref. No.	22937001 WY22937001
description	rotary switch with cable SPHERA/TRON		

accessories


symbol labels

			
1			
No.	345793	Ref. No.	29068 WY29068
description	symbol label 0 up to 1 L 58.5mm W 58.5mm bore ø 10mm mounting distance 20mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	345794	Ref. No.	29067 WY29067
description	symbol label 1-0-2 L 58.5mm W 58.5mm bore ø 10mm mounting distance 20mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		

magnetic switches

23x14mm



1

No.	346106	Ref. No.	18255000 WY18255000
description	magnetic switch L 23mm W 13.9mm 1NO 90V 0.5A P max. 10W cable length 500mm mounting distance 14mm		
For models:	Mininova		

lamps

indicator lights

indicator lights (complete)

ø10mm

with screw socket



1

No.	359400	Ref. No.	21011 WY21011 WY83210010R
description	indicator light ø 10mm 230V green		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		

with plug-in socket



1

No.	359139	Ref. No.	3DD10711B WY3DD10711B
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		



1

No.	359333	Ref. No.	21021 WY21021
description	indicator light ø 10mm 12V green cable length 200mm		
For models:	Gemini		

LED

indicator lamps

miscellaneous



1

No.	400538	Ref. No.	21024 22625 WY21024 WY22625
description	indicator light LED red mounting thread M8x0.75 ø 5mm		
For models:	Pegaso, Venere		

timers

programme timers



1

No.	360291	Ref. No.	3DD10708E WY3DD10708E	
description	timer CDC 11803 engines 1 chambers 3 operation time 120s 115V shaft ømm shaft Lmm manuf. no. 11803F1 / 10708E motor type M48R ATS /60Hz connection F4.8 supply at 60Hz 115V			
For models:	Wega-wash-500			
spare parts for	360291			
	No.	360118	Ref. No.	—
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			



1

No.	360273	Ref. No.	3DD16064A WY3DD16064A	
description	timer CDC 11803 engines 1 chambers 3 operation time 18min 230V shaft ømm shaft Lmm manuf. no. 11803F1 / 16064/A motor type M48R ATS			
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400			
spare parts for	360273			
	No.	360118	Ref. No.	—
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			



1

No.	360290	Ref. No.	3DD10708T WY3DD10708T
description	timer CDC 11804F engines 1 chambers 4 operation time 120s 230V shaft ømm shaft Lmm manuf. no. 11804F1 / 10708T motor type M48R ATS connection F4.8		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		
spare parts for	360290		
	No.	360118	Ref. No. —
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		



1

No.	360289	Ref. No.	3DD10708L WY3DD10708L
description	timer CROUZET engines 1 chambers 2 operation time 120s 230V shaft ømm shaft Lmm manuf. no. 627/5309 motor type 600		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

contactors

miscellaneous

power contactors



1

No.	527825	Ref. No.	22980001 WY22980001
description	power contactor 230V resistive load 25A (AC3/400V) 4kW with cable		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

solid state relays

miscellaneous



1

No.	381202	Ref. No.	WY18460005
description	power relays CARLO GAVAZZI 1 phase 50A 600V 22-48VDC L 58mm W 45mm screw type RM1A60A50		

relays

power relays

with bracket mounting



1

No.	380139	Ref. No.	28286002 WY28286002
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		
For models:	Macinadosatore		




1

No.	380368	Ref. No.	18460001 WY18460001
description	power relays ZETTLER ELECTRONICS 230VAC 30A 1NO/1NC connection male faston 6.3mm bracket mounting manuf. no. AZ 2280-1A-240AF AZ2280-1C-240AF		
For models:	Mininova		

with male contacts

female contact 2.0mm




1

No.	380494	Ref. No.	18460003 WY18460003
description	power relays FINDER 230VAC 7A 4CO connection F2 plug-in connection manuf. no. 55.34.8.230.0054 94.74/ZMD4 250V connection 2mm		
For models:	Pegaso		
accessories for	380494		
	No.	380341	Ref. No. —
	relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4		
	No.	380399	Ref. No. —
	relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3		

relay sockets



1



No.	380802	Ref. No.	18454101 WY18454101
description	relay socket 4-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.74		
For models:	Pegaso		
accessories for	380802		
	No.	380804	Ref. No. —
	support bracket		

level relays

GICAR



1

No.	402103	Ref. No.	W10769
description	level controller 230/240V voltage AC 50/60Hz connection F6.3 type NRL30/1E-2C/F		
For models:	Sphera		



1

No.	400230	Ref. No.	18402 WY18402
description	level relay 230V voltage AC 50/60Hz 11-pole 10A connection plug-in connection round 11-pole type RL40/1E/11		
For models:	Antares		

GIEMME



1

No.	402216	Ref. No.	18081001 WY18081001
description	level relay 115V voltage AC 50/60Hz 8A connection male faston 6.3mm type RL1E/2C/F		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

			
1			
No.	400537	Ref. No.	18080001 W10738 WY18080001
description	level relay 230V voltage AC 50/60Hz 8A connection F6.3 type RL1E/2C/F		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

			
1			
No.	400786	Ref. No.	18045 WY18045
description	level relay 230V voltage AC 5A connection F6.3 type MFC 2S		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

probes

producer-specific probes

			
1			
No.	379556	Ref. No.	20306 WY20306
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection plug thread 1/8" probe ø6x11mm cable length 0.1m		
For models:	Gemini		

			
1			
No.	527772	Ref. No.	20255 WY20255
description	temperature probe NTC 200kOhm cable silicone probe -40 up to +150°C cable -50 up to +180°C connection coded plug thread 1/4" probe ø8x20mm cable length 1.5m		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

sensors

			
1			
No.	379556	Ref. No.	20306 WY20306
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection plug thread 1/8" probe ø6x11mm cable length 0.1m		
For models:	Gemini		

electronics

electronics accessories

			
1			
No.	527612	Ref. No.	15182997 WY15182997
description	gasket for display L 110mm W 55mm thickness 2mm Neoprene		
For models:	Vela, VelaCompatta, VelaElegance		

			
1			
No.	527765	Ref. No.	15373050 WY15373050
description	housing L 119mm W 51mm plastic		
For models:	Sphera		

			
1			
No.	527820	Ref. No.	15373104 WY15373104
description	spacer piece for display L 10mm ø 4.8mm ID ø 3.1mm		
For models:	Vela, VelaCompatta, VelaElegance		

			
1			
No.	527821	Ref. No.	15373105 WY15373105
description	spacer piece for keypad L 11.1mm ø 4.8mm ID ø 3.1mm		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Vela, VelaCompatta, VelaElegance		

			
1			
No.	527819	Ref. No.	15373106 WY15373106
description	spacer piece for keypad L 22.5mm ø 4.8mm ID ø 3.1mm		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Vela, VelaCompatta, VelaElegance		

			
1			
No.	527823	Ref. No.	15373107 WY15373107
description	spacer piece for keypad with internal and external thread thread M3 L 6mm		
For models:	Vela, VelaCompatta, VelaElegance		

			
1			
No.	527822	Ref. No.	15373108 WY15373108
description	spacer piece with thread thread M3 L 5mm		
For models:	Gemini, Vela, VelaCompatta, VelaElegance		

PCBs

			
1			
No.	400787	Ref. No.	26020 WY26020
description	display espresso machine Pegaso		
For models:	Pegaso		

			
1			
No.	527760	Ref. No.	18371077 WY18371077
description	display for coffee machine L 84mm W 44mm		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta		

			
1			
No.	527793	Ref. No.	18371078 WY18371078
description	display L 122mm W 44mm		
For models:	Vela, VelaCompatta, VelaElegance		



No.	401711	Ref. No.	18090024 WY18090024
description	display PCB suitable for WEGA		
For models:	Gemini		
accessories for	401711		



No.	401712	Ref. No.	20127001 WY20127001
keypad foil suitable for WEGA L 135mm W 60mm buttons 5			

			
1			
No.	527759	Ref. No.	18371089 18371090 WY18371089 WY18371090
description	keypad PCB L 130mm W 40mm		
For models:	Vela, VelaCompatta, VelaElegance		

			
1			
No.	527792	Ref. No.	18371079 WY18371079
description	keypad unit L 131mm W 35mm mounting pos. horizontal buttons 7		

			
1			
No.	401802	Ref. No.	18090023 WY18090023
description	PCB		
For models:	Gemini		

			
1			
No.	527761	Ref. No.	18371085 18371086 WY18371085 WY18371086
description	PCB L 65mm W 43mm with flattening		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta		

central units

			
1			
No.	400530	Ref. No.	W1018044
description	central unit for coffee machine 230V type MFC-2SN		

			
1			
No.	400539	Ref. No.	18090016 WY18090016
description	control box 1-3-group for coffee machine 230V type 3GR+LIV+TEA DE		
For models:	Pegaso, Venere		

			
1			
No.	402213	Ref. No.	18090030 WY18090030
description	control box 3-group coffee machine 115V type 3GR+LIV+TEA		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	527811	Ref. No.	18090013 WY18090013
description	control box 3-group for coffee machine 115V type 3GR+LIV+TEA C/W		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	402214	Ref. No.	18090017 WY18090017
description	control box 3-group for coffee machine 115V type 3GR+LIV+TEA DE		
For models:	Pegaso, Venere		

			
1			
No.	400796	Ref. No.	18090031 WY18090031
description	control box 3-group for coffee machine 230V type 3GR+LIV+TEA		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		



1

No.	400516	Ref. No.	18090012 WY18090012
description	control box 3-group for coffee machine 230V type 3GR+LIV+TEA C/W		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



1

No.	402217	Ref. No.	18090048 WY18090048
description	control box for coffee machine 230V		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta		



1

No.	402215	Ref. No.	18043001 WY18043001
description	control box for coffee machine 115V		
For models:	Mininova		



1

No.	527737	Ref. No.	18082 WY18082
description	control box for coffee machine 230V type 30 MICRO ST		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



1

No.	527809	Ref. No.	18083 WY18083
description	control box for coffee machine 115V type 30 MICRO ST		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



1

No.	527741	Ref. No.	18090018 WY18090018
description	control box for coffee machine 230V type CONTROL d - CAL		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



1

No.	527810	Ref. No.	18090019 WY18090019
description	control box for coffee machine 115V type CONTROL d-30		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

keypads

front foils



1

No.	527747	Ref. No.	29169102 WY29169102
description	keypad foil L 100mm W 50mm		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta		

			
No.	527745	Ref. No.	29169118 WY29169118
description	keypad foil L 137mm W 50mm		
For models:	Vela, VelaCompatta, VelaElegance		

			
No.	527746	Ref. No.	29169117 WY29169117
description	keypad foil L 137mm W 50mm		
For models:	Vela, VelaCompatta, VelaElegance		

			
No.	527764	Ref. No.	29169115 WY29169115
description	keypad foil L 137mm W 50mm		
For models:	Vela, VelaCompatta, VelaElegance		

			
No.	527748	Ref. No.	29169101 WY29169101
description	keypad foil L 173mm W 50mm		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta		

			
No.	527752	Ref. No.	29169119 WY29169119
description	keypad foil L 212mm W 50mm		
For models:	Vela, VelaCompatta, VelaElegance		

			
No.	527763	Ref. No.	29169116 WY29169116
description	keypad foil L 213mm W 50mm		
For models:	Vela, VelaCompatta, VelaElegance		

			
No.	401712	Ref. No.	20127001 WY20127001
description	keypad foil suitable for WEGA L 135mm W 60mm buttons 5		
For models:	Gemini		

membrane keypads

			
No.	401713	Ref. No.	20127005 WY20127005
description	membrane keypad buttons 10 L 135mm W 60mm		
For models:	Gemini		

			
No.	401715	Ref. No.	20127007 WY20127007
description	membrane keypad buttons 10 suitable for WEGA L 135mm W 60mm		
For models:	Gemini		

			
No.	401714	Ref. No.	20127006 WY20127006
description	membrane keypad cappuccino buttons 14 suitable for WEGA L 190mm W 60mm		
For models:	Gemini		

			
No.	527754	Ref. No.	20126014 WY20126014
description	membrane keypad coffee machine ATLAS L 100mm W 50mm		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta		

			
No.	527758	Ref. No.	18349 WY18349
description	membrane keypad for coffee machine L 50mm W 50mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

keypad units



1

No.	400510	Ref. No.	18371043 W5092 WY18371043
description	keypad unit		
For models:	Sphera		



1

No.	400511	Ref. No.	18371042 W5093 WY18371042
description	keypad unit		
For models:	Sphera		



1

No.	400512	Ref. No.	18371044 W5094 WY18371044
description	keypad unit		
For models:	Sphera		



1

No.	400513	Ref. No.	18371046 W5249 WY18371046
description	keypad unit		
For models:	Sphera		



1

No.	400514	Ref. No.	18371045 W5250 WY18371045
description	keypad unit		
For models:	Sphera		



1

No.	402209	Ref. No.	18371054 WY18371054
description	keypad unit buttons 1 suitable for Astoria / Wega L 125mm W 75mm		
For models:	Venere		



1

No.	527812	Ref. No.	18363 WY18363
description	keypad unit buttons 5 115V L 92mm W 44mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



1

No.	400355	Ref. No.	10772 W10772 WY10772
description	keypad unit buttons 6		



1

No.	400506	Ref. No.	11100 W11100 W18357 WY11100
description	keypad unit buttons 6		

			
No.	527753	Ref. No.	83180014R WY83180014R
description	keypad unit buttons 7 L 136mm W 46mm		
For models:	Vela, VelaCompatta, VelaElegance		

			
No.	402211	Ref. No.	18371055 WY18371055
description	keypad unit buttons 7 suitable for Astoria / Wega L 120mm W 75mm		
For models:	Venere		

			
No.	400354	Ref. No.	10839 18362 W10839 WY10839 WY18362
description	keypad unit coffee machine AIRY/ATLAS/COMBI NOVA/JUNIOR buttons 5		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

			
No.	400795	Ref. No.	18371049 WY18371049
description	keypad unit coffee machine Atlas/OrionEco/EPU1PG buttons 5 L 89mm W 42mm		
For models:	Atlas, OrionEco, Pegaso		

			
No.	527776	Ref. No.	83180011R WY83180011R
description	keypad unit coffee machine Gloria buttons 7 L 136mm W 45mm		

			
No.	400789	Ref. No.	18371027 WY18371027
description	keypad unit coffee machine/espresso maker MININOVA/EPUMINIV buttons 5 L 66mm W 43mm		
For models:	Mininova		

			
No.	400515	Ref. No.	18371048 W7000 WY18371048
description	keypad unit SPHERA/TRON buttons 4 chrome-plated L 119mm W 51mm		
For models:	Sphera		

control panel

			
No.	527749	Ref. No.	15373043 WY15373043
description	control panel L 120mm W 58mm plastic		
For models:	Sphera		

			
No.	527766	Ref. No.	15373042 WY15373042
description	control panel L 120mm W 58mm plastic		
For models:	Sphera		



No.	527767	Ref. No.	15373044 WY15373044
description	control panel L 120mm W 58mm plastic		
For models:	Sphera		



No.	527751	Ref. No.	15373045 WY15373045
description	control panel L 121mm W 58mm plastic		
For models:	Sphera		



No.	527755	Ref. No.	15373041 WY15373041
description	control panel L 121mm W 58mm plastic		
For models:	Sphera		

accessories



No.	527824	Ref. No.	15373048 WY15373048
description	button L 22mm W 19.2mm chrome-plated		



No.	527743	Ref. No.	15373051 WY15373051
description	cover L 121mm W 58mm H 20mm plastic		
For models:	Sphera		



No.	527750	Ref. No.	15373046 WY15373046
description	cover L 121mm W 58mm H 23mm plastic		
For models:	Sphera		



No.	527611	Ref. No.	15182996 WY15182996
description	gasket for keypad L 144mm W 55mm thickness 2mm Neoprene		
For models:	Vela, VelaCompatta, VelaElegance		



No.	527762	Ref. No.	15373017 WY15373017
description	housing L 119mm W 51mm H 34mm plastic		
For models:	Sphera		



No.	527742	Ref. No.	18371041 WY18371041
description	housing L 119mm W 52mm H 50mm plastic		
For models:	Sphera		



No.	527744	Ref. No.	15373111 15373116 WY15373111 WY15373116
description	housing L 136mm W 45mm H 20mm plastic		
For models:	Vela, VelaCompatta, VelaElegance		



No.	527791	Ref. No.	18371061 WY18371061
description	keypad unit horizontal L 105mm W 70mm buttons 1		
For models:	Venere		



No.	527781	Ref. No.	18371059 WY18371059
description	keypad unit mounting pos. horizontal W 70mm L 105mm buttons 1		
For models:	Venere		

			
1			
No.	511564	Ref. No.	18371062 WY18371062
description	keypad unit mounting pos. horizontal W 71mm L 157mm buttons 1		
For models:	Venere		

			
1			
No.	402212	Ref. No.	18371053 WY18371053
description	switch panel complete L 158mm W 70mm buttons 3 for Astoria / Wega		
For models:	Venere		

			
1			
No.	527816	Ref. No.	77595000 WY77595000
description	switch panel L 86mm W 40mm		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Vela, VelaCompatta, VelaElegance		

solenoid valves

solenoid valves (water)

various

			
1			
No.	370498	Ref. No.	18173002 WY18173002
description	solenoid valve 3-way 230VAC plastic DN 3.4mm		
For models:	Gemini		

metal

ASCO

spare parts and accessories

O-rings

			
1			
No.	371095	Ref. No.	12305 WY12305
description	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Starlet, Vela, VelaCompatta, VelaElegance, Venere		

OLAB

solenoid valves

2-way

			
1			
No.	370484	Ref. No.	18161988 WY18161988
description	solenoid valve brass 2-ways 230VAC connection 2x 1/8" IT L 64mm controllable duty cycle 100%		
For models:	Gemini, Venere		

PARKER

2-way

VE-140 series

			
1			
No.	370141 ¹	Ref. No.	18161990 WY18161990
description	solenoid valve 2-ways 208-240 inlet 1/4" outlet 1/4" connection 1/4" L 40mm DN 3mm slide-on receptacle DIN -10 up to 140°C type series VE-140 coil type ZB09 membranes ruby p max 8bar SS		
For models:	Gemini, Mininova		

¹SS housing

			
1			
No.	370140	Ref. No.	18162002 WY18162002 WY18162004 WY4618162005
description	solenoid valve 2-way-ways 230VAC connection 1/8" L 30mm DN 2.5mm slide-on receptacle DIN -10 up to 140°C coil type DZ06S6 membranes ruby p max 14bar brass		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

3-way

VE-128 series



1

No.	370057	Ref. No.	18151 WY18151
description	solenoid valve 3-ways 230VAC body outer cone DN 1.2mm slide-on receptacle DIN -20° up to 140°C PARKER type series VE-128 coil type ZB09 membranes ruby p max 10bar brass flange 32x32mm		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		
spare parts for	370057		
	No.	370062	Ref. No. —
solenoid valve body PARKER 3-ways outer cone			
	No.	371029	Ref. No. —
solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm			
accessories for	370057		
	No.	371090	Ref. No. —
power socket plug type DIN 43650A screw			
	No.	371095	Ref. No. 12305 WY12305
O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs			
	No.	371100	Ref. No. —
O-ring silicone thickness 1.78mm ID ø 6.07mm Qty 1 pcs			

solenoid valves (various)



1

No.	370497	Ref. No.	18180001 WY18180001
description	solenoid valve 2-ways 230VAC connection 1/8" L 30mm DN 1.5mm PARKER brass		
For models:	Gemini, Starlet		



1

No.	370525	Ref. No.	18150 WY18150 WY834718151R
description	solenoid valve 3-ways 110VAC body outer cone DN 1.5mm slide-on receptacle DIN -20 up to +140°C PARKER type series E131F membranes ruby p max 10bar p min 0bar with flange plate 110V brass voltage AC flange 32x32mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

Solenoid valve - accessories



1

No.	371095	Ref. No.	12305 WY12305
description	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Starlet, Vela, VelaCompatta, VelaElegance, Venere		

pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal



1

No.	541314	Ref. No.	3DD10706A
description	pressure control pressure range 46/26mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		



1

No.	541140	Ref. No.	WY3DD10706A
description	pressure control pressure range 55/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

for coffee machines

ø 38mm



1

No.	541089	Ref. No.	20155 WY20155
description	pressure control ø 38mm pressure range 0.5-1.2bar pressure connection vertical 16A 250V coffee machine parts connection 1/8" ambient temperature max. 125°C pressure connection 1/8"		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

miscellaneous



1

No.	541021	Ref. No.	20150 W10440 WY20150
description	pressure control pressure range adjustable 0.5-1.4bar connection 1/4" 30A 3-pole type P302 coffee machine parts SIRAI		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		
accessories for	541021		
	No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	No.	890100	Ref. No. —
PTFE tape reel L 12m W 12mm -200 up to +260°C approval DIN-DVGW, KTW temperature-resistant, elastic for fine thread thickness 0.1mm			

electrodes



1

No.	401872	Ref. No.	20261 WY20261
description	level electrode 1/4" total length 100mm probe L 64mm insulated probe length 17mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	Venere		

			
1			
No.	400790	Ref. No.	20251 WY20251
description	level electrode 1/4" total length 125mm probe L 98mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 3mm rubber		
For models:	Airy, Antares, Atlas, Gemini, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	400020	Ref. No.	ELETSON
description	level electrode 1/4" total length 150mm probe L 124mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		

flow meters and flow sensors

flow meters

GICAR



1

No.	400004	Ref. No.	18126 W10785 WY18126
description	flow meter thread 1/4" stainless steel with LED plug connection approval NSF		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		
accessories for	400004		
	No.	400256	Ref. No. —
plug GICAR for flow meter			

accessories



1

No.	400257	Ref. No.	W10718
description	impellor GICAR H 15mm D1 ø 26.7mm D2 ø 9.8mm for flow meter		



1

No.	400258	Ref. No.	W10717
description	O-ring for flow meter		

motors

motors

for coffee grinders

complete



1

No.	500949	Ref. No.	28247001 WY28247001
description	motor 250W 230V 50Hz 1 phase 1.9A shaft ø 15mm shaft length 54mm thread M10L 1300rpm type 11004007 RPM 0.25kW		
For models:	Macinadosatore		

pumps

wash and rinse pumps

FIR

pumps



1

No.	500527	Ref. No.	3DD15908A WY3DD15908A
description	pump inlet ø 60mm outlet ø 50/30mm type 2233.B140 230V 50Hz 1 phase 0.55kW 0.75HP L 210mm rotation direction right capacitor 12.5µF FIR inlet ø 60mm		
For models:	Wega-wash-500		
spare parts for	500527		
	No.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	No.	510552	Ref. No. 3DD15079D WY3DD15079D
	pump cover gasket pump type 1292-2/3942/3981/3911/3983		
	No.	510608	Ref. No. 3DD15079B WY3DD15079B
	impellor ø 93mm H 32mm shaft intake ø 9/8mm blades 6 inner height 11mm		
	No.	510692	Ref. No. —
	mechanical shaft seal for shaft ø 11mm slide ring ext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm		
	No.	521511	Ref. No. 3DD15031E WY3DD15031E
	pump cover inlet ø 60mm outlet ø 50/30mm supporting pressure M12x1.75 supporting pressure open pump type 2233 turn direction right ø 160mm ID ø 120mm inner height 23mm		



1

No.	500528	Ref. No.	3DD15908D WY3DD15908D
description	pump inlet ø 60mm outlet ø 50mm type 4233.1500 230V 50Hz 1 phase 0.74kW 1HP L 220mm rotation direction right capacitor 16µF FIR		
For models:	Wega-wash-500		
spare parts for	500528		
	No.	365021	Ref. No. —
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	No.	510552	Ref. No. 3DD15079D WY3DD15079D
	pump cover gasket pump type 1292-2/3942/3981/3911/3983		
	No.	510693	Ref. No. —
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	517319	Ref. No. —
	hose connector T1: M12x1.75 hose ø 11mm brass		
	No.	521177	Ref. No. —
	impellor ø 93mm H 23mm thread M10L suitable for FIR		
	No.	521511	Ref. No. 3DD15031E WY3DD15031E
	pump cover inlet ø 60mm outlet ø 50/30mm supporting pressure M12x1.75 supporting pressure open pump type 2233 turn direction right ø 160mm ID ø 120mm inner height 23mm		

OLYMPIA
pumps


1

No.	499318	Ref. No.	3DD10501A WY3DD10501A
description	pump inlet ø 28mm outlet ø 28mm type L63.T19 230V 50Hz 1 phase 0.19kW L 185mm rotation direction right capacitor 5µF OLYMPIA inlet ø 28mm outlet ø 28mm		
For models:	Wega-wash-350, Wega-wash-370		
spare parts for	499318		
	No.	365017	Ref. No. —
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	510693	Ref. No. —
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521163	Ref. No. —
	pump cover OLYMPIA inlet ø 28mm outlet ø 26mm pump type L63.T19		
	No.	521164	Ref. No. —
	impellor ø 64mm H 15mm pump type L63.T19 thread M7L shaft ø 12mm shaft length 30mm		
	No.	521724	Ref. No. —
	O-ring EPDM thickness 1.78mm ID ø 72.75mm Qty 1 pcs		

booster pumps II

pump motors

clip connection



1

No.	500950	Ref. No.	18303 WY18303
description	pump motor RPM type C013728 120W 230V 50Hz connection clip ø 100mm L 145mm capacitor 8µF		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		
accessories for	500950		
	No.	527146	Ref. No. 26310002 83260016R WY26310002 WY83260016R
	coupling set with clip		


pump heads

FLUID-O-TECH



1

No.	500174	Ref. No.	26303001 WY26303001
description	pump head PA104 FLUID-O-TECH L 82mm 100l/h connection 3/8" GAS with bypass brass clip connection for coffee machine shaft ø 4.8x11mm NSF		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		
accessories for	500174		
	No.	520126	Ref. No. —
	clamp for pump/motor		



1

No.	500520	Ref. No.	3DD18242B WY3DD18242B
description	pump inlet ø 33mm outlet ø 30/28mm type T33 230V 50Hz 1 phase 0.25kW 0.34HP L 190mm rotation direction left capacitor 5µF OLYMPIA		
For models:	Wega-wash-370, Wega-wash-400		
spare parts for	500520		
	No.	365017	Ref. No. —
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	No.	510693	Ref. No. —
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	No.	521151	Ref. No. —
	impellor ø 71mm H 19mm pump type OLYMPIA thread M10R shaft ø 12mm shaft length 8mm		
	No.	521551	Ref. No. —
	pump cover OLYMPIA inlet ø 33mm outlet ø 30mm outlet 2 ø 28 turn direction left ø 103mm ID ø 93mm inner height 30mm		
	No.	521723	Ref. No. —
	pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs		

booster pumps I



1

No.	499294	Ref. No.	3DD15100D WY3DD15100D
description	pump inlet ø 3/8" outlet ø 3/8" type B299.2351 230V 50Hz 1 phase 0.15kW 2800rpm L 170mm capacitor 6.3µF FIR		
For models:	Wega-wash-400, Wega-wash-500		
accessories for	499294		
	No.	365017	Ref. No. —
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		

1

No. 500064 Ref. No. 26303 WY26303					
description	pump head PO204 FLUID-O-TECH L 82mm 200l/h connection 3/8" GAS with bypass brass clip connection for coffee machine shaft ø 4.8x11mm				
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Nova, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance				
accessories for	500064				
	<table> <tr> <td> No. 520126 </td> <td> Ref. No. — </td> </tr> <tr> <td colspan="2"> clamp for pump/motor </td> </tr> </table>	No. 520126	Ref. No. —	clamp for pump/motor	
No. 520126	Ref. No. —				
clamp for pump/motor					

PROCON

1

No.	500230	Ref. No.	26302 WY26302	
description	pump head V6105 PROCON L 82mm 180l/h connection 3/8" NPT with bypass brass clip connection for coffee machine shaft ø 4.8x11mm			
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance			
accessories for	500230			
	No.	520126	Ref. No.	—
	clamp for pump/motor			

accessories

			
1			
No.	527146	Ref. No.	26310002 83260016R WY26310002 WY83260016R
description	coupling set with clip		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	527190	Ref. No.	56116 WY56116
description	filter with integrated fine filter brass T1: 3/8" T2: 3/8" pump inlet		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	365015	Ref. No.	19050 WY19050
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Macinadosatore, Nova, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

vibration pumps

			
1			
No.	500438	Ref. No.	26304 WY26304
description	vibration pump type 1106PAILM1N 208/240V 50/60Hz 50W inlet ø 1/8" IT outlet ø 1/8" IT outlet conical L 128mm FLUID-O-TECH		
For models:	Mininova		

condensators & interference suppression filters

operating capacitors

plastic



1

No.	365015	Ref. No.	19050 WY19050
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Macinadosatore, Nova, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

fuses

fine fuses

fine fuse holders



1

No.	550558	Ref. No.	19122 WY19122
description	fuse holder suitable fuse ø5x20mm ø 12.5mm 10A rated 250V connection F4.8		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

electric accessories

cables

ribbon cables

group 3



1

No.	400705	Ref. No.	22628 WY22628
description	ribbon cable 10-pole L 1400mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		

connection cables



1

No.	527813	Ref. No.	22558 WY22558
description	connection cable L 1500mm 4-pole for coffee machine connection plug		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

ignition parts

ignition cables

pre-assembled cables



1

No.	100140	Ref. No.	22001 WY22001
description	ignition cable cable length 400mm connection ø2.4mm / ø4mm		
For models:	Airy, Antares, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Sphera		

equipment-specific units

for espresso machines

filter holders

filter holders standard

filter holders (complete)



1

No.	528088	Ref. No.	27311055 WY27311055
description	filter holder with outlet, 2-fold suitable for WEGA 2-way ID ømm outlet distancemm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

			
1			
No.	528000	Ref. No.	27311054 WY27311054
description	filter holder with outlet, single suitable for WEGA 1-way ID ø 62mm outlet distance mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

filter holder without spout			
			
1			
No.	525977	Ref. No.	N/A
description	filter holder suitable for CREM-EXPOBAR/WEGA/GRIMAC/SANRAMO without outlet mounting ø 83mm outlet 3/8" ID ø 61.5mm wedge height 10mm wedge position horizontal number of wedges 2 lever inclined		

			
1			
No.	528085	Ref. No.	27311010 WY27311010
description	filter holder suitable for WEGA without outlet mounting ø 82mm outlet 3/8" ID ø 61mm wedge height 9.6mm wedge position horizontal number of wedges 2 lever inclined		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

filter holders short			
			
1			
No.	529933	Ref. No.	W11775
description	filter holder mounting ø 82.4mm outlet 3/8" ID ø 61.5mm handle M12x1.75 wedge height 9.5mm wedge position horizontal number of wedges 2 lever inclined chrome-plated, polished		

handles			
with external thread			
			
1			
No.	529208	Ref. No.	N/A
description	handle ø 35mm thread M12x1.75 thread L 15mm L 125mm black		

			
1			
No.	529068	Ref. No.	W10329
description	handle ø 35mm thread M12x1.75 thread L 15mm L 126mm black		
For models:	Sphera		

			
1			
No.	111150	Ref. No.	15263010 WY15263010
description	handle ø 39mm thread M12x1.75 thread L 17mm L 128mm black		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

end caps			
			
1			
No.	527179	Ref. No.	15486006 WY15486006
description	end cap ø 24.3mm chrome-plated		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

spouts			
with thread 3/8"			
			
1			
No.	529000	Ref. No.	27032001 WY27032001
description	filter holder spout thread 3/8" 1-way curved/long outlet distance mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		



1

No.	529004	Ref. No.	W10670
description	filter holder spout thread 3/8" 1-way curved/long outlet distance mm		
For models:	Sphera		



1

No.	529032	Ref. No.	27042001 WY27042001
description	filter holder spout thread 3/8" 2-way curved outlet distance 48mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		



1

No.	529007	Ref. No.	W10671
description	filter holder spout thread 3/8" 2-way curved/short outlet distance 45mm		
For models:	Sphera		



1

No.	529894	Ref. No.	27050 WY27050
description	filter holder spout thread 3/8" 3-way curved outlet distance mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

accessories



1

No.	529063	Ref. No.	27060201 WY27060201
description	extension thread 3/8" for filter holder outlet		
For models:	Mininova, Pegaso		

EQUIPMENT-SPECIFIC UNITS WEGA-CMA

filters

for 1 cup



1

No.	527631	Ref. No.	N/A
description	coffee filter ø 70mm mounting ø 60.7mm H 17mm cups 1 amount of coffee 8g		



1

No.	529011	Ref. No.	10325 27142 WY10325 WY27142
description	coffee filter ø 70mm mounting ø 60mm H 24.5mm cups 1 amount of coffee 7g perforation ø 0.4mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

for 2 cups



1

No.	529013	Ref. No.	10326 27171 WY10326 WY27171
description	coffee filter ø 70mm mounting ø 60.5mm H 25.5mm cups 2 amount of coffee 14g perforation ø 0.3x0.3mm square		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

for 3 and more cups



1

No.	529229	Ref. No.	27190 WY27190
description	coffee filter ø 70mm mounting ø 60mm H 28mm cups 3 amount of coffee 21g		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

blind filters

			
1			
No.	529023	Ref. No.	27173 WY27173
description	blind filter ø 70mm mounting ø 60mm H 18mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

filter holder springs

			
1			
No.	529079	Ref. No.	27255 W10327 WY27255
description	filter holder spring L 70mm W 60mm wire gauge ø 1.3mm for espresso filter holder		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

			
1			
No.	531243	Ref. No.	N/A
description	filter holder spring L 70mm W 60mm wire gauge ø 1.3mm for espresso filter holder Qty 20 pcs		

brewing units

shower screens

with upstand

			
1			
No.	529293	Ref. No.	27101 WY27101
description	shower screen ø 57mm H 6mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	528417	Ref. No.	10324 27104 WY10324 WY27104
description	shower screen ø 58mm H 19mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

filter holder gaskets

flat

with internal notch

			
1			
No.	526269	Ref. No.	12215 WY12215
description	filter holder gasket D1 ø 71mm D2 ø 56mm H 8.5mm with inside notch Qty 1 pcs		
For models:	Venere		

			
1			
No.	526270	Ref. No.	12217 WY12217
description	filter holder gasket D1 ø 72mm D2 ø 56mm H 8mm with inside notch Qty 1 pcs		
For models:	Venere		

standard

			
1			
No.	528098	Ref. No.	12216 WY12216
description	filter holder gasket D1 ø 66mm D2 ø 56mm H 5.5mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	528043	Ref. No.	12219 WY12219
description	filter holder gasket D1 ø 66mm D2 ø 56mm H 6mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	528030	Ref. No.	W10321
description	filter holder gasket D1 ø 72.7mm D2 ø 57.2mm H 8mm Qty 1 pcs		
For models:	Sphera		

			
1			
No.	528031	Ref. No.	W10323
description	filter holder gasket D1 ø 73mm D2 ø 57mm H 8.5mm rubber Qty 1 pcs		
For models:	Sphera		

			
1			
No.	528032	Ref. No.	W10322
description	filter holder gasket D1 ø 73mm D2 ø 57mm H 9mm Qty 1 pcs		

with bevel 45x2

			
1			
No.	528969	Ref. No.	12228 WY12228
description	filter holder gasket with bevel 45x2 D1 ø 73.5mm D2 ø 57.5mm H 8.5mm with inside notch		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	528970	Ref. No.	12225 12227 WY12225 WY12227
description	filter holder gasket with bevel 45x2 D1 ø 73.5mm D2 ø 57.5mm H 8mm with inside notch		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

shim gaskets

			
1			
No.	531250	Ref. No.	—
description	shim gasket D1 ø 73mm D2 ø 59mm thickness 0.5mm paper Qty 20 pcs		

brewing units with solenoid valve

producer-specific brewing units

			
1			
No.	527779	Ref. No.	56080002 56082106 WY56080002 WY56082106
description	brewing unit complete suitable for Astoria / Wega		

			
1			
No.	527780	Ref. No.	56082011 56082104 WY56082011 WY56082104
description	brewing unit complete suitable for Astoria / Wega		
For models:	Venere		

nozzles



1


No.	528947	Ref. No.	W10308
description	nozzle hole ø 0.6mm L 4mm thread M6x0.75 thread L 5mm		
For models:	Sphera		

pipes



1

No.	527804	Ref. No.	52000122 WY52000122
description	aspiration tube group ø 12mm L 180mm T1: 1/4" copper		



1

No.	527619	Ref. No.	15451025 WY15451025
description	aspiration tube ø 8mm L 150mm T1: M8x1.25 PTFE		
For models:	Venere		

brewing units manual

components

drain units

drain pipes



1

No.	527790	Ref. No.	10352 WY10352
description	drain pipe thread 1/2" int. ø 18mm int. ø 215mm L 37mm chrome-plated brass		



1

No.	526371	Ref. No.	27421016 WY27421016
description	drain pipe thread M30x1.5 T1: 1/2" L 72mm WS 36 L1 25mm L2 35mm		



1

No.	528534	Ref. No.	27421016 WY27421016
description	drain pipe thread M30x1.5 T1: 1/2" L 73mm WS 36 L1 21.5mm L2 36.5mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

shafts



1

No.	527795	Ref. No.	27421006 WY27421006
description	shaft thread M4 triangle L 34.6mm W 6.6mm brass		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

brewing units



1

No.	527607	Ref. No.	56353 WY56353
description	brewing unit L 133mm H 121mm chrome-plated brass int. ø 166.2mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



bushes



1

No.	528541	Ref. No.	W10335
description	bush D1 ø 15mm D2 ø 10.8mm ID ø 8mm H 30mm brass		
For models:	Sphera		

gaskets



1

No.	528494	Ref. No.	W10343
description	gasket rubber ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		
For models:	Sphera		



1

No.	527803	Ref. No.	27421008 WY27421008
description	gasket Viton ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		

gasket supports



1

No.	528528	Ref. No.	27421010 W10344 WY27421010
description	gasket support ED ø 16mm ID ø 13mm H 13mm for gasket thread M3 brass L 13mm int. ø 1 13mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Sphera, Vela, VelaCompatta, VelaElegance		

miscellaneous



1

No.	528530	Ref. No.	10341 WY10341
description	bolt square brass thread M3 L 11mm W 6mm H 6mm thread L 10mm		



1

No.	528531	Ref. No.	27421012 WY27421012
description	bolt square brass thread M3 L 12mm W 6mm H 6mm thread L 10mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Sphera, Vela, VelaCompatta, VelaElegance		



1

No.	527794	Ref. No.	56354 56354001 WY56354 WY56354001
description	cam W 30mm H 84mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Sphera, Vela, VelaCompatta, VelaElegance		



1

No.	527614	Ref. No.	56352 WY56352
description	cylinder int. ø 1 51mm H 102mm ED ø 66mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Sphera, Vela, VelaCompatta, VelaElegance		



1

No.	527873	Ref. No.	10342 WY10342
description	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm brass		



1

No.	528941	Ref. No.	10340 WY10340
description	thread bolt chrome-plated steel thread M8 L 50mm for handle ED ø 10mm		

nozzle holders

			
1			
No.	527253	Ref. No.	27119 WY27119
description	nozzle holder thread M30x1.5 IT M16x1.5 IT 1 M6 ø 25mm int. ø 10mm L 66mm total length 82mm WS 36 chrome-plated brass		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

springs

			
1			
No.	528526	Ref. No.	10312 27421001 WY10312 WY27421001
description	compression spring ø 12.9mm L 41mm wire gauge ø 1.2mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	528536	Ref. No.	27250 WY27250
description	spring ø 48mm L 133mm wire gauge ø 8.5mm for coffee machine		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

levers

levers

			
1			
No.	528940	Ref. No.	27421024 WY27421024
description	lever L 36mm thread M8 H 28mm W 14mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

complete

			
1			
No.	527620	Ref. No.	27220 WY27220
description	lever complete L 250mm thread M16x1.5 for Astoria / Wega		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

camshafts

			
1			
No.	528939	Ref. No.	27078008 WY27078008
description	camshaft shaft ø 8mm shaft intake ø 6.6mm L 87.3mm W 22mm H 17mm thread M6 brass		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	528527	Ref. No.	27421005 W10313 WY27421005
description	spindle shaft ø 4mm L 40mm thread M4 brass for cam shaft		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

screw connections

			
1			
No.	527801	Ref. No.	27421020 WY27421020
description	fitting support ø 35mm int. ø 18mm total length 39mm brass		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	527876	Ref. No.	10339 WY10339
description	nut IT M6 L 22.8mm WS 13 chrome-plated brass		



1

No.	527802	Ref. No.	27421023 WY27421023
description	screw connection thread 1/2" int. ø 11mm int. ø 215mm L 9mm WS 24 chrome-plated brass		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1

No.	527875	Ref. No.	10333 WY10333
description	stop bolt thread M6 L 16mm SS		

complete

producer-specific brewing units



1

No.	527608	Ref. No.	26104 WY26104
description	brewing unit complete suitable for Astoria / Wega		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		
spare parts for	527608		
	No.	111092	Ref. No.
	W10518		
	cone handle thread M8 ø 25mm L 41mm black		

EQUIPMENT-SPECIFIC UNITS WEGA-CMA

brewing units with lever

levers

handles



1

No.	529269	Ref. No.	15261 WY15261
description	handle ø 35mm ID ø 16.5mm L 112mm black plastic		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

components

drain units

screw connections



1

No.	527208	Ref. No.	23055 WY23055
description	drain connection thread 1/8" L 22mm chrome-plated WS 20		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

nozzles

with thread



1

No.	528486	Ref. No.	10300C WY10300C
description	nozzle bore ø 0.7mm thread M6x0.75 L 9mm WS 7		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

screw connections

			
1			
No.	527270	Ref. No.	27118 W10306 WY27118
description	end cap thread M16x1.5 ID ø 8.9mm L 21mm chrome-plated WS 22		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
2			
No.	520707	Ref. No.	25785 WY25785
description	screw cap thread 3/8" thread L 8mm brass WS 21 head thickness 6mm		
For models:	Airy, Atlas, Gemini, Nova, NovaAle, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

			
1			
No.	520471	Ref. No.	257891 WY257891
description	screw cap thread M18x1.5 L 18mm chrome-plated brass key number 17		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	527177	Ref. No.	27120 WY27120
description	screw cap thread M30x1.5 L 36mm chrome-plated key number 26		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

gaskets

			
1			
No.	528186	Ref. No.	12013 WY12013
description	base plate L 34mm H 4.6mm W 34mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

water dispersions

water dispersions

group 2

			
1			
No.	529081	Ref. No.	W10320
description	water distributor ø 30mm hole ø 1.5mm H 15mm ET M10x1 grooves 6 2.5mm brass		

			
1			
No.	529230	Ref. No.	27105 WY27105
description	water distributor ø 30mm hole ø 2mm H 14mm ET M10x1 grooves 6 2mm brass 2 holes perforation ø 1.7mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	527203	Ref. No.	27105000 WY27105000
description	water distributor ø 30mm with central hole hole ø 4.4mm H 15mm ET M10x1 IT M5 grooves 6 2mm brass		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



group 3



1

No.	527609	Ref. No.	25627 WY25627
description	water distributor ø 56.5-59mm conical H 10mm 8 holes hole ø 1.3mm mounting ø 5.6mm brass		
For models:	Venere		

safety valves

safety valves

1/8"



1

No.	529331	Ref. No.	20357 WY20357
description	safety valve connection 1/8" triggering pressure 1.8bar		
For models:	Mininova		

3/8"



1

No.	529332	Ref. No.	20352 WY20352
description	safety valve connection 3/8" triggering pressure 1.9bar approval CE 0036 sealed		
For models:	Airy, Atlas, Gemini, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

expansion valves



1

No.	529337	Ref. No.	56152 WY56152
description	expansion valve T1: 3/8" ET T2: 1/4" ET L 48mm		
For models:	Antares, CombiNova, Junior		

brass 3-way



1

No.	529224	Ref. No.	56200 WY56200
description	expansion valve		
For models:	Mininova		



1

No.	529336	Ref. No.	56210 WY56210
description	expansion valve		
For models:	Mininova		



1

No.	527252	Ref. No.	20366 WY20366
description	expansion valve connection 1/8"		
For models:	Mininova		



1

No.	529333	Ref. No.	20361 WY20361
description	expansion valve connection 3/8"		
For models:	Airy, Atlas, Gemini, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

drain pans

drain pans



1

No.	528600	Ref. No.	15502 W10795 WY15502
description	drain pan connection 3/8"		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

aerators and air bleeders



1

No.	529304	Ref. No.	56150 WY56150
description	aerator and air bleeder screw connection 1/4"		
For models:	Airy, Atlas, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

boilers

heat exchangers

injector tubes



1

No.	527774	Ref. No.	52001612 WY52001612
description	injector pipe boiler tube ø 10mm pipe length 108mm T1: 3/8" T2: 3/8" copper		
For models:	OrionEco, Pegaso		



1

No.	527800	Ref. No.	52000119 WY52000119
description	injector pipe boiler tube ø 10mm pipe length 109mm T1: 3/8" T2: 3/8" copper		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		



1

No.	527773	Ref. No.	52000184 WY52000184
description	injector pipe boiler tube ø 10mm pipe length 112mm T1: 3/8" T2: 3/8" copper		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		



1

No.	527775	Ref. No.	52000118 WY52000118
description	injector pipe boiler tube ø 10mm pipe length 123mm T1: 3/8" T2: 3/8" copper		
For models:	Airy, Atlas, Nova, NovaAle, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1

No.	527799	Ref. No.	52000360 WY52000360
description	injector pipe boiler tube ø 10mm pipe length 75mm T1: 3/8" T2: 3/8" copper		
For models:	Venere		



1

No.	527798	Ref. No.	25686001 WY25686001
description	injector pipe boiler tube ø 6mm pipe length 79mm T1: 1/4" T2: 1/4" copper		



1

No.	527796	Ref. No.	52002788 WY52002788
description	injector pipe boiler tube ø 6mm pipe length 80mm T1: 1/4" T2: 1/4" copper		
For models:	Airy, Atlas, Gemini, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

accessories

1

No.	531076	Ref. No.	23135 23135001 WY23135 WY23135001
description	thread bolt		
For models:	Airy, Antares, Atlas, Nova, NovaAle, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

steam/water taps

steam/water taps

steam/water taps



1

No.	529621	Ref. No.	W10565 W10582+
description	steam/water tap		
For models:	Sphera		

steam taps

knobs



1

No.	527756	Ref. No.	15278012 WY15278012
description	knob steam ø 45mm shaft ø 8mm shaft flat 9.5 black		
For models:	Vela, VelaCompatta, VelaElegance		



1

No.	527182	Ref. No.	15272 WY15272
description	knob steam ø 46mm shaft ø 6x6mm		
For models:	Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, Pegaso, Polaris, PolarisAvandGarde		

EQUIPMENT-SPECIFIC UNITS WEGA-CMA

components

shafts



1

No.	529110	Ref. No.	25311 WY25311
description	shaft for coffee machine tap L 110mm		
For models:	Gemini, Mininova, Sphera, Venere		



1

No.	529218	Ref. No.	25309 WY25309
description	shaft for coffee machine tap L 145mm		
For models:	Airy, Antares, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso		

bushes



1

No.	529718	Ref. No.	25657 W10574 WY25657
description	bush for steam tap D1 ø 14.7mm ID ø 7.2mm H 3.5mm brass		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Venere		

gaskets



1

No.	528313	Ref. No.	12204 W10653 WY12204
description	shaft sealing D1 ø 12.5mm D2 ø 7.9mm thickness 8.8mm rubber for steam tap		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

gasket supports



1

No.	527195	Ref. No.	25616 WY25616
description	piston for tap ø 17.6mm L 13.1mm thread M3/M16 SS		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

tap bodies



1

No.	529670	Ref. No.	53003 WY53003
description	tap body		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

union nuts



1

No.	527198	Ref. No.	25385 25385001 WY25385 WY25385001
description	union nut thread 3/8" ID ø 8.3mm L 19mm WS 20		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

union screws



1

No.	527196	Ref. No.	25461 WY25461
description	union screw thread M16x1 outer ID ø 10.6mm brass		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

valve bodies



1

No.	529073	Ref. No.	561021 WY561021
description	front part for coffee machine tap		
For models:	Gemini		



1

No.	529658	Ref. No.	561001 561001R WY561001 WY561001R WY56100R
description	front part for coffee machine tap		
For models:	Pegaso		

screw connections



1

No.	527250	Ref. No.	25691003 WY25691003
description	connecting fitting L 29mm ID ø 8mm WS 22 brass thread 3/8" IT - 3/8" ET		
For models:	Mininova		



1

No.	527199	Ref. No.	25678001 WY25678001
description	screw connection for tap L 36mm ID ø 8.6mm WS 20 brass thread 3/8" ET - 1/2" ET		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



water taps

knobs



1

No.	527757	Ref. No.	15278013 WY15278013
description	knob water ø 45mm shaft ø 8mm black		
For models:	Vela, VelaCompatta, VelaElegance		



1

No.	111157	Ref. No.	W10571	
description	knob water ø 46mm black			
accessories for	111157			
	No.	112494	Ref. No.	—
	knob spring L 10.5mm W 9mm Qty 1 pcs			



1

No.	111156	Ref. No.	W10568
description	knob water ø 54mm black		



1

No.	527183	Ref. No.	15273 WY15273
description	knob water ø 6x6mm		
For models:	Atlas, CombiNova, Junior, Nova, NovaAle, Pegaso, Polaris, PolarisA-vandGarde		

steam/water pipes

steam pipes



1

No.	529777	Ref. No.	W10439
description	steam pipe complete SS		



1

No.	529778	Ref. No.	25763009 WY25763009
description	steam pipe complete SS		
For models:	Sphera		



1

No.	527787	Ref. No.	25763300 56119160 WY25763300 WY56119160
description	steam pipe L 210mm W 140mm tube ø 10mm SS		



1

No.	527783	Ref. No.	25763304 56106100 WY25763304 WY56106100
description	steam pipe L 265mm W 140mm tube ø 8mm SS		
For models:	Gemini		



1

No.	527784	Ref. No.	25763317 56119000 WY25763317 WY56119000
description	steam pipe L 270mm W 150mm tube ø 8mm SS		

			
1			
No.	527782	Ref. No.	56119107 WY56119107
description	steam pipe L 275mm W 150mm tube ø 8mm nickel-plated copper		

			
1			
No.	527786	Ref. No.	25763310 56115100 WY25763310 WY56115100
description	steam pipe L 280mm W 170mm tube ø 8mm SS		

			
1			
No.	527785	Ref. No.	25763308 56114100 WY25763308 WY56114100
description	steam pipe L 310mm W 140mm tube ø 8mm SS		

			
1			
No.	561000	Ref. No.	56119108 WY56119108
description	steam pipe L 345mm W 150mm tube ø 8mm nickel-plated copper		

			
1			
No.	527777	Ref. No.	25763014 WY25763014
description	steam pipe mounting pos. left with tube handle thread 3/8" H 235mm W 60mm tube ø 10mm SS		
For models:	Venere		

			
1			
No.	527778	Ref. No.	25763013 WY25763013
description	steam pipe mounting pos. right with tube handle thread 3/8" H 235mm W 60mm tube ø 10mm SS		
For models:	Venere		

			
1			
No.	525200	Ref. No.	25763009 WY25763009
description	steam pipe thread 3/8" H 200mm tube ø 10mm SS		

			
1			
No.	529231	Ref. No.	56119023 WY56119023
description	steam pipe with handle L 180mm IT 3/8"		
For models:	Mininova		

			
1			
No.	527769	Ref. No.	25763027 561181 WY25763027 WY561181
description	steam pipe with tube handle thread 3/8" H 245mm W 110mm tube ø 8mm SS		

			
1			
No.	527254	Ref. No.	56119001 WY56119001
description	steam tap with tube handle thread 3/8" IT H 205mm W 135mm tube ø 8mm chrome-plated		
For models:	Airy, Atlas, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta		

nozzles for steam pipes

			
1			
No.	527788	Ref. No.	25763003 WY25763003
description	steam nozzle ø 16mm L 28mm 5 holes SS		
For models:	Venere		



1

No.	527789	Ref. No.	25763007 WY25763007
description	steam nozzle ø 16mm L 72mm 4 holes SS		



1

No.	527209	Ref. No.	25762 WY25762
description	steam nozzle thread M10x1.25 IT L 16mm 5 holes bore ø 1.5mm chrome-plated		
For models:	Airy, Antares, Atlas, Mininova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta		



1

No.	527797	Ref. No.	25762A WY25762A
description	steam nozzle thread M8x0.75 ø 14mm L 25mm 5 holes SS		
For models:	CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp		



1

No.	527212	Ref. No.	30250 WY30250
description	water nozzle thread M10x1.25 IT ø 18mm L 47mm holes chrome-plated		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Vela, VelaCompatta, VelaElegance, Venere		

nozzles for water pipes

components



1

No.	527205	Ref. No.	25761 WY25761
description	internal nozzle thread M10 for water pipe L 22mm bore ø 3mm WS 10		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Vela, VelaCompatta, VelaElegance, Venere		

water pipes



1

No.	529860	Ref. No.	56119005 WY56119005
description	water pipe		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta		



1

No.	529771	Ref. No.	56119024 WY56119024
description	water pipe complete		
For models:	Mininova		



1

No.	527194	Ref. No.	56119003 WY56119003
description	water pipe thread 3/8" IT		
For models:	Pegaso		

accessories

bushes



1

No.	529738	Ref. No.	W05157
description	bush PTFE		
For models:	Sphera		

tube handles



1

No.	527251	Ref. No.	15296000 WY15296000
description	tube handle for pipe ø 8mm rubber		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Vela, VelaCompatta, VelaElegance		

			
1			
No.	529627	Ref. No.	WY15295
description	tube handle ø 8mm L 30mm plastic		
For models:	Gemini		

union nuts			
			
1			
No.	527258	Ref. No.	25391 WY25391
description	union nut thread 3/8" IT L 31.5mm hole ø 12.8mm chrome-plated brass		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Venere		

fine filters			
fine filters			
			
1			
No.	529911	Ref. No.	10251002 WY10251002
description	fine filter flat ø 11mm H 0.25mm		
For models:	Gemini		

			
1			
No.	527173	Ref. No.	10254 WY10254
description	fine filter ø 11.1mm H 7.4mm for expansion valve		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

			
1			
No.	528357	Ref. No.	10253 W10307 WY10253
description	fine filter ø 8.5mm H 22mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

intake valves			
intake valves			
			
1			
No.	529631	Ref. No.	N/A
description	intake valve		

			
1			
No.	529632	Ref. No.	W.5166 W05166
description	intake valve		
For models:	Sphera		

			
1			
No.	529074	Ref. No.	61006 61013 WY61006 WY61013
description	intake valve for coffee makers		
For models:	Pegaso		

			
1			
No.	529107	Ref. No.	61015 WY61015
description	intake valve for coffee makers		
For models:	Pegaso		

			
1			
No.	529108	Ref. No.	65134001 WY65134001
description	intake valve for coffee makers		

accessories			
bolts			
			
1			
No.	527171	Ref. No.	25315 WY25315
description	pressure bolt ø 8mm L 35.7mm stainless steel for filling valve		
For models:	Antares, Pegaso		



gaskets



No.	528309	Ref. No.	12205 W10527 WY12205
description	shaft sealing ED ø 13mm ID ø 7.5mm U-shape		
For models:	Antares, Pegaso, Sphera		

levers



No.	529222	Ref. No.	25201 WY25201
description	handle for intake tap		
For models:	Pegaso		



No.	529223	Ref. No.	25202 WY25202
description	lever for intake tap thread M8 ø 8mm L 80mm chrome-plated steel		
For models:	Pegaso		

miscellaneous



No.	528310	Ref. No.	25615 W10546 WY25615
description	piston		
For models:	Antares, Pegaso, Sphera		

screw connections



No.	527186	Ref. No.	23202 WY23202
description	angle piece thread 1/4" ET conical - 3/8" ET for filling valve ID ø 7mm		
For models:	Gemini, Pegaso		



No.	527814	Ref. No.	25736001 WY25736001
description	angle piece thread 3/8" for steam pipe WS 20 brass		
For models:	Vela, VelaCompatta, VelaElegance		

EQUIPMENT-SPECIFIC UNITS WEGA-CMA



No.	527197	Ref. No.	25744 WY25744
description	reducer thread 3/8" IT - 1/8" IT brass WS 20 L 26mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



No.	527187	Ref. No.	25680 WY25680
description	screw connection thread 3/8" ET - M18x1.5 ET for filling valve brass		
For models:	Antares, Pegaso		



No.	527204	Ref. No.	43030001 WY43030001
description	T-piece thread 3/8" ET - 3/8" IT - 1/4" IT L 31mm for filling valve WS 23 W 40mm brass		
For models:	NovaComp, Pegaso, PolarisAvandGardeCompatta, PolarisCompatta		



No.	527189	Ref. No.	43020 WY43020
description	T-piece thread 3/8" for pump brass		
For models:	Antares, Mininova, Pegaso		

level glasses

level glasses

gaskets



No.	529408	Ref. No.	12200 WY12200
description	gasket D1 ø 16mm D2 ø 10mm H 8mm water level glass		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

balls



1

No.	529355	Ref. No.	15300 WY15300
description	ball ø 6mm plastic for level glass		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

level glasses



1

No.	528091	Ref. No.	21202 WY21202
description	level glass L 83mm W 32mm thickness 8mm		
For models:	Airy, Antares, Atlas, Junior, Nova, NovaAle, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera		

level glasses (complete)



1

No.	527184	Ref. No.	56001 WY56001
description	water level tube		
For models:	Airy, Atlas, CombiNova, Junior, Nova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

level glass holders



1

No.	529221	Ref. No.	53002 WY53002
description	bracket for level glass T1: 3/8" T2: M20x1.5 mounting pos. upper		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

level glass pipes



1

No.	531177	Ref. No.	21300 WY21300
description	water level tube ø 11mm H 170mm ID ø 8mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

screw connections



1

No.	527191	Ref. No.	25383 WY25383
description	union nut thread M20x1.5 hole ø 12.6mm H 16.6mm WS 24 brass		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

screw connections

end caps



1

No.	527180	Ref. No.	15486 WY15486
description	hole cover mounting ømm ø 34.6mm H 18mm plastic Qty 1 pcs		
For models:	Junior, Nova, NovaAle, OrionEco, Pegaso		

T-pieces



1

No.	527831	Ref. No.	23215 WY23215
description	T-piece thread 1/4" T1: 1/2" T2: 1/2" ID ø 12.2mm int. ø 1 12.6mm L 50mm brass for boiler		
For models:	Airy, Antares, Atlas, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

angle pieces



No.	527830	Ref. No.	23214 WY23214
description	angle piece T1: 1/2" T2: 1/2" int. ø 1 12.3mm int. ø 2 12.6mm L 50mm brass for boiler		
For models:	Airy, Antares, Atlas, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

for coffee grinders

grinding burrs

grinding burrs straight

standard



No.	527240	Ref. No.	28217006 WY28217006
description	grinding burrs pair turn direction right D1 ø 60mm ID ø 36mm H 8mm tooth spacing 4mm hole ø 5.5mm bore ø 8.3mm mounting ø 48 straight suitable for WEGA, COMPAK		



No.	527241	Ref. No.	28217000 WY28217000
description	grinding burrs pair turn direction right D1 ø 63.3mm ID ø 38mm H 9mm tooth spacing 3mm hole ø 5.5mm bore ø 8.5mm mounting ø 50 straight suitable for WEGA, COMPAK, ASTORIA		
For models:	Macinadosatore		



No.	527242	Ref. No.	28217005 WY28217005
description	grinding burrs pair turn direction right D1 ø 80mm ID ø 41mm H 10.3mm tooth spacing 4mm hole ø 6mm bore ø 10mm mounting ø 60.5 straight suitable for WEGA, COMPAK, ASTORIA		
For models:	Macinadosatore		

EQUIPMENT-SPECIFIC UNITS WEGA-CMA

TITAN



No.	527036	Ref. No.	28217004 WY28217004
description	grinding burrs pair turn direction right D1 ø 63.5mm ID ø 38mm H 9.2mm tooth spacing 3.8mm hole ø 5.5mm bore ø 8.5mm mounting ø 50 titanium		
For models:	Macinadosatore		

grinding burrs holders



No.	527379	Ref. No.	28326018 WY28326018
description	grinding burr holder suitable for WEGA		
For models:	Macinadosatore		



No.	527573	Ref. No.	28360009 WY28360009
description	grinding burr holder suitable for WEGA		
For models:	Macinadosatore		

spillage trays



No.	527038	Ref. No.	28400010 WY28400010
description	drain tray for coffee grinder		
For models:	Macinadosatore		

dosing containers

dosing container lids

			
1			
No.	526173	Ref. No.	28054012 WY28054012
description	lid for dosing container L 199mm W 168mm H 50mm		
For models:	Macinadosatore		

adjusting screws

			
1			
No.	527178	Ref. No.	28286003 WY28286003
description	adjusting screw for coffee grinders thread M6		
For models:	Macinadosatore		

springs

group 1

			
1			
No.	527150	Ref. No.	28360027 WY28360027
description	torsion spring ø 38mm L2 18mm wire gauge ø 1.8mm L1 9mm L3 57mm for dosing pump lever right		
For models:	Macinadosatore		

glass cylinders

			
1			
No.	527094	Ref. No.	28286001 WY28286001
description	cylinder for dosing container ø 125mm H 72mm plexiglas		
For models:	Macinadosatore		

levers

levers

			
1			
No.	527043	Ref. No.	28196004 28196005 WY28196004 WY28196005
description	lever dosing pump plastic		
For models:	Macinadosatore		

coffee powder dispenser

			
1			
No.	527143	Ref. No.	28022001 WY28022001
description	coffee discharge chute rubber for coffee grinder		
For models:	Macinadosatore		


coffee presses

components

bolts

			
1			
No.	527206	Ref. No.	28360019 WY28360019
description	pressure pin L 70.2mm T1: M8 T2: M8 chrome-plated ø 10mm		
For models:	Macinadosatore		

springs

			
1			
No.	527147	Ref. No.	28360003 WY28360003
description	compression spring ø 15.1mm L 85mm wire gauge ø 1.3mm		
For models:	Macinadosatore		

pressers

			
1			
No.	527047	Ref. No.	28360021 WY28360021
description	coffee press ø 57mm thread M8 plastic for coffee grinder		
For models:	Macinadosatore		



buttons



1

No.	527099	Ref. No.	28360022 WY28360022
description	frame for push-button plastic		
For models:	Macinadosatore		



1

No.	527091	Ref. No.	28360001 WY28360001
description	push button		
For models:	Macinadosatore		

bodies



1

No.	527093	Ref. No.	28070006 WY28070006
description	container body polished for coffee grinder ø 127.5mm aluminium		
For models:	Macinadosatore		



1

No.	527042	Ref. No.	28002012 WY28002012
description	retaining ring polished ø 130mm		
For models:	Macinadosatore		

automatic grinding

automatic grinding



1

No.	527139	Ref. No.	28002007 WY28002007
description	housing for microswitch with switch mechanism H 68mm for model K5/K6/K8		
For models:	Macinadosatore		

return spring



1

No.	527138	Ref. No.	28360026 WY28360026
description	cover plate mounting pos. lower plastic for coffee grinder		
For models:	Macinadosatore		



1

No.	527095	Ref. No.	28360020 WY28360020
description	return spring set with spring for coffee grinder		
For models:	Macinadosatore		

sector plates



1

No.	527141	Ref. No.	28190001 WY28190001
description	sector plates stainless steel suitable for WEGA, COMPAK for coffee grinder		
For models:	Macinadosatore		

ratches

ratches



1

No.	527092	Ref. No.	28159306 WY28159306
description	ratchet for coffee grinder ø 39.5mm plastic		
For models:	Macinadosatore		

stars

complete



1

No.	527045	Ref. No.	28326017 WY28326017
description	star for coffee grinder complete		
For models:	Macinadosatore		



1

No.	527046	Ref. No.	28002015 WY28002015
description	star for dosing unit complete		
For models:	Macinadosatore		



1

No.	527041	Ref. No.	28326014 WY28326014
description	star mounting pos. lower		
For models:	Macinadosatore		

bottom



1

No.	527044	Ref. No.	28326015 WY28326015
description	star mounting pos. lower		
For models:	Macinadosatore		

accessories



1

No.	527192	Ref. No.	28002014 WY28002014
description	shaft L 46mm thread M6 brass for coffee grinder		
For models:	Macinadosatore		

adjustment mechanism

lockable adjustment



1

No.	527048	Ref. No.	28126012 WY28126012
description	pressure pin for setting ring		
For models:	Macinadosatore		

setting rings



1

No.	527137	Ref. No.	28286006 WY28286006
description	setting ring for coffee grinder ø 140mm ID ø 47.7mm H 38mm suitable for WEGA, COMPAK plastic		
For models:	Macinadosatore		



1

No.	527000	Ref. No.	28360024 WY28360024
description	setting ring for grind stone ID ø 80mm H 50mm thread M9x1.5		
For models:	Macinadosatore		

accessories

handles



1

No.	527142	Ref. No.	28126013 WY28126013
description	handle for coffee grinder rubber		
For models:	Macinadosatore		

coffee beans containers

container lids



1

No.	527039	Ref. No.	28054002 WY28054002
description	lid for coffee beans container ø 182mm		
For models:	Gemini, Macinadosatore		

coffee beans containers



1

No.	527144	Ref. No.	28357001 WY28357001
description	coffee beans container complete incl. lid and funnel magnet ø 187mm H 255mm seat ø 47mm K392		
For models:	Gemini, Macinadosatore		

EQUIPMENT-SPECIFIC UNITS WEGA-CMA



1

No.	527894	Ref. No.	WY28351002	
description	coffee beans container complete ø 208mm H 260mm seat ø 61mm RUBOR-MAJOR			
spare parts for	527894			
	No.	527327	Ref. No.	—
	lid for coffee beans container ø 210mm			



1

No.	527145	Ref. No.	28357 WY28357
description	coffee beans container without magnet ø 187mm H 255mm K003 A.		
For models:	Gemini, Macinadosatore		

protection caps



1

No.	527097	Ref. No.	28360013 WY28360013
description	protection cap for coffee grinder ø 75mm plastic		
For models:	Gemini, Macinadosatore		

hopper magnets



1

No.	347058	Ref. No.	28206000 WY28206000
description	magnet L 23.5mm W 13.3mm H 5mm hole ø 4.9mm		
For models:	Gemini, Macinadosatore		

locks



1

No.	527088	Ref. No.	28326016 WY28326016
description	catch for coffee beans container L 51mm W 42.5mm thickness 3mm plastic		
For models:	Gemini, Macinadosatore		

support for filter holder



1

No.	527037	Ref. No.	28126011 WY28126011
description	bracket for filter holder short L 125mm W 82mm H 24mm plastic		
For models:	Macinadosatore		



1

No.	527098	Ref. No.	28126006 WY28126006
description	filter holder support long L 175mm aluminium		
For models:	Macinadosatore		

counters

counters



1

No.	527096	Ref. No.	28070005 WY28070005
description	counter for dosing unit		
For models:	Macinadosatore		

for milk foamers



1

No.	527397	Ref. No.	30513 WY30513
description	milk foamer		

for dishwashers

containers

salt tanks



1

No.	517398	Ref. No.	3DD16067B WY3DD16067B
description	flat gasket rubber ED ø 82mm ID ø 66mm thickness 4mm for salt tank Qty 1 pcs		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		



1

No.	517396	Ref. No.	3DD16067D WY3DD16067D
description	lid ø 69mm H 19mm for salt tank ID ø 50.5mm		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		



1

No.	517397	Ref. No.	3DD16067C WY3DD16067C
description	nut ø 93mm H 13mm for salt tank ID ø 64mm		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

hinges

accessories



1

No.	527207	Ref. No.	25743 WY25743
description	reducer thread 1/4" IT - 1/8" ET brass WS 17		
For models:	Mininova, Venere		

air traps

air traps



1

No.	517168	Ref. No.	3DD135911D WY3DD135911D	
description	air trap H 56mm			
For models:	Wega-wash-370			
accessories for	517168			
	No.	517173	Ref. No.	—
	flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs			
	No.	517174	Ref. No.	—
	nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs			



1

No.	517308	Ref. No.	3DD135911C WY3DD135911C
description	air trap H 65mm		
For models:	Wega-wash-350		



1

No.	517170	Ref. No.	3DD135911B WY3DD135911B	
description	air trap H 75mm			
For models:	Wega-wash-400, Wega-wash-500			
accessories for	517170			
	No.	517173	Ref. No.	—
	flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs			
	No.	517174	Ref. No.	—
	nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs			

EQUIPMENT-SPECIFIC UNITS WEGA-CMA

door mechanics

hinges



1

No.	517268	Ref. No.	3DD11835A WY3DD11835A
description	bush ID ø 8mm H 9mm bush thread M11x1 WS 13		
For models:	Wega-wash-500		

locks



1

No.	517278	Ref. No.	3DD150402D WY3DD150402D
description	counterpart door catch		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400		

washing and rinsing systems



1

No.	520702	Ref. No.	25782 WY25782
description	end cap thread 1/4" brass WS 16		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1

No.	511944	Ref. No.	3DD13306A WY3DD13306A
description	gasket for wash pipe ø 41mm thickness 10mm ID ø 27mm		
For models:	Wega-wash-370, Wega-wash-400		

knobs

steam/water taps

steam/water taps



No.	111158	Ref. No.	W10572
------------	--------	-----------------	--------

description knob ø 46mm

accessories for 111158



No.	112494	Ref. No.	—
------------	--------	-----------------	---

knob spring L 10.5mm W 9mm Qty 1 pcs



No.	527768	Ref. No.	15278014 WY15278014
------------	--------	-----------------	------------------------

description knob ø 46mm shaft ø 8mm black

For models: Vela, VelaCompatta, VelaElegance



No.	111090	Ref. No.	W10569
------------	--------	-----------------	--------

description knob ø 55mm shaft ø 10x8mm shaft flat upper black



No.	527182	Ref. No.	15272 WY15272
------------	--------	-----------------	------------------

description knob steam ø 46mm shaft ø 6x6mm

For models: Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, Pegaso, Polaris, PolarisAvandGarde



No.	111157	Ref. No.	W10571
------------	--------	-----------------	--------

description knob water ø 46mm black

accessories for 111157



No.	112494	Ref. No.	—
------------	--------	-----------------	---

knob spring L 10.5mm W 9mm Qty 1 pcs



No.	111156	Ref. No.	W10568
------------	--------	-----------------	--------

description knob water ø 54mm black



No.	527183	Ref. No.	15273 WY15273
------------	--------	-----------------	------------------

description knob water ø 6x6mm

For models: Atlas, CombiNova, Junior, Nova, NovaAle, Pegaso, Polaris, PolarisAvandGarde



No.	111256	Ref. No.	15029050 WY15029050
------------	--------	-----------------	------------------------

description turning handle ø 47mm shaft ø 8mm black

For models: Venere

accessories for 111256



No.	111257	Ref. No.	15029051 WY15029051
------------	--------	-----------------	------------------------

lid for handle

knob dial plates



No.	111257	Ref. No.	15029051 WY15029051
------------	--------	-----------------	------------------------

description lid for handle

For models: Venere

miscellaneous



No.	110205	Ref. No.	W10744
------------	--------	-----------------	--------

description knob ø 27mm shaft ø 5x5mm



No.	527259	Ref. No.	15271 WY15271
------------	--------	-----------------	------------------

description knob push-in ø 34/60mm shaft ø 5x5mm black H 21.4mm L 49mm

For models: Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere



handles and hand wheels

cone handles



1

No.	111092	Ref. No.	W10518
description	cone handle thread M8 ø 25mm L 41mm black		

equipment feet and end caps

equipment feet

with screw mounting

universal



1

No.	527176	Ref. No.	15321 WY15321
description	equipment foot tube ø 50mm thread M10 thread L 9mm H 88-100mm SS size 2" Qty 1 pcs		
For models:	Pegaso		



1

No.	802132	Ref. No.	15318 WY15318
description	equipment foot tube ø 52mm thread M10 thread L 10mm H 60-75mm SS size 2" Qty 1 pcs		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaCom-patta, VelaElegance, Venere		

screw-in feet



1

No.	527255	Ref. No.	15314001 WY15314001
description	equipment foot thread M8 thread L 11mm ø 47mm H 45mm rubber Qty 1 pcs		
For models:	Mininova		

bolting feet



1

No.	527181	Ref. No.	28360015 WY28360015
description	equipment foot ø 28mm H 14mm rubber bore ø 6.5mm Qty 1 pcs		
For models:	Macinadosatore		

end caps and plugs

for circular pipes



1

No.	527160	Ref. No.	15483 WY15483
description	hole cover mounting ø 12.5mm ø 14.6mm plastic Qty 1 pcs		
For models:	Airy, Atlas, OrionEco, Pegaso		



1

No.	527185	Ref. No.	15482 WY15482
description	hole cover mounting ø 22mm ø 28.5mm H 11mm plastic Qty 1 pcs		
For models:	Airy, Atlas, OrionEco, Pegaso		




1

No.	527180	Ref. No.	15486 WY15486
description	hole cover mounting ø 34.6mm ø 34.6mm H 18mm plastic Qty 1 pcs		
For models:	Junior, Nova, NovaAle, OrionEco, Pegaso		


gaskets


O-rings

EPDM

			
No.	527166	Ref. No.	28159305 WY28159305
description	O-ring EPDM thickness 1.6mm ID ø 27mm Qty 1 pcs		
For models:	Macinadosatore		

			
No.	529545	Ref. No.	W05156
description	O-ring EPDM thickness 1.78mm ID ø 10.82mm Qty 1 pcs		
For models:	Sphera		

			
No.	529412	Ref. No.	12300 W10675 WY12300
description	O-ring EPDM thickness 2.62mm ID ø 10.78mm Qty 1 pcs		
For models:	Addolcitori, Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Venere		

			
No.	516026	Ref. No.	12300026 WY12300026
description	O-ring EPDM thickness 2.62mm ID ø 17.86mm Qty 1 pcs		
For models:	Venere		


			
No.	505192	Ref. No.	12300000 WY12300000
description	O-ring EPDM thickness 2.62mm ID ø 39.34mm Qty 1 pcs		
For models:	Airy, Atlas, Gemini, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		


			
No.	527158	Ref. No.	12312 WY12312
description	O-ring EPDM thickness 2mm ID ø 10mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		


			
No.	517056	Ref. No.	3DD13002 WY3DD13002
description	O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		


			
No.	506015	Ref. No.	3DD16067A WY3DD16067A
description	O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		


silicone

			
No.	532190	Ref. No.	WY12300029
description	O-ring silicone thickness 1.78mm ID ø 4.48mm Qty 10 pcs		
For models:	Gemini		

			
No.	528516	Ref. No.	12300013 WY12300013
description	O-ring silicone thickness 1mm ID ø 6mm Qty 1 pcs		
For models:	CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp		

 			
No.	532606	Ref. No.	12316 WY12316
description	O-ring silicone thickness 3.53mm ID ø 37.69mm Qty 1 pcs		
For models:	Gemini		

Viton			
 			
No.	371095	Ref. No.	12305 WY12305
description	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Starlet, Vela, VelaCompatta, VelaElegance, Venere		

 			
No.	528525	Ref. No.	12024 W10311 WY12024
description	O-ring Viton thickness 3.53mm ID ø 18.64mm Qty 1 pcs		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

sealing washers

fibre gaskets

			
No.	528210	Ref. No.	W10650
description	flat gasket FIBER ED ø 21mm ID ø 16.5mm thickness 2mm Qty 1 pcs		
For models:	Sphera		

			
No.	528312	Ref. No.	W10649
description	flat gasket FIBER ED ø 26mm ID ø 20mm thickness 2.5mm Qty 1 pcs		
For models:	Sphera		

			
No.	528001	Ref. No.	N/A
description	flat gasket fibre ED ø 56.5mm ID ø 41.8mm thickness 3.2mm Qty 1 pcs		

rubber gaskets

			
No.	528308	Ref. No.	12203 W10652 WY12203
description	flat gasket rubber ED ø 15mm ID ø 4mm thickness 4mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

			
No.	517398	Ref. No.	3DD16067B WY3DD16067B
description	flat gasket rubber ED ø 82mm ID ø 66mm thickness 4mm for salt tank Qty 1 pcs		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

			
No.	528494	Ref. No.	W10343
description	gasket rubber ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		
For models:	Sphera		

			
No.	528495	Ref. No.	WY27421017
description	gasket rubber ED ø 16mm ID ø 8mm thickness 4mm Qty 1 pcs		

			
No.	527163	Ref. No.	28360004 WY28360004
description	suppressor rubber ED ø 16mm ID ø 10.5mm thickness 5mm Qty 1 pcs		
For models:	Macinadosatore		

copper gaskets

DIN-7603-A

			
1			
No.	528660	Ref. No.	12154 WY12154
description	flat gasket copper ED ø 21mm ID ø 17mm thickness 1.5mm suitable for 3/8"		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	527161	Ref. No.	12158 WY12158
description	flat gasket copper ED ø 25.8mm ID ø 20.4mm thickness 2mm		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

			
1			
No.	527157	Ref. No.	12150 WY12150
description	flat gasket copper ED ø 25mm ID ø 18mm thickness 2mm		
For models:	Antares, Pegaso		

DIN-7603-C

			
1			
No.	527815	Ref. No.	12100 WY12100
description	gasket copper ED ø 18.7mm ID ø 13.2mm thickness 2.5mm for coffee makers		
For models:	Airy, Antares, Atlas, Gemini, Nova, NovaAle, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaElegance		

			
1			
No.	527164	Ref. No.	12101 WY12101
description	gasket copper ED ø 23mm ID ø 17mm thickness 3mm for thread 3/8"		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

			
1			
No.	527167	Ref. No.	12103 WY12103
description	gasket copper ED ø 9.8mm ID ø 6.5mm thickness 1.7mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

PTFE gaskets

			
1			
No.	528314	Ref. No.	12010 WY12010
description	flat gasket PTFE ED ø 20mm ID ø 17mm thickness 2mm Qty 1 pcs suitable for Astoria/Azkoyen/Espressa/Wega		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

			
1			
No.	527154	Ref. No.	12025 WY12025
description	flat gasket PTFE ED ø 22mm ID ø 16.8mm thickness 2mm Qty 1 pcs		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	528945	Ref. No.	W10309
description	flat gasket PTFE ED ø 22mm ID ø 16mm thickness 1.5mm Qty 1 pcs equiv. no. W10309 suitable for ESPRESSA, WEGA		

			
1			
No.	528683	Ref. No.	10348 WY10348
description	flat gasket PTFE ED ø 26mm ID ø 21mm thickness 2mm Qty 1 pcs suitable for GAGGIA, SPAZIALE		

			
1			
No.	528524	Ref. No.	W10643
description	flat gasket PTFE ED ø 36.5mm ID ø 30.5mm thickness 2mm Qty 1 pcs		
For models:	Sphera		

			
1			
No.	527162	Ref. No.	12023 WY12023
description	flat gasket PTFE ED ø 36mm ID ø 30mm thickness 3mm Qty 1 pcs		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	528021	Ref. No.	N/A
description	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		

			
1			
No.	527156	Ref. No.	12001 WY12001
description	flat gasket PTFE ED ø 57.8mm ID ø 43.3mm thickness 2mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, Gemini, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

			
1			
No.	528002	Ref. No.	W10470
description	flat gasket PTFE ED ø 57mm ID ø 42mm thickness 3mm Qty 1 pcs equiv. no. 12001/W10470 suitable for		
For models:	Sphera		

Viton gaskets

			
1			
No.	528476	Ref. No.	27421008 WY27421008
description	flat gasket Viton ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	527803	Ref. No.	27421008 WY27421008
description	gasket Viton ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		

special gaskets

sealing discs

			
1			
No.	511945	Ref. No.	3DD13316A WY3DD13316A
description	gasket ø 38mm thickness 10mm rubber Qty 1 pcs ID ø 24mm		
For models:	Wega-wash-370, Wega-wash-400, Wega-wash-500		

group gaskets

			
1			
No.	528943	Ref. No.	N/A
description	group gasket L 77mm W 74mm thickness 2mm aperture 27x66mm hole distance 56mm fibre		

			
1			
No.	528138	Ref. No.	N/A
description	group gasket L 79mm W 71mm thickness 2mm hole distance 55mm suitable for ESPRESSA		

			
1			
No.	528102	Ref. No.	12002 WY12002
description	gasket D1 ø 40mm D2 ø 88mm thickness 2mm hole distance 68mm PTFE		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

miscellaneous



1

No.	511944	Ref. No.	3DD13306A WY3DD13306A
description	gasket for wash pipe ø 41mm thickness 10mm ID ø 27mm		
For models:	Wega-wash-370, Wega-wash-400		



1

No.	511945	Ref. No.	3DD13316A WY3DD13316A
description	gasket ø 38mm thickness 10mm rubber Qty 1 pcs ID ø 24mm		
For models:	Wega-wash-370, Wega-wash-400, Wega-wash-500		

springs

torsion springs



1

No.	527150	Ref. No.	28360027 WY28360027
description	torsion spring ø 38mm L2 18mm wire gauge ø 1.8mm L1 9mm L3 57mm for dosing pump lever right		
For models:	Macinadosatore		

compression springs



1

No.	529719	Ref. No.	10452 W10648 WY10452
description	compression spring ø 11.3mm L 16mm wire gauge ø 1.5mm for steam-/water-tap for espresso machine		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		



1

No.	529735	Ref. No.	W05158
description	compression spring ø 11.3mm L 18mm wire gauge ø 1.5mm		
For models:	Sphera		



1

No.	528526	Ref. No.	10312 27421001 WY10312 WY27421001
description	compression spring ø 12.9mm L 41mm wire gauge ø 1.2mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1

No.	528533	Ref. No.	10346 27421002 WY10346 WY27421002
description	compression spring ø 14.6mm L 43mm wire gauge ø 1.4mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		




1

No.	528475	Ref. No.	27421003 WY27421003
description	compression spring ø 14.7mm L 33mm wire gauge ø 2mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1

No.	528311	Ref. No.	10451 WY10451
description	compression spring ø 14mm L 39mm wire gauge ø 2.8mm		
For models:	Antares, Pegaso		

			
1			
No.	527147	Ref. No.	28360003 WY28360003
description	compression spring ø 15.1mm L 85mm wire gauge ø 1.3mm		
For models:	Macinadosatore		

			
1			
No.	528542	Ref. No.	10336 27421004 WY10336 WY27421004
description	compression spring ø 15mm L 27mm wire gauge ø 1.8mm windings 5		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	527151	Ref. No.	28219012 WY28219012
description	compression spring ø 4.5mm L 23mm wire gauge ø 0.4mm for coffee grinder		
For models:	Macinadosatore		

			
1			
No.	527152	Ref. No.	28219006 WY28219006
description	compression spring ø 4.9mm L 22mm wire gauge ø 0.7mm for push-button for coffee grinder		
For models:	Macinadosatore		

			
1			
No.	527149	Ref. No.	28219008 WY28219008
description	compression spring ø 44.3mm L 39mm wire gauge ø 2.5mm for star for coffee grinder		
For models:	Macinadosatore		

			
1			
No.	528536	Ref. No.	27250 WY27250
description	spring ø 48mm L 133mm wire gauge ø 8.5mm for coffee machine		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

coffee accessories

milk foamers

milk foamers

			
1			
No.	802137	Ref. No.	83300012R WY83300012R
description	milk foamer connection 3/8" plastic		

			
1			
No.	802100	Ref. No.	WY30515003
description	milk foamer connection 6mm angle 60° plastic		

manometers

			
1			
No.	541233	Ref. No.	N/A
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8"		

			
1			
No.	541287	Ref. No.	N/A
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8"		

			
1			
No.	541410	Ref. No.	N/A
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8"		

			
1			
No.	541222	Ref. No.	N/A
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		

			
1			
No.	541223	Ref. No.	21107 W10790 WY21107
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		

			
1			
No.	541226	Ref. No.	21107 W10790 WY21107
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		
For models:	Airy, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera		

			
1			
No.	541227	Ref. No.	N/A
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		

			
1			
No.	541266	Ref. No.	21109 WY21109
description	manometer double scale ø 63mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		
For models:	Gemini		

			
1			
No.	541262	Ref. No.	21112 21115 21115001 21116 21117 WY21112 WY21115 WY21115001 WY21116 WY21117
description	manometer double scale ø 63mm pressure range 0-3 / 0-15bar connection on the backside thread 1/8"		
For models:	Atlas, Pegaso, Polaris, PolarisAvandGarde, Vela, VelaCompatta, Vela-Elegance, Venere		



membrane dosing pumps

self-priming

LANG



1

No.	361221	Ref. No.	3DD15108L WY3DD15108L
description	dosing pump type N6 rinse aid pressure connection ø 4x6mm suction connection ø 6x8mm LANG		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		
spare parts for	361221		
	No.	361079	Ref. No. —
spring for type N5/N6 for ball			
	No.	361080	Ref. No. —
O-ring EPDM thickness 2mm ID ø 16mm Qty 1 pcs			
	No.	361085	Ref. No. —
O-ring EPDM thickness 2mm ID ø 8mm Qty 1 pcs			
	No.	361309	Ref. No. —
ball for type N5/N6			
	No.	361310	Ref. No. —
bracket for type N6 ball guide			
	No.	361311	Ref. No. —
O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6			
	No.	361314	Ref. No. —
valve ring for type N6 holder for O-ring			
	No.	361317	Ref. No. —
sealing disc for type N6			
	No.	361886	Ref. No. —
non-return valve inletmm outletmm outlet ø 12.4mm L 12.7mm			
	No.	505228	Ref. No. —
spacer bush ID ø 4.5mm ED ø 10mm L 16mm for dosing pump			



1

No.	541261	Ref. No.	21105 WY21105
description	manometer ø 44mm pressure range 0 up to 2.5bar thread 1/8" connection on the backside		
For models:	Mininova		



1

No.	541225	Ref. No.	21101 WY21101
description	manometer ø 51mm pressure range 0 up to 3bar thread 1/4" marking 2 connection on the backside		
For models:	Antares, Junior, Nova, NovaAle		

dosing pumps

peristaltic dosing pumps

GERMAC

spare parts



1

No.	361060	Ref. No.	3DD15108E WY3DD15108E
description	pump hose GERMAC rinse aid hose type silicone hose ø 4x6mm for model G80/G82/G600		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

piston pumps

spare parts



1

No.	510298	Ref. No.	3DD10705D WY3DD10705D
description	lip valve dosing pump suitable for DB2/DS5		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		



various



1

No.	361731	Ref. No.	3DD107996 WY3DD107996
description	dosing pump without auxiliary pressure connection rinse aid inlet 4mm outlet 8mm pressure connection ø 8mm suction connection ø 4mm		

spare parts


1

No.	510298	Ref. No.	3DD10705D WY3DD10705D
description	lip valve dosing pump suitable for DB2/DS5		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

self-priming with supporting pressure
DIHR


1

No.	361912	Ref. No.	3DD10799G WY3DD10799G
description	dosing pump kit inlet 5mm outlet 8mm suction connection ø 5mm auxiliary pressure connection 10mm		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		



1

No.	361744	Ref. No.	0010799 3DD10799 WY0010799 WY3DD10799
description	dosing pump type DW with auxiliary pressure connection rinse aid inlet 4mm outlet 8mm suction connection ø 4mm auxiliary pressure connection 10mm		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		
spare parts for	361744		
	No.	520026	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 10m thickness 1mm t.max. 60°C transparent		
	No.	520090	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		

ELETTROBAR


1

No.	510298	Ref. No.	3DD10705D WY3DD10705D
description	lip valve dosing pump suitable for DB2/DS5		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

GERMAC
spare parts


1

No.	510298	Ref. No.	3DD10705D WY3DD10705D
description	lip valve dosing pump suitable for DB2/DS5		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

hoses

supply hoses

stainless steel flexi hoses

universal hoses



1



No.	520148	Ref. No.	30405 WY30405
description	flex hose SS braid straight-straight DN6 connections 1/8" L 200mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1



No.	520149	Ref. No.	30401 WY30401
description	flex hose SS braid straight-straight DN6 connections 1/4" L 280mm conical seal approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1



No.	520601	Ref. No.	30407 WY30407
description	flex hose SS braid straight-straight DN8 connections 3/8" L 1000mm conical seal approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		
For models:	Mininova		



1




No.	520602	Ref. No.	30408 WY30408
description	flex hose SS braid straight-straight DN8 connections 3/8" L 1500mm conical seal approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1



No.	520256	Ref. No.	30403 WY30403
description	flex hose SS braid straight-straight DN8 connections 3/8" L 330mm conical seal approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1



No.	520299	Ref. No.	30404 WY30404
description	flex hose SS braid straight-straight DN8 connections 3/8" L 450mm conical seal approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

formed hoses

form S



1

No.	517226	Ref. No.	3DD25032A WY3DD25032A
description	formed hose S-shape warewashing equiv. no. 25032/A		
For models:	Wega-wash-500		

miscellaneous



1

No.	517256	Ref. No.	3DD150048A WY3DD150048A
description	formed hose warewashing equiv. no. 150048/A mounting pos. upper		
For models:	Wega-wash-500		

fittings, hose and pipe connectors

fittings

double nipples



1

No.	527193	Ref. No.	23210 WY23210
description	double nipple brass thread 1/8" - 1/8"		
For models:	Atlas, Gemini, Mininova, Pegaso, Polaris, PolarisAvandGarde, Starlet		

reducers



1

No.	527207	Ref. No.	25743 WY25743
description	reducer thread 1/4" IT - 1/8" ET brass WS 17		
For models:	Mininova, Venere		



1

No.	527197	Ref. No.	25744 WY25744
description	reducer thread 3/8" IT - 1/8" IT brass WS 20 L 26mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

T-pieces

miscellaneous



1

No.	527204	Ref. No.	43030001 WY43030001
description	T-piece thread 3/8" ET - 3/8" IT - 1/4" IT L 31mm for filling valve WS 23 W 40mm brass		
For models:	NovaComp, Pegaso, PolarisAvandGardeCompatta, PolarisCompatta		

miscellaneous



1

No.	527250	Ref. No.	25691003 WY25691003
description	connecting fitting L 29mm ID ø 8mm WS 22 brass thread 3/8" IT - 3/8" ET		
For models:	Mininova		



water softeners

manual softener



1

No.	530807	Ref. No.	WY28205001
description	container lid suitable for type LT/BP		
For models:	Addolcitori, Pegaso		
spare parts for	530807		
	No.	530803	Ref. No. —
lid handle			
	No.	530804	Ref. No. —
catch body suitable for type IV			
	No.	530805	Ref. No. —
catch body			
	No.	530806	Ref. No. —
O-ring ID ø 72mm thickness 7mm suitable for type LT/BP			



1

No.	530328	Ref. No.	WY10320500
description	nozzle connection M6x1 suitable for type LT		
For models:	Addolcitori, Pegaso		

water cycle components

pressure reduction valves

pressure reduction valves

producer-specific



1

No.	520335	Ref. No.	26330 WY26330
description	pressure reduction valve RB series expo connection 3/8" default setting 3bar setting range 1-6bar p max 40bar t.max. 85°C brass		

fastening material

screws

countersunk screws



1

No.	560215	Ref. No.	23510 WY23510
description	countersunk screw thread M5 L 14mm SS DIN 963/ISO 2009 Qty 20 pcs intake slotted head ø 9.2mm		
For models:	Pegaso		

cylinder head bolts

DIN 912/ISO 4762



1

No.	527168	Ref. No.	23556 WY23556
description	cylinder head bolt thread M10 thread L 16mm L 30mm WS 8 SS Qty 1 pcs DIN 912/ISO 4762		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		



1

No.	560026	Ref. No.	23560 WY23560
description	cylinder head bolt thread M4 thread L 16mm WS 3 SS Qty 20 pcs DIN 912/ISO 4762		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGarde-Compatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		



1

No.	527170	Ref. No.	23558 WY23558
description	cylinder head bolt thread M6 thread L 8mm WS 5 SS Qty 1 pcs DIN 912/ISO 4762		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGarde-Compatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

threaded rods

miscellaneous

			
1			
No.	527174	Ref. No.	10405004 23134 WY10405004 WY23134
description	thread bolt thread M8 L 25mm SS		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
No.	527172	Ref. No.	28360005 WY28360005
description	thread bolt thread M8 L 40mm steel WS 4 intake hexagonal		
For models:	Macinadosatore		

knurled screws

			
1			
No.	517039	Ref. No.	3DD11101I WY3DD11101I
description	Thumb screw thread M8x1.25 thread L 8mm ø 30mm H 3mm SS mounting pos. lower		
For models:	Wega-wash-500		

nuts

hexagonal nuts

DIN 934 / ISO 4032/8673

			
1			
No.	560199	Ref. No.	23052 WY23052
description	hexagonal nut thread M10 H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 10 pcs		
For models:	Airy, Antares, Atlas, Nova, NovaAle, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

hexagonal nuts metric (without norm)

			
1			
No.	527169	Ref. No.	23050 WY23050
description	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

			
1			
No.	527269	Ref. No.	25384 WY25384
description	nut thread M26x1.5 H 5.7mm WS 32 brass Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

hexagonal nuts inch thread

			
1			
No.	517180	Ref. No.	3DD11701A WY3DD11701A
description	nut thread 1" H 5mm WS 36 SS Qty 1 pcs		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400		

			
1			
No.	503042	Ref. No.	25356 WY25356
description	nut thread 3/8" H 6mm brass WS 22 Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

washers

washers

miscellaneous

			
1			
No.	529862	Ref. No.	25652 WY25652
description	flat washer ID ø 12.3mm ED ø 18mm thickness 1mm brass Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

1 			
No.	527159	Ref. No.	25653 WY25653
description	flat washer ID ø 9mm ED ø 15.4mm thickness 1mm brass Qty 1 pcs		
For models:	Antares, Pegaso		

1 			
No.	527873	Ref. No.	10342 WY10342
description	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm brass		

1 			
No.	527148	Ref. No.	25651 WY25651
description	washer ID ø 17mm ED ø 28mm thickness 2mm brass Qty 1 pcs beveled		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

fasteners

retaining rings

DIN 472

1 			
No.	528099	Ref. No.	10005 WY10005
description	retaining ring bore ø 11mm thickness 1mm DIN 472		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

1 			
No.	527257	Ref. No.	10002 WY10002
description	retaining ring bore ø 16mm thickness 1mm SS DIN 472		
For models:	Antares, Pegaso		

DIN 6799

1  			
No.	516198	Ref. No.	10001 WY10001
description	retaining ring E D1 ø 6mm D2 ø 12mm SS DIN 6799 thickness 0.7mm for shaft ø 7-9mm		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

roll pins

1 			
No.	690968	Ref. No.	10701 WY10701
description	roll pin ø 5mm L 20mm		
For models:	Antares, GS40, Pegaso		

screw caps

1 			
No.	520707	Ref. No.	25785 WY25785
description	screw cap thread 3/8" thread L 8mm brass WS 21 head thickness 6mm		
For models:	Airy, Atlas, Gemini, Nova, NovaAle, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

1 			
No.	520702	Ref. No.	25782 WY25782
description	end cap thread 1/4" brass WS 16		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		